

DAFTAR PUSTAKA

- Ahmed, R. 2012. In-Vitro Determination of Antioxidant Capacity from Methanolic Extract of *Amaranthus Gangeticus*, *Spinacia Oleracea L*, and *Ipomoea Aquatica* by DPPH (1,1-Diphenyl-2-Picrylhydrazyl) Free Radical Scavenging Assy. Skripsi. Department of Pharmacy East West University.
- Anandhan, S. and Sorna K.H. 2011. Biorestricting Potentials of Marine Macroalgae Collected from Rameshwaram, Tamil Nadu. Journal Research Biology, 1(5): 385-392.
- Arifulloh. 2013. Ekstraksi Likopen dari Buah Tomat (*Lycopersicum esculentum*) dengan Berbagai Komposisi Pelarut. Skripsi. Universitas Negeri Jember.
- Aslan, L. M. 1991. Budidaya Rumput Laut. Kanisius. Yogyakarta. 76 Hal.
- Bak, K. H., M. A. Petersen., R. Lametsh., E. R. Hansen., and J. Ruiz-Carrascal. 2018. Development of volatile compounds during hydrolysis of porcine hemoglobin with papain. *Molecules*. 23 : 2-9.
- Barry-Ryan, M. Devereux, J. Lonchamp. 2009. Identification of volatile quality markers of ready-to-use lettuce and cabbage, *Food Res. Int.* 42. 1077–1086.
- Budiono, A., Suhartana, dan Gunawan. 2010. Pengaruh Aktivasi Arang Tempurung Kelapa dengan Asam Sulfat dan Asam Fosfat untuk Adsorpsi Fenol, SkripsiS2. Universitas Diponegoro.
- Burdock AG. 2002. *Fenaroli's Handbook of Flavor Ingredients, Fourth Edition*. Boca Raton: CRC Press.1808 hlm
- Burg, P., M. H. Abraham and D. Cagniant. 2003. Methods of determining polar and non-polar sites on carbonaceous adsorbents. The contribution of the linear solvation energy relationship approach. *Carbon* 41: 867-879.
- Cardoso MS, Pereira OR, Seca AML, PintoDCGA, Silva AMS. 2015. Seaweeds as preventive agents for cardiovascular diseases: from nutrients to functional foods. *Marine Drugs*. 13: 6838-6865.
- Castilla, C.M. 2004. Adsorption of organic molecules from aqueous solutions on carbon materials. *Carbon* 42: 83-94
- Cha, Y. J., H. H. Baek, T. C. Y. Hsieh. 1992. Volatile Components in flavour concentrates from crayfish processing waste. *Journal of the Science of food and agriculture*. 58: 239-248.
- Chung, H.Y., I. K. S. Yung, W. C. J. Ma, and J. Kim. 2002. Analysis of volatile components in frozen and dried scallops (*Patinopecten yessoensis*) by gas

- chromatography/mass spectrometry. *Journal food Research International*. 35 : 43-53.
- Cord, C. N., and Kini, M. S. 2018. A Review on Adsorption of Cationic Dyes Using Activated Carbon. Department of Chemical Engineering, Manipal Institute of Technology : India. 2-16 p.
- Dawes, C. 1981. *Marine Botany*. John Wiley and Sons, Inc. Canada.
- Dhar, D., Akther, S. Sultana, May. U, Islam. M.M, Dhali. M., Sikdar. D. 2017. Effect of extraction solvents on phenolic contents and antioxidant capacities of *Artocarpus chaplasha* and *Carissa carandas* fruits from Bangladesh. *Journal of Applied Biology & Biotechnology* Vol. 5 (03), pp. 039-044.
- Ditjen Perikanan Tangkap. 2015.Indonesia Produsen Rumput Laut *Cottonii* Terbesar Dunia. <http://kkp.go.id>. Diakses pada Tanggal 5 Januari 2016 pada Pukul12.00 WIB.
- Dousti, S. Najafpoor, A A, Jafari A J, Hosseinzadeh, A. 2016. Efficiency in phenol removal from aqueous solutions of pomegranate peel ash as a natural adsorbent. Iran : Environmental Health Engineering and Management Journal, 3(1), 41–46.
- Ferrer-Mairal, A., Penalva-Lapuente, C., Iglesia, I., Urtasun, L., De Miguel-Etayo, P., Remon, S., Cortes, E. And Moreno, L. A. 2012. *In vitro* and *in vivo* assessment ofthe glycemic index of bakery products: influence of the reformulation ofngredients. European Journal of Nutrition 51: 947-54.
- Firmansyah, S.B. 2015. Aktivitas Antioksidan dan Antibakteri Ekstrak Metanol Rumput Laut (*Sargassum duplicatum* J. Agardh) serta Potensinya sebagai Alternatif Pengawet Alami pada Telur Asin. Skripsi. Fakultas Ilmu Tarbiyah dan Keguruan. Universitas Islam Negeri Walisongo Semarang. 154 hal.
- Flament, I. and Ohloff, G. 1984. Volatiles constituents of algae. Progress of Flavour Research Proceedings of 4th Weurman Flavour Research Symposium, Dourdan, France. pg. 281-296.
- Goud, Vaibhav V., K. Mohanty., M. S. Rao, and N. S. Jayakumar. 2005. Phenol Removal From Aqueous Solutions by Tamarind Nutshell Activated Carbon: Batch and Column Studies. Departement of Chemical Enguneering. Dharmsinh Desai Institute of Technology: India. 28 (07) : 814 – 821.
- Grinter, R J., J M Bobbitt, A E Schwarting. 1991. Pengantar Kromatografi. Bandung. Penerbit ITB. hal 82-84.

- Grosch W. 1982. Lipid degradation products and flavor. Part A. Introduction. In I. D. Morton, & A. J. MacLeod (Eds.), *Developments in food science 3A* (pp. 325–398). New York: Elsevier Science Publishing.
- Guillen M, Errecalde M. 2002. Volatile components of raw and smoked black bream (*Brama raii*) and rainbow trout (*Onchorhynchus mykiss*) studied by means of solid phase microextraction and gas chromatography/mass spectrometry. *J Sci Food Agric.* 82:945-952.
- Guillen, M and M. Errecalde. 2002. Volatile components of raw and smoked black bream (*Brama raii*) and rainbow trout (*Onchorhynchus mykiss*) studied by means of solid phase microextraction and gas chromatography/mass spectrometry. *Journal of the Science of Food and Agriculture.* 82: 945-952.
- Handayani, T. Sutarno. dan Ahmad, D. S. 2004. Analisis Komposisi Nutrisi Rumput Laut *Sargassum crassifolium* J. Agardh. Jurusan Biologi FMIPA Universitas Sebelas Maret Surakarta. 2 (2): 45-52.
- Harborne J B. 1987. Metode Fitokimia. Bandung. Penerbit ITB.
- Hardiana, R., Rusdiyansyah dan T. A. Zaharah. 2012. Aktivitas Antioksidan Senyawa Golongan Fenol dari Berbagai Jenis Tumbuhan Famili Malvaceae. *Jurnal Kimia Katulistiwa*, 1 (1) : 8-13.
- Ho CT, Chen Q. 1994. Lipids in food flavors: an overview. Di dalam: Ho CT, Hartman TG, editor. *Lipids in Food Flavors*. Washington DC: American Chemical Society. hlm 2-14.
- Hui YH. 2006. *Handbook of Food Science, Technology, and Engineering Vol 1.* Boca Raton (US): CRC Press.
- Husni, A., D. R. Putra, dan I. Y. B. Lelana. 2014. Aktivitas Antioksidan *Padina* sp. pada Berbagai Suhu dan Lama Pengeringan. *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*, 9(2) : 165-173.
- I. Flament, G. Ohloff. 1984. Volatiles constituents of algae, Progress of Flavour Research Proceedings of 4th Weurman Flavour Research Symposium, 9–11 May. Dourdan. France. pp. 281–296.
- Izzreen, N Q., and Ratnam R V. 2011. Volatile compound extraction using Solid Phase Micro Extraction coupled with Gas Chromatography Mass Spectrometry (SPME-GCMS) in local seaweeds of *Kappaphycus alvarezii*, *Caulerpa lentillifera* and *Sargassum polycystem*. *International Food Research Journal* 18(4): 1449-1456.

- Jeeva S, Marimuthu J, Domettila C, Anantham, Mahesh M. 2012. Preliminary phytochemical studies on some selected seaweeds from Gulf of Mannar, India. *Asian Pacific Journal of Tropical Biomedicine*. S30-S33.
- Kamenarska, Z., Dimitrova-Konaklieva, S., Stefanov, K., Najdenski, H., Tzvetkova, I., & Popov, S. (2002). Comparative study of the volatile compounds from some Black Sea brown algae. *Botanica Marina*, 45, 502–509.
- Kamenarska, Z., Ivanova, A., Stancheva, R., Stoyneva, M., Stefanov, K., DimitrovaKonaklieva, S., & Popov, S. (2006). Volatile compounds from some Black Sea red algae and their chemotaxonomic application. *Botanica Marina*, 49, 47–56.
- Kemp SE, Hort J, John Wiley & Sons T. 2009. Sensory Evaluation A practical Handbook. United Kingdom: Hollowood.
- Khalafu, S. H. S., Wan, M. W. Ai, Seng, J. L., and Mohamad, Y. M. M. 2017. Effects of Deodorisation Methods on Volatile Compounds, Chemical Properties and Antioxidant Activities of Fucoidan Isolated from Brown Seaweed (*Sargassum* sp.). *Algal Research* (25) : 207 – 515.
- Khoddami, A., Wilkes, M. A., & Roberts, T. H. 2013). Techniques for analysis of plant phenolic compounds. *Molecules* 18 (2), 2328- 2375.
- Kim, S. K. 2012. Handbook of Marine Macroalgae Biotechnology and Applied Phycology Pukyong National Universiti. A Jhon Wiley & Sons, Ltd., Publication.
- Kromfang, I., U. Chikhunthod, P. K., and B. Thumthanaruk, 2015. Identification of Volatile Compounds in Jellyfish Protein Hydrolysate. *Int J Appl Sci Technol* 8(2) : 153-161.
- Kurniawan. 2014. Pengaruh Suhu dan Perbandingan Katalis Zeolit terhadap Karakteristik Produk Pirolisis Kayu Jati (*Tectona Grandis Lf*). *Jurnal Teknik Kimia* :217-218.
- Liu, J.K., S. M. Zhao, S. B. Xiong. 2009. Influence of recocking on volatile and nonvolatile compounds found in silver carp (*Hypophthalmichthys molitrix*). *Fisheries Science*. 75: 1067-1075.
- Liyana. P. C., and Shahidi, F. 2005. Optimization of extraction ofphenolic compounds from wheat using response surface methodology. *Food Chem.*, 93:47–56.
- Markham, K R., 1988. Cara Mengidentifikasi Flavonoid. Bandung: Penerbit ITB. 15 hal.

- Maskuro, A. 2012. Deskripsi Tumbuhan Jati dan Peranannya dalam Kehidupan Sehari-hari. *Jurnal Mipa*. 5 hal.
- Morita, K., K. Kubota., and T. Aishima. 2003. Comparison of aroma characteristics of 16 fish species by sensory evaluation and gas chromatographic analysis. *Journal of the Science of Food and Agriculture*. 83: 289-297.
- Murdika, A. 2009. Aplikasi teknik kombinasi adsorpsi dan elektrolisis untuk menurunkan kandungan fenol dalam limbah industri bahan kimia sanitasi. Jurusan Kimia Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Indonesia.
- Nagappan H, Pee PP, Kee SHY, Ow JT, Yan SW, Chew LY, Kong KW. 2017. Malaysian brown seaweeds *Sargassum siliquosum* and *Sargassum polycystum*: low densitylipoprotein (LDL) oxidation, angiotensinconverting enzyme (ACE), α -amylase and α -glucosidase inhibition activities. *FoodResearch International*. 1-9.antioxidant activity. *Journal Science Technology*. 26(2): 211-219.
- Padua D, Rocha E, Gargiulo D, RamosAA. 2105. Bioactive compounds from brown seaweeds: phloroglucinol,fucoxanthin and fucoidan as promising therapeutic agents against breast cancer. *Phytochemistry Letters*. 14: 91-98.
- Pape, M.A., Priol, J.G., Prost, G. and Demaimay G. 2004. Optimization of Dynamic Headspace Extraction of the Edible Red Algae *Palmaria palmata* and Identification of the Volatile Components. *Journal of Agriculture and Food Chemistry* 52 (3): 550-556.
- Pari, G. 1998. Pengaruh umur kayu mangium terhadap kualitas arang aktif. *Buletin Penelitian Hasil Hutan* 15 (5): 348-362.
- Pari, G. 1998. Pengaruh umur kayu mangium terhadap kualitas arang aktif. *Buletin Penelitian Hasil Hutan* 15 (5): 348-362.
- Peinado, I., Girón, J., Koutsidis, G., & Ames, J. M. (2014). Chemical composition, antioxidant activity and sensory evaluation of five different species of brown edible seaweeds. *Food Research International*, 66, 36–44.
- Perez, A. G., C. Sanz., and R. Oli'as, J. J. Ri'os, J. M. Oli'as. 1996. Evolution of strawberry alcohol acyltransferase activity during fruit development and storage. *J Agric Food Chem* 44: 3286–3290.
- Pohnert, G., & Boland, W. (2002). The oxylipin chemistry of attraction and defense in brown algae and diatoms. *Natural Product Reports*, 19, 108–122.

- Polii, F. F. 2017. Pengaruh suhu dan lama aktifasi terhadap mutu arang aktif dari kayu kelapa. Balai Riset dan Standardisasi Industri .Manado.
- Pratama, R.I., R. Iis, dan M. Yusuf. 2013. Komposisi kandungan senyawa flavor ikan mas (*Cyprinus carpio*) segar dan hasil pengukusannya. Jurnal Akuatika. IV (1) : 55-67.
- Pujimulyani, D., Raharjo, S., Marsono, Y. dan Santoso, U. 2010. Pengaruh Blanching terhadap Aktivitas Antioksidan, Kadar Fenol, Flavonoid, dan Tanin Terkondensasi Kunir Putih (*Curcumamangga* Val.). Agritech, 30(3) : 143 – 145.
- Rahayu, P., dan Wahyudi. 2014. Karakteristik dan Sifat-Sifat Dasar Kayu Jati Jawa Barat. Jurnal Ilmu Pertanian Indonesia, 19(1):50-56
- Rajeswari and Rani S. 2015. GC-MC analysis of Phytochemical Compound in the Ethanolic Extract of Root of *Lawsonia inermis* L. International Journal of ChemTech Research Vol. 3(6) : 78 – 81.
- Rakhmi, A. T., S. Dewi. I., dan Dody D. H., 2013. Karakterisasi Aroma Dan Rasa Beberapa Varietas Beras Lokal Melalui Quantitative Descriptive Analysis Method. Balai besar penelitian tanaman padi. Subang. Jawa Tengah.
- Redha, A. 2010. Flavonoid : Struktur, Sifat Antioksidatif dan perannya dalam sintem Biologis. Jurnal Belian, 9(2): 196 – 202.
- Ridal S.,2003. Karasterisasi Sifat Fisiko - Kimia Tepung dan Pati Talas dan Kimpul dan Uji Penerimaan α - amilase Terhadap Patinya. Skripsi. Fakultas Teknologi Pertanian, Institut Pertanian Bogor.
- Rispail, N., P Morris., and K Judith Webb. 2005. Phenolic Compound : Extraction and Analysis. UK. Lotus Japonicus Handbook.
- Rumiantin, R. O. 2011. Kandungan Fenol, Komponen Fitokimia dan Aktivitas Antioksidan Lamun *Enhalus acoroides*. Skripsi. Fakultas Perikanan dan Kelautan. Institut Pertanian Bogor.
- Sakakibara, H., J. Ide, T. Yanai, I. Yajima, K. Hayashi. 1990. Volatile flavor compounds of some kinds of dried and smoked fish. *Agricultural and Biological Chemistry*. 54:9-16.
- Sanger, G., Kaseger, B. E., and Rarung, L. K., dan Damongilala, L. 2018. Potensi Beberapa Jenis Rumput Laut sebagai Bahan Pangan Fungsional, Sumber Pigmen dan Antioksidan Alami. Jurnal Pengolahan Hasil Perikanan Indonesia, 21(2): 208-218.

- Sedjati. S., Suryono, A. S., Endang, S., dan Ali. R. 2017. Aktivitas Antioksidan dan Kandungan Senyawa Fenolik Makroalga Coklat *Sargassum* sp. Departemen Ilmu Kelautan, Fakultas Perikanan dan Ilmu Kelautan, Universitas Diponegoro. Vol. 20(2):117–123.
- Sembiring, M., dan Surya. 2009. Arang Aktif, Digitized USU Digital Library, Sumatra Utara.
- Shalit, M., N. Katzir, Y. Tadmor, O. Larkov, Y. Burger, F. Schalechet, E. Lastochkin, U. Ravid, O. Amar, and M. Edelstein M. 2001. AcetylCoA: alcohol acetyl transferase activity and aroma formation in ripening melon fruits. J Agric Food Chem 49: 794–799.
- Sharma, R. K., and Anjana. G. 2018. Identification of Phytoconstituents in *Lawsonia inermis* Linn. Leaves Extract by GC-MS and their Antibacterial Potential. Pharmacogn J. 10(6): 1101-1108.
- Supirman, S. S., Kartikaningsih, H. H., dan Zaelanie, K. K. 2013. Pengaruh Perbedaan pH Perendaman Asam Jeruk Nipis (*Citrus Auratifolia*) dengan Pengeringan Sinar Matahari terhadap Kualitas Kimia Teh Alga Coklat (*Sargassum Fillipendula*). Jurnal Mahasiswa Teknologi Hasil Perikanan, 1(1): 46-52.
- Syad A N, Shunmugiah K P, Kasi P D. 2013. Seaweed as nutritional supplements: analysis of nutritional profile, physicochemical properties and proximate composition of *G.acerosa* and *S.wightii*. *Biomedicine and Preventive Nutrition*. 3: 139-144.
- Takahashi, H., Sumitani, H., Inada, Y. and Mori, D. Identification of volatile compounds of Kombu (*Laminaria* spp.) and their odor description. Nippon Kagaku Kaishi 49 (4): 228-237.
- Tan, X., L. Qi, F. Fan, Z. Guo, Z. Wang, W. Song, and M. Du. 2018. Analysis of volatile compounds and nutritional properties of enzymatic hydrolysate of protein from cod bone. Food Chemistry, 264 : 350-357.
- Tjitrosoepomo, G. 2001. *Taksonomi Tumbuhan : Schizophyta, Thallophyta, Bryophyta dan Pteridophyta*. Gadjah Mada University Press, Yogyakarta.
- Trono, J.R. G.C and E.T. Ganzon. 1988. Philippine Seaweeds Publ. by National book store. Inc.: 327p.
- Tudjuka, M. Delfta. Daud Karel Walanda dan Baharuddin Hamzah. 2017. Pendidikan Kimia/FKIP - University of Tadulako, Palu. 6(2): 119-124.
- Wijayati, I. 2012. Pengaruh Penambahan Komponen Fenolik Teroksidassi terhadap Karakteristik Gel Surimi Ikan Lele Dumbo (*Clarias gariepenus*). Tesis. Institut Pertanian Bogor.

- Xiren, K. and Aminah. 2014. Elimination of Seaweed Odour and It is Effect on Antioxidant Activity. AIP Conference Proceedings, 1614 (1) : 399-403.
- Zubia, M., D Robledo, Y F Pelegrin. 2007. Antioxidant Activities in Marine Macroalgae from The Coasts Of Quintana Roo and Yucatan, Mexico. Journal of Applied Phycology, 19: 449-458.