

**DAFTAR PUSTAKA**

- Aalto K, Autio A, Kiss EA, Elima K, Nymalm Y, Veres TZ, 2010. Siglec-9 is a novel leukocyte ligand for vascular adhesion protein-1 and can be used in PET imaging of inflammation and cancer. *Blood* , **118**:3725–33.
- Abbas AK, Lictman AH, Pillai S, 2015. Innate immunity. In : Abbas AK, Lictman AH, Pillai S (eds). *Cellular and Molecular Immunology*. 8<sup>th</sup> edition. Philadelphia, Elsevier Saunders pp. 51-86.
- Adachi N, Migita M, Obta T, Higashi A, Matsuda I, 1997. Depressed Natural Killer cell activity due to decreased natural killer cell population in a vitamin E deficient patient with shwachman syndrome: reversible natural killer cell abnormality by alpha tachoperol supplementation. *European Journal of Pediatric*, 156:444-448.
- Afdal NH, Bacon RB, Patel K, Lawitz EJ, Gordon SC, Nelson DR, Challies TL, Nasser I, Garg J, Wei LJ, and McHutchison. Accuracy of Fibroscan, compared with Histology, in Analysis of Liver Fibrosis in Patients With Hepatitis B or C: A Unitie States Multicenter Study. *Clinical Gastroenterology and Hepatology*, 13:772-779.
- Agus S, 2007. Hipertensi portal, dalam Ali S, Nurul A, Sjaifollah N, Lesmana Ahlenstiel G, Titerence RH, Koh C, 2010. Natural killer cells are polarized toward cytotoxicity in chronic hepatitis C in an interferon-alfa-dependent manner. *Gastroenterology*, 138:325–335L (edt). *Buku Ajar Ilmu Penyakit Hati*. Jayaabadi Press. Hlm. 347-360.
- Al-Ghamdi, A.S., 2010. Fibroscan: A Noninvasive Test of Liver Fibrosis Assessment. [online] Available at: [Accessed 15 November 2010].
- Albertasson PA, Basse PH, Hokland M, Goldfarb RH, Negelkerke JF, Nannmark U, Kuppen PJ, 2003. NK cells and the tumor microenviroment: implication for NK-cells function and anti-tumor activity. *Trends in Immunology*, 24(11):603-609.
- Andrews DM, Andoniou CE, Scalzo AA, van Dommelen SL, Wallace ME, Smyth MJ, Degli-Esposti MA, 2005. Cross-talk between dendritic cells and natural killer cells in viral infection. *Molecular Immunology*, 42:547–555.
- Arababadi MK, Pourfathollah AA, Jafarzadeh A, Hassanshahi G, Miohit M, Hajghani M, Ahmadabadi BN, Kennedy D, 2010. Evaluation of CCR5 expression on NK cells in Iranian patients with occult hepatitis B infection. *Laboratory Medicine* 41:735–738.

- Bartholoeusz A, Locarnini S, 2001. Hepatitis B virus mutants and fulminant hepatitis B: fitness plus phenotype. *Hepatology*, 34:432-435.
- Battaller, R. and Brenner, D.A. 2009. *Miscellaneous, Overview of Liver Fibrosis*. Textbook of Gastroenterology. Fifth Edition. Blackwell Publishing. hlm. 658-79.
- Bakebaum S, Cincinnati VR, Dworaki J, Muller-Berghaus J, Stolz D, Harnaha J *et al.*, 2002. Reduction in the circulating pDC1/pDC2 ratio and impaired function of ex vivo generated DC 1 in chronic hepatitis B infection. *Clinical Immunology*, 104:138-150.
- Bellora F, Castrioni R, Dondero A, Carrega P, Mantovani A, Ferlazzo G, Morreta A, Bottino C, 2014. Human NK cells and NK cells receptor. *Immunology Letters*, 161(2) : 168-173.
- Bemion, D. dan Arthur, M.J.P. 2001. Ekstracelluler Matrix Degradation and The Role of Stellate Cells. *Seminars in Liver Disease*. vol. 21,p:373-84.
- Berrou J, Faugeray S, Venot M, Chardiny V, Gautier JF, Dulphy N, Toubert A, Peraldi MN, 2013. Natural killer cell function, an important target for infection and tumor protection , is impaired in type 2 diabetes. *Plos ONE*, 8(4): e62418
- Bergkamen, H.S. 2007. Hepatocyte Apoptosis and Necrosis. *Textbook of Hepatology From Basic Science to Clinical Practise*. Third Edition. Blackwell Publishing. p:335-347.
- Bertoletti A, Ferrari C, 2003. Kinetics of the immune response during HBV and HCV infection. *Hepatology*, 38:4e13
- Bertoletti A, Ferrari C, 2012. Innate and adaptive immune responses in chronic hepatitis B virus infection: towards restoration of immune control of viral infection. *Gut*, 61: 1754-1764.
- Biron CA, Nguyen KB, Pien, Cousens LP, T.P. Salazar-Mather, Natural killer cells in antiviral defense: function and regulation by innate cytokines, *Annual Review Immunology*, 17 : 189–220.
- Bonorino P, Ramzan M, Camaus X, Dufeu-Duchesne T, Thelu MA, Sturm N, Daris A, Guillermet C, Pernolet M, Zarsky JP, Marce PN, Leroy V, Jouvin ME, 2009. Fine characterization of intra hepatic NK cells expressing of natural killer receptor in chronic hepatitis B and C. *Journal Hepatology*, 51 : 458-467.
- Borrego F, Alonso MC, Galiani MD, Carracedo J, Ramirez R, Ostos B, Pena J, Solana R, 1999a. NK phenotype markers and IL-2 response in NK cells from elderly people. *Experimental Gerontology*, 34(2):253-265

- Bosch J, Abraldes JG dan Groszmann RJ, 2003. Current Management of Portal Hypertension. *Journal Hepatology*, hlm. 54-68.
- Brandstadter JD, Yang Y, 2011. Natural killer cell responses to viral infection. *Journal of Innate Immunology* ;3(3):274–9
- Budihusodo U, Utama A, Purwantomo S, Siburian MD, Dheni R, Gani RA, Hasan I, Sanityoso A, Miskad UA, Akil F, Yusuf I, Achwan WA, Soemohardjo S, Lelosutan SA, Martamala R, Lukito B, Lesmana la, Sulaiman A, Tai S. Hepatitis B virus subgenotypes and basal core promoter mutations in Indonesia. *World Journal Gastroenterology*, 15(32):4028-36
- CDC Travelers Health. Yellow Book Chapter 40prevebtion of specific infectious diseases: *Hepatitis viral*. [http://en.wikipedia.org/wiki/hepatitis\\_B](http://en.wikipedia.org/wiki/hepatitis_B)
- Caligiuri MA, 2015. Human natural killer cells. *Blood Jurnal*, 112:461-469.
- Cambell KS and Hasegawa J, 2013. Natural Killer cells Biology : an update and future directions. *Journal of Alergy and Clinical Immunology*, 132 (3) : 536-544.
- Cheong JY, Cho SW, Hwang IL, 2006. Association between chronic hepatitis B virus infection and interleukin-10, tumor necrosis factor-alpha gene promoter polymorphisms. *Journal Gastroenterology Hepatology*, 21:1163–1169.
- Chen M, Salberg M, Hughes J *et al.*, 2005. Immunetolerance split between hepatitis B virus precore and core protein. *Journal virology*,79: 3016-27.
- Cosgrove C, Berger CT, Kroy DC, Chenay PC Ghebremichael M, Aneja J, Tomlinson M, Kim AY, Alter GG, 2014. Chronic HCV infection Affects the Nk Cells Phenothype in the Blood More than in the liver. *Plos One*, 9(8): e105950. Doi:101371/journal.phone.0105950.
- Crispe IN, 2009. The liver as a lymphoid organ . *Annual Review of imunnology*, 27:147-63.
- Culley FJ, 2009. Natural killer cells in infection and inflammation of the lung. *Imunnology*, 128(2): 151-163
- Dayem WAAE, Emam M, Shaheen NE, Emara MH, Darweish EM & Abdelwahab NA, 2013. Can combination of non-invasive parameter replace liver biopsy in the diagnosis of hepatic fibrosis in Egyptian patients with chronic hepatitis C. *British Microbiology Research Journal*, 3(3):259-271

Departemen Kesehatan RI 1995, *Pedoman pengukuran alat ukur lingkaran lengan atas (LILA) pada wanita usia subur*. Jakarta.

Dienstag, J.L. dan Isselbacher, K. 2007. Chronic Hepatitis. dalam Isselbacher, Fauci, Braunwald, Wilson, Martin, Kasper (edt.). *Harrison's Principles of Internal Medicine* vol 2. 18th Edition. New York: Mc Graw-Hill Medical Publishing Division. p: 1844-49.

Ding H, Wu T, Ma K, Wang, Wu Z, Guo W, Qi J, Ning Q, 2012. Non invasive measurement of liver fibrosis by transient elastography and influencing factors in patients with chronic hepatitis B – A single center retrospective study of 466 patients. *Journal of Huangzhong University of Science and Technology (Medical Sciences)*, Vol. 12(1), pp 69-74.

Dons'koi BV, Chernyshov VP, Osypchuk DV, 2011. Measurement of NK activity in whole blood by the CD69 up-regulation after coincubation with K562, comparison with NK cytotoxicity assays and CD107a degranulation assay. *Journal of Immunological Methods*;372(1-2):187-95.

Dunn C, Brunneto M, Reynolds G, Christophides T, Kennedy PT, Lampertico P, 2007. Cytokines induced during chronic hepatitis B virus infection promote a pathway for NK cells-mediated liver damage. *Journal of Experimental Medicine*, 204:667-80.

EASL, 2017. Clinical Practice Guideline on the management of Hepatitis B virus infection. European Association for the Study of the Liver. *Journal of Hepatology*. Vol. 6 (2) : 370-398.

Farag SS, Calligiuri, 2006. Human natural killer cells development and biology. *Blood Review*, 20(3): 123-137.

Fasbender F, Widera A, Hengstler JG, Watzl C, 2016. Natural Killer Cells and Liver Kekakuan. *Mini Review Frontiers in Immunology*, 7 : 19.

Fetarayani D, Soegiarto G, Ichwani J, 2016. Karya Akhir : *Perbandingan Jumlah Sel NK , persentase sel NK teraktivasi antar beberpa kelompok usia*. Departemen-SMF Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Airlangga RSUD dr. Soetomo Surabaya, 5; 80-90.

Fisicaro P, Valdatta C, Boni C et al., 2009. Early kinetics of innate and adaptive immune responses during hepatitis B virus infection. *Gut*, 58:974-82.

Friedman SL, 2008. Hepatic fibrosis-Overview. *Toxicology*, 254:120-129.

Friedman SL, 2008. Hepatic stellate cells: protean, multifunctional, and enigmatic cells of the liver. *Physiological Review*, p :125–172.

- Friedt M, Gerner P, Lausch E, Trubel H, Zabel B, Wirth S, 1999. Mutations in the basic core promoter and the precore region of hepatitis B virus and their selection in children with fulminant and chronic hepatitis B. *Hepatology*, 29:1252-1258.
- Gabrilovich D, 2004. Mechanism and functional significance of tumor induced dendritic cell defect. *Nature review of immunology*, 4:941-952
- Gaca MD, Zhou X, Issa R, Kiriella K, Iredale JP, Benyon RC, 2003. Basement membrane-like matrix inhibits proliferation and collagen synthesis by activated rat hepatic stellate cells: evidence for matrix-dependent deactivation of stellate cells. *Matrix Biology*, 22(3):229-239
- Gao B, Radaeva S, 2013. Natural killer and natural killer T cells in liver kekakuan. *Biochemica et Biophysica Acta*, 1832 : 1061-1069.
- Gesicka TW, Ligier MWn, Kaluzynski A, Turant M, 2002. Intrahepatic and peripheral blood NK cells in patients with chronic hepatitis c. *Medycyna wieku rozwojowego*, 6(3):203-11
- Ghosh S, Mondal RK, Baneerje P, Nandi M, Sarker S, Das K, 2012. Tracking the Naturally occurring mutations accros the full length genome pof Hepatitis B virus of genotype D in different phase of chronic e-antigen-negative infection, *The Clinical of Microbiological infection*, 18;E412-8.
- Ghosh S, Nandi M, Pal S, Mukhopadhyay D, Chakraborty B.C, Khatun M, Bhomick D, Mondal RK, Das S, Das K, Ghosh R, Banerjee S, Santra A, Chaterjee M, Chowdury A, Datta S, 2016. Natural killer cells contribute to hepatic injury and help in viral persistence during progression of hepatitis B e-antigen-negative chronic hepatitis B virus infection. *Clinical Microbiology And Infection*, 22 : 733e9-733e19.
- Glassner A, Eisenhard M, Kramer B, Korner C, Coenen M, 2012. NK cells from HCV-infected patients effectively induce apoptosis of activated primary human hepatic stellate cells in a TRAIL-, FasL- and NKG2D-dependent manner. *Laboratory Investigation*, 92, 967-977.
- Grunhage, F. dan Lammert, F. 2003. Assesstment of Hepatic Fibrosis in Chronic Viral Hepatitis. *Hepatology-A clinical textbook*. New York: McGraw Hill. hlm. 291-300.
- Grigorescu, M. 2006. Noninvasiv Biochemical Marker of Liver Fibrosis. *Journal of gastrointestinal Liver Diseases*. P:149-159.
- Gur C, Doron S, Kfir-Erenfeld S, Horwitz E, Tair L, Safadi R, Mandelboim O, 2012. NKp46-mediated killing of human and mouse hepatic stellate cells attenuates liver fbrosis. *Gut*. 61 : 885-893.

- Hazeldine J, Hampson P, Lord JM, 2012. Reduced Release and binding of perforin at immunological synaps underlies the age-reated decline in natural killer cell cytotoxicity. *Aging Cells*, 11(5):751-759.
- Hak L, Mysliwska J, wieckiewicz N, Szyndler K, Trzonkwoski P, Siebert J, Mysliwski A, 2007. NK cells compartement in patients with coronary heart diseases. *Imunnity and ageing*, 4(3). DOI:10.1186/1752-4933-3-3.
- Han YP, 2006. Matrixmetalloproteinase, the pros and cons, in liver Fibrosis. *Journal of Gastroenterology and Hepatology*, 21 (Suppl.3), s88-s91.
- Hanson MG, Ozenci V, Carlten MC, Glimelius BL, Frodin JL, Masuci G, Malberg KJ, Kiesling RV, 2007. A short-term dietary supplementation with high doses of vitamin E increases NK cell cytolytic activity in advanced colorectal cancer patients. *Cancer Immunol Immunother*, 56:973-84
- Hudspeth K, Donadon M, Cimino M, Pontarini E, Tentorio P, Preti M, et al., 2016. Human liver-resident CD56/CD16 NK cells are retained within hepatic sinusoid via the engagement of CCR5 and CXCR6 pathways. *Journal of Autoimmune diseases*, 66:40-50.
- Hydes T, Abuhilal M, Armstrong T, Primrose J, Takhar A, Khakoo S, 2015. Natural killer cells maturation marker in the human liver and expansion of an NKG2C +KIR+population. *Lancet*, 385 (1):S45.
- Iredale J.P, 2001. Hepatic stellate cell behavior during resolution of liver injury. *Seminars in Liver Disease*, 21 : 427–436.
- James, M.C. 2007. *Liver and Biliary Tract*. dalam Kumar, Abbas, Fausto, Mitchell (edt.). *Robbins and Cotran Pathology Basic of Disease*. 8th Edition. New York: WB Saunders Elsevier. p: 877-905.
- Jeong WI, Park O, Suh SG, Byun SJ, Park SY, Choi S, Kim JK, Ko H, Wang H, Miller AM, Gao B, 2011. Suppression of innate immunity (natural killer cell/interferon-gamma) in the advanced stages of liver kekakuan in mice. *Journal of Hepatology*, 53:1342–1351.
- Jilkova ZM, Decaens T, Marlu A, Marche H, Marche EJ and Marche PN, 2017. Sex Differences in spontaneous Degranulation activity of intrahepatic Natural Killer cells during Chronic hepatitis B: assoociation with Estradiol levels. *Mediators of Inflammation*, 5; article ID 3214917. <https://doi.org/101155/2017/3214917>.
- Johanis, 2011. Karya Akhir : *Korelasi Antara Jumlah Sel NK, Persentase sel NK teraktivasi, jumlah limfosit T-CD4<sup>+</sup> dan beban virus pada infeksi HIV stadium 1*. Departemen/SMF Patologi Klinik Fakultas Kedokteran Universitas Airlangga-RSUD dr Soetomo Surabaya, hal. 81-82.

- Kong HT and Restifo NP (2002). Natural Selection of tumor variants in the generation of tumor escape phenotypes. *Nature Immunology*, 3(11):999-1005.
- Krizhanovsky V, Yon M, Dickins RA, Hearn S, Simon J, Miething C, Yee H, Zender L, Lowe SW, 2008. Senescence of activated stellate cells limits liver Fibrosis. *Cell*, 134: 657–667.
- Lanier LL, Buck DW, Rhodes L, Ding A, Evan E, Barney C, Philips JH, 1988. Interleukin-2 activation of natural killer rapidly induces the exspression and phosphorylation of the Leu-23 activation antigen. *The Journal of Experimental Medicine*, 167(5):1572-1585.
- Le Garff-Tavernier M, Beziat V, Decocq J, Siguret V, Gandjbakhch F, Pautas E, Deber P, Merle-Beral H, Viellard V, 2010. Human NK cells display major phenotypic and functional changes over the live span. *Aging Cell*, 9(4):527-535.
- Laso FJ, Almaida J, Torres E, Vaquero JM, Marcos M, Orfao A, 2010. Chronic Alcohol consumption is associated with an increased cytotoxic profile of circulating lymphocytes that my be related with the development of liver injury. *Alcoholism: Clinical and Experimental Research*, 34:876-885.
- Lesmana CR, Hasan I, Gani RA, Sanityoso A, Djumhana A, Setiawan PB, 2017. Konsensus Nasional Penatalaksanaan Hepatitis B di Indonesia. *Perhimpunan Peneliti Hati Indonesia (PPHI)* : 1-2.
- Lehoux, M., A. Jacques, S. Lusignan, and L. Lamontagne. 2004. Murine viral hepatitis involves NK cell depletion associated with virus-induced apoptosis. *Clinical Experimental Immunology*, 137: 41–51.
- Li X, Zhou L, Gu L, Chen L, Lian Y, and Huang Y, 2017. Veritable antiviral capacity of natural killer cells in chronic HBV infection: an argument for an earlier anti-virus treatment. *Journal of Translational Medicine*, 15:220.
- Li X, Gu Y, Guo X, Gu L, Zhou L, Wu X, Wang X, Stamataki Z, Huang Y. Aptractical Model Evaluating Antiviral Cytokines by Natural Killer Cells in Treatmen Nive Patients with Chronic Hepatitis B Virus Infection. *Scientific Reports*, 7:5866
- Li Y, Wang JJ, Gao S, Liu S, Bai J, Zhao QX, Hao YH, Ding HH, Zhu F, Yang LD, Zhao PX, 2014. Decreased Peripheral Natural cells Activity in the Immune Activated Stage of Chronic Hepatitis B. *PLoS ONE* 9(2) :e86927.
- Liu F, Duan X, Wan Z, Zhang H, You S, Yang R, Liu H, Li D, Li J, Zhang Y, Xin S, 2016. Lower number and decreased function of natural killer cells in

hepatitis virus B related acute-on-chronic liver failure. *Clinics and Research in Hepatology and Gastroenterology*, 860 : 9.

Lunemann S, Malone D F G, Hengest Port K, Grabowski J, Deterding K, Markova A, Bremer B, Cornbergh, 2014. Compromised function of natural killer cells in acute and chronic hepatitis. *Journal infection diseases*, 209 (9): 1362-1373

Lutz CT and Quin LS, 2012. Sarcopenia, obesity and natural killer cell immune senescence in aging: altered cytokine levels as a common mechanism. *Aging*, 4(8):535-546.

Ma J, Guo X, Wu X, Li J, Zhu X, Li Z, Pan L, Li T, Li H, Liu Y, 2010. Association of NKG2D genetic polymorphism with susceptibility to chronic hepatitis B in a Han Chinese population. *Journal of medical virology*, 82: 1501-1507.

Maclachlan JH and Cowie BJ, 2015. Hepatitis B Virus Epidemiology. *Cold Spring Harbor Perspective Medicine*, 5 : a021410.

Maini MK, Boni C, Lee CK, 2000. The role of virus-specific CD8(+) cells in liver damage and viral control during persistent hepatitis B virus infection. *Journal Experimental Medicine*, 191:1269–80.

Mandal A and Viswanathan C, 2014. Natural killer cells: in health and diseases. *Hematology oncology stem cell Therapy*, 8(2):47-55.

Manns MP, Lohse WA, Vergani G, 2015. Autoimmune hepatitis –Update 2015. *Journal of Hepatology*, vol 62: S100-S111.

Marcellin P, Ziol M, Bedossa P, Douvin C, Poupon R, de Lédinghen V, dan Beaugrand M, 2009. Non-Invasive assessment of liver fibrosis by stiffness measurement in patients with chronic hepatitis B. *Liver International*, 29(2):241-247.

Martinet J, Dufeu-Duchesne T, Bruder Costa J, et al., 2012. Altered functions of plasmacytoid dendritic cells and reduced cytolytic activity of natural killer cells in patients with chronic HBV infection. *Journal of Gastroenterology*. 143:1586–96, e1588.

Meehan AC, Mifsud NA, Nguyen THO, Levvey BJ, Snell GI, Kotsimbos TC, Westall GP, 2013. Impact of commonly used transplant immunosuppressive drugs in human NK cells function is dependent upon stimulation condition. *Public of Library Science (PLOS) ONE*, 8(3): e60144. DOI:10.1371/journal.pone.0060144.

Melhem A, Muhanna N, Bhisara A, Alvarez CE, Ilan Y, Bishara T, Horani A, Nassar M, Friedman LS, Safadi R, 2006. Antiviral activity of NK cells



in experimental liver injury through killing of activated HSC. *Journal of Hepatology*, 45:60-71

- Mhatre S, Madkaikar M, Ghosh K, Desai M, Pujari V, Gupta M, 2014. Rapid flowcytometry based cytotoxicity assay for evaluation of NK cell function. *Indian Journal of Experimental Biology*, 52(10):983-988.
- Mochegiani E, Muzzioli M, Giaconi R, Cipriano C, Muti E, Tesei S, Mallavolta M, Cavellieri E, Suzuki H, 2003. Metallothioneins/PARP-1/IL-6 interplay on natural killer cell activity in elderly: parallelism with nonagenarians and old infected human. Effect of zinc supply. *Mechanisms of Ageing and development*, 124(4):459-468.
- Mormone E, George J, Nieto N, 2011. Molecular pathogenesis of hepatic fibrosis and current therapeutic approaches. *Chemico-Biological Interaction* 193:225-231.
- Muhanna N, Tair A, Doron S, Amer J, Azzeh M, Mahamid M, Friedman S, Safadi R, 2011. Amelioration of hepatic fibrosis by NK cell activation. *Gut*. 60: 90-98.
- Nasal M, 2015. HBV cccDNA: viral persistence reservoir and key obstacle for a cure of chronic hepatitis B. *Gut British Medical Journal*, 64:1972-1984.
- Narni-Mancinelli E, and Vivier E, 2012. NK cell genesis: a trick of the Trail. *Imunnity Previews*, 36(1):1-3.
- Natterman J, Glassner A, Eissenhard M, Kramer B, Corner C, Coenen M, Sauerbruch T, Spengler U, 2012. NK cells from HCV infected patients effectively induce apoptosis of activated primary human hepatic stellate cells in a TRAIL-, FasL and NKG2D-dependent manner. *Laboratory Investigation*, 92 : 967.
- Nishimura Y, Kumagai-Takei N, Lee S, Matsuzaki H, Yoshimoto K, Otsuki T, 2017. A new method to determine Natural Killer cell activity without target cells. In: Mourad Aribi, editor. Natural killer cells. *London: IntechOpen*, p.161-72
- Niki E, Noguchi N, 2004. Dynamics of antioxidant action of vitamin E. *Account of Chemical Research*, 37:45-51
- Okazaki A, Hiraga N, Imamura M, Hayes CN, Tsuge M, Takahashi S, Aikata H, Abe H, Miki D, Ochi H, Tateno C, Yoshizato K, Ohdan H, Chayama K, 2012. Severe necroinflammatory reaction caused by natural killer cell-mediated Fas/Fas ligand interaction and dendritic cells in human hepatocyte chimeric mouse. *Hepatology* 56:555-566.

- Oliviero B, Varchetta S, Paudice E, Michelone G, Zaramela M, Mavilio D, Fillippi FD, Bruno S, Mondeli MU, 2009. Natural Killer Cell Functional Dichotomy in Chronic Hepatiti B and Chronic Hepatitis C Virus Infection. *Gastroenterology*, 137:1151-1160.
- Orange JS and Ballas ZK, 2006. Natural killer cells in human health and diseases. *Clinical Immunology*, 118 (1) : 1-10.
- Pedersen L, Idorn M, Olafason G, Nookaew I, Hansen RH, Johansen H, 2015. Exercise suppresses Tumor Growth throught Epineprin and IL-6 dependent mobilization and Redistribution of NK cells. *Journal For Immono Therapy of Cancer*, 3(2): 246-256.
- Park GH, Kim KY, Cheong JY, Cho SW, Kwack K, 2012. Association of GNLY genetic if polymorphism wich chronic liver diseases in a Korean population. *DNA cell Biology*, 31: 1494-1498.
- Peppa D, Gill US, Reynolds G, et al., 2013. Up-regulation of a death receptor renders antiviral T cells susceptible to NK cell-mediated deletion. Robertson MJ, 2002. Role of chemokines in the biology of natural killer cells, *Journal Leukocyte Biology*, 71: 173–183.
- PERKENI, 2015. *Konsensus Pengelolalan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2015*. Pengurus Besar Perkumpulan Endokrinologi Indonesia, hal 11.
- Phan MT, Chun S, Kim SH, Ali AK, Lee SH, Cho D, 2016. Natural killer subsets and reseptor ekspresion in peripheral Blood mononuclear cells of a healty Korean population : reference range influence of age and sex, and correlation between NK cells reseptor and citotoxycity. *Human immunology J*:1-10
- Pinzani, M, Macias-Barragan J, 2010. Update on the pathophysiology of liver fibrosis. *Expert Review of Gastroenterology & Hepatology*, 4: 459–472.
- Poggi A, Prevosto C, Zancolli M, Canevali P, Musso A, Zocchi MR, 2007. NKG2D and natural cytotoxicity receptors are involved in natural killer cell interaction with self-antigen presenting cells and stromal cells. *Annals of the New York Academy of Sciences* 1109:47–57.
- Proverawati A, 2010. Obesitas dan Gangguan Perilaku Makan pada Remaja. *Nuha Medika*, Yogyakarta, hal. 71-72.
- Pusat Data dan Informasi Kementerian Kesehatan RI (PUSDATIN), 2014. Epidemiologi Hepatitis B, viewed 18 juni 2019. <http://www.depkes.go.id/resources/download/pusdatin/infodatin-hepatitis.pdf>

- Qi X, An M, Wu T, Jiang D, Peng M, Wang W, Wang J, Zhang C, 2017. Transient elastography for significant liver fibrosis and Cirrhosis in Chronic Hepatitis B: A Meta-Analysis. *Review Article Candian Journal of Gastroenterology and Hepatology*, Vol 2018. <https://doi.org/10.10.1155/2018/3406789>.
- Radaeva S, Wang L, Jeong WI, Park O, Gao B, 2007. Retinoic acid signaling sensitizes hepatic stellate cells to NK cell killing via upregulation of NK cell activating ligand RAE1, *American Journal of Physiology. Gastrointestinal and Liver Physiology*, 293 : G809–G816.
- Radaeva S, Sun R, Jaruga B, Nguyen VT, Tian Z, Gao B, 2006. Natural killer cells ameliorate liver fibrosis by killing activated stellate cells in NKG2D-dependent and tumor necrosis factor-related apoptosis-inducing ligand-dependent manners. *Gastroenterology* 130, 435–452
- Rahermann B, 2013. Patogenesis of chronic viral hepatitis : differential role of T cells and NK cells. *Nature Medicine*, 19 (7) : 869-868.
- Raimondo G, Policino T, Cacciola I et al., 2007. Occult hepatitis B virus infection. *Journal Hepatology*, 46: 160-70
- Raulet DH and Vance RE, 2006. Self tolerance of natural killer cells. *Nature Review Immunology*, 6(7): 520-531.
- Rogmanani C, Juelke K, Falco M, Morandi B, D'agustino A, Costa R, Ratto G, Forte G, Carrega P, Lui G, Conte R, Strowig T, Morreta A, Munz C, Thiel A, Moretta L, Ferlazzo G, 2007. CD56<sup>bright</sup>CD16<sup>killer-Ig like receptor</sup> NK cells display longer telomers and acquire feature of CD56<sup>dim</sup> NK cells upon activation. *The Journal of Immunology*, 178(8) : 4847-4955.
- Ruddell RG, Oakley F, Hussain Z, Yeung I, Bryan-Lluka L.J, Ramm G, Mann, DA, 2006. A role for serotonin (5-HT) in hepatic stellate cell function and liver fibrosis. *The American Journal of Pathology*, 169: 861–876.
- Saibara T, Onishi S, Sakaeda H and Yamamoto Y, 1989. Defective function of Lymphokine-Activated Killer cells and Natural Killer cells in Pateints with Hepatocellular Carcinoma. *Hepatology*, 9(3) : 471-476.
- Sato N, Kikuchi S, Sato K, 2002. Quantifying the stress induced by distress in patients with lumbar disc herniation in terms of natural killer cell activity measurements: chromium release assay versus multiparameter flow cytometric assay. *Spine (Phila Pa 1976)*;27(19):2095-100.
- Schlenitz N, Vely F, Harle JR, Vivier E, 2010. Natural killer cells in human Autoimmune diseases. *Imunnology*, 131:451-458

- Scott DR and Levy MT, 2010. Liver transient elastography (Fibroscan): a place in the management algoritms of chronic viral hepatitis. *Internal Medical Press. Antiviral therapy*, 15:1-11
- Sebastian, G. dan Alberti, A. 2006. Noninvasive Fibrosis Biomarkers Reduce But Not Substitute The Need for Liver Biopsy. *World J Gastroenterol.* vol. 12, hlm. 3682-3694
- Seijkens T, Engel D, Tjwa M, Lutgens E, 2010. The role of CD154 in haematopoietic development. *Thrombosis and Haemostasis*, 104:693–701.
- Serafani M, 2000. Dietary vitamin E and T cell-mediated function in the elderly: eVectiveness and mechanism of action. *International Journal of Development Neuroscience*, 18:401–410
- Shabani Z, Bagheri M, Bidaki MZ, Hassanshashi G, Arababadi MK, Nejad MM Kennedy D, 2014. NK cells in hepatitis B virus infection : a poten target for immunotherapy. *Archives Virology Journal*, 159 (7) : 1555- 1560
- Sha WH, Zheng XH, and Min L, 2014. The correlation between NK cell and liver function in patients with primary hepatocellular carcinoma. *Gut and Liver* 8(3) : 298-305.
- Sharma P, Kumar P, Sharma R, 2017. Natural killer cells - their role in tumour immunosurveillance. *Journal of Clinical and Diagnostic Research for docktor*, 11(8):BE01–5
- Shi J, Zhao J, Zhang X, Cheng y, Hu J, Li Y, Zhao X, Shang Q, Yan L, Tu B, Gao b, Wang FS & Zhang Z, 2016. Activated hepatic stellata cells impair NK cells anti-kekakuan capacity through TGF- $\beta$ -dependent emperipolesis in HBV cirrotic patients. *SCIENTIFIC REPORTS*, 7 : 44544.
- Shimoda S, Harada K, Niuro H, Shirabe K, Taketomi A, Mahera Y, et al., 2011. Interaction between Toll-like receptor and natural killer cells in destruction of bile duct in primary billiary cirrhosis. *Hepatology*, 52:1270-1281
- Smyth MJ, Hayakawa K, Yagita H, Takeda K, 2002. New aspect of natural killer surveillance and therapy of cancer. *Nature Review Cancer*, 2(11) :850-861.
- Spitz H, Artis D, Colona M, Diefenbach A, Di Santo JP, Eberl G, Koyasu S, Locksley RM, Mckenzie ANJ, Mebius RE, Powrei F, Vivier E, 2013. Innate Lymphoid cells-a proposal for uniform nomenclature. *Nature Review Immunology*, 12 (2): 145-149.
- Soemohardjo, S. 2009. Hepatitis B Kronik. dalam Aru WS, Bambang S, Idrus A, Marcellus S, Siti S (edt.). *Buku Ajar Ilmu Penyakit Dalam*. Edisi 5. Jakarta: Internal Publishing. hlm. 653 – 61.

- Solano R and Mariani E, 2000. NK and NK/T cells in human senescence. *Vaccine*, 18(16):1613-1620.
- Sulaiman, A. 2011. Hari Hepatitis Sedunia: Kampanye Hepatitis B dan C. dalam Harmono T, Pramana TY (edt.). Kumpulan makalah PIN XVIII PPHI KONAS XV PGI-PEGI. *Surakarta: UNS press*. hlm. 60-67.
- Sun C, Fu B, Gao Y, Liao X, Sun R, Tian Z, et al., 2012. TGF-beta1 downregulation of NKG2D/DAP10 and 2B4/SAP expression on human NK cells contributes to HBV persistence. *PLoS Patogen*, 8:e1002594.
- Sun JC and Lanier LL, 2011. NK cells development, homeostasis and function : parallels with CD8+ Tcells. *Nature Review Immunology*, 11(10) : 645-647.
- Tian, Z. Qian X, Jiang R, Liu Q, Wang Y, Chen C, Wang X, Ryffel B, Sun B, 2013. IL-17A plays a critical role in the patogenesis of liver fibrosis through hepatic stellate cell activation. *Journal of Immunology*, 191, 1835–1844.
- Tang H, Li C, Wang L, Zhang H, Fan Z, 2012. Granzyme H of cytotoxic lymphocytes is required for clearance of the hepatitis B virus through cleavage of the hepatitis B virus X protein. *Journal Immunology*, 188:824–831.
- Tang TJ, Kwekkeboom J, Laman JD, Niesters HG, Zondervan PE, De Man RA et al., 2003. The role of intrahepatic immune effector cells in inflammatory liver injury and viral control during chronic hepatitis B infection. *Journal of Viral Hepatology*, 10: 159–167
- Tian Z, Chen Y dan GAO B, 2013. Natural Killer Cells in Liver disease. *Hepatology*, 57:1654-1662.
- Tjwa E TTL, Van Oord GW, Hegamns JP, Janssen HLA, Woltman AM, 2011. Viral load reduction improves activation and function of natural killer cells in patients with chronic hepatitis B. *Journal of Hepatology*, 2(54): 209-218.
- Tollerud DJ, Clark JW, Brown LM, Neuland CY, Mann DL, Pankiw-Trost LK, Blattner WA, Hoover RN, 1989. Association of cigarette smoking with decreased numbers of circulating natural killer cells. *America Review of Respiratory Disease*, 139(1):194-198.
- Tseng TC and Huang LR, 2017. Immunopatogenesis of Hepatitis B virus. *Journal Infection Diseases*, 216 (8):S765-s770.

- Valiathan R, Lewis JE, Mellilo AB, Leonard S, Ali KH, Asthana D, 2012. Evaluation of flowcytometry-based assay for natural killer cell activity in clinical settings. *Scandinavian Journal of immunology*, 75(4):455-462.
- Van Der Molen RG, Springers D, Binda RS, De jong EC, Niester HG, Kuster JG, *et al.*, 2004. Functional impairment of myeloid and plasmacytoid dendritic cells of patients with chronic hepatitis B. *Hepatology*, 40:738-746.
- Vina CC, Valentin J, Fernandez L, Vicent MG, Ruiz MP, Lucia A, Reed NC, Diaz MA, Martinez AP, 2017. Influence of moderate-intensity Exercise Program on Early NK cells Immune Recovery in Pediatric Patients After Reduced-intensity Hematopoietic Stem cell Transplantation. *Integrative Cancer therapies*, 16(4):464-472
- Viel S, Charier E, Marcais A, Rozaire P, Bienvenue B, Karlin A, Salles G, Walzer T, 2013. Monitoring NK cells activity in patients with hematological malignancies. *Oncoimmunology*, 2(9):e26011-1-e26011-7.
- Visvanathan K, Skinner NA, Thompson AJ *et al.*, 2007. Regulation of Toll-like receptor -2 expression in chronic hepatitis B by the precore protein. *Hepatology*, 45 : 102-10
- Wei C, Ni C, Song T *et al.*, 2010. The hepatitis B virus X protein disrupts innate immunity by downregulating mitochondrial antiviral signaling protein. *Journal of Immunology*, 185:1158-68.
- Werle-Lapostolle B, Bowden S, Locarnini S, Wursthorn K, Petersen J, Lau G, Treppe C, Marcellin P, Godman Z, Delaney WE, Xiong S, Brosgart CL, Chen SS, Gibs CS Zaulim F, 2004. Persistence of cccDNA during the natural history of chronic hepatitis B and decline during adefovir dipivoxil therapy. *Gastroenterology*, 126(7):1750-8
- Wherry EJ, Barber DL, Kaech SM, Blattman JN, Ahmed R, 2004. Antigen-independent memory CD8 T cells do not develop during chronic viral infection. *Proceeding National Academy of Sciences of the United State of America*, 101:16004-9.
- Wieland S, Chisari FV, 2005. Stealth and cunning: hepatitis B and hepatitis C viruses. *Journal of Virology*, 79:9369e80
- Woods JA, Evan JK, Wolters B, Ceddia M, McAuley E, 1998. Effect of maximal exercise on natural killer (NK) cell cytotoxicity and responsiveness to interferon-Alpha in the young and old. *The Journal of Gerontology. Series A, Biological sciences and medical sciences Gerontological society of America*, (53(6):430-437
- World Health Organization, 2018. Global Hepatitis B Report. *The 2017 Revision*, United Nations

- Wong G L H, 2014. Prediction of Fibrosis progression in chronic viral hepatitis. *Clinical and Molecular Hepatology*, 20 : 288-236
- Wu J, Song Y, Bakker AB, 1999. An activating immunoreceptor complex formed by NKG2D and DAP10. *Science* ;285:730–2.
- Wu S, Wang WJ, Gao YQ, 2015. Natural killer cells in hepatitis B virus infection. *The Brazillian Journal of Infectious Diseases*, 19 (4) : 417-425.
- Yang Q, Li F, Harly C, Xing S, Ye L, Xia X, Wang H, Wang X, Yu S, Zhou X, et al., 2015. TCF-1 upregulation identifies early innate lymphoid progenitors in the bone marrow. *Nature Immunology*, 16:1044–1050.
- Yoon SR, Chung JW, Choi I, 2007. Development of natural killer cells from hematopoietic stem cells. *Molecules and Cells*, 24(1) :1-8
- Zhang CY, Yuan GW, He P, Lei HJ, Wang CX, 2016. Liver fibrosis and hepatic stellata cells: Etiology, pathological hallmaek and therapeutic targets. *World journal of Gastroenterology*, 22(48):10512-1022.
- Zhang Z, Zhang S, Zou Z, Shi J, Zhao J, Fan R, Qin E, Li B, Li Z, Xu X, Fu J, Zhang J, Gao B, Tian Z, Wang FS, 2011. Hypercytolytic Activity of Hepatic Natural Killer Cells Correlates With Liver Injury in Chronic Hepatitis B Patients. *Hepatology*, 53(1) :73-85.
- Zheng M, Sun H, Tian Z, 2018. Natural killer cells in liver diseases. *Frontier medical*, 12(3):269-279.
- Zou Y, Chen T, Han M, Wang H, Yan W, Song G, Wu Z, Wang X, Zhu C, Luo X, Ning Q, 2010. Increased Killing of Liver NK cells by Fas/FasL and NKG2D/NKG2D Ligan Contributed to Hepatocyte Necrosis in Virus Induced- Liver Failure. *The Journal of Immunology*, 184:466-475.