

DAFTAR PUSTAKA

- Abbasi, M. A., A. H. Mahdavi, A. H. Samie, & R. Jahanian. 2014. Effects of different levels of dietary crude protein and threonine on performance, humoral immune responses and intestinal morphology of broiler chicks. R. Braz. Ci. Solo 16:35-44. <https://doi.org/10.1590/S1516-635X2014000100005>.
- Abdelfattah, E., Karousa, M., El-Gendi, G., 2012. Effect of Some Managerial Factors on Behavior and Performance of Quail: Behavior, Management and Production of Japanese Quail (*Coturnix Japonica*). LAP LAMBERT Academic Publishing.
- Achmad, D. H. 2011. Performa produksi burung puyuh (*coturnix-coturnix japonica*) yang diberi pakan dengan suplementasi omega-3. Skripsi. Intitut Pertanian Bogor
- Agromedia. 2007. Sukses Beternak Puyuh. Agrmedia Pustaka. Jakarta. 45 – 57.
- Alik D. F., Reny P., Sudibya dan Aqni H. 2015. Efek Suplementasi Minyak Ikan Lemuru dan LKarnitin dalam Rasum Komersial terhadap Produksi dan Kualitas Telur Burung Puyuh (*Coturnix coturnix japonica*). Bioteknologi 12 (1) : 1-7.
- Amao, O.; Oladunjoye, I.; Togun, V.; Olubajo, K. and Oyaniyi, O. 2010. Effect of Westwood (*Cirina forda*) larva meal on the laying performance and egg characteristics of laying hen in a tropical environment. International Journal of Poultry Science 9:450-454.
- Anggitasari S., Sjojfan O., Djunaidi I. H. 2016. Pengaruh Beberapa Jenis Pakan Komersial Terhadap Produksi Kuntitatif dan Kualitatif Ayam Pedaging. Buletin Peternkan 40(3) : 18-196.
- Argo, L. B., Tristiarti dan I. Mangisah. 2013. Kualitas ayam arab petelur fase I dengan berbagai level *Azolla microphylla*. Animal Agricultural Journal. 2(1): 445-447.
- Baer. J., Lansford. R., and Cheng K. 2015. Japanese Quail as a Laboratory Animal Model. Laboratory Animal Medicine Third Edition. Academic Press. Elsevier. https://www.researchgate.net/profile/Rusty_Lansford/publication/312501375/inline/jsViewer/5c3a7667a6fdccd6b5a88925. [Akses : 26 Februari 2019]
- Beski, S. S. M., Swick R. A. and Iji P. A. 2015. Specialised Protein Products in Broiler Chicken Nutrition: A Review. J. Animal Nutrition. 1:47-53.

- Bellairs, R. and Osmond, M. 2014. Atlas of Chick Development. Elsevier. Polland. 3.
- Belluco, S., Losasso, C., Maggioletti, M., Alonzi, C.C., Paoletti, M.G. & Ricci, A., 2013. Edible insects in a food safety and nutritional perspective: a critical review. *Comprehensive Reviews in Food Science and Food Safety*. 12: 296–313. Beski, S. S. M., Swick R. A. and Iji P. A. 2015. Specialised Protein Products in Broiler Chicken Nutrition: A Review. *J. Animal Nutrition*. 1:47-53.
- Bosch G, Zhang S, Dennis G. A. B. O, Wouter H.H. 2014. Protein Quality Of Insects as Potential Ingredients for Dog And Cat Foods. *J Nutr Sci*. 3:1-4.
- Brand, Z., T. S. Brand, & C. R. Brown. 2003. The effect of dietary and protein levels on production in breeding female ostrich. *Br. Poult. Sci*. 44:589-606. <https://doi.org/10.1080/00071660310001618343>.
- Choi W. H., Yun J. H., Chu J. P., and Chu K. B. 2012. Antibacterial effects of extract of *Hermetia illucens* (Diptera: *Stratiomyidae*) larvae against Gram-negative bacteria. *Entomol. Res*. 42:219-226.
- Čičková H., Newton G. L., Lacy R. C., and Kozánek M. 2015. The use of fly larvae for organic waste treatment. *Waste Manag*. 35:68-80.
- Dewi ,S.H.C dan Setiohadi, J. 2010. Manfaat Tepung Pupa Ulat Sutra (*Bombyx mori*) untuk Pakan Puyuh (*Coturnix coturnix japonica*) Jantan. *Jurnal AgriSains*. 1 (1).
- Dewi, D.R.R., S.B. Wibowo dan N.W. Sulistyowati. 2017. Analisis Hubungan Margin Kontribusi sebagai Alat Bantu Perencanaan Laba pada Industri Gamelan Margo Laras Kauman Magetan Periode 2014 – 2016. The 9th FIPA : Forum Ilmiah Pendidikan Akuntansi. Universtas PGRI. Madiun
- Direktorat Jendral Peternakan dan Kesehatan Hewan. 2018. Statistik Peternakan dan Kesehatan Hewan 2018/*Livestock and Animal Health Statistics 2018*. Kementerian Pertanian Republik Indonesia.
- Erwin N. Panen Telur Puyuh Setiap Hari di Pekarangan. 2017. Penebar Swadaya. Jakarta. 31 -32.
- Fahmi, M. R. 2018. Maggot pakan ikan protein tinggi dan biomesin pengolahan sampah organik. Penebar swadaya. Jakarta. 11-12.
- Finke, D. M. 2013. Complete nutrient content of four spesies of feede insect. *Zoological Biology* (32) : 27-36.

- Ferket, P. R., and Gernat A. G. 2006. Factors that Affect Feed Intake of Meat Bird : A Review. *J.PoultryScience* 5 (10) : 15-28
- Gobbi P., Martínez-Sánchez A., and Rojo S. 2013. The effects of larval diet on adult life-history traits of the Black Soldier Fly, *Hermetia illucens* (Diptera: *Stratiomyidae*). *Eur J Entomol.* 110:461-468.
- Hendarti, A. G. 2012. Anatomi III Buku Ajar Anatomi Veteriner Unggas. Fakultas Kedokteran Hewan. Universitas Airlangga. Surabaya.
- Hopley, D., 2015. The evaluation of the potential of *Tenebrio molitor*, *Zophobas morio*, *Naophoeta cinerea*, *Blaptica dubia*, *Gromphardhina portentosa*, *Periplaneta americana*, *Blatta lateralis*, *Oxyhalao duesta* and *Hermetia illucens* for use in poultry feeds. MSc Diss. University of Stellenbosch, Stellenbosch.
<https://pdfs.semanticscholar.org/d791/dadd1ea5de686956e8c2493d1801f7b86a57.pdf> [akses ; 26 Juli 2019].
- Józefiak. D, and R. M. Engberg. 2015. Insects As Poultry Feed. European symposium on Poultry Nutrition, 24-27 August, Prague, Czech Republic
- Józefiak. D., Józefiak. A., Kierończyk. B., Rawski. M., Świątkiewicz. S., Długosz. J., and Engberg. R. M. 2016. Insects-A Natureal Nutrient Source For Poultry- A Review. *Ann. Anim. Sci.*, Vol. 16, No. 2 (2016) 297–313.
- Lalander C., Diener S., Magri M. E., Zurbrugg C., Lindstrom A., and Vinneras B. 2013. Faecal sludge management with the larvae of the Black Soldier Fly (*Hermetia illucens*)-from a hygiene aspect. *Sci Total Enviroment.* 458-460:312-318.
- Lalander C. H., Fidjeland J., Diener S., Erikson S., Vinneras B. 2015. High waste-to-biomass conversion and efficient *Salmonella* spp reduction using Black Soldier Fly for waste recycling. *Agron Sustain Dev.* 35:261-271.
- Listiyowati E. dan Roospitasari K. 2007. Tata Laksana Budidaya Puyuh secara Komersial. *Penebar Swadaya.* Jakarta. 35-37.
- Li Q., Zheng L., Qiu N., Cai H., Tomberlin J. K., and Yu Z. 2011. Bioconversion of dairy manure by Black Soldier Fly (Diptera: *Stratiomyidae*) for biodiesel and sugar production. *Waste Manag.* 31:1316-1320.
- Lukanov. H., Genchev. A, and Kolev P. 2018. Comparative Investigation of Egg Production in WG, GG and GL Japanese Quail Population. *Trakia J. of Science* 16 (4) : 334 -343.

- Katayane, A. F, Bagau B, Wolayan F. R. dan Imbar M. R. 2014. Produksi dan kandungan protein maggot (*Hermetia illucens*) dengan menggunakan media tumbuh berbeda. J. Zooteck. 34:27-36.
- Kementrian pertanian.2014. Peraturan Mentri Pertanian Republik Indoneia No. 33 /Permentan/OT.140/2/2014.
- Kusriningrum, R. S. 2008. Perancangan Percobaan. Airlangga University Press. Surabaya. 15.
- Kwari, I. D., Diarra, S. S., Raji, A. O., and Adamu, S. B. 2011. Egg Production and Egg Quality Laying Hens Fed Raw or Processed Sorrel (*Hibiscus sabdariffa*) Seed Meal. Agric. Biol.. J. N. Am 2(4) : 616-621.
- Makkar H. P. S, Tran G, Heuze V, and Ankreas P. 2014. State of the art on use of insects as animal feed. Anim Feed Sci Technol. 197:1-33.
- Maulidah. S. 2012. Manajemen Agribisnis. UB Press. Malang.
- McShaffrey D. 2013. *Hermetia illucens*-Black Soldier Fly-*Hermetia illucens*. Bugguide.net (online). <http://bugguide.net/node/view/874940/bimage> [akses ; 15 Desember 2018].
- Minvielle, F., Coville, J.L., Krupa, A., Monvoisin, J.L., Maeda, Y., Okamoto, S., 2000. Genetic similarity and relationships of DNA fingerprints with performance and with heterosis in Japanese quail lines from two origins and under reciprocal recurrent or within-line selection for early egg production. Genet. Sel. Evol. 32, 289–302.
- Mone D. A. W., sudjarwo S., Muharliien. 2016. Pengaruh Jenis Burung Puyuh (*Coturnix coturnix japonica*) dengan Pemberian Pakan Komersial yang Berbeda terhadap Penampilan Produksi Periode Bertelur. J. Ternak Topikal 17 (2) : 43-49.
- Muhtar. 2016. Analisis keuntungan usaha peternakan sapi potong di desa bumi pajo kecamatan donggo kabupaten bima [Skripsi]. Fakultas Sains dan Teknologi Universitas Islam Negeri Alauddin. Makassar. 13-17.
- Muharliien. 2008. Respon Penggantian Pakan *Starter* Ke *Finisher* Terhadap Kinerja Produksi Dan Persentase Karkas Pada Tiktok. J. Ternak Tropika. 9 (2) : 53-60.
- Myers, P., Espinosa R., Parr C. S., Jones T., Hammond G. S., and Dewey T. A.. 2018. *The Animal Diversity Web* (online). <https://animaldiversity.org> [Akses : 8 Desember 2018].

- Nawawi, A. M., Andayani S. A., dan Dinar. 2017. Analisis Usaha Peternakan Ayam Petelur. *Jurnal Ilmu Pertanian dan Peternakan*. 5(1): 15-29.
- Olgun, O., Cufadar, Y., and Yildiz, A. O. 2009. Effect of Boron Supplementation Fed with Low Calcium to Diet on Performance and Egg Quality in Molted Laying Hen. *Journal of Animal and Veterinary Advances* 8 (4) : 650-654.
- Panekenan, O.J., Loing J.C., Rorimpandey B. and Vwaleleng P.O. 2013 Analisis Keuntungan dan Usaha Beternak Puyuh di Kecamatan Sonder Kabupaten Minahasa. *J. Zootehnik*. 32 (5) : 1-10.
- Park. H. H. 2016. *Black Soldier Fly Larvae Manual. Student Show Case. University of Massachusetts Amherst.* https://scholarworks.umass.edu/sustainableumass_studentshowcase/14/ [akses : 15 Desember 2018].
- Pasadena. O, E. Sujana, dan I. Setiawan, 2016. *Identifikasi Sifat Kualitatif dan Kuantitatif Puyuh Malon Betina Dewasa*. J. Unpad. Bandung. 1-11
- Permatahati. D., Mutiara R. dan Astuti. D.A. 2018. Effect of Cricket Meal (*Gryllus bimaculatus*) on Production and Physical Quality of Japanese Quail Egg. *Tropical Animal Science Journal*, April 2019, 42(1):53-58
- Putraduarsa, B. 2014. Analisis Kelayakan Finansial Modernisasi Usaha Ternak Sapi Potong Di Kecamatan Wanayasa, Kabupaten Banjarnegara [Skripsi]. Fakultas Ekonomi dan Manajemen. Institut Pertanian Bogor. 19.
- Rahmasari, R., Sumiati, & D.A. Astuti. 2014. The effect of silkworm pupae (*Bombyx mori*) meal to substitute fish meal on production and physical quality of quail eggs (*Coturnix coturnix japonica*). *J. Indonesian Trop. Anim. Agric.* 39: 180- 187. <https://doi.org/10.14710/jitaa.39.3.180-187>
- Rachmawati, Buchori D, Hidayat P, Hem S, Fahmi MR. 2010. Perkembangan dan kandungan nutrisi larva *Hermetia illucens* (Linnaeus) (Diptera: *Statiomyidae*) pada bungkil kelapa sawit. *J Entomol Indones*. 7:28-41.
- Rahayu, I., Sundaryani, T., Santosa, H. 2011. *Panduan Lengkap Ayam*. Penebar Swadaya. Jakarta.
- Rambet V, Umboh JF, Tulung YLR, Kowel YHS. 2016. Kecernaan protein dan energi ransum *broiler* yang menggunakan tepung maggot (*Hermetia illucens*) sebagai pengganti tepung ikan. *J Zootehnik*. 36:13-22.

- Santos, G.C, E. A. Gracia, J. A. V. Filho, A. B. Molino. K. Pelica. And D. A. Berto. 2016. Peformance of Japanese Quails Fed with Low-Proteine and Isoleucine. *Acta Scientisrum. A.Sci* 38(2) : 219 – 225.
- Sastro, Y. 2016. Teknologi Pengomposan Limbah Organik Kota Menggunakan *Black Soldier Fly*. Balai Pengkajian Teknologi Pertanian (BPTP). Jakarta. <http://jakarta.litbang.pertanian.go.id/ind/brosur/WT%20brosur%20bsf.pdf> [akses : 15 Desember 2018].
- Setyono, H., Kusriningrum, T. Nurhajanti, R. Sidik, A. Al-Arief, M. Lamid dan W. P. Lokapirnasari. 2013. Buku Ajar Teknologi Pakan Hewan. Airlangga University Press. Surabaya. 43 – 45.
- Singh, A.K. 2016. An Economic Analysis of Broiler Production in Jaunpur District of Uttar Pradesh, India [Doctoral dissertation]. Institute of Agricultural Sciences. Banaras Hindu University. Varanasi.
- Slamet, W. 2014. Beternak & Berbisnis Puyuh 3,5 Bulan Balik Modal. Agromedia Pustaka. Jakarta. 33- 40.
- Soepranianondo, K., R. Sidik, D. S. Nazar, S. Hidanah, Pratisto dan S. H. Warsito 2013. Buku Ajar Kewirausahaan. Airlangga University Pres. Surabaya. 192-197
- Sudrajat, D., D. Karyadana., E. Dihansih., dan S. F. S. Puteri. 2014. Pefrma Produksi Telur Burung Puyuh yag Diberi Ransum Mengandung Kromiun Organik. *Jurnal Ilmu Ternak dan Veteriner* 19 (4) : 257-262.
- Sujana E., I. Setiawan, S. Wahyuni, T. Widjiastuti, dan A. Nanang. Karakterisasi Sifat Kuantitatif Puyuh *Malon* dan *Coturnix coturnix japonica* Terseleksi Generasi ke Empat di Pusat Pembibitan Puyuh Fakultas Peternakan Universitas Padjadjaran. *Proc. Jatinagor*. 6-12.
- Suleman.A, L. Lambey, F. Nangoy, J. Laihad. 2018. Performans Produksi dan Tebal Kerabang Burung Puyuh Betina(*Coturnix coturnix japonica*) Umur 6-14 Minggu pada Lama Pencahayaan yang Berbeda. *J.Zootek* 38(1) : 142 -148
- Suandy. E. 2008. Perencanaan Pajak Edisi 4. Salemba Empat. Jakarta. 77.
- Supratman, H., H. Setiyatwan, D. C. Budinuryanto, A. Fitriani dan D. Ramdani. 2016. Pengaruh Imbangan Hijauan Dan Konsentrat Pakan Komplit Terhadap Konsumsi, Pertambahan Bobot Badan dan Konversi Pakan Domba. *Jurnal Ilmu Ternak* 16 (1) : 31-35.

- Suroso, U. Kalsum dan M.F Wadidi. 2016. Pengaruh Penambahan Probiotik Enkapsulasi terhadap Konsumsi Pakan, Produksi Telur dan Efisiensi Pakan pada Burung Puyuh. *J.Peternakan* 1(2) :13-17.
- Tugiyanti. E., Rosidi., dan Anam. A. K. 2017. Pengaruh Tepung Daun Sukun (*Artocarpus altilis*) terhadap Produksi dan Kualitas Telur Puyuh (*Coturnix-coturnic japonica*). *Agripet* 17(2) : 121-131.
- Tumbilung.W., L. Lambey, E. Pudjihastuti, E. Tngkere. 2014. Sexing Berdasarkan Morfologi Burung Puyuh (*Coturnix coturnix japonica*). *J.Zootek* 34(2) : 170 – 184.
- Veldkamp T.G, Van Duinkerken A, Van Huis A, Lakemond C.M.M, Ottevanger E, Bosch G, Van Boekel. 2012. *Insects as a sustainable feed ingredient in pig and poultry diets-a feasibility study*. Wageningen (Netherlands): Wageningen UR Livestock Research.
- Veldkamp, T. and Bosch, G., 2015. Insects: a protein-rich feed ingredient in pig and poultry diets. *Anim. Front.* 5(2): 45–50.
- Vrabec. V., Kulma.M., and Cocan. D. 2015. Insects as an Alternative Protein Source for Animal Feeding : A Short Review about Chemical Composition. *Bulletin UASVM Animal Science and Biotechnologies* 72(2) : 116 – 126.
- WalitaK.Z., Tanganyika.J, Mussah.S.R. 2017. Effect of Sex, Type of Feed and Age at Slaughter on Carcass Yield Characteristics of Japanese Quails (*Cortunix japonica*) in Malawi. *Int.J.Avian & wildlife Biology.* 2(2): 50-53.
- Wardhana, A.H. 2016. *Black Soldier Fly (Hermetia illucens)* sebagai Sumber Protein Alternatif untuk Pakan Ternak. *WARTAZOA.* 26(2) ;69 – 78.
- Widodo. E. 2018 *Ilmu Nutrisi Unggas*. UB Press. Malang. 117 – 122.
- Wu, G., Wu, Z., Dai, Z., Yang, Y., Wang, W., Liu, C., Wang, B., Wang, J. & Yin, Y., 2013. Dietary requirements of “nutritionally non-essential amino acids” by animals and humans. *Amino Acids.* 44(4): 1107–1113.
- Wu, G., 2014. Dietary requirements of synthesizable amino acids by animals: a paradigm shift in protein nutrition. *J. Anim. Sci. Biotechnol.* 5(1): 1–34.
- Yasuo, S., Watanabe, M., Iigo, M., Yamamura, T., Nakao, N., Takagi, T., et al., 2006. Molecular mechanism of photoperiodic time measurement in the brain of Japanese quail. *Chronobiol. Int.* 23, 307–315.
- Yuwanta, T. 2010. *Telur dan Kualitas Telur*. Gadjah Mada University Press, Yogyakarta.