

## DAFTAR PUSTAKA

- Ardianto, C., Yonemochi, N., Yamamoto, S., *et al.* Opioid systems in the lateral hypothalamus regulate feeding behavior through orexin and gaba neurons. *Neuroscience*. 320: 183-193
- Arredondo, F., Echeverry, Abin, *et al.* 2010. After cellular internalization, quercetin causes Nrf2 nuclear translocation, increases glutathione levels, and prevents neuronal death against an oxidative insult. *Free Radical Biology and Medicine*. 49: 738-747.
- Aydin, S. A short history, principles, and types of ELISA, and our laboratory experience with peptide/protein analyses using ELISA. *Peptides*. 72: 4-15.
- Babaev, O., Chatain C., Krueger-Burg, D. 2018. Inhibition in the amygdala anxiety circuitry. *Experimental & Molecular Medicine*. 50: 1-16.
- Baird, L. & Dinkova-Kostova, A. T. The cytoprotective role of the Keap1-Nrf2 pathway. *Archives of Toxicology*. 85: 241-272.
- Bajpai, A., Verma, A.K., Srivastava., *et al.* 2014. Oxidative stress and Major Depression. *Journal of Clinical and Diagnostic Research*. 8: 1-7.
- Belovicova, K., Bogi, E., Csatlosova, K., *et al.* 2017. Animal test for anxiety-like and depression-like behaviour in rats. *Interdisciplinary Toxicology*. 10: 40-43.
- Black, C.N., Bot, M., Scheffer, P.G., *et al.* 2015. Is Depression Associated with increased Oxidative Stress? A Systematic Review and Meta-Analysis. *Psychoneuroendocrinology*, 51: 164-175.
- Bouayed, J., Rammas, H., Soulimani, R. 2009. Oxidative stress and anxiety. *Oxidative Medicine and Cellular Longevity*. 2: 56-67.
- Bryan, H., Olayanju, A., Goldring, C., *et al.* 2013. The Nrf2 cell defence pathway: keap1-dependet and –independent mechanisms of regulation. *Biochemical Pharmacology*. 85: 705-717.
- Bullock, S., & Hales, M. 2013. *Principle of Pathophysiology*. Pearson: Australia. p316.
- Burgado, J., Harrell, C., Eacret, D., *et al.* 2014. Two weeks of predatory stress induces anxiety-like behavior with co-morbid depressive-like behavior in adult male mice. *Behavioural Brain Research*. 275: 120-125.

- Carola, V., D'Olimpio, F., Brunamonti, E., *et al.* 2002. Evaluation of the elevated plus-maze and open field test for the ssessment of anxiety-related behavior in inbread mice. *Behavioural Brain Research*. 134: 49-57.
- Chen, L.J., Shen, B., Liu, D., *et al.* 2014. The effects of early-life predator stres on anxiety and depression-like behaviours of adults rats. *Neural Plasticity*. 2014: 1-10.
- Chang, J.S., You Y.H., Park, S.Y., *et al.* 2013. Pattern of stres-induced hyperglycemia according to type of diabetes: a predator stres model. *Diabetes & Metabolism Journal*. 37: 475-483.
- Cobley, J. N., Fiorello, M. L., Bailey, D. M. 2018. 13 reason why the brain is susceptible to oxidative stress. *Redox Biology*. 15: 490-503.
- Cryan, J.F., & Mombreau, C. 2004. In search of a depressed mouse: utility of models for studying depression-related behavior in genetically modified mice. *Molecular Psychiatry*. 9: 326-57.
- D'Andrea, G. 2015. Quercetin: a flavonol with multifaceted therapeutic applications?. *Fitoterapia*. 106: 256-271.
- Dajas, F., Carriquiry, J.A., Arredondo, F., *et al.* 2015. Quercetin in brain: potential and limits. *Neurochemistry International*. 89: 140-148.
- Depkes RI. 2007. *Pharmaceutical Care untuk Pendertia Gangguan Depresif*. Bina Farmasi Komunitas dan Klinik: Jakarta. 18-19.
- Depkes. 2016. Peran Keluarga Dukung Kesehatan Jiwa Masyarakat. <http://predatory.depkes.go.id/article/print/1610070005/peran-keluarga-dukung-kesehatan-jiwa-masyarakat.html> [Accessed 25 May 2018].
- Dong, F., Wang, S., Wang, Y., *et al.* 2017. Quercetin ameliorates learning and memory via the Nrf2-ARE signaling pathway in D-galactose-induced neurotoxicity in mice. *Biochemical and Biophysical Research Communication*. 491: 636-641.
- Dias, A., Porawaski, M., Alonso, M., *et al.* 2005. Quercetin decreases oxidative stress, NF- $\kappa$ B activation, and iNOS overexpression in liver of streptozotocin-induced diabetic rats. *The Journal of Nutrition*. 2299-2304.
- Dupuy, J., Ostache, M., Huffman, J., *et al.* 2011. A critical review of pharmacotherapy for major depressive disorder. *International Journal of Neuropsychopharmacology*. 14: 1417-1431.
- Ebenezer, I. S. 2015. *Neuropsychopharmacology and Therapeutics*. John Wiley & Sons: Oxford. 147-192.

- Fanselow, M. S. 1990. Factor governing one-trial contextual conditioning. *Animal Learning & Behavior*. 18: 264-270.
- Farooqui, A.A. 2013. *Metabolic Syndrome: an Important Risk Factor for Stroke, Alzheimer Disease, and Depression*. Springer: London: 347.
- Fekadu, N., Shibeshi, W., Engidawork, E. 2017. Major depressive Disorder: pathophysiology and clinical management. *Journal of Depression and Anxiety*. 6: 1-7.
- Fernandez, B., Romero, L, and Montero, A. 2007. *Clinical Aspects of Depressive Disorders*. Wiley-VCH: Barcelona. 112-115.
- Gawali, N., Bulani, V., Gursahani, M., et al. 2017. Agmantine attenuates chronic unpredictable mild stres-induced anxiety, depression-like behaviors and cognitive impairment by modulating nitriergic signaling pathway. *Brain Research*. 1663: 66-77.
- Guyton, A. C., & Hall, J. E. 2011. *Textbook of Medical Physiologi*. 12<sup>th</sup> Editon. Elsevier: Philadelphia. 711-718.
- Hassan, W., de Castro Gomes, V., Pinton, S., et al. 2013. Association between oxidative stress and contextual fear conditioning in Carioca high- and low-conditioned freezing rats. *Brain Research*. 1512: 60-67.
- Hirschfeld, R. M. A & Weissman, M.M. 2002. *Risk Factors for Major Depression and Bipolar Disorder*. 1018-1022.
- Holzmann, I., Silva, L. M., Silva, J., et al. 2015. Antidepressant-like effect of quercetin in bulbectomized mice and involvement of the antioxidant defenses, and the glutamatergic and oxidonitriergic pathways. *Pharmacology, Biochemistry and Behavior*. 136: 55-63.
- Irawan, H. 2013. Gangguan depresi pada lanjut usia. *Cermin Dunia Kedokteran*. 40: 815-819.
- Jaggi, A.S., Bhatia, N., Kumar, N., et al. 2011. A review on animal models for screening potential anti-stres agents. *Neurological Sciences*. 32: 993-1005.
- Jalali, M., Zaborowska, J., Jalali, M. 2017. *Basic Science Methods for Clinical Researchers*. Academic Press: London. 1-18.
- Jarial, R., Shard, A., Thakur, S., et al. 2017. Characterization of flavonoids from fern *Cheilanthes tenuifolia* and evaluation of antioxidant, antimicrobial and anticancer activities. *Journal of King Saud University*. 2017: 1-8

- Jesulola E., Peter M., Ian J. 2017. Understanding the pathophysiology of depression: from monoamines to the neurogenesis hypothesis model-are we yet?. *Behavioural Brain Research*. 341: 79-90.
- Kanazawa, L., Vecchia, D., Wendler, E., et al. 2016. Quercetin reduces manic-like behavior and brain oxidative stres induced by paradoxical sleep deprivation in mice. *Free Radical Biology and Medicinie*. 99: 79-86.
- Khan, A., Faucett, J., Lichtenberg, P., et al. 2012. A systematic review of comparative efficacy of treatment and controls for depression. *Plos One*. 7: 1-11.
- Krishnan, V., & Nestler, E.J. 2011. Animal model of depression: molecular perspectives. *Current Topics Behavioral Neurosciences*. 7: 121-147.
- Lakovic, M., Rovcanin, C., Pantovic, M., et al. 2013. Association of oxidative stres with the pathophysiology of depression and bipolar disorder. *Archive of Biological Science*. 65: 369-373.
- Li, Q., Zhang, M., Chen, Y.J., et al. 2011. Oksidative damage and HSP70 expression in masseter muscle induced by psychological stres in rats. *Physiology & Behaviour*. 105: 365-372.
- Liu, Y.X., Cheng, Y.N., Miao, Y.L., et al. 2012. Psychological stres on female mice diminishes the developmental potential of oocytes: A Study using the predatory stres model. *Plos One*, 7: 1-8.
- Liu, T., Zhong, S., Liao, X., et al. 2015. A meta-analysis of oxidative stress markers in depression. *Plos One*. 2015: 1-17.
- Liu, Y. W., Liu, X. L., Kong, L., et al. 2019. Neuroprotection of quercetin on central neurons against chronic high glucose through enhancement of Nrf2/ARE/glyoxalase-1 pathway mediated by phosphorylation regulation. *Biomedicine & Pharmacotherapy*. 109: 2145-2154.
- Lu, Y., Liu, Q., Yu, Q. 2018. Quercetin enrich diet during the early-middle not middle-late stage of alzheimer's disease ameliorates cognitive dysfunction. *American Journal of Translational Research*. 10: 1237-1246.
- Lumongga, N. 2016. *Depresi: Tinjauan Psikologis*. Kencana: Jakarta. 13.
- Maes M., Fisar Z., Medina M., et al. 2012. New drug targets in depression: inflammatory, cell-mediated immune, oxidative and nitrosative stres, mitochondrial, antioxidant, and neuroprogressive pathways. *Inflammopharmacology*. 20: 127-150.
- Mehta, V., Parashar, A., Udayabalu, M. 2017. Quercetin prevents chronic unpredictable induced behavioural dysfunction in mice by alleviating

- hippocampal oxidative and inflammatory stres. *Physiology & Behaviour*. 171: 69-78.
- Mentari, I., A., Naufalina, R., Rahmadi, M., Khotib, J. 2018. Development of ischemic stroke model by right unilateral common carotid artery occlusion (RUCCAO) method. *Folia Medica Indonesiana*. 54: 200-206.
- Merzoug, S., Toumi, M. L., Tahraoui, A. 2014. Quercetin mitigates adriamycin-induced anxiety- and depression-like behaviors, immune dysfunction, and brain oxidative stress in rats. *Naunyn-Schmiedeberg's Archives of Pharmacology*. 387: 921-933.
- Moylan S., Michael B., Olivia, *et al*. 2014. Oxidative & nitrosative stres in depression: why so much stres?. *Neuroscience and Biobehavioral Review*. 45: 46-62.
- Nanda, A., Qi, C., Roseboom, P., *et al*. 2008. Predator stress induces behavioral inhibition and amygdala somatostatin receptor 2 gene expression. *Genes, Brain and Behavior*. 7: 639-648.
- Nestler, E. J., Barrot, M., DiLeone, R. J., *et al*. 2002. Neurobiology of Depression. *Neuron*. 34: 13-25.
- Oliveira, T., Sousa, C., Vasconcelos, G., *et al*. 2017. Brain antioxidant effect of mirtazapine and reversal of sedation by its combination with alpha-lipoic acid in a model of depression induced by corticosterone. *Journal of Affective Disorders*. 219: 49-57.
- Palta, P., Samuel, L. J., Miller, E. R., *et al*. 2014. Depression and oxidative stress: results from a meta-analysis of observational studies. *Psychosomatic Medicine*. 76: 12-19.
- Patki, G., Solanki, N., Atrooz, F., *et al*. 2013. Depression, anxiety-like behavior and memory impairment are associated with increased oxidative stres and inflammation in a rat model of social stres. *Brain Research*. 1539: 73-86.
- Paylor, R., Tracy, R., Wehner, J., *et al*. 1994. C57BL/6 and DBA/2 mice differ on contextual but not auditory fear conditioning. *Behavioral Neuroscience*. 108: 810-817.
- Pratt LA., Brody. 2008. Depression in the United States household population, 2005-2006. *United Stated of America* 7: 1-8.
- Priprem, A., Watanatorn, J., Sutthiparinyanont, S., *et al*. 2008. Anxiety and cognitive effects of quercetin liposomes in rats. *Nanomedicine: Nanotechnology, Biology, and Medicine*. 4: 70-78.

- Rinwa, P. & Kumar, A. 2013. Quercetin suppress microglial neuroinflammatory response and induce antidepressant-like effect in olfactory bulbectomized rats. *Neuroscience*. 255: 86-98.
- Samad, N., Saleem, A., Yasmin, F., et al. 2018. Quercetin protects against Stress-induced anxiety- and depression-like behavior and improves memory in male mice. *Physiological Research*. 67: 795-808.
- Samele, C., Lees-Manning, H., Zamperoni, V., et al. 2018. *Stress: Are we coping?*. London: Mental Health Foundation. p5-11.
- Shon J., Ahn S., & Seong, S.J. 2013. Pravelance, work loss days and quality of life of community dwelling subjects with depressive symptoms. *Journal Korean Medicin Science*. 28: 280-286
- Silva, M., Sousa, C., Gomes, P., Oliveira, et al. 2016. Evidence for protective effect of lipoic acid and desvenlafaxine on oxidative stres in a model depression in mice. *Progress in Neuro-Psychopharmacology & Biological Psychiatry* 64: 142-148.
- Singh, S., Vrishni, S., Singh, B. K., et al. 2010. Nrf2-ARE stres response mechanism: a control point in oxidative stres-mediated dysfunctions and chronic inflammatory disease. *Free Radical Research*, 44: 1267-1288
- Singh, S., Vandana, Gill, H. K., & Bansal, P.K. 2017. *Animal Models of Neurological Disorders*. Springer: Punjab. 162-167.
- Smith, S. M., & Vale, W. W. 2006. The role of the hypothalamic pituitary adrenal axis in neuroendocrine response to stres. *Dialogues in Clinical Neuroscience*. 4: 383-395.
- Smith, K. 2014. Mental Health: a world of depression. *Nature* 515, 181
- Spiers, J. G., Chen, H. J. C., Sernia, C., and Lavidis, N. A. 2015. Activation of the hypothalamic-pituitary-adrenal stres axis induced cellular oxidative stres. *Frontiers in Neuroscience*. 8: 1-6.
- Solanki, N., Salvi, A., Patki, G., et al. 2017. Modulating oxidative stress relieves stress-induced behavioral and cognitive impairments in rats. *Internasional Journal of Neuropsychopharmacology*. 20: 550-561.
- Suganthy N., Kasi PD., Seyed F., et al. 2016. Bioactive effects of quercetin in the central nervous system: focusing on the mechanisms of action. *Biomedicine & Pharmacotherapy*. 84: 892-908.

- Toumi, M., Merzoug, S., Baudin, B., *et al.* 2013. Quercetin alleviates predator stress induced anxiety-like and brain oxidative signs in pregnant rats and immune count disturbance in their offspring. *Pharmacology, Biochemistry and Behaviour*. 107: 1-10.
- Tovote, P., Fadok, J., Luthi, A. 2015. Neuronal circuits for fear and anxiety. *Neuroscience*. 16: 317-330.
- Tovote, P., Esposito, M., Botta, P., *et al.* 2016. Midbrain circuits for defensive behavior. *Nature*. 000: 1-5.
- Tucker, J., Sinclair, R., Mohr, C., *et al.* 2008. A temporal investigation of the direct, interactive, and reverse relations between demand and control and affective strain. *Work & Stress*. 22: 81-95
- Wang, Y., Cao, L., Chia, Y., *et al.* 2018. Large-scale forward genetics screening identifies Trpa1 as a chemosensor for predator odor-evoked innate fear behaviours. *Nature Communication*. 9: 1-15
- WHO. 2008. *The Global Burden of Disease: 2004 update*. Geneva: Switzerland. 27-36.
- WHO. 2017. Depression: Let's Talk. [http://predatory.who.int/mental\\_health/management/depression/en/](http://predatory.who.int/mental_health/management/depression/en/) [Accessed 18 Maret 2018].
- Willis, M. A., & Haines, D. E. 2018. *Fundamental Neuroscience for Basic and Clinical Application. 5<sup>th</sup> Edition*. Elsevier: Philadelphia. p457-467.
- Wu, Y.P., Gao, H.Y., Ouyang S.H. 2019. Predator stress-induced depression is associated with inhibition of hippocampal neurogenesis in adult male mice. *Neural Regeneration Research*. 14: 298-305.
- Wang, Y., Cao, L., Chia, Y., *et al.* 2018. Large-scale forward genetics screening identifies Trpa1 as a chemosensor for predator odor-evoked innate fear behaviours. *Nature Communication*. 9: 1-15
- Zhang, X., Wu, Q., Lu, Y., *et al.* 2018. Cerebroprotection by salvianolic acid B after experimental subarachnoid hemorrhage occurs via Nrf2- and SIRT1-dependent pathways. *Free Radical Biology and Medicine*. 124: 504-516.