

DAFTAR PUSTAKA

- Akbar, Budhi. 2010. Tumbuhan dengan Senyawa Aktif yang Berpotensi sebagai Bahan Antifertilitas. Jakarta: Adabia Press. Hal 4-5.
- Al-sa, J. A. A. and Al-shihmani, B. A. K. 2013. 'Antihyperglycaemic and pancreatic regenerative effect of n- butanol extract of celery (*Apium graveolens*) seed in STZ- induced diabetic male rats .' *Research in Pharmaceutical Biotechnology*, 4(2), pp. 24–29. doi: 10.5897/RPB12.002.
- Al Sa'aidi, J.A.A., Mohsen N. A.A., dan Ahmed K.I. 2012. "Antioxidant activity of n-butanol extract of celery (*Apium graveolens*) seed in streptozotocin-induced diabetic male rats." *Research in Pharmaceutical Biotechnology*. Vol. 4(2), pp. 24-29. doi: 10.5897/RPB12.002.
- American Diabetes Association. 2015. "Introduction." *Diabetes Care*. 38(Supplement 1): S1-S2. <https://doi.org/10.2337/dc15-S001>
- Anggraeni, T., Ridwan A., dan Kodariah L. 2016. "Ekstrak etanol seledri (*Apium graveolens*) sebagai anti-atherogenik pada tikus (*Rattus norvegicus*) yang diinduksi hyperlipidemia." *Prosiding Symbion*, no. Ldl: 171-188.
- Antunes, L. C., Jessica L. E., Manoela N.J., Kelly C. F., dan Marcello C. B. 2016. "Validation of HOMA-IR in a model of insulin-resistance induced by a high-fat diet in Wistar rats." *Archives of Endocrinology and Metabolism*. 60(2):138-42. doi: 10.1590/2359-3997000000169.
- Aref, A. B. M., Osama M. A., Lobna A. A. dan Margit S. 2013. 'Maternal rat diabetes mellitus deleteriously affects insulin sensitivity and beta-cell function in the offspring', *Journal of Diabetes Research*. Vol. 2013, 429154. doi: 10.1155/2013/429154.
- Artiyono, David. 2015. 5 Alasan tikus sering menjadi objek percobaan dalam penelitian. <https://www.brilio.net/life/5-alasan-tikus-sering-menjadi-objek-percobaan-dalam-penelitian-1505016.html>. Diakses pada 4 Agustus 2018.
- Azzout-MD, Dominique B., Colette G., Foretz M., Ferre P. dan Foufelle F. 2000. "Insulin effects on sterol regulatory-element-binding protein-1c (SREBP-1c) transcriptional activity in rat hepatocytes." *Biochemical Journal*. 1; 350(Pt 2): 389–393.
- Baena, Miguel, Gemma Sanguesa, Alberto Davalos, Maria-Jesus Latasa, dan Aleix Sala-Vila. 2016. "Fructose, but not glucose, impairs insulin signaling in the three major insulin-sensitive tissues." *Scientific Reports*. Volume 6: 26149 (2016).
- Balai Penelitian Tanaman Sayuran. 2008. Petunjuk Teknis Budidaya Seledri. ISO 9001 : 2008. Balai Penelitian Tanaman Sayuran, Bandung.
- Baynes J. W. dan Marek H. D. 2014. Medical biochemistry 4th ed. Elsevier. pp 264-283.
- Bermudez, V., Juan S., Maria S. M. dan Mervin C. C. 2016. "Prevalence and Associated Factors of Insulin Resistance in Adults from Maracaibo City, Venezuela." *Advances in Preventive Medicine*. 2016: 9405105. doi: 10.1155/2016/9405105.
- Bravo, S., Lowndes J., Sinnott S., Yu Z. dan Rippe J. 2013. "Consumption of sucrose and high-fructose corn syrup does not increase liver fat or ectopic fat deposition in muscles." *Appl Physio Nutr Metab*. 2013 Jun;38(6):681-8. doi: 10.1139/apnm-2012-0322.

- Buul, V. J. V., Luc Tappy, dan Fred J. P. H. Brouns. 2014. "Misconceptions about fructose-containing sugars and their role in the obesity epidemic." *Nutrition Research Reviews*. 27(1):119-30. doi: 10.1017/S0954422414000067.
- Cai, D., Minsheng Y., Daniel F. F., dan Melendez P. A. 2005. "Local and systemic insulin resistance resulting from hepatic activation of IKK- β and NF- κ B." *Nature Medicine*. 11, p 183–190 (2005). doi: 10.1038/nm1166.
- Cacho, J., Sevillano J., dan de Castro J. 2008. "Validation of simple indexes to assess insulin sensitivity during pregnancy in Wistar and Sprague-Dawley rats." *American Journal of Physiology-Endocrinology and Metabolism*. 295(5):E1269-76. doi: 10.1152/ajpendo.90207.2008.
- Charan, J. dan Khantaria N. D. 2013. "How to calculate sample size in animal studies?" *Journal of pharmacology and pharmacotherapeutics*. 4(4): 303–306. doi: 10.4103/0976-500X.119726
- Church, T. J. dan Stuart T.H. 2016. "Treatment Approach to Patients With Severe Insulin Resistance." *Diabetes care*. 34(2): 97-104. <https://doi.org/10.2337/diaclin.34.2.97>.
- Dalimartha, S. 2000. Atlas tumbuhan obat Indonesia Jilid 2. Jakarta: Trubus Agriwidya.
- Deendayal, P., Sanjeev S. dan Sanjay G. 2007. "Apigenin and cancer chemoprevention: progress, potential and promise (review)." *International Journal of Oncology*. 30(1):233-4.
- Departemen Kesehatan Republik Indonesia. 2007. Kebijakan Obat Tradisional Nasional. Keputusan Menteri Kesehatan Republik Indonesia Nomor : 381/Menkes/SK/III/2007. Departemen Kesehatan Republik Indonesia, Jakarta.
- Departemen Kesehatan Republik Indonesia. 2014. Situasi dan Analisis Diabetes. Departemen Kesehatan Republik Indonesia, Jakarta.
- Dianat, M., Ali V., Akram A., dan Hadi F. M. 2015. "The effect of hydro-alcoholic celery (*Apiumgraveolens*) leaf extract on cardiovascular parameters and lipid profile in animal model of hypertension induced by fructose." *Avicenna Journal of Phytomedicine*. 5(3): 203–209
- D'Adamo, E. dan Sonia C. 2011. "Type 2 Diabetes in Youth: Epidemiology and Pathophysiology." *Diabetes care*. 34(Suppl 2): S161–S165. doi: 10.2337/dc11-s212.
- Farese, R. V. 2002. "Function and dysfunction of aPKC isoforms for glucose transport in insulin-sensitive and insulin-resistant states." *American Journal of Physiology*. 283(1):E1-11. doi: 10.1152/ajpendo.00045.2002.
- Feinmann, R. D. dan Eugene J. F. 2013. "Fructose in perspective." *Nutr Metab (Lond)*. 10(1):45. doi: 10.1186/1743-7075-10-45.
- Fricke, K., Heitland A., dan Maronde E. 2004. "Cooperative activation of lipolysis by protein kinase A and protein kinase C pathways in 3T3-L1 adipocytes." *Endocrinology*. 145(11):4940-7. doi: 10.1210/en.2004-0803.
- Furunkawa, S., Fujita T., dan Shimabukuro M. 2004. "Increased oxidative stress in obesity and its impact on metabolic syndrome." *The Journal of Clinical Investigation*. 114(12):1752-61. doi: 10.1172/JCI21625.
- Ghiasi, R. Farhad G. S., dan M. H. Somi. 2015. "Swim training improves HOMA-IR in type 2 diabetes induced by high fat diet and low dose of

- streptozotocin in male rats”, *Advanced Pharmaceutical Bulletin*, 5(3), pp. 379–384. doi: 10.15171/apb.2015.052.
- Gutierrez R. M., Juarez V. A., Saucedo J. V., dan Sosa I.A. 2014. “In vitro and in vivo antidiabetic and antiglycation properties of apium graveolens in type 1 and 2 diabetic rats.” *Int J Pharmacol*. 2014;10:368–379.
- Hall J. E., dan Guyton A. C. 2016. Ilyas EII, Widjajakusumah MD, Tanzil A, dkk (Eds). Guyton dan Hall: Buku Ajar Fisiologi Kedokteran Edisi 12.
- Harvi V. D., Doss D. V. A. 2012 Anti-Lipidemic Effect of Apium graveolens and Cymbopogon Flexuosus in Diabetic Rats. *International Journal of Current Research*. 2012;4(5):11-12.
- Hau, D. D., Vitol L., Wiroj J., dan Somrat L. 2010. “Prevalence of insulin resistance and its relationship with cardiovascular disease risk factors among Thai adults over 35 years old.” *Diabetes Res Clin Pract*. 89(3): 303–308. doi:10.1016/j.diabres.2010.04.013
- Hijazi, M. A dan Haneen H. M. 2007. “Studies on effects of celery leaves on lipids profile and nephrotoxicity in rats induced by gentamicin.” *Current Science International*. 6(4): 711-722, 2017
- Holm, C. 2003. “Molecular mechanisms regulating hormone-sensitive lipase and lipolysis.” *Biochem Soc Trans*. 31(Pt 6):1120-4. doi: 10.1042.
- Holt R. I. G., Cockram C., Flyvbjerg A., Goldstein B. J. 2010. *Textbook of Diabetes 4th Edition*. UK: Wiley-Blackwell; 160-207
- Huang, P. L. 2009. “A comprehensive definition for metabolic syndrome.” *Dis Model Mech*. 2(5-6):231-7. doi: 10.1242/dmm.001180.
- Ibrahim, H. K. 2016. “Antibacterial dan Antioxidant Activity of Seed Methanolic Extract of Apium graveolens in Vitro.” *World Journal of Pharmaceutical Research*. Volume 5, Issue 6, 1914-1923. doi: 10.20959/wjpr20166-6350.
- International Diabetes Federation. 2015. *IDF Diabetes Atlas, 7th Edition*. ISBN: 978-2-930229-81-2. International Diabetes Federation, Brussels.
- Iqbal, M. dan Endang S. 2014. “Seledri (Apium graveolens L.)”. Diunduh dari http://ccrc.farmasi.ugm.ac.id/?page_id=225 pada 9 Oktober 2017.
- Jabbar, A. A., Al Sa’aidi, dan Basim A. K. Al Shihmani. 2013. “Antihyperglycaemic and pancreatic regenerative effect of n-butanol extract of celery (Apium graveolens) seed in STZ-induced diabetic male rats.” *SCVMJ*. XVIII (1) 2013: p 71-85.
- Jiang, L., Junmei F., Li B., Yan W., Yu C., dan Lu Y. 2008. “Direct Quantification of Fusion Rate Reveals a Distal Role for AS160 in Insulin-stimulated Fusion of GLUT4 Storage Vesicles.” *Journal of Biological Chemistry*. 283(13):8508-16. doi: 10.1074/jbc.M708688200.
- Jung, J. Y., Yeni L., Min S. M., Ji Y. K., dan Oran K. 2011. “Onion peel extracts ameliorate hyperglycemia and insulin resistance in high fat diet/streptozotocin-induced diabetic rats.” *Nutr Metab (Lond)*. 8(1):18. doi: 10.1186/1743-7075-8-18
- Jung, U. J., Yun Y. C., dan Myung S. C. 2016. “Apigenin Ameliorates Dyslipidemia, Hepatic Steatosis and Insulin Resistance by Modulating Metabolic and Transcriptional Profiles in the Liver of High-Fat Diet-Induced Obese Mice.” *Nutrients*. 8(5). pii: E305. doi: 10.3390/nu8050305.
- Kaemmerer, D., Luisa P., Amelie L., Stefan S. dan Jorg S. 2012. “Comparing of IRS and Her2 as immunohistochemical scoring schemes in

- gastroenteropancreatic neuroendocrine tumors.” *International Journal of Clinical & Experimental Pathology*. 5(3):187-94.
- Kasjono, H. S. dan Yasril. 2009. Teknik sampling untuk penelitian kesehatan. Yogyakarta: Graha Ilmu.
- Katsuki, A., Yusihiro S., Esteban C. G., Shuichi M. dan Masahiko F. 2001. “Homeostasis Model Assessment Is a Reliable Indicator of Insulin Resistance During Follow-up of Patients With Type 2 Diabetes.” *Diabetes Care*. 24(2):362-5. <https://doi.org/10.2337/diacare.24.2.362>
- Katzung, B.G., 2002, Farmakologi Dasar dan Klinik , Edisi III, 693-694, Penerbit Buku Kedokteran EGC, Jakarta
- Konrad, D., Philip J.B., Zafar N., dan Sweeney G. 2002. “Need for GLUT4 Activation to Reach Maximum Effect of Insulin-Mediated Glucose Uptake in Brown Adipocytes Isolated From GLUT4myc-Expressing Mice”. *Diabetes Journals*. 51(9): 2719-2726. doi.org/10.2337/diabetes.51.9.2719
- Kooti, W., Sara A. A., Majid A. S., Hosna G. dan Damoon A. L. 2015. “A review on medicinal plant of *Apium graveolens*”. *Advanced Herbal Medicine*. Article 8, Volume 1, Issue 1, Winter 2015, Page 48-59.
- Kusumawati, Dian. 2004. Bersahabat dengan Hewan Coba. Yogyakarta: Gadjah Mada University Press.
- Leguisamo, N. M., Alexandre M. L., Ubiratan F. M., dan Maristela M. O . 2012. “GLUT4 content decreases along with insulin resistance and high levels of inflammatory markers in rats with metabolic síndrome.” *Cardiovascular Diabetology*. 11: 100. doi: 10.1186/1475-2840-11-100
- Li, C. L., Tsai S. T., dan Pesus C.. 2003. “Relative role of insulin resistance and beta-cell dysfunction in the progression to type 2 diabetes--The Kinmen Study.” *Diabetes Res Clin Pract*. 59(3):225-32.
- Li, P., Jia J., Daihui Z., Jingle X., dan Xueshu X. 2013. In vitro and in vivo antioxidant activities of a flavonoid isolated from celery (*Apium graveolens* L. var. dulce). *Food Funct*. 5(1):50-6. doi: 10.1039/c3fo60273g.
- Liu, Y. F. 2004. “Serine Phosphorylation Proximal to Its Phosphotyrosine Binding Domain Inhibits Insulin Receptor Substrate 1 Function and Promotes Insulin Resistance.” *Molecular and Cellular Biology*. 24(21):9668-81. doi: 10.1128/MCB.24.21.9668-9681.2004
- Londons, C., Brasaemle D. L., Schultz C. J., Adler-Wailes D. C., dan Levin D. M. 1999. “On the control of lipolysis in adipocytes.” *Ann N Y Acad Sci*. 892:155-68.
- Madeira, I. R., Carvalho C. N., Gazolla F. M., de Matos H. J dan Borges M. A. 2008. “[Cut-off point for Homeostatic Model Assessment for Insulin Resistance (HOMA-IR) index established from Receiver Operating Characteristic (ROC) curve in the detection of metabolic syndrome in overweight pre-pubertal children].” *Arq Bras Endocrinol Metabol*. 52(9):1466-73
- Maria, I. S., Juliana S. O., Vanessa S. L., Niedja M. S., dan Emilia C. C. 2016. “Identification of cutoff points for Homeostatic Model Assessment for Insulin Resistance index in Adolescents: systematic review” *Rev Paul Pediatr*. 34(2): 234–242doi: 10.1016/j.rppede.2016.01.004

- Mather, K. 2009. "Surrogate measures of insulin resistance: of rats, mice, and men." *American Journal of Physiology-Endocrinology and Metabolism*. 296: E398–E399, 2009. doi:10.1152/ajpendo.90889.2008.
- Mu, J., Brozonick J. T. Jr., Valladares O., Bucan M. dan Birnbaum M. J. 2001. "A role for AMP-activated protein kinase in contraction- and hypoxia-regulated glucose transport in skeletal muscle." *Molecular Cell*. 7(5):1085-94.
- Niaz, K., Seemi G., dan M. Azzam Z. 2013."Antihyperglycemic/ Hypoglycemic Effect of Celery Seeds (Ajwain / Ajmod) in Streptozotocin induced Diabetic Rats." *Journal of Rawalpindi Medical College (JRMC)*; 2013;17(1):134-137.
- Panda S. dan Kar A. 2007. "Apigenin (4',5,7-trihydroxyflavone) regulates hyperglycaemia, thyroid dysfunction and lipid peroxidation in alloxan-induced diabetic mice." *J Pharm Pharmacol*. 2007;59:1543–8. doi: 10.1211/jpp.59.11.0012.
- Panggabean, F. K., Efta T., dan Ema P.Y. 2014. Uji Aktivitas Peningkatan Sensitivitas Insulin Ekstrak Biji Jintan Hitam (*Nigella sativa*) melalui Pengukuran Konsentrasi Tirosin Terfosforilasi Insulin Reseptor Substrat-1 (terhadap Tikus Wistar Model Diabetes Mellitus Tipe 2). *Majalah Kesehatan FKUB*. Volume 1, Nomer 1, Maret 2014. Hal. 53-59.
- Patarrao, R. S., Wilford W. L., dan Maria P. M. 2013. "Assessment of methods and indexes of insulin sensitivity." *Sociedade Portuguesa de Endocrinologia, Diabetes e Metabolismo*. Volume 9, Issue 1, Pages 65-73. <https://doi.org/10.1016/j.rpedm.2013.10>.
- Pilar, G. D., Alfonso O. G., Maria X. R., Francisco G., dan Fernando G. 2013. "Insulin resistance (HOMA-IR) cut-off values and the metabolic syndrome in a general adult population: effect of gender and age: EPIRCE cross-sectional study." *BMC Endocrine Disorder*. 13:47. doi: 10.1186/1472-6823-13-47.
- Qu, H. Q., Quan L., Anne R. R., Susan P. F. dan Joseph B. M. 2011. "The Definition of Insulin Resistance Using HOMA-IR for Americans of Mexican Descent Using Machine Learning." *PLoS One*. 2011;6(6):e21041. doi: 10.1371/journal.pone.0021041.
- Rao, G. 2001. "Insulin Resistance Syndrome." *American Family Physician*. 63(6):1159-1164.
- Rizkalla, S. W. 2010. "Health implications of fructose consumption: A review of recent data." *Nutr Metab (Lond)*. 7: 82. doi: 10.1186/1743-7075-7-82.
- Saini, V. 2010. "Molecular mechanisms of insulin resistance in type 2 diabetes mellitus." *World Journal of Diabetes*. 1(3): 68–75. doi: 10.4239/wjd.v1.i3.68
- Savage, D. B., Kitt F. P., dan Gerald I. S. 2007. "Disordered Lipid Metabolism and the Pathogenesis of Insulin Resistance." *Physiological Reviews*. 87(2):507-20. doi: 10.1152/physrev.00024.2006.
- Schippers, R.R. 2004. *Apium graveolens L.* Records from PROTA4U. Grubben, G.J.H & Denton, O.A. (Editors). PROTA (*Plant Resources of Tropical Africa*), Wageningen, Netherlands. [https://uses.plantnet-project.org/en/Apium_graveolens_\(PROTA\)](https://uses.plantnet-project.org/en/Apium_graveolens_(PROTA)) Accessed August 8th 2018.

- Semenkovich, C. F. 2006. "Insulin resistance and atherosclerosis." *The Journal of Clinical Investigation*. 116(7): 1813–1822. doi: 10.1172/JCI29024.
- Sherwood L, 2010. "Human Physiology from Cells to Systems. 7th ed." Brooks/Cole, Cengage Learning.
- Silverthorn D. U. 2010." Human Physiology – An Integrated Approach 5th ed." Pearson Education Inc. San Francisco, CA 94111.
- Sowbhagya, H. B. 2014. "Chemistry, technology, and nutraceutical functions of celery (*Apium graveolens* L.): an overview." *Crit Rev Food Sci Nutr*. 54(3):389-98. doi: 10.1080/10408398.2011.586740.
- Suh, K. S., Seungjoon O., Jeong T. W. dan Kim S. W. 2012. "Apigenin Attenuates 2-Deoxy-D-ribose-Induced Oxidative Cell Damage in HIT-T15 Pancreatic β -Cells." *Biology and Pharmaceutical Bulletin*. 35(1):121-6. <https://doi.org/10.1248/bpb.35.121>.
- Summers, S. A., Kao A. W., Kohn A. D., dan Backus G. S.. 1999. "The role of glycogen synthase kinase 3 β in insulin-stimulated glucose metabolism." *Journal of Biological Chemistry*. 274(25):17934-40.
- Sunanda, P. dan Anand K. 2007. "Apigenin (4',5,7-trihydroxyflavone) regulates hyperglycaemia, thyroid dysfunction and lipid peroxidation in alloxan-induced diabetic mice." *Journal of Pharmacy and Pharmacology*. 59(11):1543-8. doi: 10.1211/jpp.59.11.0012.
- Tam, C. S., Wenting X., dan Williaam D. J. 2012. "Defining Insulin Resistance From Hyperinsulinemic-Euglycemic Clamps." *Diabetes care*. 35(7):1605-10. doi: 10.2337/dc11-2339.
- Teff, K. L., Joanne G., Raymond R. T., Tamara N. D., dan Ryan W. G. 2009. "Endocrine and Metabolic Effects of Consuming Fructose- and Glucose-Sweetened Beverages with Meals in Obese Men and Women: Influence of Insulin Resistance on Plasma Triglyceride Responses." *J Clin Endocrinol Metab*. 2009 May; 94(5): 1562–1569. doi: 10.1210/jc.2008-2192.
- Vinayagam, R. dan Baojun X. 2015. "Antidiabetic properties of dietary flavonoids: a cellular mechanism review." *Nutr Metab (Lond)*. 2015; 12: 60. doi: 10.1186/s12986-015-0057-7.
- Wallace, Tara M., Jonathan C. L., dan David R. M. 2004. "Use and Abuse of HOMA Modeling." *Diabetes care*. 27(6):1487-95. <https://doi.org/10.2337/diacare.27.6.1487>
- Wang, Z., Yang Y., Xiang X., Zhu Y. dan Men J. 2010. "[Estimation of the normal range of blood glucose in rats]." *Wei Sheng Yan Jiu*. 39(2):133-7, 142.
- Weickert, M.O. 2012. "What dietary modification best improves insulin sensitivity and why?" *Clinical Endocrinology*. 77(4):508-12. doi: 10.1111/j.1365-2265.2012.04450.x.
- Weisberg, S. P., Daniel M. C., Manisha D., dan Rosenbaum M. 2003. "Obesity is associated with macrophage accumulation in adipose tissue." *The Journal of Clinical Investigation*. 112(12):1796-808. doi: 10.1172/JCI200319246.
- Wolfensohn, S., dan Lloyd, M., 2013, *Handbook of Laboratory Animal Management and Welfare*, 4th ed., Wiley-Blackwell, West Sussex, 234.
- Wulansari, D. D., Achmad B., dan Suhartatik. 2017. "Effect of Papaya Seed Extract (*Carica Papaya* Linn.) on Glucose Transporter 4 (GLUT 4)

- Expression of Skeletal Muscle Tissue in Diabetic Mouse Induced by High Fructose Diet.” *Traditional Medicine Journal*. Vol. 22(2), p 131-138.
- Xu, H., Glenn T. B., Qing Y., Tan G., Yang D. dan Chou C. J.. 2003. “Chronic inflammation in fat plays a crucial role in the development of obesity-related insulin resistance.” *The Journal of Clinical Investigation*. 112(12):1821-30. doi: 10.1172/JCI19451.
- Yin, J. H., Ming L., Lu X., Wang Y., dan Cheng H. 2013. “Insulin resistance determined by Homeostasis Model Assessment (HOMA) and associations with metabolic syndrome among Chinese children and teenagers.” *Diabetology and Metabolic Syndrome*. 5(1):71. doi: 10.1186/1758-5996-5-71.
- Yu, Y. H. dan Henry N. G. 2005. “Adipocyte Signaling and Lipid Homeostasis: Sequelae of Insulin-Resistant Adipose Tissue.” *Circulation Research*. 96:1042-1052. <https://doi.org/10.1161/01.RES.0000165803.47776.38>
- Yusni, Y., Zufry H., Meutia F. dan Sucipto K. W. 2018. ‘The effects of celery leaf (*Apium graveolens* L.) treatment on blood glucose and insulin levels in elderly pre-diabetics’, *Saudi Medical Journal*, 39(2), pp. 154–160. doi: 10.15537/smj.2018.2.21238.
- Zhang, X., Guangji W., dan Emily C. G. 2014. “Flavonoid Apigenin Inhibits Lipopolysaccharide-Induced Inflammatory Response through Multiple Mechanisms in Macrophages.” *PLoS One*. 9(9):e107072. doi:10.1371/journal.pone.0107072.
- Zhou, K., Zhao F., Liu Z., Zhuang Y., dan Chen L. 2009. “Triterpenoids and flavonoids from celery (*Apium graveolens*).” *Journal of Natural Products*. 72(9):1563-7. doi:10.1021/np900117v.