

DAFTAR PUSTAKA

- Ahmed, R., Haq, M. and Chun, B. (2019). Characterization of marine derived collagen extracted from the by-products of bigeye tuna (*Thunnus obesus*). *International Journal of Biological Macromolecules*, 135, pp.668-676.
- Arnesen, J.A. and Gildberg, A. 2006. Extraction of muscle proteins and gelatin from cod head. *Process Biochemistry* 41: 697–700.
- Asyraf, M. 2011. Ekstraksi Kolagen Dari Limbah Ikan dan Penentuan Karakteristik Fisik-Kimia. Proyek Akhir Tahun yang Disampaikan dalam Pemenuhan Sebagian dari Persyaratan untuk Gelar Bachelor Of Science (Hons.) Ilmu dan Teknologi Pangan di Fakultas Sains Terapan Universiti Teknologi MARA
- Bala, Y., Depalle, B., Douillard, T., Meille, S., Follet, H., Chevalier, J. and Boivin, G. (2011). Respective roles of organic and mineral components of bone tissue in micromechanical behavior of human cortical bone. *Bone*, 48, p.S186.
- Bama P, Vijayalakshimi M, Jayasimman R, Kalaichelvan PT, Deccaraman M, Sankaranarayanan S. 2010. Extraction of collagen from cat fish (*Tachysurus maculatus*) by pepsin digestion and preparation and characterization of collagen chitosan sheet. *Int J Pharm Pharm Sci.* 2(4): 133-137.
- Cen, L., Liu, W., Cui, L., Zhang, W. and Cao, Y. (2008). Collagen Tissue Engineering: Development of Novel Biomaterials and Applications. *Pediatric Research*, 63(5), pp.492-496.

- Chang, S., Shefelbine, S. and Buehler, M. (2012). Structural and Mechanical Differences between Collagen Homo- and Heterotrimers: Relevance for the Molecular Origin of Brittle Bone Disease. *Biophysical Journal*, 102(3), pp.640-648.
- Chauhan, A.K. and A. Varma. 2009. A Textbook of Molecular Biotechnology. I.K International Publishing House Pvt, Ltd. New Delhi, 1352.
- Chuaychan S, Benjakul S, Kishimura H. 2015. Characteristics of acid- and pepsin-soluble collagens from scale of seabass (*Lates calcarifer*). *LWT - Food Science and Technology*. 63(1): 71–76.
- Dhandayuthapani, B., Yoshida, Y., Maekawa, T., Kumar, D.S. 2011. Polymeric Scaffolds In Tissue Engineering Application: A Review. *Hindawi Publishing Corporation International Journal Of Polymer Science* :1-16.
- Gelse, K. (2003). Collagens—structure, function, and biosynthesis. *Advanced Drug Delivery Reviews*, 55(12), pp.1531-1546.
- Hafidz RN, Yaakob CM, Amin I, Noorfaizan A. 2011. Chemical and functional properties of bovine and porcine skin gelatin. *International Food Research Journal*. 18: 813-817.
- Hartati, I. 2010. Kajian Produksi Kolagen Dari Limbah Sisik Ikan Secara Enzimatis. *Teknik Kimia Universitas Wahid Hasyim*. Semarang. Hlm. 33-35.
- Hema GS, Shyni K, Mathew S, Anandan R, Ninan G. A simple method for isolation of fish skin collagen-biochemical characterization of skin collagen extracted from Albacore Tuna (*Thunnus Alalunga*), Dog Shark (*Scoliodon Sorrikowah*), and Rohu (*Labeo Rohita*. 2013. *Annals of Biol Res*. 4(1): 271-278.
- Hermanto S, Sumarlin LO, FatimahW. 2013. Differentiation of bovine and porcine gelatin based on spectroscopic and electrophoretic analysis. *Journal food pharmaceutical sciences*. 68-73.

Herng Wu, K., dan HJ Chai. 2007. Collagen of Fish Scale and Method of Making Thereof. Jurnal Ilmiah Internasional. Keelung City. 1-4

Hidayat, T. 2016. Quality Deterioration Gourami Fish (*Osteobrama gouramy*) During Storage. International Journal of Materials Chemistry and Physics 2(1) : 40-44

Hsiung Pan . 2010. Purification and Characterization of a Fish Scale Degrading Enzyme from a Newly Identified *Vogesella* sp. National Taiwan Ocean University, Keelung, Taiwan, R.O.C. pp.1-2.

Ivanovski, S., Vaquette, C., Gronthos, S., Hutmacher, D.W. and Bartold, P.M.. 2014. Multiphasic Scaffolds for Periodontal Tissue Engineering. *J Dent Res* 93(12):1212-1221.

Junli Liu, Shaoyan Si, Yaya Qin, Bin Zhang, Shujun Song, Yanchuan Guo. 2015. The effect of different molecular weight collagen peptides on MC3T3-E1 cells differentiation. *Bio-Medical Materials and Engineering* 26 S2041–S2047 .

Kalamajski, S., Liu, C., Tillgren, V., Rubin, K., Oldberg, Å., Rai, J., Weis, M. and Eyre, D. (2014). Increased C-telopeptide Cross-linking of Tendon Type I Collagen in Fibromodulin-deficient Mice. *Journal of Biological Chemistry*, 289(27), pp.18873-18879.

Karande, T.S., Agrawal, C.M. 2008. Function and requirements of synthetic scaffolds in tissue engineering. In: Laurencin ,C.T., Nair, L.S., editors. *Nanotechnology and Tissue Engineering - The Scaffold*. London, New York: CRC Press. Hlm. 54-68.

Kementerian Kelautan dan Perikanan (KKP). 2013. Buku Statistik Kelautan dan Perikanan. Pusat data statistik dan informasi Sekretariat Jenderal Kementerian Kelautan dan Perikanan, Jakarta.

Kristina, M. dan Sulantiwi, S., 2017. SISTEM PENDUKUNG KEPUTUSANMENENTUKAN KUALITASBIBIT IKAN GURAMEDI PEKON SUKOSARI MENGGUNAKAN APLIKASI VISUAL BASIC 6.0. *Jurnal TAM (Technology Acceptance Model)*, 4, pp.26-33.

Li, J., Wang, M., Qiao, Y., Tian, Y., Liu, J., Qin, S. and Wu, W. (2018). Extraction and characterization of type I collagen from skin of tilapia (*Oreochromis niloticus*) and its potential application in biomedical scaffold material for tissue engineering. *Process Biochemistry*, 74, pp.156-163.

Li, S. 2017. Periodontal Regeneration: Promising and Challenging for Periodontal Complex Regeneration. *J Bone Rep Recomm.* 3(1) : 4

Mahboob, S. (2014). Isolation and characterization of collagen from fish waste material- skin, scales and fins of Catla catla and Cirrhinus mrigala. *Journal of Food Science and Technology*, 52(7), pp.4296-4305.

Manikandan, A., Thirupathi Kumara Raja, S., Thiruselvi, T. and Gnanamani, A. (2017). Engineered fish scale gelatin: An alternative and suitable biomaterial for tissue engineering. *Journal of Bioactive and Compatible Polymers*, 33(3), pp.332-346.

Manns, J. (2011). SDS-Polyacrylamide Gel Electrophoresis (SDS-PAGE) of Proteins. *Current Protocols in Microbiology*, 22(1), pp.A.3M.1-A.3M.13.

Martin, R. 2006. Gel Electrophoresis: Nucleic Acids. Oxford: Bros Scientific Publishers Ltd.

Muyonga JH, Cole CGB, Duodu KG. 2004. Characterisation of acid soluble collagen from skins of young and adult Nile perch (*Lates niloticus*). *Food*

Chem. 85: 81–89.

Nagai T, Izumi M, Ishii M. 2004. Preparation and partial characterization of fishscale collagen. International Journal of Food Science and Technology. 39:239-244.

Nalinanon S, Benjakul S, Visessanguan W, et al. Use of pepsin for collagen extraction from the skin of bigeye snapper (*Priacanthus tayenus*). Food Chemistry 2007;104:593-601.

Nowakowski, A., Wobig, W. and Petering, D. (2014). Native SDS-PAGE: high resolution electrophoretic separation of proteins with retention of native properties including bound metal ions. *Metallomics*, 6(5), pp.1068-1078.

Paola, C., Camila, A., Ana, C., Marlon, O., Diego, S., Robin, Z., Beatriz, G. and Cristina, C. (2019). Functional textile finishing of type I collagen isolated from bovine bone for potential healthtech. *Heliyon*, 5(2), p.e01260.

Pati, F., Datta, P., Adhikari, B., Dhara, S., Ghosh, K., Mohapatra, P.K.D. 2012. Collagen Scaffolds Derived from Fresh Water Fish Origin and Their Biocompatibility. J Biomed Mater Res Part A 100A:1068–1079

Pustlauk, W., Paul, B., Gelinsky, M. and Bernhardt, A. (2016). Jellyfish collagen and alginate: Combined marine materials for superior chondrogenesis of hMSC. *Materials Science and Engineering: C*, 64, pp.190-198.

Rahardjo MF, Sjafei DS, Affandi R, Sulistiono. 1988. Biologi Ikan I. *Life Sciences Inter University Centre*, Institut Pertanian Bogor.

Razi, F. 2017. Induk Ikan Gurami (*Osphronemus goramy*, Lac) Kelas Induk Pokok (Ringasan SNI 01-6485.1-2000). [online] Komunitaspenyuluhanperikanan.blogspot.com. Tersedia pada: <http://komunitaspenyuluhanperikanan.blogspot.com/2017/07/induk-ikan-gurami-osphronemus-goramy.html> [diakses pada 29 Nov. 2018].

- Rotllant J, Redruello B, Guerreiro PM, Fernandes H, Canario AVM, Power DM. 2005. Calcium mobilization from fish scales is mediated by parathyroid hormone related protein via the parathyroid hormone type 1 receptor. *Regulatory Peptides* 132:33-40.
- Rukmana, I.H.R., 2005. Penangkaran IKAN GURAMI, Pemberian dan Pembesaran. Kanisius.
- Sankar, S., Sekar, S., Mohan, R., Rani, S., Sundaraseelan, J. and Sastry, T. (2008). Preparation and partial characterization of collagen sheet from fish (*Lates calcarifer*) scales. *International Journal of Biological Macromolecules*, 42(1), pp.6-9.
- Setiawati, I.H. 2009. Karakterisasi Mutu Fisika Kimia Gelatin Kulit Ikan Kakap Merah (Lutjanus Sp.) Hasil Proses Perlakuan Asam [Skripsi]. Program Studi Teknologi Hasil Perikanan FPIK IPB. Bogor. pp.6-7.
- Shimauchi, H., Nemoto, E., Ishihata, H., Shimomura, M. 2013. Possible Functional Scaffolds for Periodontal Regeneration. *Japanese Dental Science Review* 49 : 118—130
- Silva T, A Kirkpatrick, B Brodsky, Ramshaw J.A.M. 2005. Effect of deamidation on stability for the collagen to gelatin transition. *Journal Agricultural and Food Chemistry* 53, 7802-78096.
- Silvipriya, K. S., Kumar, K.K., Kumar, B.D., John, A. and Lakshmanan, P. 2016. Fish Processing Waste: A Promising Source of Type-I Collagen. *Current Trends in Biotechnology and Pharmacy* 10 (4) : 374-383
- Singh P, Benjakul S, Maqsood S, Kishimura H. 2011. Isolation and characterisation of collagen extracted from the skin of striped catfish (*Pangasianodon hypophthalmus*). *J Food Chem.* 124: 97-105.

- Sionkowska, A., Skopinska-Wisniewska, J., Gawron, M., Kozlowska, J. and Planecka, A. (2010). Chemical and thermal cross-linking of collagen and elastin hydrolysates. *International Journal of Biological Macromolecules*, 47(4), pp.570-577.
- Sitanggang, M. dan B. Sarwono. 2007. Budidaya Gurami. Penebar Swadaya. Jakarta.
- Sung HH, Yuki U, Tatsuya M, Yukio K. 2011. Effect of collagen and collagen peptides from Bluefin tuna abdominal skin on cancer cells. *Health*. 3:129-134
- Torres FG, Troncoso OP, Nakamatsu J, Grande CJ, G'omez CM. 2008. Characterization of the nanocomposite laminate structure occurring in fish scales from Arapaima gigas. *Materials Science & Engineering C*. 28(8):1276-1283.
- Trimandana, F.R. 2009. Aplikasi Kolagen dari Tepung Tulang Ikan yang Berbeda pada Surimi Ikan Nila (*Oreochromis niloticus*Linn.) [Skripsi]. FPIK UNDIP. Semarang.
- Tziveleka, E. Ioannou, D. Tsiourvas, P. Berillis, E. Foufa, V. Roussis. 2017. Collagen from the marine sponges axinella cannabina and suberites carnosus: isolation and morphological, biochemical, and biophysical characterization, *Mar. Drugs* 15 152.
- Yogaswari, V. 2009. Karakteristik kimia dan fisik sisik ikan gurami (*Osphronemus gouramy*). Skripsi. Fakultas perikanan dan ilmu kelautan. Institut Pertanian Bogor. Bogor. 3-7.
- Yuwono, T. 2008. *Biologi Molekular*. Jakarta: Penerbit Erlangga

Zhang, F., Wang, A., Li, Z., He, S. and Shao, L. (2011). Preparation and Characterisation of Collagen from Freshwater Fish Scales. *Food and Nutrition Sciences*, 02(08), pp.818-823.

Zhang, Q. Wang, S. Lv, J. Lu, S. Jiang, J.M. Regenstein, L. Lin. 2016. Comparison of collagen and gelatin extracted from the skins of Nile bream (*Oreochromis niloticus*) and channel catfish (*Ictalurus punctatus*), Food Biosci.13 pg.41-48.