

**DAFTAR PUSTAKA**

- Akeju, O. O., Wright, S. C. D., & Maja, T. M. (2017). Lived experience of patients on tuberculosis treatment in Tshwane, Gauteng province. *Health SA Gesondheid*, 22, 259–267. <https://doi.org/10.1016/j.hsag.2017.03.001>
- Aqtam, I., & Darawwad, M. (2018). Health Promotion Model: An Integrative Literature Review. *Open Journal of Nursing*, 08(07), 485–503. <https://doi.org/10.4236/ojn.2018.87037>
- Atif, M., Bashir, A., Ahmad, N., Fatima, R. K., Saba, S., & Scahill, S. (2017). Predictors of unsuccessful interim treatment outcomes of multidrug resistant tuberculosis patients. *BMC Infectious Diseases*, 17(1), 1–12. <https://doi.org/10.1186/s12879-017-2746-5>
- Baral, S. C., Aryal, Y., Bhatrai, R., King, R., & Newell, J. N. (2014). The importance of providing counselling and financial support to patients receiving treatment for multi-drug resistant TB: Mixed method qualitative and pilot intervention studies. *BMC Public Health*, 14(1). <https://doi.org/10.1186/1471-2458-14-46>
- Barlina. (2004). Potensi Buah Kelapa Muda Untuk Kesehatan dan Pengolahannya, 3, 46–60.
- Behzadifar, M., Mirzaei, M., Behzadifar, M., Keshavarzi, A., Behzadifar, M., & Saran, M. (2015). Patients' Experience of Tuberculosis Treatment Using Directly Observed Treatment, Short-Course (DOTS): A Qualitative Study. *Iranian Red Crescent Medical Journal*, 17(4), 4–9. [https://doi.org/10.5812/ircmj.17\(4\)2015.20277](https://doi.org/10.5812/ircmj.17(4)2015.20277)
- Brigaste, M. B. T., & Teh, L. A. (2018). The Battle Continues: An Interpretative Phenomenological Analysis of the Experiences of Multidrug-Resistant Tuberculosis (MDR-TB) Patients. *Psychological Studies*, 63(1), 9–18. <https://doi.org/10.1007/s12646-017-0436-4>
- Chauke, T., Netshikweta, L., Vo, N., Nyathi, L., Tg, T., & Fc, O. (2018). Proposed Guidelines To Minimise Multi-Drug Resistant Tuberculosis Treatment Default in a Multi-Drug Resistant Unit of Limpopo Province , South Africa, 12(6), 55–65.
- Chen, B., & He, T. (2016). Social support received by multidrug-resistant tuberculosis patients and related factors : a cross- sectional study in Zhejiang Province , People ' s Republic of China, 1063–1070.
- Deshmukh, R. D., Dhande, D. J., Sachdeva, K. S., Sreenivas, A., Kumar, A. M. V., Satyanarayana, S., ... Lo, T. Q. (2015). Patient and provider reported reasons for lost to follow up in MDRTB treatment: A qualitative study from a drug resistant TB Centre in India. *PLoS ONE*, 10(8), 1–11. <https://doi.org/10.1371/journal.pone.0135802>

- Deshmukh, R. D., Dhande, D. J., Sachdeva, K. S., Sreenivas, A. N., Kumar, A. M. V., & Parmar, M. (2018). Social support a key factor for adherence to multidrug-resistant tuberculosis treatment. *Indian Journal of Tuberculosis*, 65(1), 41–47. <https://doi.org/10.1016/j.ijtb.2017.05.003>
- E., D., & I., M. (2017). Resilience and extensively drug-resistant tuberculosis: The unlikely ally. *Int J Tuberc Lung Dis*, 21(6), 713–716. <https://doi.org/10.5588/ijtld.16.0954>
- Gugssa Boru, C., Shimels, T., & Bilal, A. I. (2017). Factors contributing to non-adherence with treatment among TB patients in Sodo Woreda, Gurage Zone, Southern Ethiopia: A qualitative study. *Journal of Infection and Public Health*, 10(5), 527–533. <https://doi.org/10.1016/j.jiph.2016.11.018>
- Horter, S., Stringer, B., Greig, J., Amangeldiev, A., Tillashaikhov, M. N., Parpieva, N., ... du Cros, P. (2016). Where there is hope: A qualitative study examining patients' adherence to multi-drug resistant tuberculosis treatment in Karakalpakstan, Uzbekistan. *BMC Infectious Diseases*, 16(1), 1–15. <https://doi.org/10.1186/s12879-016-1723-8>
- Horter, S., Stringer, B., Reynolds, L., Shoaib, M., Kasozi, S., Casas, E. C., ... Du Cros, P. (2014). "home is where the patient is": A qualitative analysis of a patient-centred model of care for multi-drug resistant tuberculosis. *BMC Health Services Research*, 14, 1–8. <https://doi.org/10.1186/1472-6963-14-81>
- Indonesia, kementerian kesehatan R. (2014). Bpn\_P-Tb\_2014.Pdf. Pedoman Nasional Pengendalian Tuberkulosis. Retrieved from [http://www.tbindonesia.or.id/pendir/Buku/bpn\\_p-tb\\_2014.pdf](http://www.tbindonesia.or.id/pendir/Buku/bpn_p-tb_2014.pdf)
- Jimma, W., Ghazisaedi, M., Shahmoradi, L., Abdurahman, A. A., Kalhori, S. R. N., Nasehi, M., ... Safdari, R. (2017). Prevalence of and risk factors for multidrug-resistant tuberculosis in Iran and its neighboring countries: Systematic review and meta-analysis. *Revista Da Sociedade Brasileira de Medicina Tropical*, 50(3), 287–295. <https://doi.org/10.1590/0037-8682-0002-2017>
- Kementerian Kesehatan RI. (2015). Infodatin TB 2015. Infodatin Tuberkulosis.
- Kementerian Kesehatan RI. (2016). Data Profil Dinkes Kab/Kota Sulsel Tahun 2015. Retrieved from [http://dinkes.sulselprov.go.id/file/publik/Data\\_ProfilL\\_2015.pdf](http://dinkes.sulselprov.go.id/file/publik/Data_ProfilL_2015.pdf)
- Khanal, S., Elsey, H., King, R., Baral, S. C., Bhatta, B. R., & Newell, J. N. (2017). Development of a patient-centred, psychosocial support intervention for multi-drug-resistant tuberculosis (MDR-TB) care in Nepal. *PLoS ONE*, 12(1), 1–16. <https://doi.org/10.1371/journal.pone.0167559>
- Kubler-Ross, D. K. (2006). *On Grief and Grieving : Finding the Meaning of Grief through the Five Stages of Loss*, 2006.

- Kwan, A.Y., Berggren, I., Lyckhage, E. D. (2018). Diabetes empowerment related to Pender ' s Health Promotion Model : A meta-synthesis, (2010), 259–267. <https://doi.org/10.1111/j.1442-2018.2010.00517.x>
- Li, Y., Ehiri, J., Oren, E., Hu, D., Luo, X., Liu, Y., ... Wang, Q. (2014). Are we doing enough to stem the tide of acquired MDR-TB in countries with high TB burden? Results of a mixed method study in chongqing, china. PLoS ONE, 9(2). <https://doi.org/10.1371/journal.pone.0088330>
- Martha Raile Alligood. (2017). *Pakar Teori Keperatan dan Karya Mereka*. Elsevier.
- Morris, M. D., Quezada, L., Bhat, P., Moser, K., Smith, J., Perez, H., & Rodwell, T. C. (2013). Social , economic , and psychological impacts of MDR-TB treatment in Tijuana , Mexico : a patient ' s perspective, 17(June 2012), 954–960.
- Muchena, G., Shambira, G., Masuka, N., Juru, T., Gombe, N., Takundwa, L., ... Tshimanga, M. (2017). Determinants of multidrug resistance among previously treated tuberculosis patients in Zimbabwe, 2014. *The International Journal of Tuberculosis and Lung Disease*, 21(11), 1167–1172. <https://doi.org/10.5588/ijtld.16.0826>
- Nellums, L. B., Rustage, K., Hargreaves, S., & Friedland, J. S. (2018). Multidrug-resistant tuberculosis treatment adherence in migrants: A systematic review and meta-analysis. *BMC Medicine*, 16(1), 1–11. <https://doi.org/10.1186/s12916-017-1001-7>
- Notoadmojo, S. (2012). *Promosi Kesehatan dan Perilaku Kesehatan*. Jakarta: Rineka Cipta.
- Nursalam. (2016). *Manajemen Keperawatan. Aplikasi dalam Praktik Keperawatan Profesional (Edisi-5)*. Jakarta: Salemba Medika.
- Nursalam. (2017). *Metodologi Penelitian Ilmu Keperawatan*. (P. P. Lestari, Ed.) (4th ed.). Jakarta: Salemba Medika.
- Patle, R. A. (2014). Knowledge About Tuberculosis And Multi- Drug Resistant Tuberculosis Among Interns, 5(1), 2013–2015.
- Potter, P.A & Perry, A.G. (2003) *Fundamentals of nursing*. St. Louise: Mosby Pub.
- Polit, D. F., & Beck, C. T. (2013). *Nursing Research; Appraising Evidence for Nursing Practice (7th ed.)*. Philadelphia: Lippincot Williams & Wilkins.
- Raftery, A., Tudor, C., True, L., & Navarro, C. (2018). *Nursing Guide for Managing Side Effects to Drug-resistant TB Treatment*.

- Ristriyani, R., Rachmawati, I. N., & Afiyanti, Y. (2018). Berduka Pada Perempuan Hiv Positif. <https://doi.org/10.7454/jki.v21i1.543>
- Sanchez-Padilla, E., Marquer, C., Kalon, S., Qayyum, S., Hayrapetyan, A., Varaine, F., ... Bonnet, M. (2014). Reasons for defaulting from drug-resistant tuberculosis treatment in Armenia: A quantitative and qualitative study. *International Journal of Tuberculosis and Lung Disease*, 18(2), 160–167. <https://doi.org/10.5588/ijtld.13.0369>
- Skinner, D., & Claassens, M. (2016). It ' s complicated: why do tuberculosis patients not initiate or stay adherent to treatment? A qualitative study from South Africa. *BMC Infectious Diseases*, 1–9. <https://doi.org/10.1186/s12879-016-2054-5>
- SR sarwani Dwi, Nurlela Sri, A. Z. I. (2012). *Jurnal Kesehatan Masyarakat*, 8(1), 62–68.
- Stringer, B., Lowton, K., Tillashaikhov, M., Parpieva, N., Ulmasova, D., du Cros, P., ... Sergeeva, N. (2016). 'They prefer hidden treatment': anti-tuberculosis drug-taking practices and drug regulation in Karakalpakstan.' *The International Journal of Tuberculosis and Lung Disease*, 20(8), 1084–1090. <https://doi.org/10.5588/ijtld.15.0815>
- Subuh, M., & Wiendra Waworuntu. (2016). *pengobatan Pasien TB Ressten Obat. Kementerian Kesehatan R.I.*
- Sulaberidze, A. L., & Chikovani, I. (2016). The Study of Barriers and Facilitators to Adherence to Treatment among Drug Resistant Tuberculosis Patients in Georgia to Inform Policy Decision.
- Syarifah, H., Amelia, I., & Anggraeni, R. (2018). Gambaran Psikososial pada Pasien Multidrug Resistant Tuberculosis dengan Gangguan Dengar Sensorineural di Rumah Sakit Hasan Sadikin Bandung Psychosocial States of Multidrug Resistant Patients with Sensorineural Hearing Loss in Hasan Sadikin General Hospital, 3, 169–174.
- Tupasi, T., Garfin, A. M. C. G., Mangan, J. M., Naval, L. C., Balane, G. I., Jr, J. N. S., ... Kuribuatova, E. V. (2017). Multidrug-resistant tuberculosis patients ' views of interventions to reduce treatment loss to follow-up Study population, 21(June 2016), 23–31.
- Tuzcu, A., & Bahar, Z. (2015). Barriers and Facilitators to Breast Cancer Screening Among Migrant Women Within Turkey. <https://doi.org/10.1177/1043659614526245>
- Van Mannen, M. (1990). *Researching Lived Experience Human Science for an Action Sensitive Pedagogy.*

- Wahyudi, A. S. (2018). Hubungan dukungan keluarga dengan efikasi diri penderita tuberculosis multidrug resistant (MDR-TB) di poli TB-MDR RSUD Ibnu Sina Gresik, 11(2), 72–85.
- WHO. (2016). Treatment Guidelines for Drug-Resistant Tuberculosis, 2016 Update. WHO Treatment Guidelines for Drug-Resistant Tuberculosis, 2016 Update, (October). Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/27748093>
- WHO. (2017). Multy-Drug Resistant Tuberculosis ( MDR-TB ), 8–9.
- WHO guidelines on tuberculosis infection prevention and control 2019. (2019).
- Yadav, S. K., Damor, R., Kantharia, S. L., & Tiwari, M. (2015). Assessment of Knowledge and Treatment Seeking Behaviour among Tuberculosis and Multi-Drug Resistant Tuberculosis Patients: -A Case Control Study Corresponding author: Dr Rahul Damor, 14(7), 66–71. <https://doi.org/10.9790/0853-14726671>