

DAFTAR PUSTAKA

- Agustina, K., & Dewi, T. K. (2013). Strategi Coping pada Family Caregiver Pasien Gagal Ginjal Kronis yang menjalani Hemodialisa. *Jurnal Psikologi Klinis Dan Kesehatan Mental*, 02(03), 7–16.
- Ahrari, S., Moshki, M., & Bahrami, M. (2014). The Relationship Between Social Support and Adherence of Dietary and Fluids Restrictions among Hemodialysis Patients in Iran, 3(1), 11–19. <https://doi.org/10.5681/jcs.2014.002>
- Ali, A. R. B., Masi, G. N. M., & Kallo, V. (2017). Perbandingan kualitas Hidup Pasien Gagal Ginjal Kronik dengan Comorbid Faktor Diabetes Melitus dan Hipertensi Di Ruangan Hemodialisa RSUP. Prof. Dr. R. D. Kandou Manado. *E-Jurnal Keperawatan (e-Kp)*, 5(2), 1–9.
- Alikari, V., Tsironi, M., Matziou, V., Tzavella, F., Stathoulis, J., & Babatsikou, F. (2018). The impact of education on knowledge, adherence, and quality of life among patients on hemodialysis. *Quality of Life Research*, 0(0), 0. <https://doi.org/10.1007/s11136-018-1989-y>
- Alligood, M. R. (2014). *Nursing Theorists And Their Work* (8th ed.). Greenville, North Carolina: Elsevier Inc.
- Arikunto, S. (2010). *Research procedure a practical approach*. Jakarta: PT Rineka Reserved.
- Beerappa, H., & Chandrababu, R. (2018). Adherence to dietary and fluid restrictions among patients undergoing hemodialysis: An observational study. *Clinical Epidemiology and Global Health*, xxx(xxxx), xxx–xxx. <https://doi.org/10.1016/j.cegh.2018.05.003>
- Black, J. M., & Hawks, J. H. (2005). *Clinical management for positive outcomes. Medical-Surgical Nursing*. (7th ed.). St. Louis, Missouri: Elsevier Saunders Company.
- Bousso, R. S., Poles, K., & Da Cruz, D. de A. L. M. (2014). Nursing concepts and theories. *Revista Da Escola de Enfermagem*, 48(1), 141–145. <https://doi.org/10.1590/S0080-623420140000100018>
- Brunner, S., & Suddarth, D. (2002). *Buku ajar keperawatan medikal bedah. EGC*. Jakarta.
- Cahyaningsih, N. D. (2009). *Hemodialisis (cuci darah), Panduan Praktis Perawatan Gagal Ginjal* (Edisi II). Yogyakarta: Mitra Medika Press.
- Chan, J., & Bastable, R. F. (2002, June 25). Phase locked loop clock extraction. Google Patents.

- Charra, B. (2007). Fluid balance, dry weight, and blood pressure in dialysis. *International Society for Hemodialysis*, (11), 21–31.
- Chilcot, J., Wellsted, D., & Farrington, K. (2010). Illness representations are associated with fluid nonadherence among hemodialysis patients. *Journal of Psychosomatic Research*, 68(2), 203–212. <https://doi.org/10.1016/j.jpsychores.2009.08.010>
- Chin, W. W. (1998). The partial least squares approach to structural equation modeling. *Modern Methods for Business Research*, 295(2), 295–336.
- Christensen, M. (2009). Advancing practice in critical care : a model of knowledge integration. *British Association of Critical Care Nurses, Nursing in Critical Care* 2, 14(2), 86–94.
- Clark, S., Farrington, K., & Chilcot, J. (2014). Nonadherence in dialysis patients: Prevalence, measurement, outcome, and psychological determinants. *Seminars in Dialysis*, 27(1), 42–49. <https://doi.org/10.1111/sdi.12159>
- Connor, S. M. O., Jardine, A. G., & Millar, K. (2008). The prediction of self-care behaviors in end-stage renal disease patients using Leventhal's Self-Regulatory Model, 65, 191–200. <https://doi.org/10.1016/j.jpsychores.2008.02.008>
- Cronin, P. (2012). Theoretical Nursing. Development and Progress. *Nurse Education in Practice*, 12(6), e45.
- Cukor, D., Ver Halen, N., Asher, D. R., Coplan, J. D., Weedon, J., Wyka, K. E., ... Kimmel, P. L. (2014). Psychosocial Intervention Improves Depression, Quality of Life, and Fluid Adherence in Hemodialysis. *Journal of the American Society of Nephrology*, 25(1), 196–206. <https://doi.org/10.1681/ASN.2012111134>
- DeLaune, C. S., & Ladner, K. P. (2010). Fundamentals of Nursing: Standards & Practise (ed.). New York: Delmar.
- Düzalan, Ö. B., & Pakyüz, S. C. (2018). Educational interventions for improved diet and fluid management in hemodialysis patients : An interventional study. *JPMA*, 68, 532–537.
- Easthall, C., & Barnett, N. (2017). Using Theory to Explore the Determinants of Medication Adherence; Moving Away from a One-Size-Fits-All Approach. *Pharmacy*, 5(3), 50. <https://doi.org/10.3390/pharmacy5030050>
- Efe, D., & Kocaöz, S. (2015). Adherence to diet and fluid restriction of individuals on hemodialysis treatment and affecting factors in Turkey, 113–123. <https://doi.org/10.1111/jjns.12055>
- Fawcett, J., & Desanto-Madeya, S. (2005). The structure of contemporary nursing knowledge. *Contemporary Nursing Knowledge. Analysis and Evaluation of Nursing Models and Theories*. Davis, Philadelphia, 3–30.

- Fincham, D., & Kagee, A. (2008). Dietary and fluid adherence among hemodialysis patients attending public sector hospitals in the Western Cape, 21(2), 7–12.
- Friedman, M. M., Bowden, V. R., & Jones, E. (2003). *Family nursing: Research, theory & practice* (Vol. 16). Prentice-Hall Upper Saddle River, NJ.
- Friedman, M. M., Bowden, V. R., & Jones, E. G. (2010). *Buku Ajar Keperawatan Keluarga: Riset, Teori dan Praktik*. Jakarta: EGC.
- Geldine, C. , Bhengu, B., & Manwere, A. (2017). Adherence of adult Chronic Kidney Disease patients with regard to their dialysis, medication, dietary and fluid restriction. *Research Journal of Health Sciences*, 5(1), 3–17.
- George, J. B. (2011). *Nursing Theories: The Base for Professional Nursing Practice*. MyNursingKit Series - Nursing Theories. [https://doi.org/10.1016/S0001-2092\(07\)69211-4](https://doi.org/10.1016/S0001-2092(07)69211-4)
- Gibbons, M. C., Bali, R., & Wickramasinghe, N. (2010). *Perspectives of knowledge management in urban health* (Vol. 1). Springer.
- Glanz, K., Rimer, B. K., & Viswanath, K. (2017). *Health Behavior and Health Education : Theory, Research, and Practice* (4th ed.). San Francisco: Jossey-Bass A Wiley Imprint.
- Griva, K., Nandakumar, M., Ng, J. H., Lam, K. F. Y., Mcbain, H., & Newman, S. P. (2018). Hemodialysis Self-management Intervention Randomized Trial (HED-SMART): A Practical Low- Intensity Intervention to Improve Adherence and Clinical Markers in Patients Receiving Hemodialysis. *American Journal of Kidney Diseases*, 371–381. <https://doi.org/10.1053/j.ajkd.2017.09.014>
- Halawati1, D. F. A., & Kusuma, H. (2017). Gambaran ResiliensiKeluarga Penyakit Ginjal Kronikyang Menjalani Hemodialysis, 1(1), 32–39.
- Hartono, J. (2011). Konsep dan aplikasi structural equation modeling berbasis varian dalam penelitian bisnis. *Yogyakarta: UPP STIM YKPN*.
- Hogan, A. N., Fox, W. R., Roppolo, L. P., & Suter, R. E. (2017). Emergent Dialysis and its Impact on Quality of Life in Undocumented Patients with End-Stage Renal Disease, 27(1), 39–44. <https://doi.org/10.18865/ed.27.1.39>.
- Howren, M. B., Kellerman, Q. D., Hillis, S. L., Cvengros, J., Lawton, W., & Christensen, A. J. (2016). Effect of a Behavioral Self-Regulation Intervention on Patient Adherence to Fluid-Intake Restrictions in Hemodialysis : a Randomized Controlled Trial. *Ann. Behav. Med.*, 167–176. <https://doi.org/10.1007/s12160-015-9741-0>
- Indonesian Renal Registry. (2015). 8th Report Of Indonesian Renal Registry. *Program Indonesia Renal Registry*, 1–45. <https://doi.org/10.2215/CJN.02370316>
- Indonesian Renal Registry. (2018). 10 th Report Of Indonesian Renal Registry 2017

10th.

- Isroin, Istanti, & soejono. (2012). Manajemen Cairan pada Pasien Hemodialisis Untuk Meningkatkan Kualitas Hidup di RSUD Dr. Harjono Ponorogo. *Muhammadiyah Journal of Nursing*, 1(2), 146–156.
- Istanti, Y. P. (2011). Faktor-Faktor yang Berkontribusi terhadap Interdialytic Weight Gains pada Pasien Chronic Kidney Diseases yang Menjalani Hemodialysis. *Mutiara Medika*, 11(2), 118–130.
- Jaeger, J. Q., & Mehta, R. L. (1999). Assessment of Dry Weight in Hemodialysis : An Overview, 392–403.
- Kaakinen, J. R., Duff, V. G., Coehlo, D. P., & Hanson, S. M. H. (2010). *Family Health Care Nursing: Theory, Practice, and Research* (4th ed.). Philadelphia: F. A. Davis Company.
- Kallenbach, J. Z., Gutch, C. F., Martha, S. H., & Corca, A. L. (2005). Review of hemodialysis for nurses and dialysis personal 7th edition. *St Louis: Elsevier Mosby*.
- Khalil, A. (2016). Predictors of dietary and fluid non-adherence in Jordanian patients with end-stage renal disease receiving hemodialysis : A cross-sectional study. *Journal of Clinical Nursing* . <https://doi.org/10.1111/j.1365-2702.2012.04117.x>
- Khalil, A. A., & Darawad, M. W. (2014). Objectively measured and self-reported nonadherence among Jordanian patients receiving hemodialysis. *Hemodialysis International*, 18(1), 95–103. <https://doi.org/10.1111/hdi.12093>
- Kim, Y., & Kim, M. (2015). The Experience of Fluid Management in Hemodialysis Patients. *Korean Academy of Nursing Science*, 45(5), 773–782.
- Kozier, B., Berman, A., Erb, G., & Snyder, S. (2014). *Kozier & Erb's Fundamentals of nursing: concepts, process, and practice*. Pearson.
- Kuniawati, Desak Putu Widyawati, I. Y., & Mariyanti, H. (2015). Edukasi Dalam Meningkatkan Kepatuhan Intake Cairan Pasien Penyakit Ginjal Kronik (PGK) On Hemodialisis. *Critical, Medical and Surgical Nursing Journal*, 3(2), 1–7.
- Lee, S. W. (2014). Overview of Nursing Theory. *Nursing Science Research*, 12(September 2013), 58–67.
- Lindley, E., Aspinall, L., Gardiner, C., & Garthwaite, E. (n.d.). Management of Fluid Status in Haemodialysis Patients : The Roles of Technology and Dietary Advice.
- Malawat, K. Y. (2001). Pengaturan Cairan Secara Mandiri Pada Klien Yang Menjalani Hemodialisis. *Jurnal Keperawatan Indonesia*, 5(2), 39–43.
- Manangin, Y. R. (2017). Gambaran Tingkat Stres Dan Mekanisme Koping Pada Keluarga Pasien Dengan Gagal Ginjal Kronik Di RS. PKU Muhammadiyah

Gamping Yogyakarta.

- Masters, K. (2014). chapter 2: Framework for professional nursing practice. In *Nursing Theories: A Framework for Professional Practice*. <https://doi.org/10.1177/0894318412466734>
- Matteson, M. L., & Russell, C. (2010). Interventions to improve hemodialysis adherence: A systematic review of randomized-controlled trials. *Hemodialysis International*, 14(4), 370–382. <https://doi.org/10.1111/j.1542-4758.2010.00462.x>
- Mckenna, H. P., Pajnkihar, M., & Murphy, F. A. (2014). *Fundamentals of Nursing Models, Theories and Practice* (2nd ed.). UK: John Wiley & Sons, Ltd.
- Melegy, Z. & K. (2016). Effect of family centered empowerment model on hemodialysis patients and their caregivers, 6(11), 119–132. <https://doi.org/10.5430/jnep.v6n11p119>
- Melianna, R., & Wiarsih, W. (2013). Hubungan Kepatuhan Pembatasan Cairan Terhadap Terjadinya Overload Pada Pasien Gagal Ginjal Kronik Post Hemodialisa Di Rumah Sakit Umum Pusat Fatmawati. *FIK UI*, 1–12.
- Milya, H. (2017). Aplikasi Teori Model Imogene King tentang Motivasi Kesembuhan dengan Kepatuhan Minum Obat TB Paru Pada Tn. J Di Kelurahan Kandang RT. 06 Di Wilayah Kerja Puskesmas Kandang Kota Bengkulu. *Journal of Nursing and Public Health*, 5(2), 35–41.
- Mollaoğlu, M., & Kayataş, M. (2015). Disability is associated with nonadherence to diet and fluid restrictions in end-stage renal disease patients undergoing maintenance hemodialysis. *International Urology and Nephrology*, 47(11), 1863–1870. <https://doi.org/10.1007/s11255-015-1102-1>
- Monks, F. J., Knoers, A. M. P., & Haditono, S. R. (2002). *Psikologi perkembangan Pengantar Dalam Berbagai Bagianya*. Yogyakarta: UGM.
- Mota, N. F., da Cruz, D. A. L., & Fini, A. (2010). Fatigue in adults accompanying patients in outpatient treatment [Portuguese]. *Acta Paulista de Enfermagem*, 23(3), 348–353.
- Murwani, A. (2009). Istichomah (2009). *Komunikasi Terapeutik Panduan Bagi Perawat*.
- Nasution, J. A. (2010). Stres Dan Koping Keluarga Dalam Merawat Anggota Keluarga Yang Sakit Di Wilayah Kerja Puskesmas Medan Johor. *Repository.Usu.Ac.Id.*
- Notoatmodjo, S. (2012). *Promosi Kesehatan dan Perilaku Kesehatan* (Revisi, 20). Jakarta: Rineka Cipta.
- Nursalam. (2008). *Konsep dan penerapan metodologi penelitian ilmu*

- keperawatan: pedoman skripsi, tesis, dan instrumen penelitian keperawatan.* Salemba Medika.
- Nursalam, S. (2017). Metodologi Penelitian Ilmu Keperawatan Pendekatan Praktis. Jakarta: Salemba Medika.
- Parker, M. E., & Smith, M. C. (2010). *Nursing Theories, Nursing Practice* (3rd ed.). Philadelphia: F. A. Davis Company.
- Pe, M. (2008). Benefits of preserving residual renal function in peritoneal dialysis. <https://doi.org/10.1038/sj.ki.5002600>
- Potter, P. A., & Perry, A. G. (2006). Fundamental of nursing 6th Edition. *Mosby: Louis Missouri.*
- Priyoto, W. T. (2014). Kebutuhan Dasar Keselamatan Pasien. *Yogyakarta: Graha Ilmu.*
- Pujiani, & Masruroh. (2017). Program Psikoedukasi Terhadap Peningkatan Kualitas Hidup Pasien Gagal Ginjal Kronik, 1(1), 47–56.
- Robinson-cohen, C., Littman, A. J., Duncan, G. E., Roshanravan, B., Ikizler, T. A., & Himmelfarb, J. (2013). Assessment of Physical Activity in Chronic Kidney Disease. *Journal of Renal Nutrition*, 23(2), 123–131. <https://doi.org/10.1053/j.jrn.2012.04.008>
- Rustiawati, E. (2012). Dietary Intake Monitoring Application (DIMA) Untuk Evaluasi Asupan Cairan Dan Diet Bagi Pasien Hemodialisa.
- Sabate, E. (2001). *WHO Adherence Meeting Report*. Geneva: World Health Organization.
- Sancho Cantus, D.Prieto Contreras, L. (2012). Theories and models in clinical nursing practice. An impossible relationship, 299–305. <https://doi.org/10.17487/rfc6361>
- Setyaningrum, D., & Indriasari, F. N. (2009). Hubungan Dukungan Sosial Keluarga dengan Kepatuhan Menjalani Terapi Hemodialisis pada Pasien Gagal Ginjal Kronik di Unit Hemodialisis RS PKU Muhammadiyah Yogyakarta. Universitas' Aisyiyah Yogyakarta.
- Sinnakirouchenan, R., & Holley, J. L. (2011). and Access Issues. *Advances in Chronic Kidney Disease*, 18(6), 428–432. <https://doi.org/10.1053/j.ackd.2011.09.001>
- Smeltzer, S. C., Bare, B. G., Hinkle, J. L., & Cheever, K. H. (2008). *Textbook of medical-surgical nursing* (Vol. 2). Wolters Kluwer Health.
- Stevenson, J., Tong, A., Gutman, T., Campbell, K. L., Craig, J. C., Brown, M. A., & Lee, V. W. (2018). Experiences and Perspectives of Dietary Management Among Patients on Hemodialysis: An Interview Study. *Journal of Renal Nutrition*, 1–11. <https://doi.org/10.1053/j.jrn.2018.02.005>

- Sugiyono, M. (2012). Metode Penelitian Kuantitatif, Kualitatif, dan Kombinasi. *Bandung: Alfabeta.*
- Suharyanto, T., & Madjid, A. (2009). Asuhan keperawatan pada klien dengan gangguan sistem perkemihan. *Trans Info Media, Jakarta.*
- Suwitra, K. (2014). Buku Ajar Ilmu Penyakit Dalam Jilid II Edisi VI. Dalam Penyakit Ginjal Kronik. Jakarta: Interna Publishing.
- Victoria, A., Evangelos, F., & Sofia, Z. (2015). Family support, social and demographic correlations of non-adherence among hemodialysis patients, (August 2017). <https://doi.org/10.11648/j.ajns.s.2015040201.21>
- Welch, J. L., Thomas-hawkins, C., Bakas, T., & McLennon, S. M. (2013). Needs, Concerns, Strategies, and Advice of Daily Home Hemodialysis Caregivers, (July). <https://doi.org/10.1177/1054773813495407>
- WHO. (2015). *Global Tuberculosis Report* (20th ed.). France: WHO Library Cataloguing-in-Publication Data.
- Wong, M. M. Y., McCullough, K. P., Bieber, B. A., Bommer, J., Hecking, M., Levin, N. W., ... Robinson, B. M. (2017). Interdialytic Weight Gain: Trends, Predictors, and Associated Outcomes in the International Dialysis Outcomes and Practice Patterns Study (DOPPS). *American Journal of Kidney Diseases*, 69(3), 367–379. <https://doi.org/10.1053/j.ajkd.2016.08.030>
- Yamin, S., & Kurniawan, H. (2011). Generasi baru mengolah data penelitian dengan partial least square path modeling. *Jakarta: Salemba Infotek.*
- Zahrofi, D. N., Maliya, A., & Listyorini, D. (2014). *Pengaruh pemberian terapi murottal Al Quran terhadap tingkat kecemasan pada pasien hemodialisa di RS PKU Muhammadiyah Surakarta*. Universitas Muhammadiyah Surakarta.
- Ziegert, K., Fridlund, B., & Lidell, E. (2018). “Time for dialysis as time to live”: Experiences of time in everyday life of the Swedish next of kin of hemodialysis patients, (2009), 45–50. <https://doi.org/10.1111/j.1442-2018.2009.00429.x>