

DAFTAR PUSTAKA

- Altundal, H., & Guvener, O. (2004). The effect of alendronate on resorption of the alveolar bone following tooth extraction. *Int. J. Oral Maxillofac. Surg*, 33, 286-291.
- Ardakani, F., Azam, A., Yassaei, S., Fatehi, F., & Rouhi, G. (2011). Effects of chitosan on dental bone repair. *Health*, 3(4), 202-203.
- Barry, J., Shakibakho, S., Durrer, C., Simtchouk, S., jawanda, K., Cheung, S., et al. (2016). Hyporesponsiveness to the anti-inflammatory action of interleukin-10 in type 2 diabetes. *Scientific Reports*, 6, 1-6.
- Bancroft, J., & Gamble, M. (2008). *Theory and Practice of Histological Techniques*. Philadelphia,PA: Churchill Livingstone/Elsevier,365-404.
- Blais, E., Rawls, K., Dougherty, B., Li, Z., Kolling, G., Wallqvist, P., et al. (2017). Reconciled rat and human metabolic networks for comparative toxicogenomics and biomarker predictions. *Nature Communications*, 8 (14250), 2.
- Chawla, A., Chawla, R., & Jaggi, S. (2016). Microvascular and macrovascular complications in diabetes mellitus: Distinct or continuum? *Chawla, A., Chawla, R., & Jaggi, S. (2016). Microvascular and macrovascular complications in diabeIndian journal of endocrinology and metabolism*, 20(4), 546-551.
- Deepthi, B., Sowjanya, K., Lidiya, B., Bhargavi, R., & Babu, P. (2017). A modern review of diabetes mellitus: an annihilatory metabolic disorder. *Journal of In Silico & In Vitro Pharmacology*, 3(1:14), 1-3.
- de Jesus, G. (2014). *The effects of chitosan in the healing process of the oral mucosa*. Disertasi, Instituto De Ciencias Da Saude.
- Dinareello, C. (2007). Historical Review of Cytokines. *Eur J Immunol*, 37(1), 1-7.
- Du, Y., Ren, P., Wang, Q., Jiang, S., Zhang, M., Li, J., et al. (2018). Cannabinoid 2 receptor attenuates inflammation during skin wound healing by inhibiting M1 macrophages rather than activating M2 macrophages. *Jornal of Inflammation*, 14 (25), 4-5.
- Dubey, R., Gupta, D., & Singh, A. (2013). Dental implant survival in diabetic patients; review and recommendations. *Natl J Maxillofac Surg*, 4(2), 142–150.
- Exel, E., Gussekloo, J., de Craen, A., Frolich, M., der Wiel, A.-v., & Westendorp, R. (2002). Low production capacity of interleukin-10 associates with the metabolic syndrome and type 2 diabetes: The Leiden 85-Plus Study. *Diabetes*, 51, 1088-1091.

- Farag, M., Alagawany, M., El-Hack, M., & Dhama, K. (2016). Nutritional and Healthical Aspects of Spirulina (Arthrospira) for Poultry, Animals and Human. *International Journal of Pharmacology*, 12(1), 37-42.
- Fatimah, R. (2015). Diabetes Melitus Tipe 2. *J Majority*, 4(5), 94-95.
- Fong, D., & Hoemann, C. (2018). Chitosan immunomodulatory properties: perspectives on the impact of structural properties and dosage. *Future Sci.OA*, 4(1).
- Furman, B. (2015). Streptozotocin-induced diabetic models in mice and rats. *Curr.Protoc.Pharmacol*, 70, 5.47.3.
- Gonzalez, A., Andrade, Z., Costa, T., & Medrado, A. (2016). Wound healing - A literature review. *An Bras Dermatol*, 91(5), 614-618.
- Graham, M., Janecek, J., Kittredge, A., Hering, B., & Schuurman, H. (2011). The Streptozotocin-Induced Diabetic Nude Mouse Model: Differences between Animals from Different Sources. *Comparative Medicine*, 61(4), 356-340.
- Hendrijantini, N., Kuntjoro, M., Young, K., Shafira, B., & Pratiwi, Y. (2017). The Effect of a combination of 12% spirulina and 20% chitosan on macrophage, PMN, and lymphocyte cell expressions in post extraction wound. *Dental Journal (Majalah Kedokteran Gigi)*, 50(2), 108-110.
- Hikmah, N., Shita, A., & Maulana, H. (2015). Rat Diabetic Blood Glucose Level Profile with Stratified Dose Streptozotocin (SD-STZ) and Multi Low Dose Streptozotocin (MLD-STZ) Induction Methods. *The JournalL Of Tropical Life Science*, 5(1), 30-34.
- Holt, R., Cockram, C., Flyvbjerg, A., & Goldstein, B. (2017). *Textbook of Diabetes* (5th ed.). Chichester: John Wiley & Sons Ltd.
- Huang, S., Dang, H., Huynh, W., Sambrook, P., & Goss, A. (2013). The healing of dental extraction sockets in patients with Type 2 diabetes on oral hypoglycaemics: a prospective cohort. *Australian Dental Journal*, 58, 89-90.
- Hutchins, A., Diez, D., & Miranda-Saavedra, D. (2013). The IL-10/STAT3-mediated anti-inflammatory response: recent developments and future challenges. *Briefings in Functional Fenomics*, 12(6), 489-491.
- International Diabetes Federation. (2017). *IDF Diabetes Atlas* (8st ed.). Brussels: Internationa Diabetes Federation.16-19,43-46.
- Jin, Q., Yu, H., Wang, X., Li, K., & Li, P. (2017). Effect of the molecular weight of watersoluble chitosan on its fat-/cholesterolbinding capacities and inhibitory activities to pancreatic lipase. *PeerJ*, 5(e3279), 2-3.

- Juszkiewicz, A., Basta, P., Trzeciak, J., Petriczko, E., Cieślicka, M., & Skarpańska-Stejnborn, A. (2019). Ilicka & Anna Skarpańska-Stejnborn components of Th1/Th2 balance in rowers. *Food and Agricultural Immunology*, 30 (1), 182.
- Kabiraj, A., Gupta, J., Khaitan, T., & Bhattacharya, P. (2015). Principle and techniques of immunohistochemistry – A Review. *International Journal of Biological & Medical Research*, 6(3), 5304-5210.
- Kharroubi, A., & Darwish, H. (2015). Diabetes mellitus: The epidemic of the century. *World J Diabetes*, 6(6), 851.
- Kim, S. (2018). Competitive Biological Activities of Chitosan and Its Derivatives: Antimicrobial, Antioxidant, Anticancer, and Anti-Inflammatory Activities. *International Journal of Polymer Science*, 1-2,7.
- King, A., Balaji, S., Le, L., Crombleholme, T., & Keswani, S. (2014). Regenerative wound healing: the role of interleukin-10. *Advances in Wound Care*, 3(4), 315-321.
- Kong, Y., Zhang, Y., Zhao, X., Wang, G., & Liu, Q. (2017). Carboxymethyl-chitosan attenuates inducible nitric oxide synthase and promotes interleukin-10 production in rat chondrocytes. *EXPERIMENTAL AND THERAPEUTIC MEDICINE*, 14, 5641-5642.
- Kraakman, M., Murphy, A., Jandeleit-Dahm, K., & Kammoun, H. (2014). Macrophage polarization in obesity and type 2 diabetes: weighing down our understanding of macrophage function? *Frontiers in Immunology*, 5 (470), 1-3.
- Krzyszczczyk, P., Schloss, R., Palmer, A., & Berthiaume, F. (2018). The Role of Macrophages in Acute and Chronic Wound Healing and Interventions to Promote Pro-wound Healing Phenotypes. *Frontiers in Physiology*, 9 (419), 12.
- Leary, S., & Golab, G. (2013). AVMA Guidelines for The Euthanasia of Animals: 2013 Ed. Schaumburg, IL: American Veterinary Medical Association. pp. 70.
- Lee, J., Park, A., Kim, M., Lim, H.-J., Rha, Y.-A., & Kang, H.-G. (2017). Spirulina Extract Enhanced a Protective Effect in Type 1 Diabetes by Anti-Apoptosis and Anti-ROS Production. *Nutrients*, 9(1363), 1-3.
- Lemeshow, S. (1995). *Adequacy of Sample Size in Health Studies*. Chichester: John, 39-40.

- Liu, Y.-E., Tong, C.-C., Zhang, Y.-B., Cong, P.-F., Shi, X.-Y., Liu, Y., et al. (2018). Chitosan oligosaccharide ameliorates acute lung injury induced by blast injury through the DDAH1/ADMA pathway. *PLoS ONE*, 13(2), 2,8- 9.
- Matias, M., Saunus, J., Ivanovski, S., Walsh, L., & Farah, C. (2011). Accelerated wound healing phenotype in Interleukin 12/23 deficient mice. *J Inflamm (Lond)*, 8(39), 1.
- McCurnin, D.M. (1994). *Clinical Textbook for Veterinary Technicians 3rd Ed.* W.B.Saunders:Philadelphia,P.A.
- Neyrinck, A., Taminiou, B., Walgrave, H., Daube, G., Cani, P., Bindels, L., et al. (2017). Spirulina Protects against Hepatic Inflammation in Aging: An Effect Related to the Modulation of the Gut Microbiota? *Nutrients*, 9 (633), 3.
- Ngo, D.-H., & Kim, S.-K. (2014). Antioxidant Effects of Chitin, Chitosan, and Their Derivatives. *Advances in Food and Nutrition Research*, 73(2), 16- 20.
- Nimma, V., Talla, H., Bairi, J., Gopaldas, M., Bathula, H., & Vangdoth, S. (2017). Holistic Healing through herbs: effectiveness of aloe vera on post extraction socket healing. *Journal of Clinical and Diagnostic Research*, 11(3), 83-85.
- Ojehanon, P., Azodo, C., Erhabor, P., & Orhue, V. (2017). Periodontal characteristics of diabetic patients with tooth mobility. *J Soc Health Diabetes*, 5, 94-99.
- Okizaki, S., Ito, Y., Hosono, K., Oba, K., Ohkubo, H., Amano, H., et al. (2014). Suppressed recruitment of alternatively activated macrophages reduces TGF- β 1 and impairs wound healing in streptozotocin-induced diabetic mice. *Biomed Pharmacother*, 317-318.
- Pak, W., Takayama, F., Nakamoto, K., Kodo, Y., Mankura, M., Egashira, T., et al. (2012). Anti-oxidative and anti-inflammatory effects of spirulina on rat model of non-alcoholic steatohepatitis. *J.Clin.Biochem.Nutr* (51), 227-234.
- Panigrahi, B., Panda, P., & Patro, V. (2011). Wound healing activity of spirulina extracts. *International Journal of Pharmaceutical Sciences Review and Research*, 6(2), 133.
- Pham, T., Park, Y., & Lee, J. (2016). Anti-Inflammatory Effects of Spirulina platensis Extract via the Modulation of Histone Deacetylases. *Nutrients*, 8(381), 8-9.
- Politis, C., Schoenaers, J., Jacobs, R., & Agbaje, J. (2016). Wound healing problems in the mouth. *Front. Physiol*, 7(507), 1-10.

- Purwanto, B., & Liben, P. (2014). *Model Hewan Coba untuk Penelitian Diabetes*. Surabaya: PT Revka PetraMedia,6-29.
- Qian, C., Zhu, C., Yu, W., Jiang, X., & Zhang, F. (2015). High-fat diet/low-dose streptozotocin- induced type 2 diabetes in rats impacts osteogenesis and Wnt signaling in bone marrow stromal cells. *PLoS ONE*, *10*(8), 3.
- Rahmitasari, F., Setyari, W., & Rachmat, E. (2011). The effect of spirulina gel on fibroblast cell number after wound healing. *Dent. J. (Maj. Ked. Gigi)*, *44*(4), 193.
- Rostiny, Kuntjoro, M., Sitalaksmi, R., & Salim, S. (2014). Spirulina chitosan gel induction on healing process of Cavia cobaya post extraction socket. *Dent. J. (Maj. Ked. Gigi)*, *47*(1), 20-23.
- Rowe, R., Sheskey , P., & Quinn, M. (2009). *Handbook of Pharmaceutical Excipients* (6th ed.). London: Pharmaceutical Press,159-160.
- Saini, R., Saini, S., & Sugandha , R. (2011). Periodontal disease: The sixth complication of diabetes. *Journal of family & community medicine*, *18*(1), 1.
- Salim, S., Rostiny, & Kuntjoro, M. (2015). Efek kombinasi spirulina kitosan untuk preservasi soket terhadap osteoblas, osteoklas, dan kepadatan kolagen. *dentika Dental Journal*, *18*(3), 225.
- Shouval, D., Ouahed, J., Biswas, A., Goettel, J., Horwitz, B., Klein, C., et al. (2014). Interleukin 10 Receptor Signaling: Master Regulator of Intestinal Mucosal Homeostasis in Mice and Humans. *Advances in Immunology*, *122*(5), 178-181.
- Sirois, M. (2004). *Principle and Practice of Veterinary Technology*. St.Louis: Mosby,120.
- Sudiana, I. K. (2017). *Hantaran Sinyal pada Proses Inflamasi*. Surabaya: Airlangga University Press, 32, 51.
- Sutavani, R., Phair, I., Barker, R., McFarlane, A., Shpiro, N., Lang, S., et al. (2018). Differential control of Toll-like receptor 4 –induced interleukin-10 induction in macrophages and B cells reveals a role for p90 ribosomal S6 kinases. *J. Biol. Chem*, *293*(7), 2302.
- Todorovic, K., Jovanovic, G., Todorovic, A., Mitic, A., Stojiljkovic, N., Ilic, S., et al. (2018). Effects of coenzyme Q10 encapsulated in nanoliposomes on wound healing processes after tooth extraction. *Journal of Dental Sciences*, *13*, 104.

- Toughan, H., Khalil, S., El-Ghoneimy, A., Awad, A., & Seddek, A. (2018). Effect of dietary supplementation with *Spirulina platensis* on Atrazine- induced oxidative stress- mediated hepatic damage and inflammation in the common carp (*Cyprinus carpio* L.). *Ecotoxicology and Environmental Safety*, 149, 135-140.
- Tsiavou, A., Hatzigelaki, E., Chaidaroglou, A., Manginas, A., Koniavitou, K., Degiannis, D., et al. (2004). TNF- α , TGF- β 1, IL-10, IL-6, Gene Polymorphisms in Latent Autoimmune Diabetes of Adults (LADA) and Type 2 Diabetes Mellitus. *Journal of Clinical Immunology*, 24(6), 591- 597.
- Velnar, T., Bailey, T., & Smrkolj, V. (2009). The Wound Healing Process: An Overview of the Cellular and Molecular Mechanism. *Journal of International Medical Research*, 37, 1531-1537.
- Verma, R., Balakrishnan, L., Sharma, K., Khan, A., Advani, J., Gowda, H., et al. (2016). A network map of Interleukin-10 signaling pathway. *J. Cell Commun. Signal*, 10, 62-63.
- Wang, N., Liang, H., & Zen, K. (2014). Molecular mechanisms that influence the macrophage M1–M2 polarization balance. *Frontiers in Immunology*, 5 (614), 1-3.
- Wu, Q., Liu, L., Miron, A., Klimova, B., Wan, D., & Kuca, K. (2016). The antioxidant, immunomodulatory, and anti-inflammatory activities of *Spirulina*: an overview. *Arch Toxicol*, 5-22.
- Xiao, J., Li, J., Chakrabarti, S., & Li, X. (2014). Cytokines and Diabetes Research. *Journal of Diabetes Research*, 1.
- Zheng, B., Wen, Z., Huang, Y., Xia, M., Xiang, X., & Qu, Y. (2016). Molecular Weight-Dependent Immunostimulative Activity of Low Molecular Weight Chitosan via Regulating NF- κ B and AP-1 Signaling Pathways in RAW264.7 Macrophages. *Mar. Drugs*, 14(169), 7.
- Zhang, S., Wang, S., Wei, H., Li, D., & Song, Y. (2016). Post-extraction socket changes in diabetic patients - a retrospective study. *Int J Clin Exp Med*, 9(7), 14077-14084.
- Zhou, J., Ye, F., Chen, H., & Gan, W. (2007). The expression of Interleukin-10 in patients with primary ovarian carcinoma and in ovarian carcinoma cell lines. *The Journal of International Medical Research*, 35, 292.