

DAFTAR PUSTAKA

- Alrawaiq, N. A., Abdullah, A. 2014. A review of flavonoid quercetin: metabolism, bioactivity and antioxidant properties. **International Journal of PharmTech Research**. Vol. 6, No. 3, p. 933-941.
- Boots, A. W., Haenen, G. R.M.M., Bast, A. 2008. Health effects of quercetin: From antioxidant to nutraceutical. **European Journal of Pharmacology**. Vol. 585, p. 325-337.
- Borghetti, G. S., Carini, J.P., Honorato, S. B., Ayala, A. P., Moreira, J. C. F., Bassani, V. L. 2012. Physicochemical properties and thermal stability of quercetin hydrates in the solid state. **Thermochimica Acta**. p 109-114.
- Chiou, W. L. and Riegelman, S. 1971. Pharmaceutical applications of solid dispersion systems. **Journal of Pharmaceutical Sciences**. Vol. 60, No. 9, p. 1281-1301.
- Costa, A. R. D. M., Marquiáfa'vel, F.S., Vaz, M. M. D. O. L. L., Rocha, B. A., Bueno, P. C. P., Amaral, P. L. M., Barud, H. D. S., Berreta-Silva A.A. 2011. Quercetin-PVP K25 solid dispersions Preparation, thermal characterization and antioxidant activity. **Journal of Thermal Analysis Calorimetry**. Vol. 104, p. 273–278.
- Craig, D. Q. M. 2002. The mechanisms of drug release from solid dispersions in water-soluble polymers. **International Journal of Pharmaceutics**. Vol. 231, p. 131-144.
- Damian, F., Blaton, N., Kinget, R., Mooter, G. V. D. 2002. Physical stability of solid dispersions of the antiviral agent UC-781 with PEG 6000, Gelucire 44/14 and PVP K30. **International Journal of Pharmaceutics**. Vol. 244, p. 87-98.

- Das, S. K., Roy, S., Kalimuthu. Y., Khanam, J., Nanda. A. 2012. Solid dispersion: An approach to enhance the bioavailability of poorly water-soluble drugs. **International Journal of Pharmacology and Pharmaceutical Technology**. Vol. 1, p. 37-46.
- Departemen Kesehatan Republik Indonesia. 2014. **Farmakope Indonesia Edisi V**. Jakarta : Departemen Kesehatan Republik Indonesia. hal. 989-992.
- Dhirendra, K., Lewis, S., Udupa, N., Atin, K. 2009. Solid dispersions: A review. **Pak. J. Pharm. Sci**. Vol. 22, No. 2, p. 234-246.
- Dixit, N. D., Niranjan, S. K. 2014. A review: solid dispersion, **World Journal of Pharmacy and Pharmaceutical Sciences**. Vol. 3, p. 238-257.
- Fessenden, R.J., dan Fessenden, J.S. 1986. **Kimia Organik Edisi Ketiga**. Diterjemahkan oleh : Pudjaatmaka, A.H. Jakarta : Penerbit Erlangga. hal. 311-359.
- Ghanem, A. S. M., Ali, H. S. M., El-Shanawany, S. M., Ibrahim, E. A. 2012. Solubility and dissolution enhancement of quercetin via preparation of rotary solvent evaporated and freeze dried ternary solid dispersions. **International Journal Of Drug Formulation And Research**. Vol. 3, p. 68-84.
- Halliwell, B. and Chirico, S. 1993. Lipid peroxidation: its mechanism, measurement and significance. **The American Journal of Clinical Nutrition**. Vol. 57, p. 715–725.
- Halliwell, B., 1995. Antioxidant characterization, Methodology and mechanism. **Biochemical Pharmacology**. Vol. 49, p. 1341–1348.
- Harwood, M., Danielewska-Nikiel, B., Borzelleca, J. F., Flamm, G. W., Williams, G. M., Lines, T. C. 2007. A critical review of the data related to the safety of quercetin and lack of evidence of in vivo

toxicity, including lack of genotoxic/carcinogenic properties. **Food and Chemical Toxicology**. Vol. 45, p. 2179-2205.

- Howlader, S. I., Chakrabarty, J. K., Faisal, K. S., Kumar, U., Sarkar, M. R., Khan, M. F. 2012. Enhancing dissolution profile of diazepam using hydrophilic polymers by solid dispersion technique. **International Current Pharmaceutical Journal**. Vol. 1, p. 423-430.
- Jung, J. Y., Yoo, S. Y., Lee, S. H., Kim, K. H., Yoon, D. S., Lee, K. H. 1999. Enhanced solubility and dissolution rate of itraconazole by a solid dispersion technique. **International Journal of Pharmaceutics**. Vol. 187, p. 209–218.
- Kakran, M., Sahoo, N. G., Li. L. 2011. Dissolution enhancement of quercetin through nanofabrication, complexation, and solid dispersion. **Colloids and Surfaces**. Vol. 88, p. 121-130.
- Karavas, A., Ktistis, G., Xenakis, A., Georgarakis, E. 2006. Effect of hydrogen bonding interactions on the release mechanism of felodipine from nanodispersions with polyvinylpyrrolidone. **European Journal of Pharmaceutics and Biopharmaceutics**. p. 1-12.
- Kaur, H. and Kaur, G. 2014. A critical appraisal of solubility enhancement techniques of polyphenols. **Journal of Pharmaceutics**. p. 1-14.
- Kelly, G.S. 2011. Quercetin. **Alternative Medicine Review**. Vol. 16, No. 2, p. 172-194.
- Kim, E. J., Chun, M. K., Jang, J. S., Lee, I. H., Lee K. R., Choi H. K. 2006. Preparation of a solid dispersion of felodipine using a solvent wetting method. **European Journal of Pharmaceutics and Biopharmaceutics**. Vol. 64, p. 200–205.
- Kumar, S. D., Bihari, G. V., Suresh, P. 2011. Solubility improvement using solid dispersion: strategy, mechanism and characterization: responsiveness and prospect way outs. **International Research Journal of Pharmacy**. Vol. 2, No. 1, p. 55-60.

- Konno, H., Handa, T., Alonzo, D. E., Taylor, L. S. 2008. Effect of polymer type on the dissolution profile of amorphous solid dispersions containing felodipine. **European Journal of Pharmaceutics and Biopharmaceutics**. Vol. 70, p. 493-499.
- Leuner, C., Dressman, J. 2000. Improving drug solubility for oral delivery using solid dispersions. **European Journal of Pharmaceutics and Biopharmaceutics**. Vol. 50, p. 47-60.
- Li, H., Zhao, X., Ma, Y., Zhai, G., Li, L., Lou, H. 2009. Enhancement of gastrointestinal absorption of quercetin by solid lipid nanoparticles. **Journal of Controlled Release**. 133(3), p. 238-244.
- Li, B., Konecke, S., Harich, K., Wegiel, L., Taylor, L. S., Edgar, K. J. 2013. Solid dispersion of quercetin in cellulose derivative matrices influences both solubility and stability. **Carbohydrate Polymers**. Vol. 92, p. 2033– 2040.
- Lima Á. A. N. D., Santos P. B. S. D., Lyra M. A. M. D., Santos F. L. A. D., Rolim-Neto P. J. 2011. Solid dispersion systems for increase solubility: cases with hydrophilic polymers in poorly water soluble drugs. **Brazilian Journal of Pharmacy**. Vol 92, p. 269-278.
- Madaan, K., Lather, V., Pandita, D. 2014. Evaluation of polyamidoamine dendrimers as potential carriers for quercetin, a versatile flavonoid. **Drug Delivery, Early Online**. p. 1-9.
- Mehta, J.L., Rasouli, N., Sinha, A.K., Molavi, B. 2006. Oxidative stress in diabetes: a mechanistic overview of its effects on atherogenesis and myocardial dysfunction. **The International Journal of Biochemistry & Cell Biology**. Vol. 38, p. 794–803.
- Momic, T., Savic, J., Cernigoj, U., trebse, P., Vasic., V. 2007. Protolytic equilibria and photodegradation of quercetin in aqueous solution. **Collect. Czech. Chem. Commun**. Vol. 72, No. 11, p. 1447-1460.

- Mooter, G. V. D., Weut, I., Ridder, T. D., Blaton, N. 2006. Evaluation of Inutec SPI as a new carrier in the formulation of solid dispersions for poorly soluble drugs. **International Journal of Pharmaceutics** . Vol. 316, p. 1–6.
- Morand, C., Crespy, V., Manach, C., Besson, C., Demigné, C., Rèmèsy, C. 1998. Plasma metabolites of quercetin and their antioxidant properties. **Am. J. Physiol.** Vol. 275, R212–R219.
- Mulja, M. dan Suharman, 1995. **Analisis Instrumen**. Surabaya : Airlangga University Press. Hal. 60-71.
- Okimoto, K., Miyake, M., Ibuki, R., Yasumura, M., Ohnishi, N., Nakai, T. 1997. Dissolution mechanism and rate of solid dispersion particles of nilvadipine with hydroxypropylmethylcellulose. **International Journal of Pharmaceutics**. Vol. 159, p. 85–93.
- Otto, D. P., Otto, A., Villiers, M. M. 2013. Experimental and mesoscale computational dynamics studies of the relationship between solubility and release of quercetin from PEG solid dispersions. **International Journal of Pharmaceutics**. Vol. 456, p. 282–292.
- Papiez, M. A., Cierniak, A., Krzysciak, W., Bzowska, M., Taha, H.M., Jozkowicz, A., Piskula, M. 2008. The changes of antioxidant defense system caused by quercetin administration do not lead to DNA damage and apoptosis in the spleen and bone marrow cells of rats. **Food and Chemical Toxicology**. Vol. 46, No. 9, p. 3053-3058.
- Paradkar A., Ambike A. A., Jadhav B. K., Mahadik K.R. 2004. Characterization of curcumin–PVP solid dispersion obtained by spray drying. **International Journal of Pharmaceutics**. Vol. 271, p. 281–286.
- Perfetti, G., Alphazan, T., Wideboer, W. J., Meesters, G. M. H., 2012, Thermo-physical characterization of Pharmacoat® 603, Pharmacoat® 615 and Mowiol® 4-98, **Journal of Thermal Analysis Calorimetry**, p. 203-215.

- Retnowati, D., Setyawan, D., 2010, Peningkatan disolusi ibuprofen dengan sistem dispersi padat ibuprofen-PVP K90, **Majalah Farmasi Airlangga**, Vol. 8 No.1, hal. 24-28.
- Sahoo. S., Chakraborti, C. K., Behera, P. K., 2012, Spectroscopic investigation of a ciprofloxacin / HPMC mucoadhesive suspension, **International Journal of Applied Pharmaceutics**, Vol. 4, p. 1-8.
- Scalia. S., Haghi, M., Losi, V., Trotta, V., Young, P. M., Traini, D. 2013. Quercetin solid lipid microparticles: A flavonoid for inhalation lung delivery. **European Journal of Pharmaceutical Sciences**. Vol. 49, p. 278-285.
- Setyawan, D., Sumirtapura, Y.C., Soewandhi, S.N., Hadi Tj., D., 2011. Karakterisasi sifat fisik sistem biner eritromisin stearat-sodium starch glycolate akibat pengaruh tekanan kompresi. **Majalah Farmasi Indonesia**. (22)1, 43 – 49.
- Shah, B., Kakumanu, V. K., Bansal, A. K. 2006. Analytical Techniques for Quantification of Amorphous/Crystalline Phases in Pharmaceutical Solids. **Journal of Pharmaceutical Sciences**. Vol. 95, No. 85, p. 1641-1663.
- Siepmann, J., Peppas, N. A. 2001. Modeling of drug release from delivery systems based on hydroxypropyl methylcellulose (HPMC). **Advanced Drug Delivery Reviews**. Vol. 48, p. 139–157.
- Spiteller, G. 2001. Lipid peroxidation in aging and age-dependent diseases. **Experimental Gerontology**. Vol. 36, p. 1425–1457.
- The Merck Index Ninth Edition: An Encyclopedia of Chemicals and Drug, 1983, New Jersey: Merck & Co, Inc., p. 7936.
- Vasconcelos, T., Sarmiento, B., Costa, P. 2007. Solid dispersions as strategy to improve oral bioavailability of poor water soluble drugs. **Drug Discovery Today**. Vol. 12, No. 23/24, p. 1068-1075.

- Wahyuni, R., Halim, A., Febronica, S. 2014. Studi sistem dispersi padat karbamazepin menggunakan campuran polimer PEG 6000 dan HPMC dengan metode pelarutan. Prosiding Seminar Nasional dan Workshop “Perkembangan Terkini Sains farmasi dan Klinik IV”, p. 233-240.
- Wilson, A. M. M., Mitnik, D. G., 2004. CHIH-DFT determination of the molecular structure, infrared and ultraviolet spectra of the flavonoid quercetin. **Journal of Molecular Structure**. Vol. 681, p. 71-76.
- Wu, T. H., Yen, F. L., Lin, L. T., Tsai, T. R., Lin, C. C., Cham, T. M. 2008. Preparation, physicochemical characterization, and antioxidant effect of quercetin nanoparticles. **International Journal of Pharmaceutics**. Vol. 346, p. 160-168.
- Zaini, E., Halim, A., Soewandhi, S.N., Setyawan, D., 2011. Peningkatan Laju Pelarutan Trimetoprim Melalui Metode Ko-kristalisasi dengan Nikotinamida. **Jurnal Farmasi Indonesia**. Vol. 5, No. 4, p. 205 - 212.