

DAFTAR PUSTAKA

- Akter, T., Dawson, A. and Sibbritt, D. (2016) ‘The determinants of essential newborn care for home births in Bangladesh’, *Public Health*. Elsevier Ltd, 141, pp. 7–16. doi: 10.1016/j.puhe.2016.08.004.
- Alligood, M. R. (2014) *Nursing Theorists and Their Work*. eighth edi, Elsevier Inc. eighth edi. St. Louis, Missouri: Elsevier Mosby. doi: 10.5172/conu.2007.24.1.106a.
- Aloy Josep Figueras, et al (2016) ‘Changes in homecare for preterm and low-birth-weight infants from 2002 to 2014’, *Jurnal of Anlesde Pediatria (Barc)*, 85, pp. 134–141.
- Arzani, A. et al. (2015) ‘Mothers’ strategies in handling the prematurely born infant: a qualitative study.’, *Journal of caring sciences*, 4(1), pp. 13–24. doi: 10.5681/jcs.2015.002.
- Boykova, M. and Kenner, C. (2012) ‘Transition From Hospital to Home for Parents of Preterm Infants’, *The Journal of Perinatal & Neonatal Nursing*, 26(1), pp. 81–87. doi: 10.1097/JPN.0b013e318243e948.
- Chernoff, M. and Cueva, K. (2017) ‘The Role of Alaska’s Tribal Health Workers in Supporting Families’, *Journal of Community Health*. Springer US, 0(0), pp. 1–7. doi: 10.1007/s10900-017-0349-0.
- Christie, J. and Bunting, B. (2011) ‘The effect of health visitors’ postpartum home visit frequency on first-time mothers: Cluster randomised trial’, *International Journal of Nursing Studies*. Elsevier Ltd, 48(6), pp. 689–702. doi: 10.1016/j.ijnurstu.2010.10.011.
- Depkes RI (2002) ‘Pengembangan Model Praktik Pelayanan Mandiri Keperawatan’. Jakarta.
- Desmita (2014) *Psikologi Perkembangan Peserta Didik*. Bandung: PT. Remaja Rosdakarya, Bandung.
- Dewi Purwanti, Fitriasisih and Isyti’aroh (2012) *Dukungan sosial keluarga dan hubungannya dengan kecemasan ibu primipara dalam merawat bayi berat badan rendah*.

- Dinas Kominfo Kabupaten Malang (2017) *Statistik Pembangunan Daerah Kabupaten Malang 2016*.
- Donev, D. et al. (2014) 'Health Promotion and Health Education',(April), pp. 2–3.
- Fenwick, J., Barclay, L. and Schmied, V. (2010) 'Craving closeness: A grounded theory analysis of women's experiences of mothering in the Special Care Nursery', *Women and Birth*, 21(2), pp. 71–85. doi: 10.1016/j.wombi.2008.03.006.
- Figueras Aloy, J. et al. (2015) 'Changes in homecare for preterm and low-birth-weight infants from 2002 to 2014', *Anales de Pediatría. Asociaci´n Española de Pediatría*, 85(3), pp. 134–141. doi: 10.1016/j.anpedi.2016.01.022.
- Friedman, M. M. (2003) *Family Nursing research, Theory & practice, fifth edition*. New Jersey: Pearson Education, Inc.p.
- Gareth D. Mercer B.Sc. (2015) 'Do fathers care ? Measuring mothers ' and fathers ' perceptions of fathers ' involvement in caring for young children in South Africa by', (July), pp. 1–295.
- Gilmer, C. et al. (2016) 'Parent education interventions designed to support the transition to parenthood: A realist review', *International Journal of Nursing Studies*. Elsevier Ltd, 59, pp. 118–133. doi: 10.1016/j.ijnurstu.2016.03.015.
- Gray, P. H. et al. (2013) 'Parenting stress in mothers of very preterm infants - Influence of development, temperament and maternal depression', *Early Human Development*. Elsevier Ltd, 89(9), pp. 625–629. doi: 10.1016/j.earlhundev.2013.04.005.
- Haryanto, A. and Nurlaela, E. (2009) 'Praktek Ibu dalam Perawatan Neonatus di Kabupaten Garut , Jawa Barat', 16424, pp. 243–248.
- Haugan, G., Innstrand, S. T. and Moksnes, U. K. (2013) 'The effect of nurse-patient interaction on anxiety and depression in cognitively intact nursing home patients', *Journal of Clinical Nursing*, 22(15–16), pp. 2192–2205. doi: 10.1111/jocn.12072.

- Hookway, L. and Everson, B. (2011) ‘First family-centred care coordinators appointed to support families through the difficult and stressful time of having a baby in neonatal care’, *Journal of Neonatal Nursing*. Elsevier Ltd, 17(6), pp. 216–218. doi: 10.1016/j.jnn.2011.09.004.
- Horowitz, J. A. et al. (2013) ‘Nurse home visits improve maternal/infant interaction and decrease severity of postpartum depression’, *JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing*. Elsevier Masson SAS, 42(3), pp. 287–300. doi: 10.1111/1552-6909.12038.
- Huff, K., Rose, R. S. and Engle, W. A. (2018) ‘Late Preterm Infants Recommendations Late preterm Morbidity Mortality Monitoring Management’, *Pediatric Clinics of NA*. Elsevier Inc. doi: 10.1016/j.pcl.2018.12.008.
- Ingram, J. C. et al. (2016) ‘Does family-centred neonatal discharge planning reduce healthcare usage ? A before and after study in South West England’, pp. 1–10. doi: 10.1136/bmjopen-2015-010752.
- Jilian Ireland, Minesh Khashu, Luisa Cescutti-Butler, Edwin van Teijlingen, J. H.-T. (2016) ‘Experience of father with babies admitted to neonatal care units’, *Journal of Neonatal Nursing*. doi: dx.doi.org/10.1016/j.jnn.2016.01.006.
- Jones, L. et al. (2016) ‘The Influence of Neonatal Nursery Design on Mothers’ Interactions in the Nursery’, *Journal of Pediatric Nursing*. Elsevier Inc., 31(5), pp. e301–e312. doi: 10.1016/j.pedn.2016.05.005.
- kemenkes RI (2014) *Kesehatan Ibu Dan Anak*. jakarta: Kemenkes RI.
- Kemenkes RI (2018) ‘Hasil Utama Riskesdas 2018’.
- Kementerian Kesehatan RI (2010) *Buku Saku Pelayanan Kesehatan Neonatal Esensial*. Available at: <http://www.gizikia.depkes.go.id/wp-content/uploads/downloads/2011/09/Buku-Saku-Pelayanan-Kesehatan-Neonatal-Esensial.pdf>.
- Kementerian Kesehatan RI (2014) *Profil Kesehatan Indonesia Tahun 2013*. satu, Jakarta: Kementerian Kesehatan RI. satu. Edited by M. E. drg. Vensya Sitohang, M. Dr. drh. Didik Budijanto, M.Kes Boga Hardhana, S.Si, and M. K. A. drg. Titi Aryati Soenardi. Jaakarta. doi: 351.770.212 Ind P.

Kementrian Kesehatan Republik Indonesia (2011) ‘*Manajemen Bayi Berat Lahir Rendah (BBLR) untuk Bidan Di Desa*’.

Kementrian Kesehatan Republik Indonesia (2014) *Peraturan Menteri Kesehatan Republik Indonesia Nomor 25 Tahun 2014*.

Kementrian Kesehatan Republik Indonesia (2016) *Buku Kesehatan Ibu dan Anak, Buku Kesehatan Ibu dan Anak*. doi: 362.198.2.Ind b.

Kementrian Kesehatan RI (2011) *Manajemen Bayi Berat Lahir Rendah*. Jakarta: Kemenkes RI.

Kersting, A. et al. (2004) ‘Maternal posttraumatic stress response after the birth of a very low-birth-weight infant’, 57, pp. 473–476. doi: 10.1016/j.jpsychores.2004.03.011.

Kuntoro, H. (2009) *Dasar filosofis metodologi penelitian*. Ketiga. Surabaya: CV. Pustaka Melati.

Kuntoro, H. (2015) *Metode sampling dan penentuan besar sampel*. Revisi. Surabaya: CV. Pustaka Melati.

Kuswanto and Siswanto, B. (2003) *Sosiologi*. Solo: Tiga Serangkai.

Lakshmanan, A. et al. (2017) ‘The impact of preterm birth < 37 weeks on parents and families : a cross-sectional study in the 2 years after discharge from the neonatal intensive care unit’. *Health and Quality of Life Outcomes*, pp. 1–13. doi: 10.1186/s12955-017-0602-3.

Lewis, S., Lee, A. and Simkhada, P. (2015) ‘The role of husbands in maternal health and safe childbirth in rural Nepal: A qualitative study’, *BMC Pregnancy and Childbirth*. *BMC Pregnancy & Childbirth*, 15(1), pp. 1–10. doi: 10.1186/s12884-015-0599-8.

Loyd, B. H. and Abidin, R. R. (1985) ‘Revision of the Parenting Stress Index’, *Journal of Pediatric Psychology*, 10(2), pp. 169–177. Available at: <http://0.61.89.121>.

Luchok, S. N. K. J., Robert, J. and Ken, H. (2010) ‘Effects of Maternal Stress on Low Birth Weight and Preterm Birth Outcomes Across Neighborhoods of South Carolina , 2000 – 2003’, pp. 215–226. doi: 10.1007/s10995-009-0447-4.

- Lugina, H. I., Johansson, E. and Lindmark, G. (2002) 'Developing a theoretical framework on postpartum care from Tanzanian midwives ' views on their role'. doi: 10.1054/midw.2001.0290.
- Mahanta, T. G. *et al.* (2016) 'Effectiveness of introducing home-based newborn care (HBNC) voucher system in Golaghat District of Assam', *Clinical Epidemiology and Global Health*, 4(2), pp. 69–75. doi: <http://dx.doi.org/10.1016/j.cegh.2015.08.002>.
- Marilyn, H.-E. and Wong, L. D. (2004) *Wongs clinical manual of pediatric*. 6th edn. St. Louis, Missouri: Mosby.
- Mehler, K. *et al.* (2014) 'Increased rate of parental postpartum depression and traumatization in moderate and late preterm infants is independent of the infant's motor repertoire', *Early Human Development*, 90(12). doi: 10.1016/j.earlhuddev.2014.09.008.
- Milani, H. S. *et al.* (2017) 'Postpartum home care and its effects on mothers ' health : A clinical trial'. doi: 10.4103/jrms.JRMS.
- Misgna, H. G., Gebru, H. B. and Birhanu, M. M. (2016) 'Knowledge , practice and associated factors of essential newborn care at home among mothers in Gulomekada District , Eastern', *BMC Pregnancy and Childbirth*. BMC Pregnancy and Childbirth, pp. 1–8. doi: 10.1186/s12884-016-0931-y.
- Nabiwemba, E. L. *et al.* (2014) 'Recognition and home care of low birth weight neonates : a qualitative study of knowledge , beliefs and practices of mothers in Iganga-Mayuge Health and Demographic Surveillance Site , Uganda', pp. 1–11.
- Notoatmodjo, S. (2012) *Promosi Kesehatan dan Perilaku Kesehatan*. Jakarta: Rineka Cipta.
- Nurhidayati, I. and Setianingsih (2017) 'Perilaku Perawatan Bayi Berat Lahir Rendah (Bblr) Di Puskesmas Klaten Tengah : Studi Fenomenologi', 4(1), pp. 85–94.
- Nursalam (2015) *Metodologi Penelitian ilmu Keperawatan*. 4th edn. Edited by Lestari Peni Puji. Jakarta: Salemba Medika.
- Offiah, I., O'Donoghue, K. and Kenny, L. (2012) *Preterm Birth - Mother and Child*. doi: 10.5772/1284.

- Pasquali, L., Gouveia, V. V. and Andrade, J. M. De (2012) 'Perceptions of Parents Questionnaire : Evidence for a Measure of Parenting Styles 1 Questionário de Percepção dos Pais : Evidências de uma Medida de Estilos Parentais Cuestionario de Percepción de los Padres : Evidencias de una Medida de Estilos Parentales', 22(52), pp. 155–164. doi: 10.1590/S0103-863X2012000200002.
- Paulsen, D. M. (1994) 'Mothers ' Information Needs and Perceptions of Preparedness for Self-Care and Infant Care After a Short-Term Hospital Stay'.
- Priscilla, V. (2013) 'Kemandirian Ibu Postpartum Dalam Perawatan Bayi Baru Lahir dengan Menggunakan Pendekatan Model "Mother-Baby Care (M-BC)"', *Ners Jurnal Keperawatan*, 9(3), pp. 166–173.
- Proverawati, A. (2010) *Berat Badan Lahir Rendah*. 1st edn. Nuha Medika.
- Rice, R. (2000) 'Pain assessment in the home. Part 2.', *Geriatric nursing (New York, N.Y.)*, 21(4), pp. 220–221. doi: 10.1067/mgn.2000.109574.
- Rice, R. (2001) *Home Care Nursing Practice, concepts and application*. 3th ed. St Louis, Missouri: Mosby Year Book.
- Rita Magdalena br, Tarigan, Restuning Widiasih, E. (2008) 'Pengetahuan ibu tentang penatalaksanaan perawatan bayi bblr di rumah di rskia kota bandung', pp. 1–15.
- Russell, K. (2006) 'Maternal confidence of first-time mothers during their child's infancy', p. 141. Available at: <http://search.ebscohost.com/login.aspx?direct=true&db=cin20&AN=2009711523&site=ehost-live>.
- Saudah, N. (2015) *Model kemandirian ibu dalam merawat bayi preterm dengan pendekatan Experiential learning Care berbasis teori of goal attainment*. Surabaya.
- Schönbauerová, A. and Boledovičová, M. (2015) 'The role of paediatric nurse in home visiting of newborns and infants in the past - Literary survey', *Kontakt*, 17(4), pp. e211–e218. doi: 10.1016/j.kontakt.2015.09.003.

- Schuler, C., Edward, G. and Agbozo, F. (2019) 'Mothers ' experiences with neonatal care for low birth weight infants at home ; A qualitative study in the Hohoe Municipality , Ghana', *Journal of Pediatric Nursing*. Elsevier Inc., 2018(xxxx). doi: 10.1016/j.pedn.2018.12.017.
- Singer, L. T. *et al.* (2017) 'and Parenting Stress After the Birth of a Very Low-Birth-Weight Infant', 281(9), pp. 799–805.
- Slomian, J. *et al.* (2017) 'Identifying maternal needs following childbirth: A qualitative study among mothers , fathers and professionals'. BMC Pregnancy and Childbirth, pp. 1–13. doi: 10.1186/s12884-017-1398-1.
- Sulistiarini, D. and Berliana, M. (2016) 'Faktor-Faktor Yang Memengaruhi Kelahiran Prematur Di Indonesia : Analisis Data Riskesdas 2013', 1.
- Suplee, P. D., Gardner, M. R. and Borucki, L. C. (2014) 'Low-Income, Urban Minority Women's Perceptions of Self- and Infant Care during the Postpartum Period', *Journal of Obstetric, Gynecologic & Neonatal Nursing*, 43(6), pp. 803–812. doi: 10.1111/1552-6909.12506.
- Terese, V. and Marlene, W. (2015) *Neonatal Intensive Care Nursing*. Fifth. St. Missouri: Elsevier.
- Thoha, M. (2012) *Perilaku Organisasi, Konsep dasar dan Implikasinya*. Jakarta: PT Raja Grafindho Perkasa.
- Tolentino, M. B. (1990) 'The use of Orem's self care model in the neonatal intensive-care unit', *J Obstet Gynecol Neonatal Nursing*, 19(6), pp. 496–500.
- Toral-López, I. *et al.* (2016) 'Needs Perceived by Parents of Preterm Infants: Integrating Care Into the Early Discharge Process', *Journal of Pediatric Nursing*. W.B. Saunders, 31(2), pp. e99–e108. doi: 10.1016/j.pedn.2015.09.007.
- Waligo, B. (2010) *Pengantar Psikologi Umum*. Yogyakarta: Andi.
- Warren, P. L. (2005) 'First-time mothers: Social support and confidence in infant care', *Journal of Advanced Nursing*, 50(5), pp. 479–488. doi: 10.1111/j.1365-2648.2005.03425.x.

Weingarten, C. T. *et al.* (2010) 'Married Mothers' Perceptions of Their Premature or Term Infants and the Quality of Their Relationships with Their Husbands clinical studies'.

WHO (2013) 'Department of Maternal, Newborn, Child and Adolescent Health'.

Wiknjosastro, G. . (2014) 'pertumbuhan janin terhambat, dalam Saifudin, AB, Rachimhadhi, T & Wiknjosastro, GH (eds).', in *Ilmu kebidanan Sarwono Prawirohardjo*. Jakarta: Bina Pustaka.

Yadav, D. K., Chaudhary, U. and Shrestha, N. (2011) 'Risk factors associated with low birth weight.', *Journal of Nepal Health Research Council*, 9(2), pp. 159–164.

Available at:

<http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=medl&N=EWS=N&AN=22929846>.