

DAFTAR PUSTAKA

- Alan, J. L. (2017). Dementia reported missing: use of google news to estimate frequency and mortality of critical wandering in the united state.
- Arikunto. (2010). *Prosedur Penelitian Suatu Pendekatan Praktik*. Jakarta: Rineka Cipta.
- Association, A. (2017). 2017 Alzheimer's disease facts and figures. *Alzheimer's and Dementia*, 13(4), 325–373. <https://doi.org/10.1016/j.jalz.2017.02.001>
- Barnard-Brak, L., Richman, D. M., & Owen, D. C. (2018). Assessing wandering risk among individuals with Alzheimer's disease and dementia: A pilot study. *Psychogeriatrics*, 1–5. <https://doi.org/10.1111/psyg.12336>
- Barrett, B., Bulat, T., Schultz, S. K., & Luther, S. L. (2018). Factors Associated With Wandering Behaviors in Veterans With Mild Dementia: A Prospective Longitudinal Community-Based Study. *American Journal of Alzheimer's Disease and Other Dementias*, 33(2), 100–111. <https://doi.org/10.1177/1533317517735168>
- Bauer, M., Rayner, J. A., Tang, J., Koch, S., While, C., & O'Keefe, F. (2015). An evaluation of Snoezelen compared to “common best practice” for allaying the symptoms of wandering and restlessness among residents with dementia in aged care facilities. *Geriatric Nursing*, 36(6), 462–466. <https://doi.org/10.1016/j.gerinurse.2015.07.005>
- Baumgart, M., Snyder, H. M., Carrillo, M. C., Fazio, S., Kim, H., & Johns, H. (2015). Summary of the evidence on modifiable risk factors for cognitive decline and dementia: A population-based perspective. *Alzheimer's and Dementia*, 11(6), 718–726. <https://doi.org/10.1016/j.jalz.2015.05.016>
- Bayu, P. A. (2017) ‘The Effect of Religious Intervention on Depression and Quality of Life among Indonesian Elderly: A Quasi-Experimental Study’.
- Bentwich, M. E., Dickman, N., & Oberman, A. (2017). Dignity and autonomy in the care for patients with dementia: Differences among formal caretakers of varied cultural backgrounds and their meaning. *Archives of Gerontology and Geriatrics*, 70, 19–27. <https://doi.org/10.1016/j.archger.2016.12.003>
- Borson, S., & Chodosh, J. (2014). Developing Dementia-Capable Health Care Systems. A 12-Step Program. *Clinics in Geriatric Medicine*, 30(3), 395–420. <https://doi.org/10.1016/j.cger.2014.05.001>
- Brittain, K., Degnen, C., Gibson, G., Dickinson, C., & Robinson, L. (2017). When walking becomes wandering: representing the fear of the fourth age. *Sociology of Health and Illness*, 39(2), 270–284. <https://doi.org/10.1111/1467-9566.12505>
- Bungin Burhan. (2010). *Metodologi Penelitian Kuantitatif*. Jakarta: Kencana Prenada Media Grup.

- Byard, R. W., & Langlois, N. E. I. (2018). Wandering Dementia-A Syndrome with Forensic Implications. *Journal of Forensic Sciences*, (8), 2–4. <https://doi.org/10.1111/1556-4029.13885>
- Care, D. (2011). 10 Warning Signs of Alzheimer ' s - Symptoms. *Office*, 9–11.
- Daniel, K., Ed, D., & Norbert, S. (1999). *Well-Being The Foundation of Hedonic Psychology*. New York: Russell Sage Foundation.
- Daukantait, D. (2006). *Subjective Well-Being in Swedish Women Daiva Daukantait è*.
- Davis, R., & Weisbeck, C. (2016). Creating a Supportive Environment Using Cues for Wayfinding in Dementia. *Journal of Gerontological Nursing*, 42(3), 36–44. <https://doi.org/10.3928/00989134-20160212-07>
- Desiningrum, D. R. (2016). Goal Orientation Dan Subjective Well Being Pada Lansia, 15(1), 43–55.
- Diener, E., Lucas, R. E., Oishi, S. (2005). Subjective Well-Being The Science of Happiness and Life Satisfaction. Handbook of Positive Psychology.pdf. (n.d.).
- Diener, E. (2009). *The Science of Well-Being The Collected Works*. USA: Springer Publishing Company, Inc.
- Duthie Edmund H., Katz Paul R., M. M. L. (2007). *Practice of Geriatrics*. (M. M. L. Duthie Edmund H. Jr., Kartz Paul R., Ed.) (Fourth Edi). Philadelphia: Saunders Elsevier. Retrieved from www.elsevier.com
- Gagliardi, C., Marcellini, F., Papa, R., Giuli, C., & Mollenkopf, H. (2010). Associations of personal and mobility resources with subjective well-being among older adults in Italy and Germany. *Archives of Gerontology and Geriatrics*, 50(1), 42–47. <https://doi.org/10.1016/j.archger.2009.01.007>
- Gómez-Romero, M., Jiménez-Palomares, M., Rodríguez-Mansilla, J., Flores-Nieto, A., Garrido-Ardila, E. M., & González-López-Arza, M. V. (2017). Benefits of music therapy on behaviour disorders in subjects diagnosed with dementia: A systematic review. *Neurologia (English Edition)*, 32(4), 253–263. <https://doi.org/10.1016/j.nrleng.2014.11.003>
- Hammarström, G., & Torres, S. (2012). Variations in subjective well-being when “aging in place” - A matter of acceptance, predictability and control. *Journal of Aging Studies*, 26(2), 192–203. <https://doi.org/10.1016/j.jaging.2011.12.004>
- Hammoud, A., Deriaz, M., & Konstantas, D. (2018). Wandering Behaviors Detection for Dementia Patients : a Survey Wandering Behaviors Detection for Dementia Patients : a Survey, (May).
- Hastono. (2007). *Analisa Data Kesehatan*. Jakarta: FKM. UI.
- Hess, E. &. (2010). *Gerontological nursing and health aging* (ed. 3). USA, Philadelphia: MOsby, Inc.

- Indriana, Y. (2012). *Gerontologi & Progeria*. Yogyakarta: Pustaka Pelajar.
- Jiska Cohen, et al. (2017). The Impact of Environmental Factors on Engagement And Mood Of Persons With Dementia Attending Recreational Groups. *Podium Presentation*. <https://doi.org/F1-01-02>
- Jvan der Lee, J. et al. (2017) ‘Do determinants of burden and emotional distress in dementia caregivers change over time?’’, *Aging and Mental Health*, 21(3), pp. 232–240. doi: 10.1080/13607863.2015.1102196.
- Konveaux, T. R., Yzoard, M., Fescharek, R., Pop, A., Jacob, C., Batt, M., ... Trognon, A. (2011). Evaluation of benefits of a healing garden for alzheimer patients: New methodology to evaluate a design concept integrating artistic and neuropsychological approaches. *Alzheimer's and Dementia*, 1), S442–S443. <https://doi.org/http://dx.doi.org/10.1016/j.jalz.2011.05.1283>
- Judy, A. (2017). Creative ways to care: Strategies for carers of people living with dementia-an evidence-based education program dor family and freind carers to use activities and diversional strategies at home. *Health Care Service*.
- Kwak, Y. T., Yang, Y., & Koo, M.-S. (2015). Wandering in Dementia. *Dementia and Neurocognitive Disorders*, 14(3), 99. <https://doi.org/10.12779/dnd.2015.14.3.99>
- Laporte Uribe, F., Heinrich, S., Wolf-Ostermann, K., Schmidt, S., Thyrian, J. R., Schäfer-Walkmann, S., & Holle, B. (2017). Caregiver burden assessed in dementia care networks in Germany: findings from the DemNet-D study baseline. *Aging and Mental Health*, 21(9), 926–937. <https://doi.org/10.1080/13607863.2016.1181713>
- Lau, W. M., Chan, T. Y., & Szeto, S. L. (2018). Effectiveness of a home-based missing incident prevention program for community-dwelling elderly patients with dementia. *International Psychogeriatrics*, (May), 1–9. <https://doi.org/10.1017/S1041610218000546>
- Levitt, D. (2018). New strategies and innovations to engage seniors in eldercare. *Healthcare Management Forum*, 31(4), 142–146. <https://doi.org/10.1177/0840470418764492>
- Lin, C. Y., Wang, J. Der, Pai, M. C., & Ku, L. J. E. (2017). Measuring burden in dementia caregivers: Confirmatory factor analysis for short forms of the Zarit Burden Interview. *Archives of Gerontology and Geriatrics*, 68, 8–13. <https://doi.org/10.1016/j.archger.2016.08.005>
- Liu, Z., Wu, D., Huang, J., Qian, D., Chen, F., Xu, J., Wang, X. (2016). Visual impairment, but not hearing impairment, is independently associated with lower subjective well-being among individuals over 95 years of age: A population-based study. *Archives of Gerontology and Geriatrics*, 62, 30–35. <https://doi.org/10.1016/j.archger.2015.10.011>
- Long, E. M. (2017). An Innovative Approach to Managing Behavioral and Psychological Dementia. *Journal for Nurse Practitioners*, 13(7), 475–481.

<https://doi.org/10.1016/j.nurpra.2017.05.003>

- Lu, N., Liu, J. and Lou, V. W. . (2015) ‘Caring for frail elders with musculoskeletal conditions and family caregivers’ subjective well-being: The role of multidimensional caregiver burden’, *Gerontology and Geriatrics*, 61, pp. 411–418. doi: 10.1016.
- Lu, N., Liu, J., & Lou, V. W. Q. (2016). Exploring the reciprocal relationship between caregiver burden and the functional health of frail older adults in China: A cross-lag analysis. *Geriatric Nursing*, 37(1), 19–24. <https://doi.org/10.1016/j.gerinurse.2015.08.014>
- MacAndrew, M., Fielding, E., Kolanowski, A., O’Reilly, M., & Beattie, E. (2017). Observing wandering-related boundary transgression in people with severe dementia. *Aging and Mental Health*, 21(11), 1197–1205. <https://doi.org/10.1080/13607863.2016.1211620>
- MacAndrew, M., Brooks, D. and Beattie, E. (2018) ‘NonPharmacological interventions for managing wandering in the community: A narrative review of the evidence base’, *Health & Social Care in the Community*, (May), pp. 1–14. doi: 10.1111/hsc.12590.
- Meiner, S.E., A. G. L. (2011). *Gerontologic Nursing*. USA: mosby, Elsevier.
- Moyle, W., Jones, C., Murfield, J., Thalib, L., Beattie, E., Shum, D., Draper, B. (2018). Effect of a robotic seal on the motor activity and sleep patterns of older people with dementia, as measured by wearable technology: A cluster-randomised controlled trial. *Maturitas*, 110(December 2017), 10–17. <https://doi.org/10.1016/j.maturitas.2018.01.007>
- Nursalam. (2015). *Metodologi Penelitian Ilmu Keperawatan Pendekatan Praktis* (4rd Ed). Jakarta: Salemba Medika.
- Oakley, H., Jarrett, P., & McCloskey, R. (2013). The relationship between dementia and falling in long-stay hospital patients. *American Journal of Geriatric Psychiatry*, 1(3), S147. <https://doi.org/10.1016/j.jagp.2012.12.193>
- Olley, R., & Morales, A. (2018). Systematic review of evidence underpinning non-pharmacological therapies in dementia. *Australian Health Review*, 42(4), 361–369. <https://doi.org/10.1071/AH16212>
- Olsson, L. A., Hurtig-Wennlöf, A., & Nilsson, T. (2014). Subjective well-being in Swedish active seniors and its relationship with physical activity and commonly available biomarkers. *Clinical Interventions in Aging*, 9, 1233–1239. <https://doi.org/10.2147/CIA.S63198>
- Prince, M., Wimo, A., Guerchet, M., Ali, G., Wu, Y. & Prina, M. (2015). The Global Impact of dementia: an Analysis of prevalence, incidence, cost and trends. *Alzheimer’s Disease International*.
- Prince, M., Bryce, R., Albanese, E., Wimo, A., Ribeiro, W., & Ferri, C. P. (2013). The global prevalence of dementia: A systematic review and metaanalysis. *Alzheimer’s and Dementia*, 9(1), 63–75.

<https://doi.org/10.1016/j.jalz.2012.11.007>

- Qiang, L., Weichao, Z., & Weilan, W. (2018). Detecting dementia-related wandering locomotion of elderly by Leveraging Active Infrared Sensors. *Scientific Research*. <https://doi.org/10.4236/jcc.2018.65008>
- Ray, K. D. and Mittelman, M. S. (2017) ‘Music therapy: A nonpharmacological approach to the care of agitation and depressive symptoms for nursing home residents with dementia’, *Dementia*, 16(6), pp. 689–710. doi: 10.1177/1471301215613779.
- Reynolds, F. (2010). “Colour and communion”: Exploring the influences of visual art-making as a leisure activity on older women’s subjective well-being. *Journal of Aging Studies*, 24(2), 135–143. <https://doi.org/10.1016/j.jaging.2008.10.004>
- Roberts, G., Morley, C., Walters, W., Malta, S., & Doyle, C. (2015). Caring for people with dementia in residential aged care: Successes with a composite person-centered care model featuring Montessori-based activities. *Geriatric Nursing*, 36(2), 106–110. <https://doi.org/10.1016/j.gerinurse.2014.11.003>
- Saito, T., Kai, I., & Takizawa, A. (2012). Effects of a program to prevent social isolation on loneliness, depression, and subjective well-being of older adults: A randomized trial among older migrants in Japan. *Archives of Gerontology and Geriatrics*, 55(3), 539–547. <https://doi.org/10.1016/j.archger.2012.04.002>
- Staub, B., Doignon-Camus, N., Bacon, E., & Bonnefond, A. (2014). Investigating sustained attention ability in the elderly by using two different approaches: Inhibiting ongoing behavior versus responding on rare occasions. *Acta Psychologica*, 146(1), 51–57. <https://doi.org/10.1016/j.actpsy.2013.12.003>
- Stefanacci, R. G., & Haimowitz, D. (2013a). Elopement - Missing in action. *Geriatric Nursing*, 34(3), 235–238. <https://doi.org/10.1016/j.gerinurse.2013.04.002>
- Stefanacci, R. G., & Haimowitz, D. (2013b). Five treatments nurses can better direct. *Geriatric Nursing*, 34(4), 328–331. <https://doi.org/10.1016/j.gerinurse.2013.06.006>
- Teresi, J. A., Ramirez, M., Ellis, J., Silver, S., Boratgis, G., Kong, J., ... Lachs, M. S. (2013). A staff intervention targeting resident-to-resident elder mistreatment (R-REM) in long-term care increased staff knowledge, recognition and reporting: Results from a cluster randomized trial. *International Journal of Nursing Studies*, 50(5), 644–656. <https://doi.org/10.1016/j.ijnurstu.2012.10.010>
- Tomey, A. (2015). *Nursing Theorist and Their Work*, (Ten Editio). Toronto: The CV Mosby Company St. Louis.
- Townsend, M. C. (2009). *Psychiatric Mental Health Nursing: Concepts of Care in Evidence-Based Practice* (6th ed). Philadelphia: F. A. Davis Company.

- Traynor, V., Veerhuis, N., Johnson, K., Hazelton, J., & Gopalan, S. (2018). Evaluating the effects of a physical activity on agitation and wandering (PAAW) experienced by individuals living with a dementia in care homes. *Journal of Research in Nursing*, 23(2–3), 125–138. <https://doi.org/10.1177/1744987118756479>
- van der Lee, J., Bakker, T. J. E. M., Duivenvoorden, H. J., & Dröes, R. M. (2017). Do determinants of burden and emotional distress in dementia caregivers change over time?†. *Aging and Mental Health*, 21(3), 232–240. <https://doi.org/10.1080/13607863.2015.1102196>
- Videbeck, S. (2008). *Buku Ajar Keperawatan Jiwa*. Jakarta: EGC.
- Volicer, L., Van Der Steen, J. T., & Frijters, D. H. M. (2013). Involvement in activities and wandering in nursing home residents with cognitive impairment. *Alzheimer Disease and Associated Disorders*, 27(3), 272–277. <https://doi.org/10.1097/WAD.0b013e31826d012e>
- White, E. B. and Montgomery, P. (2014) ‘A Review of “ Wandering ” Instruments for People With Dementia Who Get Lost’, 24(4), pp. 400–413. doi: 10.1177/1049731513514116.
- Yi-Chen Chiu, PhDa, b,* , Ann M. Kolanowski, PhDc, Chien-Ying Huang, MSa, b, Li-Jung Lin, PhDd, Ting-Huan Chang, PhDe, Kuang-Hung Hsu, PhDf, F., & Chaur-Jong Hu, MDg, Ying-Jen Chen, Md. (2014). Leisure-time physical activity and neuropsychiatric symptoms of community-dwelling persons with cognitive impairment. *Geriatric Nursing*, 35, 345–350.
- Yusri M. (2014) ‘Dukungan sosial dan subjective well-being pada lanjut usia bersuku jawa di provinsi jawa tengah’.
- Zhang, J. P., Huang, H. S., Ye, M., & Zeng, H. (2008). Factors influencing the subjective well being (SWB) in a sample of older adults in an economically depressed area of China. *Archives of Gerontology and Geriatrics*, 46(3), 335–347. <https://doi.org/10.1016/j.archger.2007.05.006>
- Zhang, W., Feng, Q., Lacanienta, J., & Zhen, Z. (2017). Leisure participation and subjective well-being: Exploring gender differences among elderly in Shanghai, China. *Archives of Gerontology and Geriatrics*, 69, 45–54. <https://doi.org/10.1016/j.archger.2016.11.010>