

DAFTAR PUSTAKA

- Abassi, M. R., Safavi, A., Haghverdi, M., & Saedi, B. (2015). Sleep Disorders in ESRD Patients Undergoing Hemodialysis, 2(3).
- Afiyanti, Y & Rachmawati N. Metodologi Penelitian Kualitatif Dalam Riset Keperawatan. Edisi 1. Jakarta: Rajawali Pers; 2014.
- Ahsan, Kapti, R. E., & Putri, S. A. (2015). Pengaruh terapi. *Jurnal Keperawatan*, 6(1), 1–5. Retrieved from <http://ejournal.umm.ac.id/index.php/keperawatan/article/view/2846>
- Armstrong, T. S., & Gilbert, M. R. (2012). and sleep disorders in people with brain, 65–72.
- Al-Jahdali AH, Kogher HA, Alqadhi WA, Baharoon S, Tamim H, Alhejaili FF, et al. (2010). Insomnia in chronic renal patients on dialysis in Saudi Arabia. *Journal of Circadian Rhythms*, 8: 1-7.
- Andi Eka Pranata, Eko Prabowo, S.Kep, M.Kes. (2014). Asuhan Keperawatan Sistem Perkemihan Edisi 1 Buku Ajar, Nuha Medika: Yogyakarta.
- Bates, N. (2017). Depression and Anxiety in ESRD: A Practical Guide for Nephrologists. *ASN Kidney News*, 1–2.
- Bazeley, P. and Jackson, K. (2013) Qualitative Data Analysis with NVivo. Sage Publications Ltd.
- Beerendrakumar, N., Ramamoorthy, L., & Haridasan, S. (2018). Dietary and Fluid Regime Adherence in Chronic Kidney Disease Patients. *Tabriz University of Medical Sciences*, 7(1), 17–20.
- Berger, K., Luedemann, J., Trenkwalder, C., John, U. & Kessler, C. (2004). Sex and the risk of restless legs syndrome in the general population. *Archives of Internal Medicine*, Vol. 164, pp. 196–202.
- Benz, R.L., Pressman, M.R., Hovik, E.H., & Peterson, D.D. (2000). Potential novel predictors of mortality in end-stage renal disease patients with sleep disorders. *American Journal of Kidney Disease*, 35(6), pp. 1052-1060.
- Biniiaz, V., Karimi Moonaghi, H., Froutan, R., & Ebadi, A. (2018). Hemodialysis Adequacy Sacrificed for Business: A Qualitative Study. *Nephro-Urology Monthly*, 10(3). <https://doi.org/10.5812/numonthly.68254>
- Black, Joyce M & Hawks, Jane Hokanson. (2014). Keperawatan Medikal Bedah Edisi 8. Singapore: Elsevier.
- Black, M. J., Hawks, H. J. (2005) Medical surgical nursing clinical management for positive outcomes 8th Edition. Elsevier Saunders. St Louis Missouri.

- Blackmann, M.R. 2000. Age related alteration in sleep quality and neuroendocrine function: interrelations and implications. *JAMA*, 284(7): 1-8
- Brunner and Suddarth. (2002). Buku Ajar Keperawatan Medikal Bedah, edisi 8 volume 2. Jakarta: EGC.
- Buysse, D.J., Reynolds, C.F., Monk, T.H., Berman, S.R., Kupfer, D.J. (1989). The Pittsburgh Sleep Quality Index (PSQI): a new instrument for psychiatric research and practise. *Psychiatric Research*, 28, 193-213
- Cabrera, V. J., Hansson, J., Klinger, A. S., & Finkelstein, F. O. (2017). Symptom management of the patient with CKD: The role of dialysis. *Clinical Journal of the American Society of Nephrology*, 12(4), 687–693. <https://doi.org/10.2215/CJN.01650216>
- Carpenito, L. J., 1998, Buku Saku Diagnosa Keperawatan, Edisi 6, Alih Bahasa: Yasmin Asih, EGC, Jakarta.
- Castleberry, A. (2014) 'NVivo 10 [software program]. Version 10. QSR International; 2012.', *American Journal of Pharmaceutical Education*, 78(1), p. 25. doi: 10.5688/ajpe78125.
- Çelik, G., Annagur, B. B., Yilmaz, M., Demir, T., & Kara, F. (2012). Are sleep and life quality of family caregivers affected as much as those of hemodialysis patients? *General Hospital Psychiatry*, 34(5), 518–524. <https://doi.org/10.1016/j.genhosppsych.2012.01.013>
- Cho, M. K., & Shin, G. (2016). Gender-based experiences on the survival of chronic renal failure patients under hemodialysis for more than 20 years. *Applied Nursing Research*, 32, 262–268. <https://doi.org/10.1016/j.apnr.2016.08.008>
- Cohen, S. D., Cukor, D., & Kimmel, P. L. (2016). Anxiety in patients treated with hemodialysis. *Clinical Journal of the American Society of Nephrology*, 11(12), 2250–2255. <https://doi.org/10.2215/CJN.02590316>
- Colaizzi, P. (1978). Psychological research as the phenomenologist views it. New York: Oxford University Press.
- Combs, S. A., Teixeira, J. P., & Germain, M. J. (2015). Pruritus in Kidney Disease. *Seminars in Nephrology*, 35(4), 383–391. <https://doi.org/10.1016/j.semnephrol.2015.06.009>
- Coren, S. 1994. The prevalence of self-reported sleep disturbances in young adults. *International Journal of Neuroscience*, Vol. 79, Iss. 1-2, pp. 67-73; doi:10.3109/00207459408986068
- Cresswell, J.W. (2002). Pendekatan penelitian kualitatif dan kuantitatif (Suparlan & Parsudi, penerjemah.). Jakarta: KIK Press.

- Crosby, E., Ferguson, D., Hume, A. N., Kronick, J. B., Larke, B., LeBlond, P., McLellan, B., and Waekentin, T., E., 1997, Guidelines for Red Blood Cell and Plasma Transfusion for Adults and Children. *Canadian Medical Association Journal*, 156.
- Davey Patrick, 2002. At a Glance Medicine, Jakarta EMS, P138-139
- De Santo, R.M., Lucidi, F., Vionali, C., Di Iorio, B.R. 2005. Sleep disorder in hemodialyzed patients: the role of comorbidities. *The International Journal of Artificial Organs*, 28, 557-565.
- Effendi, I. & Markum, H.M.S., 2014. Pemeriksaan Penunjang Pada Penyakit Ginjal. In Ilmu Penyakit Dalam. Jakarta: Interna Publishing.
- Effendy, C., Vissers, K., Osse, B. H. P., Tejawinata, S., Vernooij-Dassen, M., & Engels, Y. (2015). Comparison of Problems and Unmet Needs of Patients with Advanced Cancer in a European Country and an Asian Country. *Pain Practice*, 15(5), 433–440. <https://doi.org/10.1111/papr.12196>
- Elias, R. M., Chan, C. T., & Bradley, T. D. (2016). Altered sleep structure in patients with end-stage renal disease. *Sleep Medicine*, 20, 67–71. <https://doi.org/10.1016/j.sleep.2015.10.022>
- Eureka, S. (2018). Pengaruh Modifikasi Latihan Pasrah Diri Terhadap Kualitas Tidur pada Pasien dengan Penyakit Ginjal Kronik yang Menjalani Hemodialisis.
- Eslami, A. A., Rabiei, L., Khayri, F., Reza, M., & Nooshabadi, R. (2014). Sleep Quality and Spiritual Well-Being in Hemodialysis Patients, 16(7). <https://doi.org/10.5812/ircmj.17155>
- Ezzat, H., & Mohab, A. (2015). Prevalence of sleep disorders among ESRD patients. *Renal Failure*, 00(00), 1–7. <https://doi.org/10.3109/0886022X.2015.1044401>
- F, N. T., U, J. J., & N, S. R. (2016). A systematic review of sleep disorders in patients with chronic kidney disease undergoing hemodialysis, 2164–2170.
- Farese, S., Budmiger, R., Aregger, F., Bergmann, I., Frey, F.J., Uehlinger, D.E., (2008). Effect of Transcutaneous Electrical Muscle Stimulation and Passive Cycling Movements on Blood Pressure and Removal of Urea and Phosphate During Hemodialysis. *American Journal of Kidney Diseases*, 52, 745-752; doi: 10.1053/j.ajkd.2008.03.017.
- Fincham, D., & Kagee, A. (2008). Dietary and fluid adherence among haemodialysis patients attending public sector hospitals in the Western Cape, 21(2), 7–12.
- F.Reichsman, B. L. (1972). Problems in Adaptation to Maintenance Hemodialysis. *Arch Intern Med/ Vol 130, Dec 172, 130(Dec 1972), 859.*

- Ganong, W. F. 2012. Buku Ajar Fisiologi Kedokteran. Jakarta: EGC
- Gerogianni, S. K and F. P. Babatsikou. 2014. Social Aspects of Chronic Renal Failure in Patients Undergoing Haemodialysis. *International Journal of Caring Sciences*, 7(3).
- Geron, R., Shurtz-Swirski, R., Sela, S., Gurevitch, Y., Tanasijtchouk, T., Orr, Z., S., Shkolnik, G., Tanhilevski, O., Kristal, B., (2006). Polymorphonuclear leucocyte priming in long intermittent nocturnal hemodialysis patients--is melatonin a player? *Nephrol Dial Transplant*. 21, 3196-3201; doi:10.1093/ndt/gfl359.
- Gigli, G.L., Adorati, M., Dolso, P., Piani, A., Brotini, S., & Budai, R. (2004). Restless legs syndrome in end-stage renal disease. *Sleep Medicine*, Vol. 5, pp. 309–315.
- Guyton, A. C., Hall, J. E., 2014. Buku Ajar Fisiologi Kedokteran. Edisi 12. Jakarta: EGC.
- Hakim, R. M. (2013). Hemodialysis. *National Kidney Foundation's Primer on Kidney Diseases, Sixth Edition*, 508–519. <https://doi.org/10.1016/B978-1-4557-4617-0.00058-3>
- Hanly, P.J., Gabor, J.Y., Chan, C., & Pierratos, A. (2003). Daytime sleepiness in patients with CRF: impact of nocturnal hemodialysis. *American Journal of Kidney Diseases*, Vol. 41, pp. 403-410.
- Hao, G., Lu, W., Huang, J., Ding, W., Wang, P., Wang, L., ... Hou, L. (2018). Predialysis fluid overload linked with quality of sleep in patients undergoing hemodialysis. *Sleep Medicine*, 51, 140–147. <https://doi.org/10.1016/j.sleep.2018.07.011>
- Hashemi, M. S., Irajpour, A., & Abazari, P. (2018). Improving Quality of Care in Hemodialysis: a Content Analysis. *Journal of Caring Sciences*, 7(3), 149–155. <https://doi.org/10.15171/jcs.2018.024>
- Hatata, E., Zeid, M., Mourad, S., Wahab, N. A., & Kotb, H. (2014). Sleep apnea in egyptian patients with end stage renal disease: Effect of hemodialysis. *Chest*, 146(4), 2014. <https://doi.org/10.1378/chest.1994760>
- Hermalinda, Rustina, Y., & Novieastar, E. (2003). Pengalaman orang tua dalam penggunaan pengobatan alternatif pada anak yang menderita kanker di jakarta.
- Hidayat, A. A. A. (2006). Pengantar Kebutuhan Dasar Manusia: Aplikasi Konsep dan Proses Keperawatan. Jakarta. Salemba Medika.
- Ikemoto, K., & City, I. (2014). Effects of Sunbathing on Insomnia , Behavioural Disturbance and Serum Melatonin Level, (January 2010).

- International Restless Legs Syndrome Study Group (IRLSSG) (2003). Validation of the international restless legs syndrome study group rating scale for restless legs syndrome. *Sleep Medicine*, Vol. 4, pp. 121–132.
- Japardi, Iskandar. 2002. *Gangguan Tidur*. Sumatra Utara: Fakultas Kedokteran Bagian Bedah USU.
- John W. Creswell-Research Design_ Qualitative, Quantitative, and Mixed Methods Approaches-SAGE Publications, Inc (2008).pdf.
- Ludemann, P., Zwernemann, S. & Lerchl, A. (2001). Clearance of melatonin and 6-sulfatoxymelatonin by hemodialysis in patients with end-stage renal disease. *Journal of Pineal Research*. 31, 222-227
- Kallenbach, J.Z., Gutch, C.F., Stoner. M. H., & Corea, A. L. (2005). *Review of Hemodialysis for Nurses and Dialysis Personnel*. USA Philadelphia: Elsevier Mosby
- Kaczor T., 2010. An overview of melatonin and breast cancer. *Natural Medicine Journal*, 2(2).
- Kennedy, C., Costello, S. A. R. T. K. R. W., & Conlon, P. J. (2017). The impact of change of renal replacement therapy modality on sleep quality in patients with end-stage renal disease : a systematic review and meta-analysis. *Journal of Nephrology*, 0(0), 0. <https://doi.org/10.1007/s40620-017-0409-7>
- Keyhanmehr, A. S., Movahhed, M., Sahranavard, S., Gachkar, L., & Hamdieh, M. (2018). The Effect of Aromatherapy with Rosa damascena Essential Oil on Sleep Quality in Children, 5(July 2017), 41–46.
- Kim, T. W., Jeong, J., & Hong, S. (2015). The Impact of Sleep and Circadian Disturbance on Hormones and Metabolism, 2015.
- Koch, Birgit. 2009. *End-stage renal disease: sleep disturbances and the biological clock*. Nierstichting Nederland: Print Partners Ipskamp
- Konofal, E., Arnulf, I., Lecendreux, M., & Mouren, M.C. (2005). Ropinirole in a child with attention-deficit hyperactivity disorder and restless legs syndrome. *Pediatric Neurology*, Vol. 32, pp. 350-351.
- Lacks, P., Bertelson, A.D., Sugerman, J., & Kunkel, J. (1996). The treatment of sleep maintenance insomnia with stimulus-control techniques. *Behaviour Research and Therapy*, Vol. 21, pp. 291-295.
- Lindner, A. V., Novak, M., Bohra, M., & Mucsi, I. (2015). Insomnia in Patients With Chronic Kidney Disease. *Seminars in Nephrology*, 35(4), 359–372. <https://doi.org/10.1016/j.semnephrol.2015.06.007>

- LeMone, P., & Burke. (2008). *Medical surgical nursing: Critical thinking in client care.* (4th ed). Pearson Prentice Hall: New Jersey
- Madjid dan Suharyanto. 2009. *Asuhan Keperawatan Pada Klien Dengan Gangguan Sistem Perkemihan/Toto* Suharyanto, Abdul Madjid; Copy Editor: Agung Wijaya, A.md-Jakarta: TIM
- Maria, C., Queiroz, F. De, Sá, J. D. De, Isabel, M., & Macedo, D. (2016). Body changes experienced by patients with chronic kidney disease undergoing hemodialysis *Modificações corporais vivenciadas por pacientes com doença renal crônica em hemodiálise* Modificaciones corporales experimentadas por pacientes con dolencia renal cró, 311–320.
- Martin, J. (2000). Assessment and treatment of sleep disturbances in older adults. *Clinical Psychology Review*, Vol. 20, No. 6, pp. 783–805.
- Mehrabi, S., Sarikhani, S., & Roozbeh, J. (2017). Sleep Quality in Patients Undergoing Long-term Hemodialysis Using the Pittsburgh Sleep Quality Index. *Nephro-Urology Monthly*, 9(2), 2–7. <https://doi.org/10.5812/numonthly.44278>
- Merlino, P.G., Dolso, P., Adorati, M., Cancelli, I., Valente, M., Gigli, G.L.(2006) Sleep Disorders in Patients with End Stage Renal Disease Undergoing Dialysis Therapy. *Nephrology Dialysis Transplantation*; 21:184-190; doi:10.1093/ndt/gfi144
- Moleong, L. (2006). *Metodologi penelitian kualitatif.* Bandung. Remaja Rosdakarya.
- Momennasab, M., Ranjbar, M., & Najafi, S. S. (2018). Comparing the effect of listening to music during hemodialysis and at bedtime on sleep quality of hemodialysis patients: A randomized clinical trial. *European Journal of Integrative Medicine*, 17 (December 2017), 86–91. <https://doi.org/10.1016/j.eujim.2017.12.001>
- Montgomery, P., & Dennis, J. (2004). A systematic review of nonpharmacological therapies for sleep problems in later life. *Sleep Medicine Reviews*, Vol. 8, pp. 47–62.
- Morin, C.M., Colecchi, C., Stone, J., Sood, R., & Brink, D. (1999). Behavioral and pharmacological therapies for late-life insomnia: a randomized controlled trial. *JAMA*, Vol. 281, pp. 991–999.
- Morgan, K., Dixon, S., Mathers, N., Thompson, J., & Tomeny, M (2003). Psychological treatment for insomnia in the management of long-term hypnotic drug use: a pragmatic randomised controlled trial. *British Journal of General Practice*, Vol. 53, pp. 923–928.
- Navarro, V., Oshiro, H., & Pe, B. (2015). *Diálisis y Trasplante Factores asociados*

- a mala calidad de sue ~ pacientes con insuficiencia renal crónica en, 36(1), 20–26. <https://doi.org/10.1016/j.dialis.2015.02.002>
- Niu, H. yan, & Liu, J. feng. (2017). The psychological trajectory from diagnosis to approaching end of life in patients undergoing hemodialysis in China: A qualitative study. *International Journal of Nursing Sciences*, 4(1), 29–33. <https://doi.org/10.1016/j.ijnss.2016.10.006>
- Novak, M., Shapiro, C.M., Mendelssohn, D., Mucsi. (2006) Diagnosis and Management of Insomnia in Dialysis Patients. *Seminar in Dialysis*. Vol.19 (1):25-31
- Parker, K.P., Bliwise, D.L. & Rye, D.B. (2000). Hemodialysis disrupts basic sleep regulatory mechanisms: building hypotheses. *Journal of Nursing Research*. 49, 327-332
- Patlak, M. 2005. Your Guide to Healthy Sleep. U.S. Department of Health and Human Services. Diakses dari www.nhlbi.nih.gov/helath/public/helathy_sleep.pdf
- Polit, D.F., & Hungler B. Nursing: generating and assessing vidence for nursing practice. Eight edition. 2012.
- Potter, P.A, Perry, A.G. Buku Ajar Fundamental Keperawatan: Konsep, Proses, dan Praktik. Edisi 4. Volume 2. Alih Bahasa: Renata Komalasari, dkk. Jakarta: EGC. 2005
- Pourghaznein, T., Heydari, A., & manzari, Z. sadat. (2018). Iranian mothers' Experiences with Children Undergoing Hemodialysis: A Hermeneutic Phenomenological Study. *Journal of Pediatric Nursing*. <https://doi.org/10.1016/j.pedn.2018.06.006>
- Press, D. (2016). Insomnia in patients on hemodialysis for a short versus long duration, 2293–2298.
- Price, Sylvia Anderson. Patofisiologi: Konsep Klinis Proses-Proses Penyakit. Ed.6. Jakarta: EGC; 2005
- Pustaka, T. (2004). Terapi komplementer dalam keperawatan.
- Rahardjo, P., Susalit, E. dan Suhardjono. 2006. Buku ajar ilmu penyakit dalam. IPD: FK UI.
- Rahayu, T. (2009). Insomnia dan Penanganannya. *Wacana Universitas Negeri Yogyakarta*, 86–94.
- RLS Foundation. 2008. Patient Guide to End-Stage Renal Disease (ESRD) and RLS. RLS Foundation: Rochester dari <http://www.rls.org/document.doc?Id=1714>

- Sabbatini, M., Minale, B., Crispo, A. (2002) Insomnia in Maintenance Hemodialysis Patients. *Nephrology Dialysis Transplantation* 17: 852856. <http://ndt.oxfordjournals.org/cgi/content/short/17/5/852>
- Sabry, A.A., Zenah, H.A., Wafa, E., Mahmoud, K. (2010). Sleep Disorders in Hemodialysis Patients. *Saudy Journal of Kidney Diseases and Transplantation*. Vol. 21 (2): 300-305.
- Salehi-tali, S., Ahmadi, F., Zarea, K., & Fereidooni-Moghadam, M. (2018). Commitment to care: the most important coping strategies among family caregivers of patients undergoing haemodialysis. *Scandinavian Journal of Caring Sciences*, 32(1), 82–91. <https://doi.org/10.1111/scs.12432>
- Salehitali, S., Ahmadi, F., Hasanpour Dehkordi, A., Noorian, K., Fereidooni-Moghadam, M., & Zarea, K. (2018). Progressive exhaustion: A qualitative study on the experiences of Iranian family caregivers regarding patients undergoing hemodialysis. *International Journal of Nursing Sciences*, 5(2), 193–200. <https://doi.org/10.1016/j.ijnss.2018.01.005>
- Salerno, F. R., Parraga, G., & Mcintyre, C. W. (2016). Review. <https://doi.org/10.1111/sdi.12548>
- Santos, V. F. C. dos, Borges, Z. N., Lima, S. O., & Reis, F. P. (2018). Percepções, significados e adaptações à hemodiálise como um espaço liminar: a perspectiva do paciente. *Interface - Comunicação, Saúde, Educação*, 22(66), 853–863. <https://doi.org/10.1590/1807-57622017.0148>
- Science, A., & Press, P. (2006). The safety issue in aromatherapy.
- Sekercioglu, N., Curtis, B., Murphy, S., Barrett, B., Sekercioglu, N., Curtis, B., ... Barrett, B. (2015). Sleep quality and its correlates in patients with chronic kidney disease: a cross-sectional design a cross-sectional design, 6049(November). <https://doi.org/10.3109/0886022X.2015.1024555>
- Septiwi, C. (2011). *Hubungan antara..., Cahyu Septiwi, FIK UI, 2011.*
- Shafi, S. T., & Shafī, T. (2017). A comparison of quality of sleep between patients with chronic kidney disease not on hemodialysis and end-stage renal disease on hemodialysis in a developing country. *Renal Failure*, 39(1), 623–628. <https://doi.org/10.1080/0886022X.2017.1361836>
- Sherwood, Laura Iee. 2011. *Fisiologi Manusia*. Jakarta: EGC.
- Siddiqui, S., & Kavanagh, D. (2005). Risk factors for restless legs syndrome in dialysis patients. *Nephron Clinical Practice*, Vol. 101, pp. 155–60.
- Sloand, J.A., Shelly, M.A., Feigin, A., Bernstein, P., & Monk, R.D. (2004). A double blind, placebo-controlled trial of intravenous iron dextran therapy in patients with ESRD and restless legs syndrome. *American Journal of Kidney Diseases*, Vol. 43, pp. 663-670.

- Smeltzer, Suzane C., and Bare, Brenda G., (2008). Buku Ajar Kesehatan Medical Bedah, Volume 2, Edisi 8. Jakarta: Buku Kedokteran EGC.
- Smith, M. & Segal. 2010. How Much Sleep Do You Need? Sleep Cycles & Stages, Lack of Sleep, and Getting The Hours You Need. Diakses dari www.helpguide.org/life/sleeping.htm
- Smith, M.T., Perlis, M.L. Park, A., Smith, M.S., Pennington, J., Giles, D.E., & Buysse, D.J. (2002). Comparative meta-analysis of pharmacotherapy and behavior therapy for persistent insomnia. *American Journal of Psychiatry*, Vol. 159, pp. 5–11.
- Speziale, H.J.S., & Carpenter, D.R. (2003). *Qualitative research in nursing: Advancing the humanistic imperative*. (3rd Ed.). Lippincott: Philadelphia.
- Spielman, A.J., Saskin, P., & Thorpy, M.J. (1987). Treatment of chronic insomnia by restriction of time in bed. *Sleep Medicine*, Vol. 10, pp. 45-56.
- Susanti, N. (2012). EFEKTIFITAS KOMPRES DINGIN DAN HANGAT PADA PENATALEKSANAAN DEMAM. *SAINSTIS*, 1(1), 55–64.
- Suwitra. K. 2006. Penyakit Ginjal Kronik. Dalam Sudoyo, A.W., dkk., Editor. Buku Ajar Ilmu Penyakit Dalam. Jilid I. Edisi keempat. Penerbit Departemen Ilmu Penyakit Dalam FKUI. Jakarta.
- Swartzendrubber, Donna, Smith, Lyle; Peacock, Eileen; McDillon, Debra. (2008) *Hemodialysis Procedures and Complications*
- Syamsiah, N. 2011. Faktor-Faktor yang Berhubungan dengan Kepatuhan Pasien CKD yang Menjalani Hemodialisa di RSPAU Dr Esnawan Antariksa
- Suharyanto, Toto, Madjid, Abdul. (2009). Asuhan Keperawatan pada Klien dengan Gangguan Sistem Perkemihan. Jakarta: TIM
- Szentkiralyi, A., Madarasz, Z, C., & Novak, M. (2009). Sleep disorders : impact on daytime functioning and quality of life. *Rev, Expert Res, Pharmacoeconomics Outcomes Sciences, Behavioral*, 9, 49–64.
- Tabrizi, F. M., & Alizadeh, S. (2017). Cancer Related Fatigue in Breast Cancer Survivors: in Correlation to Demographic Factors. *Maedica*, 12(2), 106–111.
- Tatomir, P., Seic, D.B. A., Buga, C., & Covic, A. (2007). Sleep disorders: a systematic review of an emerging major clinical issue in renal patients. *International Urology and Nephrology*, Vol. 39, pp. 1217–1226
- Technology, B. O. F., & Sahu, B. K. (2015). Experimental investigation of turning of a thesis submitted in partial fulfillment of the requirements for the degree of, (May).

- Teixeira Dos Santos, T., & Moraes De Almondes, K. (2015). Sleep quality in chronic kidney patients: A systematic review. *Biological Rhythm Research*, 46(6), 833–845. <https://doi.org/10.1080/09291016.2015.1056436>
- Unruh, M.L., Levey, A.S., D'Ambrosio, C. Fink, N.E., Powe, N., & Myer, B.K. (2004). Restless legs symptoms among incident dialysis patients: Association with Lower Quality of Liver and Shorter Survival (CHOICE). *American Journal of Kidney Diseases*, Vol. 43, No. 5, May, pp. 900–909.
- Urquhart-Secord, R., Craig, J. C., Hemmelgarn, B., Tam-Tham, H., Manns, B., Howell, M., ... Tong, A. (2016). Patient and Caregiver Priorities for Outcomes in Hemodialysis: An International Nominal Group Technique Study. *American Journal of Kidney Diseases*, 68(3), 444–454. <https://doi.org/10.1053/j.ajkd.2016.02.037>
- Wavy, 2008. The Relationship Between Time Management, Perceived Stress, Sleep Quality And Academic Performance Among University.
- Walker, R. C., Dist, M. N., Hanson, C. S., Hons, B., Palmer, S. C., Howard, K., ... Tong, A. (2015). Patient and Caregiver Perspectives on Home Hemodialysis: A Systematic Review. *American Journal of Kidney Diseases*, 65(3), 451–463. <https://doi.org/10.1053/j.ajkd.2014.10.020>
- Walker, S.L., Fine, A., & Kryger, M.H. (1996). L-DOPA/carbidopa for nocturnal movement disorders in uremia. *Sleep Medicine*, Vol. 19, pp. 214–218.
- Wicaksono, D., Yusuf, A., & Widyawati, I, Y. (2012). Analisis Faktor Dominan yang Berhubungan dengan Kualitas Tidur pada Mahasiswa Fakultas Keperawatan Universitas Airlangga. *Fundamental D& Management Nursing Journal*, Vol. 1 No.(1), 46–58.
- Yang, J. (2017). An Alternative View of Living Well: Survival Trajectory of Korean Patients with Kidney Failure on Hemodialysis. *Nephrology Nursing Journal*, 44(3), 219–229. Retrieved from <http://search.ebscohost.com/login.aspx?direct=true&db=c8h&AN=123660935&lang=pt-br&site=ehost-live&authtype=ip,cookie,uid>
- Yang, X. H., Zhang, B. L., Gu, Y. H., Zhan, X. L., Guo, L. L., & Jin, H. M. (2018). Association of sleep disorders, chronic pain, and fatigue with survival in patients with chronic kidney disease: a meta-analysis of clinical trials. *Sleep Medicine*, 51, 59–65. <https://doi.org/10.1016/j.sleep.2018.06.020>
- Yildiz, D., Kahvecioğlu, S., Buyukkoyuncu, N., Kilic, A. K., Yildiz, A., Gul, C. B., ... Yildiz, A. (2015). Restless-legs syndrome and insomnia in hemodialysis patients, 6049(November). <https://doi.org/10.3109/0886022X.2015.1111118>
- Zoccali, C., Mallamaci, F., & Tripepi, G. (2001). Sleep Apnea in Renal Patients. *Diseases Journals of the American Society of Nephrology*, Vol. 12, pp. 2854–2859.

Zubair, U. Bin, & Butt, B. (2017). Association Of Quality Of Sleep With Cognitive Decline Among The Patients Of Chronic Kidney Disease Undergoing Haemodialysis. *Journal of Ayub Medical College, Abbottabad : JAMC*, 29(4), 619–622.