

## DAFTAR PUSTAKA

- Alligood, M.R., 2014. *Nursing Theorist and Their Works*, 8th ed. Elsevier Ltd.
- American Psychiatric Association (APA) (2013) 'Trauma- and stressor-related disorders. Diagnostic and statistical manual of mental disorders', *American Psychiatric Association.*, 5th Ed.
- Ammertorp, J. *et al.* (2013) 'Can life coaching improve health outcomes? – A systematic review of intervention studies'.
- Armington, S. E. (2015) 'Take a Deep Breath : How Yoga Postures and Breathing Techniques Can Impact PTSD Symptoms'.
- Barakat, S. *et al.* (2017) 'Does Health Coaching Grow Capacity', 00(00). doi: 10.1089/pop.2017.0040.
- Bisson, J. (2010) 'Post-traumatic stress disorder Search date March 2009 Mental health Post-traumatic stress disorder', (March 2009).
- Black, D. *et al.* (2014) 'Psychological First Aid 実施の手引き 第 2 版', 3. doi: 10.1080/10020070512331342430.
- BNPB (2017) *Tanggap Tangkas Tangguh Menghadapi Bencana*.
- BNPB (2018) 'Pedoman penyusunan rencana penanggulangan bencana'.
- Boehmer, K. R. *et al.* (2016) 'Health coaching interventions for persons with chronic conditions : a systematic review and meta-analysis protocol', *Systematic Reviews*. *Systematic Reviews*, pp. 1–7. doi: 10.1186/s13643-016-0316-3.
- Bromet, E. J. *et al.* (2017) 'Post-traumatic stress disorder associated with natural and human-made disasters in the World Mental Health Surveys', (January 2016), pp. 227–241. doi: 10.1017/S0033291716002026.
- Cinar, A. B. and Schou, L. (2014) 'The role of self-efficacy in health coaching and health education for patients with type 2 diabetes'. doi: 10.1111/idj.12093.
- Commerz, M. J., Morival, M. and Devries, M. W. (2012) 'Toward best-practice post-disaster mental health promotion for children : Sri Lanka', 29(1), pp. 165–170. doi: 10.1093/heapro/das047.
- Contzen, N. and Mosler, H. (2013) 'Impact of different promotional channels on handwashing behaviour in an emergency context: Haiti post-earthquake public health promotions and cholera response', pp. 559–573. doi: 10.1007/s10389-013-0577-4.
- Dejonghe, L. A. L. *et al.* (2017) 'Long-term effectiveness of health coaching in rehabilitation and prevention: A systematic review', *Patient Education and Counseling*. Elsevier Ireland Ltd, 100(9), pp. 1643–1653. doi: 10.1016/j.pec.2017.04.012.
- Ehlers, A., Hackmann, A. and Michael, T. (2004) 'Intrusive re-experiencing in post-traumatic stress disorder : Phenomenology , theory , and therapy', 12(4), pp. 403–415. doi: 10.1080/09658210444000025.
- Ellingson, L. D. and Welk, G. J. (2017) 'Comparison of In-Person and Online Motivational Interviewing–Based Health Coaching', pp. 1–9. doi: 10.1177/1524839917746634.

- Fiorillo, D. *et al.* (2016) 'Evaluation of a Web-based Acceptance and Commitment Therapy Program for Women with Trauma-related Problems: A Pilot Study', *Journal of Contextual Behavioral Science*. Elsevier. doi: 10.1016/j.jcbs.2016.11.003.
- Gellatly, R. and Beck, A. T. (2016) 'Catastrophic Thinking: A Transdiagnostic Process Across Psychiatric Disorders', *Cognitive Therapy and Research*. New York: Springer Nature B.V., 40(4), pp. 441–452. doi: <http://dx.doi.org/10.1007/s10608-016-9763-3>.
- Ghahramani, Z., Mehrpour, A. and Shayan, L. (2013) 'Positive Psychological Aspects on Posttraumatic Stress Disorder after Traumatic Brain Injury', 1(4), pp. 139–140.
- Giusef, D. L. *et al.* (2009) 'Women Using a Web - based Digital Health Coaching Programme for Stress Management : Stress Sources , Symptoms and Coping Strategies', pp. 269–281. doi: 10.1002/smi.1389.
- Hale, R. (2017) 'Cost-Effectiveness of Health Coaching', 22(5), pp. 228–238. doi: 10.1097/NCM.0000000000000223.
- Harvey, S. (2017) *Post-Traumatic Stress Disorder, Harvard Health Publications. Harvard Commentaries on Health*. Boston: Harvard Health Publications. Available at: <https://search.proquest.com/docview/1993103672?accountid=31533>.
- Health Education East of England (2014) 'Does health coaching work?', (April).
- Hidayat, A. A. (2014) 'Metodologi Penelitian Kebidanan & Teknik Analisis Data Contoh Aplikasi Studi Kasus'. Jakarta: Salemba Medika.
- Huffman, M. (2007) 'Health Coaching : A New and Exciting Technique to Enhance Patient Self-Management and Improve Outcomes', 25(4), pp. 271–274.
- Huffman, M. H. (2016) 'Advancing the Practice of Health Coaching: Differentiation From Wellness Coaching.', *Workplace health & safety*, XX(September), pp. 400–403. doi: 10.1177/2165079916645351.
- Husbands, C. (2018) 'Understanding PTSD', *Occupational Health & Wellbeing*. Sutton: DVV Media UK Limited, 70(9), pp. 13–15. Available at: <https://search.proquest.com/docview/2125617753?accountid=31533>.
- Jackson, S. F. *et al.* (2016) 'Evidence for the value of health promotion interventions in natural disaster management', pp. 1–10. doi: 10.1093/heapro/daw029.
- Jefferson, V. *et al.* (2011) 'Coping Skills Training in a Telephone Health Coaching Program for Youth at Risk for Type 2 Diabetes', *Journal of Pediatric Health Care*. Elsevier Ltd, 25(3), pp. 153–161. doi: 10.1016/j.pedhc.2009.12.003.
- Jonk, Y. *et al.* (2015) 'How Effective is Health Coaching in Reducing Health Services Expenditures ?', 53(2), pp. 133–140.
- Kelman, E. and Wheeler, S. (2015) 'Cognitive Behaviour Therapy with children who stutter', *Procedia - Social and Behavioral Sciences*, 193, pp. 165–174. doi: <https://doi.org/10.1016/j.sbspro.2015.03.256>.
- Kim, S. H. (2014) 'Mind-body Practices for Posttraumatic Stress Disorder', 61(5), pp. 827–834. doi: 10.231/JIM.0b013e3182906862.Mind-body.

- Lee, S. O. (2017) 'The Effect of Health Coaching Programs on Self-Efficacy , Health Behaviors, and Quality of Life in Hypertensive People Living in Poverty', 47(3), pp. 380–391.
- Lemeshow, S. *et al.* (1990) *Adequacy of Sample Size in Health Studies*, John Wiley & Sons. Chichester. doi: 10.1080/00401706.1994.10485796.
- Linden, A. *et al.* (2010) 'Motivational interviewing-based health coaching as a chronic care intervention', 16, pp. 166–174. doi: 10.1111/j.1365-2753.2009.01300.x.
- Macadam, C. (2014) 'Health Coaching – a powerful approach to support Self-Care'.
- Macauley, K. *et al.* (2018) 'Prevalence and Predictors of Anxiety in Healthcare Professions Students', *Health Professions Education*, 4(3), pp. 176–185. doi: <https://doi.org/10.1016/j.hpe.2018.01.001>.
- Metzger, L. J. *et al.* (2004) 'PTSD Arousal and Depression Symptoms Associated With Increased Right-Sided Parietal EEG Asymmetry', 113(2), pp. 324–329. doi: 10.1037/0021-843X.113.2.324.
- Mundakir (2011) 'Dampak Psikososial Akibat Bencana Lumpur Lapindo', *Jurnal Ners*, 6(No. 1), pp. 2–49.
- National Health Service (2014) *Does health coaching work*. Available at: <https://eoeleadership.hee.nhs.uk/>.
- Neuner-Jehle, S., Schmid, M. and Grüniger, U. (2013) 'The “health Coaching” programme: A new patient-centred and visually supported approach for health behaviour change in primary care', *BMC Family Practice*, 14, pp. 2–9. doi: 10.1186/1471-2296-14-100.
- Norris, A. E. and Aroian, K. J. (2015) 'Disorder in Arab Immigrant Women', 21(5), pp. 471–478. doi: 10.1002/jts.20363.Avoidance.
- Nursalam (2016) *Metodologi Penelitian Ilmu Keperawatan*.
- Nursalam, M. (2015) 'Metodologi Penelitian Ilmu Keperawatan Edisi ke-4'. Jakarta: Penerbit Salemba Medika.
- Olsen, J. M. (2012) 'Health Coaching : A Concept Analysis'.
- Olsen, J. M. and Nesbitt, B. J. (2010) 'Health Coaching to Improve Healthy Lifestyle Behaviors : An Integrative Review', 25(1), pp. 1–13. doi: 10.4278/ajhp.090313-LIT-101.
- Papendick, M. and Bohner, G. (2017) ““Passive victim – strong survivor”? Perceived meaning of labels applied to women who were raped”, *PLoS One*. San Francisco: Public Library of Science, 12(5). doi: <http://dx.doi.org/10.1371/journal.pone.0177550>.
- Pemberton, R. and Wainwright, T. (2014) 'The end of mental illness thinking?', *International Journal of Clinical and Health Psychology*, 14(3), pp. 216–220. doi: <https://doi.org/10.1016/j.ijchp.2014.05.003>.
- Qi, W., Gevonden, M. and Shalev, A. (2016) 'Prevention of Post-Traumatic Stress Disorder After Trauma: Current Evidence and Future Directions', *Current Psychiatry Reports*, 18(2), pp. 1–11. doi: 10.1007/s11920-015-0655-0.
- Rehman, H. *et al.* (2017) 'Effect of a Motivational Interviewing-Based Health Coaching on Quality of Life in Subjects With COPD', (C), pp. 1–6. doi: 10.4187/respcare.04984.

- Reilly, C. *et al.* (2015) 'Symptoms of anxiety and depression in school-aged children with active epilepsy: A population-based study', *Epilepsy & Behavior*, 52, pp. 174–179. doi: <https://doi.org/10.1016/j.yebeh.2015.09.004>.
- Schnurr, P. P. *et al.* (2017) 'What I have changed my mind about and why: public health and technology perspectives in the field of trauma studies TT - Sobre qué he cambiado de opinión y por qué: Las perspectivas de salud pública y tecnología en el campo de los estudios de trauma', *European Journal of Psychotraumatology*. National Center for PTSD, White River Junction, VT, USA ; University of New South Wales, Sydney, Australia ; Harborview Center for Sexual Assault and Traumatic Stress, Seattle, WA, USA ; Medical University of South Carolina, Charleston, SC, USA ; Universi: Taylor & Francis Ltd., 8, pp. 1–6. doi: <http://dx.doi.org/10.1080/20008198.2017.1372007>.
- Tian, X. *et al.* (2014) 'Original Article Health education and promotion at the site of an emergency : experience from the Chinese Wenchuan earthquake response', 0(September 2013), pp. 1–12. doi: 10.1177/1757975914547711.
- Undang-Undang RI (2007) 'Undang-Undang Republik Indonesia Nomor 24 Tahun 2007 tentang Penanggulangan Bencana'.
- University of California San Francisco (2014) 'Health Coaching in Primary Care – Intervention Protocol'.
- Vadas, L. *et al.* (2012) 'The effects of music relaxation and muscle relaxation techniques on sleep quality and emotional measures among individuals with posttraumatic', 4. doi: 10.4081/mi.2012.e13.
- Veenema, T. G. (2007) *Disaster Nursing and Emergency Preparedness for Chemical, Biological and Radiological Terrorism and other Hazards*.
- Wang, L. and Mårtensson, J. (2018) 'Experiences of a health coaching self-management program in patients with COPD : a qualitative content analysis', pp. 1527–1536.
- Widayatun and Fatoni, Z. (2013) 'Permasalahan Kesehatan dalam Kondisi Bencana: Peran Petugas Kesehatan dan Partisipasi Masyarakat', 8(1).
- Wolever, R. Q. *et al.* (2015) 'Integrative Health Coaching for Patients With Type 2 Diabetes', pp. 629–639. doi: 10.1177/0145721710371523.
- Wong-rieger, D. and Rieger, F. P. (2013) 'Health Coaching in Diabetes : Empowering Patients to Self-Manage', *Canadian Journal of Diabetes*. Elsevier Ltd, 37(1), pp. 41–44. doi: 10.1016/j.jcjd.2013.01.001.
- Wong, H. T. and Li, S. (2016) 'Healthcare Services Demand in Post-disaster Settings : The 2014 Earthquake in Ludian County , Yunnan Province , China', *International Journal of Disaster Risk Science*. Beijing Normal University Press, 7(4), pp. 445–449. doi: 10.1007/s13753-016-0107-4.
- Wynn, B. S. T. (2015) 'Natural Disasters : Planning for Psychological First Aid', pp. 1–5. doi: 10.1097/CNJ.0000000000000226.
- Wynn, S. T. (2017) 'Natural Disasters: Planning for Psychological First Aid', *Journal of Christian nursing : a quarterly publication of Nurses Christian Fellowship*, 34(1), pp. 24–28. doi: 10.1097/CNJ.0000000000000226.