

DAFTAR PUSTAKA

- Anusavice, KJ (2013) 'Phillips' Science of Dental Materials. 12th Edition.' Missouri: Elsevier. p. 63-64
- Amaechi, B. T. *et al.* (2013) 'Remineralization of artificial enamel lesions by theobromine', *Caries Research*, 47(5), pp. 399–405. doi: 10.1159/000348589.
- Arief P, E. and Kunarti, S. (2007) 'The effect of acidulated phosphate fluoride application on dental enamel surfaces hardness', *Dental Journal (Majalah Kedokteran Gigi)*, 40(3), p. 144. doi: 10.20473/j.djmk.v40.i3.p144-147.
- Avidhianita, D. *et al.* (2018) 'Effect of Acidulated Phosphate Fluoride Gel Application on the Surface Roughness of Resin Sealant', *Journal of Physics: Conference Series*, 1073, p. 032007. doi: 10.1088/1742-6596/1073/3/032007.
- Baharum, Z. *et al.* (2019) 'Theobroma cacao: Review of the Extraction, Isolation, and Bioassay of Its Potential Anti-cancer Compounds', *Journal of Chemical Information and Modeling*, 53(9), pp. 1689–1699. doi: 10.1017/CBO9781107415324.004.
- Briz, M. W. (2015) 'cocoa Theobroma cacao Linnaeus', in *Rise Research Information Series on Ecosystems*, pp. 1–11.
- Cury, J. A. *et al.* (2017) 'Warmed acidulated phosphate fluoride enhances release of fluoride from human enamel surfaces, promoting lesion remineralization in vitro and in situ', *The Open Dentistry Journal*. Elsevier Ltd, 15(3), p. 144. doi: 10.1016/j.pdj.2016.12.001.

- Cury, J. A. and Delbem, A. C. B. (2002) 'Effect of application time of APF and NaF gels on microhardness and fluoride uptake of in vitro enamel caries', *American Journal of Dentistry*, 15(3), pp. 169–172.
- Damle, S. G., Bector, A. and Saini, S. (2011) 'Efeito do consumo de refrigerantes na saúde bucal de crianças: Estudo em uma situação real', *Pesquisa Brasileira em Odontopediatria e Clínica Integrada*, 11(1), pp. 35–40. doi: 10.4034/PBOCI.2011.111.05.
- Diola, B. and Bohara, B. (2016) 'Ab-initio Calculations of Electronic and Transport Properties of Calcium Fluoride (CaF₂)', *LASiGMA*, pp. 17–20.
- Direktorat Jendral Perkebunan (2016) *Statistik Perkebunan Indonesia : Kakao*. Sekretariat Direktorat Jendral Perkebunan.
- Duraisamy, Y. *et al.* (2018) 'Evaluation of remineralization potential of theobromine on human enamel surfaces - An in vitro study', (February), pp. 435–438.
- Elliott, J., Wilson, R. and Dowker, S. (2002) 'Apatite Structures', *JCPDS-International Centre for Diffraction Data*, 45(April), pp. 172–181.
- Enam, F. *et al.* (2017) 'Dental erosion potential of beverages and bottled drinking water in Bangladesh', *International Journal of Food Properties*. Taylor & Francis, 20(11), pp. 2499–2510. doi: 10.1080/10942912.2016.1242607.
- Ga, Y., Okamoto, Y. and Matsuya, S. (2012a) 'Assessment of Vickers hardness, microstructure, and surface roughness of dentin after initial dissolution by acidulated phosphate-fluoride', *Pediatric Dental Journal*. Elsevier, 22(1), pp. 64–71. doi: 10.11411/pdj.22.64.
- Ga, Y., Okamoto, Y. and Matsuya, S. (2012b) 'The effects of treated time of

- acidulated phosphate fluoride’, *Pediatric Dental Journal*. Elsevier, 22(1), pp. 1–7. doi: 10.1016/S0917-2394(12)70245-8.
- Gutiérrez-Salazar, M. del P. and Reyes-Gasga, J. (2003) ‘Microhardness and chemical composition of human tooth’, *Materials Research*, 6(3), pp. 367–373. doi: 10.1590/s1516-14392003000300011.
- Herisa, H. M., Noerdin, A. and Eriwati, Y. K. (2017) ‘The effect of theobromine 200 mg/l topical gel exposure duration against surface enamel hardness resistance from 1% citric acid’, *Journal of Physics: Conference Series*, 884(1), pp. 1–8. doi: 10.1088/1742-6596/884/1/012009.
- Karastogianni, S., Girousi, S. and Sotiropoulos, S. (2015) *pH: Principles and Measurement*. 1st edn, *Encyclopedia of Food and Health*. 1st edn. Elsevier Ltd. doi: 10.1016/B978-0-12-384947-2.00538-9.
- Kaur, L. P. and Guleri, T. K. (2013) ‘Topical gel: A recent approach for novel drug delivery’, *Asian Journal of Biomedical and Pharmaceutical Sciences*, 3(17), pp. 1–5. Available at: <http://jbiopharm.com/index.php/ajbps/article/view/183>.
- Kayaputri, I. L. *et al.* (2014) ‘Kajian Fitokimia Ekstrak Kulit Biji Kakao (*Theobroma cacao* L.)’, *Chimica et Natura Acta*, 2(1), pp. 83–90. doi: 10.24198/cna.v2.n1.9140.
- Maden, E. A. *et al.* (2017) ‘The Effect of Casein Phosphopeptide-Amorf Calcium Phosphate and Acidulated Phosphate Fluoride Gel on Dental Erosion in Primary Teeth: An in Vitro Study’, *Journal of Clinical Pediatric Dentistry*, 41(4), pp. 275–279. doi: 10.17796/1053-4628-41.4.275.
- Mazyad, O. T. *et al.* (2017) ‘Topical Application of Fluoride and Its Anti-

- Cariogenic Effect.’, *International Journal of Advanced Research*, 5(12), pp. 1483–1488. doi: 10.21474/ijar01/6110.
- Mitchell, M. R. *et al.* (2010) ‘Brinell and Vickers Hardness Measurement Using Image Processing and Analysis Techniques’, *Journal of Testing and Evaluation*, 38(1), p. 102220. doi: 10.1520/jte102220.
- Nakamoto, T. *et al.* (2001) ‘Apatite-forming-systems : methods and products (12) United States Patent’, (February 2015).
- Nakamoto, T., Falster, A. U. and Simmons, W. B. (2016) ‘Theobromine: A Safe and Effective Alternative for Fluoride in Dentifrices’, *Journal of Caffeine Research*, 6(1), pp. 1–9. doi: 10.1089/jcr.2015.0023.
- Nari-Ratih, D. and Widyastuti, A. (2019) ‘Effect of antioxidants on the shear bond strength of composite resin to enamel following extra-coronal bleaching’, *Journal of Clinical and Experimental Dentistry*, 11(2), pp. e126–e132. doi: 10.4317/jced.55359.
- Nasution, A. I. and Zawil, C. (2015) ‘The comparison of enamel hardness between fluoride and theobromine application’, *International Journal of Contemporary Dental and Medical Reviews*, (February), p. 4. doi: 10.15713/ins.ijcdmr.14.
- Nugroho, J. J. and Hafsari, W. R. (2017) ‘The effectiveness of betel leaf (*Piper betle* Linn) extract gel and cocoa bean (*Theobroma cacao* L) extract gel application against the hardness of enamel surface in vitro.’, *Journal of Dentomaxillofacial Science*, 2(1), p. 29. doi: 10.15562/jdmfs.v2i1.450.
- Panak Balentić, J. *et al.* (2018) ‘Cocoa Shell: A By-Product with Great Potential for Wide Application’, *Molecules (Basel, Switzerland)*, 23(6), pp. 1–14.

doi: 10.3390/molecules23061404.

- Permatasari, R. *et al.* (2016) 'Identification of alkaloids of Indonesian Cacao beans (*Theobroma cacao* L.) and its effect on tooth enamel hardness', *Journal of Medicinal Plants Research*, 10(15), pp. 202–208. doi: 10.5897/jmpr2016.6052.
- Prasad, S. *et al.* (2015) 'Biomaterial properties of titanium in dentistry', *Journal of Oral Biosciences*. Elsevier, 57(4), pp. 192–199. doi: 10.1016/j.job.2015.08.001.
- Qasthari, A. I., Irawan, B. and Herda, E. (2018) 'The influence of brushing with theobromine and sodium monofluorophosphate toothpaste on enamel surface resistance to roughness after demineralization', *Journal of Physics: Conference Series*, 1073(3). doi: 10.1088/1742-6596/1073/3/032005.
- Qin, X. W. *et al.* (2017) 'Characterization of volatile compounds in Criollo, Forastero, and Trinitario cocoa seeds (*Theobroma cacao* L.) in China', *International Journal of Food Properties*. Taylor & Francis, 20(10), pp. 2261–2275. doi: 10.1080/10942912.2016.1236270.
- Robinson, C., Brookes, S. J. and Kirkham, J. (1998) 'Matrix: nature and function', *European Journal of Oral Sciences*, 106, pp. 282–291.
- Sabel, N. (2016) *Enamel of Primary Teeth - morphological and chemical aspects Sahlgrenska Academy at University of Gothenburg*.
- Sahardi and Djufry, F. (2016) 'Keragaman Karakteristik Morfologis dan Agronomis Plasma Nutfah Klon Harapan Kakao Lokal Sulawesi Selatan', *Jurnal Penelitian Tanaman Industri*, 21(3), p. 145. doi: 10.21082/litri.v21n3.2015.145-152.

- Sasidharan, S. *et al.* (2011) 'Extraction, Isolation and Characterization of Bioactive Compounds from Plant's Extract', 8(1), pp. 93–130. doi: 10.1007/978-3-642-56936-4_2.
- Suryana, M., Irawan, B. and Soufyan, A. (2018) 'The Effects of Toothpastes Containing Theobromine and Hydroxyapatite on Enamel Microhardness after Immersion in Carbonated Drink', *Journal of Physics: Conference Series*, 1073(3). doi: 10.1088/1742-6596/1073/3/032010.
- Susanty, S. and Bachmid, F. (2016) 'Perbandingan Metode Ekstraksi Maserasi dan Refluks Terhadap Kadar Fenolik dari Ekstrak Tongkol Jagung (*Zea mays L.*)', *Jurnal Konversi*, 5(2), p. 87. doi: 10.24853/konversi.5.2.87-92.
- Vanishree., N. (2012) 'Carbonated Drinks - Can of Poison', *Annals and Essences of Dentistry*, 4(1), pp. 77–81. doi: 10.5368/aedj.2012.4.1.4.1.
- Verma, A. *et al.* (2013) 'Topical gels as drug delivery systems: A review', *International Journal of Pharmaceutical Sciences Review and Research*, 23(2), pp. 374–382.
- Vieira, M. A. *et al.* (2010) 'Phenolic acids and methylxanthines composition and antioxidant properties of mate (*ilex paraguariensis*) residue', *Journal of Food Science*, 75(3), pp. 280–285. doi: 10.1111/j.1750-3841.2010.01548.x.
- Worotitjan, I., Mintjelungan, C. and Gunawan, P. (2013) 'Pengalaman Karies Gigi serta Pola Makan dan Minum pada Anak Sekolah Dasar di Desa Kiawa Kecamatan Kawangkoan Utara', *e-GIGI*, 1. doi: 10.35790/eg.1.1.2013.1931.
- Yassen, G. H., Platt, J. A. and Hara, A. T. (2011) 'Bovine teeth as substitute for

human teeth in dental research: a review of literature', *Journal of Oral Science*, 53(3), pp. 273–282. doi: 10.2334/josnusd.53.273.

Yulianingtyas, A. and Kusmartono, B. (2016) 'Optimasi Volume Pelarut Dan Waktu Maserasi Pengambilan Flavonoid Daun Belimbing Wuluh', *Jurnal Teknik Kimia*, 10(2), pp. 58–64.