

DAFTAR PUSTAKA

- Almatsier, S. (2006). *Penuntun Diet*, Surabaya : PT. Ikrar Mandiri Abadi.
- ASH (*Action on Smoking and Health*),(2012). Smoking and Diabetes, *ASH Fact Sheet* dari www.ash.org.uk
- Azwar, Azrul , (1983). Pengantar Pendidikan Kesehatan, Jakarta : Sastra Hudaya.
- Banner, Abdulbari. (2009). Prevalence of Diagnosed and Undiagnosed Diabetes melitus and Its Risk factors in a Population-Based Study of Qatar, Vol. 84, Issue 1 April 2009.
- Bandura, A., (1986). *Social Foundations of Thought and Action: A Social Cognitive Theory*. Englewood Cliffs, NJ: Prentice-Hall.
- Barg, C. J., Latimer, A. E., Pomery, E. A., Rivers, S. E., Rench, T. A., Prapavesis, H., Salovey, P., (2011). Examining Predictors of Physical Activity Among Inactive Middle-Aged Women: An Application of The Health Action Process Approach. *Psychology & Health*, pp. 1-17.
- Barz, M., Parschau, L., Warner, L. M., Lange D., Fleig, L., Knoll, N., Schwarzer, R., (2014). Planning and Preparatory Actions Facilitate Physical Activity Maintenance. *Psychology of Sport and Exercise*, Vol. 7, No. 4, p. 516-520.
- Chang, S.A. (2012). Smoking and Type 2 Diabetes Mellitus. *Diabetes & Metabolism Journal*. Volume 36:399-403.
- Cummings, S. R., & Hulley, S. B., (2007). *Designing clinical research*. New York: Lippincott Williams & Wilkins.
- David, Linda. (2010). *Menaklukkan Diabetes*. Jakarta: BIP Kelompok Gramedia.<http://www.herbalitas.com/diabetes-hipertensiwanitalebih-beresiko/>.
- Dinas Kesehatan Kota Surabaya. (2016). *Profil Kesehatan Tahun 2016*. <http://www.depkes.go.id/resources/download/pusdatin/profil-kesehatan-indonesia/Profil-Kesehatan-Indonesia-2016.pdf> (sitasi 15 Januari 2019).
- Dinas Kesehatan Provinsi Jawa Timur. 2018. *Laporan surveilans penyakit tidak menular*. Jawa Timur: Dinas Kesehatan Provinsi Jawa Timur.
- Dona, B. G., Lippke, S., Renner, B., Kwon, S., Schwarzer, R., (2009). Self Efficacy and Planning Predict Dietary Behaviors in Costa Rican and South Korean Women: Two Moderated Mediation Analyses. *The International Association of Applied Psychology*, Vol. 1, No. 1, pp. 91-104.
- Festinger, L., (1957). *A Theory of Cognitive Dissonance*. Evanston, IL: Row & Peterson.

- Glanz, K., Rimer, B. K. & Viswanath, K., (2008). *Health Behavior and Health Education*. 4th ed. United States of America: Jossey-Bass.
- Gusti & Erna, (2014). Hubungan Faktor Risiko Usia, Jenis Kelamin, Kegemukan dan Hipertensi dengan Kejadian Diabetes melitus Tipe 2 di Wilayah Kerja Puskesmas Mataram. *Media Bina Ilmiah*. Volume 8.No.1 :39-44.
- Gollwitzer, P.M., & Sheeran, P., (2006). Implementation Intentions and Goal Achievement: A Meta-Analysis of Effects and Processes. *Advances in Experimental Social Psychology*, Vol. 38, pp. 69–119.
- Harding, Anne Hellen.,(2003). Dietary Fat and Risk of Clinic Type Diabetes, *American Journal of Epidemiology*, Vol 159 No 1, 2003.
- International Diabetes Federation , (2015). Diabetes Atlas Seventh Edition. www.diabetesatlas.org.
- International Diabetes Federation, (2017). Diabetes Atlas Eight Edition: 2017. www.diabetesatlas.org
- Irawan, D, (2010). Prevalensi dan Faktor Risiko Kejadian Diabetes melitus tipe 2 di Daerah Urban Indonesia (Analisa Data Sekunder Riskedas 2007), *tesis*.Fakultas Kesehatan Masyarakat Universitas Indonesia, Jakarta.
- Jenkins, David JA.,Kendall,Cyril WC., Marchie,A.,Jenkins,A., Augustin,L., Ludwig,D., Barnard, Neal., Anderson,James. (2003). Type 2 Diabetes and The Vegetarian Diet , *American Journal of Clinic Nutrition*, Vol.78, p. 610–616.
- Kementrian Kesehatan RI. (2008) .*Laporan Hasil Riset Kesehatan Dasar (RISKEDAS) Indonesia Tahun 2007*. Jakarta : Badan Penelitian dan Pengembangan Kesehatan.
- Kementerian Kesehatan. (2010). *Petunjuk Teknis Pengukuran Faktor Risiko Diabetes Melitus*.
- Kemenkes RI. (2012). *Buletin Jendela Data dan Pusat Informasi Penyakit Tidak Menular*.
- Kemenkes. (2013). *Riset Kesehatan Dasar*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI.
- Kemenkes. (2013). *Pokok-pokok hasil Riset Kesehatan Dasar Provinsi Jawa Timur*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI.
- Kemenkes.(2017). *Keterkaitan SPM bidang kesehatan, program Indonesia sehat dengan pendekatan keluarga dan gerakan masyarakat hidup sehat*. Jakarta: Sekretaris Jenderal Kementerian Kesehatan RI.
- Kemenkes. (2018). *Riset Kesehatan Dasar*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI.

- Koring, M., Richert, J., Parschau, L., Ernsting, A., Lippke, S., Schwarzer, R., (2012). A Combined Planning and Self-Efficacy Intervention to Promote Physical Activity: A Multiple Mediation Analysis. *Psychology, Health & Medicine*, Vol. 17, No. 4, pp. 488–498.
- Kreausukon, P., Gellert, P., Lippke, S. & Schwarzer, R., (2012). Planning and self-efficacy can increase fruit and vegetable consumption: A randomized controlled trial. *Journal of Behavioral Medicine*, 35(4), pp. 443-451.
- Lei Chen, Dianna J.Magliano.,Paul Z.Zimmet.,(2011).The worldwide epidemiology of type 2 diabetes mellitus-present and future perspectives.*Nature reviews.Endocrinology*,Volume 8,pp 228-236.
- Luszczynska, A., & Schwarzer, R., (2003). Planning and self-efficacy in the adoption and maintenance of breast self examination: A longitudinal study on self-regulatory cognitions. *Psychology and Health*, Volume 18, pp. 93–108.
- Lippke, S., Ziegelmann, J.P., Schwarzer, R., (2004). Initiation and maintenance of physical exercise: Stage-specific effects of a planning intervention. *Research inSports Medicine*, Volume 12, pp. 221–240.
- Lippke, S. & Ziegelmann, J., P., (2006). Understanding and Modeling Health Behavior: The Multi-Stage Model of Health Behavior Change. *Journal of Health Psychology*, 11(1), pp. 37–50
- Lippke, S. & Plotnikoff, C, R., (2014). *Testing Two Principles of the Health Action Process Approach in Individuals With Type 2 Diabetes*. *Journal of Health Psychology*, Volume 33 (1), pp. 77-84.
- Luszczynska, A., Tryburcy, M. & Schwarzer, R., (2007). Improving fruit and vegetable consumption: a self-efficacy intervention compared with a combined self-efficacy and planning intervention. *Health Education Research*, 22(5), pp. 630-638.
- MacPhail, M., Mullan, B., Sharpe, L., MacCann, C.,Todd, J., (2014). Using The Health Action Process Approach to predict and improve health outcomes in individuals with type 2 diabetes mellitus. *Diabetes, Metabolic and Obesity : Target and Therapy*, Volume 7, pp.469-479.
- Masharani,U., German,M.S., (2007). A Lange Greenspan’s Basic And Clinical Endocrinology(8th ed), McGraw Hill Companies, USA. 18:661-747
- Mullan, B., Wong, C., Kothe, E., MacCann, C., (2013). Predicting breakfast consumption: A comparison of the theory of planned behaviour and the health action process approach. *British Food Journal*, Volume115(11), pp. 1638-1657

- Moore, S. M., Barling, N. R. & Hood, B., (1998). Predicting Testicular and Breast Self-Examination Behaviour: A Test of The Theory of Reasoned Action. *Behaviour Change*, Vol. 15, pp. 41-49.
- Namadian, M., Pesseau, J., Watson, M. C., Bond, C. M., Sniehotta, F. F., (2016). Motivational, volitional and multiple goal predictors of walking in people with type 2 diabetes. *Psychology of Sport and Exercise*, Volume 26, pp. 83-93.
- Nattaya,L. (2012). Tips Simple Mencegah dan Menangani Obesitas. Javalitera: Jogjakarta
- Notoatmodjo, S. (2010). *Metodologi Penelitian Kesehatan*. Jakarta : Rineka Cipta.
- Notoatmodjo, S. (2012). *Promosi Kesehatan dan Perilaku Kesehatan*, Jakarta : Rineka Cipta.
- Nur Lailatul Lathifah. (2017). Hubungan Antara Karakteristik Penderita, Durasi Penyakit, Keteraturan Periksa, dan Kadar Gula Darah dengan Keluhan Subyektif Pada Penderita Diabetes melitus Tipe 2, *tesis*.FKM UnairSurabaya.
- Nursalam.(2013). *Metodologi Penelitian Ilmu Keperawatan : Pendekatan Praktis*. Edisi 3. Jakarta. Salemba Medika.
- Orbell, S.& Sheeran, P., (1998). Inclined abstainers: A problem for predicting health related behaviour, *British Journal of Social Psychology*, Volume37(2), pp. 151-165.
- Orji, R., Mandyrk, R. L. & Vassileva, J., (2012). Toward an effective health interventions design: An extension of the health belief model. *Online Journal of Public Health Informatics*, Volume 4, pp. 1-31.
- PERKENI, (2011). Konsensus Pengelolaan dan Pencegahan Diabetes melitus tipe 2 di Indonesi, Jakarta :.PB PERKENI.
- PERKENI, (2015).Pengelolaan dan Pencegahan Diabetes melitus tipe 2 di Indonesia, Jakarta : PB PERKENI.
- Pusat Data dan Informasi-Kementrian Kesehatan RI, (2014).Situasi dan Analisis Diabetes, Jakarta : Kemenkes RI.
- Prochaska, J. Q. & DiClemente, C. C., (1983). Stages and Processes of Self-Change of Smoking: Toward an Integrative Model of Change. *Journal of Consulting and Clinical Psychology*, 51(3), pp.390-395.
- Parschau, L., Fleig, L., Pomp, S., Barz, M., Knoll, N., Schwarzer, N., Lippke, S, (2014). Positive exercise experience facilitates behavior change via self-efficacy. *Health Education & Behavior*, 41(14), pp. 1-9.

- Parschau, L., Knoll, N., Richert, J., Barz, M., Knoll, N., Schwarzer, N., Lippke, S., (2014). Physical Activity Among Adults With Obesity : Testing The Health Action Process Approach. *Rehabilitation Psychology*, 59(01), pp. 42-49.
- Rahajeng, Ekowati. (2004). Risiko Kebiasaan Minum Kopi pada Kasus Toleransi Glukosa Terganggu Terhadap Terjadinya Diabetes Melitus Tipe 2, *disertasi*. FKM UI Jakarta.
- Ramadhani Nor, A., (2015). Pengalaman Diet Pasien Diabetes melitus tipe 2 Dalam Mengontrol Gula Darah di Wilayah Puskesmas Ciptomulyo Tahun 2015, *tesis*. Universitas Muhammadiyah Malang.
- Renner, B., Knoll, N. & Schwarzer, R., (2000). Age and Body Make a Difference In Optimistic Health Beliefs and Nutrition Behaviors. *International Journal of Behavioral Medicine*, 7(2), pp. 143-159.
- Renner, B., Kwon, S., Yang, B. H., Paik, K. C., Kim, S. H., Roh, S., Song, J., Schwarzer, R., (2008). Social Cognitive Predictors of Dietary Behaviors In South Korean Men and Women. *International Journal of Behavioral Medicine*, Volume 15, pp. 4–13.
- Renner, B. & Schupp, H., (2011). *The Perception of Health Risks*. In H. Friedman ed. New York: Oxford University Press.
- Rippetoe, P. A. & Rogers, R. W., (1987). Effects of Components of Protection-Motivation Theory on Adaptive and Maladaptive Coping with a Health Threat. *Journal of Personality and Social Psychology*, Vol. 52, pp. 596-604.
- RSU Haji Surabaya. (2017). *Laporan Akuntabilitas Kinerja Instansi Pemerintah RSU Haji Surabaya tahun 2017 (LKjIP tahun 2017)*. Surabaya : Sub Bagian Evaluasi dan Pelaporan RSU Haji Surabaya.
- RSU Haji Surabaya. (2018). *Laporan Kinerja BLUD RSU Haji Surabaya tahun 2018*. Surabaya : Sub Bagian Evaluasi dan Pelaporan RSU Haji Surabaya.
- Ruiter, R. A. C., Kok, G., Verplanken, B. & Brug, J., (2001). Evoked Fear and Effects of Appeals on Attitudes To Performing Breast Self-Examination: An Information-Processing Perspective. *Health Education Research*, Vol. 16, pp. 307–319.
- Rohani, H., Eslami, A., Raei, M., Bidkhorji, M., Ghaderi, A., (2016). Development and Psychometric Evaluation of A Health Action Process Approach Inventory For Healthful Diet Among Type 2 Diabetes Patients. *International Journal Of Preventive Medicine*, Vol. 7, pp. 69.

- Rohani,H, Eslami.A, Raei.M, Bidkhor.M, Ghaderi.A, Koshki.T, (2016). Validation and Psychometric Evaluation Of Physical Activity Belief Scale Among Patient With Type 2 Diabetes Melitus : An Application Of Health Action Process Approach. *Health Promotion Perspectives*,Vol.6 (2), pp.71-79.
- Smeltzer, S. and Bare, (2008). *Brunner & Suddarth's Textbook of Medical Surgical Nursing*. Lippincot.Philadelphia.
- Sarafino, E.P, (2006). *Health Psychology : Biopsychosocial Interaction.Fifth Edition*. New York: John Wiley & Sons Inc.
- Sri Wahyuni, (2010). Faktor-Faktor yang Berhubungan Dengan Penyakit Diabetes melitus (DM) Daerah Perkotaan di Indonesia Tahun 2007 (Analisis Data Sekunder RISKESDAS 2007), *tesis*.Universitas Islam Negeri Jakarta.
- Syamiah. (2014). Faktor Risiko Kejadian Diabetes melitus tipe 2 Pada Wanita di Puskesmas Kecamatan Pesanggrahan Jakarta Selatan Tahun 2014, *tesis*.UIN Syarif Hidayatullah Jakarta.
- Scholz, U., Sniehotta, F. F., Schwarzer, R., (2005). Predicting Physical Exercise in Cardiac Rehabilitation: The Role of Phase Spesific Self Efficacy Beliefs. *Journal of Sport and Exercise Psychology*, pp. 135-151.
- Scholz, U., Sniehotta, F.F., Burkert, S., Schwarzer, R., (2007). Increasing physical exercise levels: Age-specific benefits of planning.*Journal of Aging and Health*, Volume 19, pp. 851–866.
- Scholz, U., Schuz, B.,Ziegelmann,J., Lippke, S., Schwarzer, R., (2008). Beyond Behavioural Intentions : Planning Mediates Between Intentions And Physical Activity. *British Journal of Health Psychology*,Volume 13 pp. 479-494.
- Sheeran, P., (2002). Intention–Behavior Relations: A Conceptual and Empirical Review. *European Review of Social Psychology*, Vol. 12, pp. 1–36.
- Sniehotta, F. F., Luszczynska, A., Scholz, U., Lippke, S., (2005). Discontinuity patterns in stages of the precaution adoption process model: Meat consumption during a livestock epidemic. *British Journal of Health Psychology*, Volume 10, pp. 221– 235.
- Sniehotta, F.F., Scholz, U., Schwarzer, R., (2005). Bridging the intention–behavior gap: Planning, self-efficacy, and action control in the adoption and maintenance of physical exercise.*Psychology and Health*, Volume 20, pp. 143–160.
- Schwarzer, R. & Renner, B., (2000). Social cognitive predictors of health behavior: action self-efficacy and coping self-efficacy. *Health Psychology*, Volume 5, pp. 487-495.

- Schwarzer, R., Sniehotta, F. F., Lipke, S., Luszczynska, A., Scholz, U., Schuz, B., Wegner, M., Ziegelmann, J. P., (2003). *On the assessment and analysis of variables in the health action process approach: Conducting an investigation.* [Online] Available at: http://userpage.fu-berlin.de/gesund/hapa_web.pdf (Accessed 20 Desember 2018)
- Schwarzer, R., (2007). Modeling health behavior change: How to predict and modify the adoption and maintenance of health behaviors. [Online] Available at: <http://onlinelibrary.wiley.com/doi/10.1111/j.1464597.2007.00325.x/full> [Accessed 10 Desember 2018].
- Schwarzer, R., Renner, B., Kwon, S., Spivak, Y., Panzer, M., (2005). Risk and Health Behaviors: Documentation of The Scales of The Research Project: "Risk Appraisal Consequences in Korea" (RACK). [Online] Available at: <http://userpage.fu-berlin.de/~health/hapa.htm>. [Diakses 6 Nopember 2018].
- Schwarzer, R., Luszczynska, A., Lippke, S., Scholz, U., Ziegelmann, J., P., (2008). Social Cognitive Predictors of Physical Exercise Adherence: Three Longitudinal Studies in Rehabilitation. *Health Psychology*, 27(1), pp.54-63.
- Schwarzer, R., (2008). Modeling health behavior change: how to predict and modify the adoption and maintenance of health behaviors. *International Association of Applied Psychology*, Volume 57(1), pp. 1-29.
- Schwarzer, R., (2014). *The Health Action Process Approach (HAPA)*. [Online] Available at: <http://www.hapa-model.de/> [Accessed 2 Desember 2018].
- Schwarzer, R., (2016). *Health Action Process Approach (HAPA) as a Theoretical Framework to Understand Behavior Change.* *Actualidades en Psicología*, Vol. 30, No. 121, pp. 119-130.
- Schteingart, D.E., (2005), Metabolisme Glukosa dan Diabetes Mellitus, dalam Patofisiologi Konsep Klinis Proses-Proses Penyakit, Edisi VI, Volume I, Penerbit Buku Kedokteran EGC, Jakarta.
- Sugiyono, (2010). Belajar Analisis Data Sampel. Bandung: Alfabeta.
- Tandra H, (2013). Life Healthy With Diabetes. Cetakan 1, Yogyakarta: Rapha Publishing.
- Tjekyan, Suryadi R.M, (2007). Risiko Penyakit Diabetes melitus tipe 2 di Kalangan Peminum Kopi di Kotamadya Palembang Tahun 2006-2007. *Makara Kesehatan*, Vol. 11, No. 2, Desember 2007: 54-60
- Trisnawati, S.K dan Soedijono S., (2013). Faktor Risiko Kejadian Diabetes Mellitus Tipe II Di Puskesmas Kecamatan Cengkareng Jakarta Barat Tahun 2012. *Jurnal Ilmiah Kesehatan*, 5(1): pp. 6-11.

- Undang-Undang Republik Indonesia Nomor 36 tahun 2009 tentang Kesehatan.
- Waspadji, Sarwono, (2007). Dalam Buku Hidup Sehat dengan Diabetes sebagai Panduan Penyandang Diabetes dan Keluarganya serta Petugas Kesehatan Terkait.Pusat Diabetes dan Lipid RSCM FKUI, Cetakan Kedua. Jakarta: Balai Penerbit FKUI.
- Weinstein, N. D., (1988). The Precaution Adoption Process. *Health Psychology*, Vol. 7, pp. 355–386.
- Weinstein, N. D. & Nicolich, M., (1993). Correct and Incorrect Implications of Correlations Between Risk Perceptions and Preventive Behavior. *Psychology and Health*, Vol. 12, pp. 479-501.
- World Economic Forum*. (2015). *Economics of Non-Communicable Diseases in Indonesia*, Geneva: World Economic Forum.
- Website resmi RSU Haji Surabaya dalam [www. rsuhaji.jatimprov.go.id](http://www.rsu haji.jatimprov.go.id)
- Ziegelmann, J.P., Lippke, S., Schwarzer, R., (2006). Adoption and maintenance of physical activity: Planning interventions in young, middle-aged, and older adults. *Psychology and Health*, Volume 21, pp. 145–163.
- Ziegelmann, J.P., & Lippke, S., (2007). Planning and strategy use in health behavior change: A life span view. *International Journal of Behavioral Medicine*, Volume 14, 30–39.