

## DAFTAR PUSTAKA

- Boum, Y., Atwine, D., Orikiriza, P., Assimwe, J., Page, A., Mwanga-Amumpaire, J. and Bonnet, M. (2014). *Male Gender is independently associated with pulmonary tuberculosis among sputum and non-sputum producers people with presumptive tuberculosis in Southwestern Uganda*. [online] NCBI. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4265338/#CR12> [Accessed 3 May 2018].
- Chaimowicz, F. (2001). Age Transition of Tuberculosis incidence and mortality in Brazil. *Rev Saúde Pública*, 35(81-7), pp.81-87.
- Cohen, *et al.* (2014). Role of education in HIV clinical outcomes in a TB-endemic setting Suggested running head: Education and outcomes for HIV and TB. [online] NCBI. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3888482/>
- Collins, *et al.* (2018). *Impact of tuberculosis on HIV-1 replication, diversity, and disease progression*. - *PubMed - NCBI*. [online] Ncbi.nlm.nih.gov. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/12416451/> [Accessed 3 May 2018].
- Da Silva, V., Tigeh, S., N, W. and Made, B. (2016). The relationship between education, job, and family income with TB medication dropouts in Timor-Leste. *Bali Medical Journal*, 5(2), pp.279-282.
- Dangisso, *et al.* (2015). Accessibility to tuberculosis control services and tuberculosis programme performance in southern Ethiopia. PMC. [online]. Ncbi.nlm.nih.gov. at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4655224/>
- Direktorat Bina Farmasi Komunitas dan Klinik (2005). *Pharmaceutical Care Untuk Penyakit Tuberkulosis*. Departemen Kesehatan Republik Indonesia.
- Direktorat Jendral Pengendalian Penyakit dan Penyehatan Lingkungan (2011). *Strategi Nasional Pengendalian TB di Indonesia 2010 - 2014*. Kementerian Kesehatan Republik Indonesia.
- Dotulong, J., Sapulete, M. and Kandou, G. (2015). Hubungan Faktor Resiko Umur, Jenis Kelamin dan Kepadatan Hunian Dengan Kejadian Penyakit TB Paru di Desa Wori Kecamatan Wori. *Jurnal Kedokteran Komunitas dan Tropik*, 3(2).
- Frieden, *et al.* (2003). *Tuberculosis*. - *PubMed - NCBI*. [online] Ncbi.nlm.nih.gov. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/13678977/> [Accessed 3 May 2018].
- Fuge, *et al.* (2018). Patient delay in seeking tuberculosis diagnosis and associated factors in Hadiya Zone, Southern Ethiopia. *BMC Res Notes*. [online] ncbi.nlm.nih.gov. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5809113>

- Gebeyehu, *et al.* (2014). Factors Associated with Patient's Delay in Tuberculosis Treatment in Bahir Dar City Administration, Northwest Ethiopia. Biomed Research International. [online] hindawi.com. Available at: <https://www.hindawi.com/journals/bmri/2014/701429>
- Golub, J., Bur, S., Cronin, W., Gange, S., Baruch, N., Comstock, G. and Chaisson, R. (2006). *Delayed tuberculosis diagnosis and tuberculosis transmission.* [online] Ncbi.nlm.nih.gov. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/16466033> [Accessed 3 May 2018].
- Guyot-Revol, *et al.* (2006). *Regulatory T cells are expanded in blood and disease sites in patients with tuberculosis.* - PubMed - NCBI. [online] Ncbi.nlm.nih.gov. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/16339919/> [Accessed 3 May 2018].
- Harling, *et al.* (2008). The social epidemiology of tuberculosis in South Africa: A multilevel analysis. Elsevier. [online] sciencedirect.com. Available at: <https://www.sciencedirect.com/science/article/abs/pii/S0277953607004844?via%3Dihub>
- Hayward, *et al.* (2018). Factors influencing the higher incidence of tuberculosis among migrants and ethnic minorities in the UK. PMC [online] Ncbi.nlm.nih.gov. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6107974/>
- Herchline, T. (2019). *Tuberculosis (TB): Practice Essentials, Background, Pathophysiology.* [online] Emedicine.medscape.com. Available at: <https://emedicine.medscape.com/article/230802-overview> [Accessed 18 Aug. 2019].
- Jadgal, *et al.* (2015). Impact of Educational Intervention on Patients Behavior with Smear-positive Pulmonary Tuberculosis: A Study Using the Health Belief Model. Mater Sociomed. [online] Ncbi.nlm.nih.gov. available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4610657/>
- Jensen, *et al.* (2005). *Guidelines for preventing the transmission of Mycobacterium tuberculosis in health-care settings, 2005.* - PubMed - NCBI. [online] Ncbi.nlm.nih.gov. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/16382216/> [Accessed 3 May 2018].
- Joshi, *et al.* (2006). *Tuberculosis among health-care workers in low- and middle-income countries: a systematic review.* [online] NCBI. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/17194191/> [Accessed 3 May 2018].
- Kementrian Kesehatan Republik Indonesia (2017). *Cara Terbaik Mencegah TB Resistan Obat Adalah Promosi Pengobatan TB Dengan TOSS TB.* [online] Kementrian Kesehatan Indonesia. Available at: <http://www.depkes.go.id/article/print/17032300001/cara-terbaik-mencegah-tb->

resistan-obat-adalah-promosi-pengobatan-tb-dengan-toss-tb.html [Accessed 3 May 2018].

Kementrian Kesehatan Republik Indonesia (2017). *Profil Kesehatan Provinsi Jawa Timur Tahun 2016*. Kementrian Kesehatan Republik Indonesia.

Kementrian Kesehatan Republik Indonesia (2017). *Data dan Informasi Profil Kesehatan Indonesia 2016*. Kementrian Kesehatan Republik Indonesia.

Kementrian Kesehatan Republik Indonesia (2011). *Pedoman Nasional Pengendalian Tuberkulosis*. Kementrian Kesehatan Republik Indonesia.

Korf, *et al.* (2006). *Macrophage reprogramming by mycolic acid promotes a tolerogenic response in experimental asthma*. - *PubMed - NCBI*. [online] Ncbi.nlm.nih.gov. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/16675779/> [Accessed 3 May 2018].

Lin, *et al.* (2015). Screening for pulmonary tuberculosis in type 2 diabetes elderly: a cross-sectional study in a community hospital. *BMC Public Health*. [online] [bmcpublichealth.biomedcentral.com](http://bmcpublichealth.biomedcentral.com). Available at: <https://bmcpublichealth.biomedcentral.com/articles/10.1186/1471-2458-15-3>

Maesaroh, S. (2009). Faktor-faktor yang Berhubungan dengan Kepatuhan Berobat Pasien Tuberkulosis Paru di Klinik Jakarta Respiratory Centre (JRC)/PPTI Tahun 2009. Skripsi. Program Studi Ilmu Keperawatan FKIK UIN Syarif Hidayatullah Jakarta.

Maftuhah, A. (2018) “Hubungan Pengetahuan Terhadap Tingkat Kepatuhan Pasien Tuberculosis di Balai Kesehatan Paru Masyarakat Provinsi Jawa Barat”, *Jurnal Kesehatan Indra Husada*, 6(1), p. 1. doi: 10.36973/jkih.v6i1.67.

Mauch, *et al.* (2011). Assessing access barriers to tuberculosis care with the Tool to Estimate Patients' Costs: pilot results from two districts in Kenya. *BMC public health*. [online] [bmcpublichealth.biomedcentral.com](http://bmcpublichealth.biomedcentral.com). Available at: <https://bmcpublichealth.biomedcentral.com/articles/10.1186/1471-2458-11-43#Sec9>

Narasimhan, P., Wood, J. and MacIntyre, C. (2013). *Risk Factors for Tuberculosis*. [online] [Hindawi.com](http://Hindawi.com). Available at: <https://www.hindawi.com/journals/pm/2013/828939/> [Accessed 3 May 2019].

Odone, *et al.* (2013). Association between Socioeconomic Position and Tuberculosis in a Large Population-Based Study in Rural Malawi. [online] [journals.plos.org](http://journals.plos.org). Available at: <https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0077740#s4>

- Paramasivam, S., Thomas, B., Chandran, P., Thayyil, J., George, B. and Sivakumar, C. (2017). Diagnostic delay and associated factors among patients with pulmonary tuberculosis in Kerala. *Journal of Family Medicine and Primary Care*, 6(3), p.643.
- Pertiwi, R., Wuryanto, M. and Sutningsih, D. (2012). Hubungan Antara Karakteristik Individu Praktik Hygiene dan Sanitasi Lingkungan Dengan Kejadian Tuberkulosis di Kecamatan Semarang Utara Tahun 2011. *Jurnal Kesehatan Masyarakat*, 1(2), pp.435 - 445.
- Prihantana., Silva, A., Wahyuningsih, S. (2016). Hubungan Pengetahuan Dengan Tingkat Kepatuhan Pengobatan Pada Pasien Tuberkulosis di RSUD dr. Soehadi. *Jurnal Farmasi Sains dan Praktis*. Vol. 2(1).
- Rao, S. (2009). *Tuberculosis and patient gender: An analysis and its implications in tuberculosis control*. [online] ncbi.nlm.nih.gov. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2860414/> [Accessed 3 May 2018].
- Ratini, M. (2016). *Tuberculosis Prevention: What to Know*. [online] WebMD. Available at: <https://www.webmd.com/lung/tuberculosis-prevention> [Accessed 3 May 2018].
- Seidler, et al. (2005). *Review of epidemiological studies on the occupational risk of tuberculosis in low-incidence areas*. - PubMed - NCBI. [online] Ncbi.nlm.nih.gov. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/16088290/> [Accessed 3 May 2018].
- Shanmuganathan, R. and Shanmuganathan, I. (2015). *Clinical Manifestation and Risk Factors of Tuberculosis Infection in Malaysia: Case Study of a Community Clinic*. [online] NCBI. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4802090/> [Accessed 3 May 2018].
- Sugiyono, R. (2016). *Challenge on Tuberculosis Infection Control in Indonesia: High Close Contact History in Tuberculosis Patients with HIV and Diabetes Mellitus | D107. TUBERCULOSIS INFECTION AND DISEASE: EPIDEMIOLOGY AND DIAGNOSIS*. [online] Atsjournals.org. Available at: [https://www.atsjournals.org/doi/abs/10.1164/ajrcm.conference.2016.193.1\\_MeetingAbstracts.A7679](https://www.atsjournals.org/doi/abs/10.1164/ajrcm.conference.2016.193.1_MeetingAbstracts.A7679) [Accessed 3 May 2018].
- Van Crevel, et al. (2002). *Innate immunity to Mycobacterium tuberculosis*. - PubMed - NCBI. [online] Ncbi.nlm.nih.gov. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/11932234/> [Accessed 3 May 2018].
- Wang, et al. (2008). Gender difference in knowledge of tuberculosis and associated health-care seeking behaviors: a cross-sectional study in a rural area of China. *BMC public health*. [online] Ncbi.nlm.nih.gov. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2577657/>

- World Health Organization (2018). *Global Tuberculosis Report 2018*. WHO Global Tuberculosis Report. Geneva: World Health Organization.
- World Health Organization (2016). *Indonesia TB Profile 2016*. [online] WHO. Available at:  
[https://extranet.who.int/sree/Reports?op=Replet&name=%2FWHO\\_HQ\\_Reports%2FG2%2FPROD%2FEEXT%2FTBCountryProfile&ISO2=ID&LAN=EN&outtype=html](https://extranet.who.int/sree/Reports?op=Replet&name=%2FWHO_HQ_Reports%2FG2%2FPROD%2FEEXT%2FTBCountryProfile&ISO2=ID&LAN=EN&outtype=html) [Accessed 3 May 2018].
- World Health Organization (2016). *Use of high burden country lists for TB by WHO in the post-2015 era: Summary*. [online] WHO. Available at:  
[https://extranet.who.int/sree/Reports?op=Replet&name=%2FWHO\\_HQ\\_Reports%2FG2%2FPROD%2FEEXT%2FTBCountryProfile&ISO2=ID&LAN=EN&outtype=html](https://extranet.who.int/sree/Reports?op=Replet&name=%2FWHO_HQ_Reports%2FG2%2FPROD%2FEEXT%2FTBCountryProfile&ISO2=ID&LAN=EN&outtype=html) [Accessed 3 May 2018].
- Wu, Y., Lo, H., Yang, S., Chu, D., Chou, P. (2015). Comparing the Factors Correlated with Tuberculosis-Specific and Non-Tuberculosis-Specific Deaths in Different Age Groups among Tuberculosis-Related Deaths in Taiwan., [online] Ncbi.nlm.nih.gov. Available at:  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4348515>