

## DAFTAR PUSTAKA

- Abdel-Hamed Metawie, M. (2015) 'Effectiveness of Aromatherapy with Lavender Oil in Relieving Post Caesarean Incision Pain', *Journal of Surgery*, 3(2), p. 8. doi: 10.11648/j.js.s.2015030201.12.
- Adib-Hajbaghery, Mohsen Etri, Mahmood Hosseainian, Masoumeh Mousavi & Masoumeh-Sadat. (2013) 'Pressure to the p6 acupoint and post-appendectomy pain, nausea, and vomiting: a randomized clinical trial.', *Journal of caring sciences*, 2(2), pp. 115–22. doi: 10.5681/jcs.2013.014.
- Ali Bikmoradi, Zahra Seifi, Jalal Poorolajal, Malihe Araghchian, Reza Safiaryan & Khodayar Oshvandi. (2015) 'Effect of inhalation aromatherapy with lavender essential oil on stress and vital signs in patients undergoing coronary artery bypass surgery: A single-blinded randomized clinical trial', *Complementary Therapies in Medicine*. Elsevier Ltd, 23(3), pp. 331–338. doi: 10.1016/j.ctim.2014.12.001.
- Ayşe Özkaraman, Özlem Dügüm, Hülya Özen Yılmaz & Öznur Usta Yeşilbalkan. (2018) 'Aromatherapy: The effect of lavender on anxiety and sleep quality in patients treated with chemotherapy', *Clinical Journal of Oncology Nursing*, 22(2), pp. 203–210. doi: 10.1188/18.CJON.203-210.
- Ayik, C. & Özden, D. (2018) 'The effects of preoperative aromatherapy massage on anxiety and sleep quality of colorectal surgery patients: A randomized controlled study', *Complementary Therapies in Medicine*. Elsevier, 36(November 2017), pp. 93–99. doi: 10.1016/j.ctim.2017.12.002.
- Bagheri-Nesami, Masoumeh Espahbodi, Fatemeh Nikkhah, Attieh Shorofi, Seyed Afshin Charati & Jamshid Yazdani. (2014) 'The effects of lavender aromatherapy on pain following needle insertion into a fistula in hemodialysis patients', *Complementary Therapies in Clinical Practice*. Elsevier Ltd, 20(1), pp. 1–4. doi: 10.1016/j.ctcp.2013.11.005.
- Bing Zhang, Jia-nan Dong, Ping Sun, Chong Feng & Yan-cui Liu. (2017) 'Effect of therapeutic care for treating fatigue in patients with breast cancer receiving chemotherapy', *Medicine*, 96(33), p. e7750. doi: 10.1097/MD.00000000000007750.
- Bhattarai, S., Subedi, S. and Acharya, S. R. (2018) 'SM Gr up SM Journal of Community Medicine Factors Associated With Early Menarche among Adolescents Girls : A Study from', 4(1), pp. 2–12.
- Bott, R. (2014) 'Data and Health Information of Cancer Situation', *Igarss 2014*, (1), pp. 1–5. doi: 10.1007/s13398-014-0173-7.2.
- Carlson, C. L. (2016) 'Effectiveness of the World Hea', pp. 515–534.

- Chao Hsing Yeh, Wei-Chun Lin, Lorna Kwai-Ping Suen, Na-Jin Park, Lisa J. Wood, G.J. van Londen and Dana Howard Bovbjerg. (2017) 'Auricular Point Acupressure to Manage Aromatase Inhibitor-Induced Arthralgia in Postmenopausal Breast Cancer Survivors: A Pilot Study', *Oncology Nursing Forum*, 44(4), pp. 476–487. doi: 10.1188/17.ONF.476-487.
- Chen, S. L. and Chen, C. H. (2015) 'Effects of Lavender Tea on Fatigue, Depression, and Maternal-Infant Attachment in Sleep-Disturbed Postnatal Women', *Worldviews on Evidence-Based Nursing*, 12(6), pp. 370–379. doi: 10.1111/wvn.12122.
- Chen, Ting-Hao Tung, Tao-Hsin Chen, Pei-Shih Wang, Shu-Hui Chao, Chuang-Min Hsiung, Nan-Hsing Chi, Ching-Chi (2016) 'The Clinical Effects of Aromatherapy Massage on Reducing Pain for the Cancer Patients: Meta-Analysis of Randomized Controlled Trials', *Evidence-Based Complementary and Alternative Medicine*, 2016, pp. 1–6. doi: 10.1155/2016/9147974.
- Chen, Y. W. & Wang, H. H. (2014) 'The Effectiveness of Acupressure on Relieving Pain: A Systematic Review', *Pain Management Nursing*. American Society for Pain Management Nursing, 15(2), pp. 539–550. doi: 10.1016/j.pmn.2012.12.005.
- Cleeland, C. S. and Ryan, K. M. (1994) 'Pain assessment: global use of the Brief Pain Inventory.', *Annals of the Academy of Medicine, Singapore*.
- Costa, WA, Monteiro, MN, Queiroz, JF & Gonçalves, AK. (2017) 'Pain and quality of life in breast cancer patients', *Clinics*, 72(12), pp. 758–763. doi: 10.6061/clinics/2017(12)07.
- Dieterich, Max Stubert, Johannes Reimer, Toralf Erickson, Nicole Berling, Anika (2014) 'Influence of lifestyle factors on breast cancer risk', *Breast Care*, 9(6), pp. 407–414. doi: 10.1159/000369571.
- Eghbali, M. (2017) 'To What Extend Aromatherapy with Peppermint Oil Effects on Chemotherapy Induced Nausea and Vomiting in Patient Diagnosed with Breast Cancer? A Randomized Controlled Trial', *Journal of Hematology & Thromboembolic Diseases*, 05(06). doi: 10.4172/2329-8790.1000279.
- Evans, Anna Malvar, Jemily Garretson, Cassie Pedroja Kolovos, Eliza Baron & Nelson, Mary (2018) 'The Use of Aromatherapy to Reduce Chemotherapy-Induced Nausea in Children With Cancer: A Randomized, Double-Blind, Placebo-Controlled Trial', *Journal of Pediatric Oncology Nursing*. doi: 10.1177/1043454218782133.
- Fayazi, S., Babashahi, M. & Rezaei, M. (2011) 'The effect of inhalation aromatherapy on anxiety level of the patients in preoperative period',

*Iranian Journal of Nursing and Midwifery Research*, 16(4), pp. 278–283. doi: 10.1097/GOX.0b013e3182.

Fengge, A. (2012). *Terapi Akupresur Manfaat dan Teknik Pengobatan*. Yogyakarta: Crop Circle Corp

Fiolet, Thibault Srour, Bernard Sellem, Laury Kesse-Guyot, Emmanuelle Allès, Benjamin Méjean, Caroline Deschasaux, Mélanie Fassier, Philippine Latino-Martel, Paule Beslay, Marie Hercberg, Serge Lavalette, Céline Monteiro, Carlos A. Julia & Chantal Touvier, Mathilde (2018) ‘Consumption of ultra-processed foods and cancer risk: Results from NutriNet-Santé prospective cohort’, *BMJ (Online)*, 360. doi: 10.1136/bmj.k322.

Genç, A., Can, G. & Aydiner, A. (2013) ‘The efficiency of the acupressure in prevention of the chemotherapy-induced nausea and vomiting’, *Supportive Care in Cancer*, 21(1), pp. 253–261. doi: 10.1007/s00520-012-1519-3.

Genç, F. & Tan, M. (2015) ‘The effect of acupressure application on chemotherapy-induced nausea, vomiting, and anxiety in patients with breast cancer’, *Palliative and Supportive Care*, 13(2), pp. 275–284. doi: 10.1017/S1478951514000248.

Gozzo, Thais de Oliveira Moyses, Aline Maria Bonini da Silva, Pamina Roberta de Almeida & Ana Maria. (2013) ‘[Nausea, vomiting and quality of life in women with breast cancer receiving chemotherapy].’, *Revista gaucha de enfermagem / EENFUFGRS*, 34(3), pp. 110–116. doi: 10.1590/S1983-14472013000300014.

Greenlee, Heather Balneaves, Lynda G. Carlson, Linda E. Cohen, Misha Deng, Gary Hershman, Dawn Mumber, Matthew Perlmutter, Jane Seely, Dugald Sen, Ananda Zick, Suzanna M. Tripathy, Debu (2014) ‘Clinical practice guidelines on the use of integrative therapies as supportive care in patients treated for breast cancer’, *Journal of the National Cancer Institute - Monographs*, 2014(50), pp. 346–358. doi: 10.1093/jncimonographs/lgu041.

Hariyanto, A & Sulistyowati, R. (2015). *Buku ajar keperawatan medikal bedah 1 : dengan diagnosis NANDA international*. Yogyakarta : AR- RUZZ MEDIA.

Harrington, J. E., Baker, B. S. & Hoffman, C. J. (2012) ‘Effect of an integrated support programme on the concerns and wellbeing of women with breast cancer: A national service evaluation’, *Complementary Therapies in Clinical Practice*. Elsevier Ltd, 18(1), pp. 10–15. doi: 10.1016/j.ctcp.2011.05.002.

Harris, Richard E. Ichesco, Eric Cummiford, Chelsea Hampson, Johnson P. Chenevert, Thomas L. Basu, Neil Zick & Suzanna M. (2017) ‘Brain connectivity patterns dissociate action of specific acupressure treatments in

fatigued breast cancer survivors', *Frontiers in Neurology*, 8(JUN), pp. 1–10. doi: 10.3389/fneur.2017.00298.

Hou, Wen-Hsuan Kao, Ching-Chiu Chang, Ming-Li Yu, Lee-Fen Wu, Chia-Che Chen, Chieh-feng (2015) 'Breast cancer: Conventional diagnosis and treatment modalities and recent patents and technologies supplementary issue: Targeted therapies in breast cancer treatment', *Breast Cancer: Basic and Clinical Research*, 9, pp. 17–34. doi: 10.4137/BCBCR.S29420.

Kaviani, Maasumeh Azima, Sara Alavi, Narges Tabaei, Mohammad Hossein (2014) 'The effect of lavender aromatherapy on pain perception and intrapartum outcome in primiparous women', *British Journal of Midwifery*, 22(2), pp. 125–128. doi: 10.12968/bjom.2014.22.2.125.

Kemenkes RI (2018) 'Hasil Riset Kesehatan Dasar 2018', p. 61. doi: 1 Desember 2013

Kentaro Tamaki<sup>1</sup>, Akiko Komatsu Fukuyama, Shigeharu Terukina<sup>3</sup>, Yoshihiko Kamada<sup>1</sup>, Kano Uehara<sup>1</sup>, Miwa Arakaki, Kazuko Yamashiro, Minoru Miyashita, Takanori Ishida, Keely May McNamara, Noriaki Ohuchi<sup>5</sup>, Nobumitsu Tamaki, Hironobu Sasano (2017) 'Randomized trial of aromatherapy versus conventional care for breast cancer patients during perioperative periods', *Breast Cancer Research and Treatment*. Springer US, 162(3), pp. 523–531. doi: 10.1007/s10549-017-4134-7.

Kianpour, Maryam Mansouri, Akram Mehrabi, Tayebeh Asghari, Gholamreza. (2016) 'Effect of lavender scent inhalation on prevention of stress, anxiety and depression in the postpartum period', *Iranian Journal of Nursing and Midwifery Research*, 21(2), p. 197. doi: 10.4103/1735-9066.178248.

Kurian, Allison W Ward, Kevin C Howlader, Nadia Deapen, Dennis Hamilton, Ann S Mariotto, Angela Miller, Daniel Katz & Steven J Penberthy, Lynne (2018) 'Genetic testing and results in population-based breast cancer patients and ovarian cancer patients.', *Journal of Clinical Oncology*. American Society of Clinical Oncology, 36(15\_suppl), p. 1578. doi: 10.1200/JCO.2018.36.15\_suppl.1578.

Lola Franco, Thomas J.J. Blanck, Kimberly Dugan, Richard Kline, Geetha Shanmugam, Angela Galotti, Annelise von Bergen Granell, Michael Wajda, (2016) 'Both lavender fleur oil and unscented oil aromatherapy reduce preoperative anxiety in breast surgery patients: A randomized trial', *Journal of Clinical Anesthesia*. Elsevier Inc., 33, pp. 243–249. doi: 10.1016/j.jclinane.2016.02.032.

Lua, P. L., Salihah, N. & Mazlan, N. (2015) 'Effects of inhaled ginger aromatherapy on chemotherapy-induced nausea and vomiting and health-related quality of life in women with breast cancer', *Complementary Therapies in Medicine*. Elsevier Ltd, 23(3), pp. 396–404. doi:

10.1016/j.ctim.2015.03.009.

- Mahmoud, Rania Ghani, Abdel Tawfik & Adlia Ibrahim, Ahmed. (2013) 'The Effect of Aromatherapy Inhalation on Nausea and Vomiting in Early Pregnancy: A Pilot Randomized Controlled Trial', *Journal of Natural Sciences Research www*, 3(5), pp. 2225–921.
- Mi-Yeon Cho, Eun Sil Min, Myung-Haeng Hur & Myeong Soo Lee. (2013) 'Effects of aromatherapy on the anxiety, vital signs, and sleep quality of percutaneous coronary intervention patients in intensive care units.', *Evidence-based complementary and alternative medicine : eCAM*, 2013, p. 381381. doi: 10.1155/2013/381381.
- Mohammad Eghbali , Mir Saeed Yekaninejad , Shokoh varaei , Seydeh Fatemeh Jalalinia, Mojgan Alam Samimi & Kiarash Sa'atchi . (2016) 'The effect of auricular acupressure on nausea and vomiting caused by chemotherapy among breast cancer patients', *Complementary Therapies in Clinical Practice*. Elsevier Ltd, 24, pp. 189–194. doi: 10.1016/j.ctcp.2016.06.006.
- Mohammed, H. A. and Hassan, A. D. A. (2018) 'Impact of Aromatherapy Massage Using Lavender Oil on Fatigue and Insomnia among Patients with Leukemia', 7(4), pp. 11–22. doi: 10.9790/1959-0704041122.
- Moskowitz, Chaya S. Chou, Joanne F. Wolden, Suzanne L. Bernstein, Jonine L. Malhotra, Jyoti Friedman, Danielle Novetsky Mubdi, Nidha Z. Leisening, Wendy M. Stovall, Marilyn Hammond, Sue Smith, Susan A. Henderson, Tara O. Boice, John D. Hudson, Melissa M. Diller, Lisa R. Bhatia, Smita Kenney, Lisa B. Neglia, Joseph P. Begg, Colin B. Robison, Leslie L. & Oeffinger, Kevin C. (2014) 'Breast cancer after chest radiation therapy for childhood cancer', *Journal of Clinical Oncology*, 32(21), pp. 2217–2223. doi: 10.1200/JCO.2013.54.4601.
- Nasiri, A. & Mahmodi, M. A. (2018) 'Aromatherapy massage with lavender essential oil and the prevention of disability in ADL in patients with osteoarthritis of the knee: A randomized controlled clinical trial', *Complementary Therapies in Clinical Practice*. Elsevier Ltd, 30, pp. 116–121. doi: 10.1016/j.ctcp.2017.12.012.
- N.J. Stomski, A. Petterson, L. Kristjanson, E.A. Lobbd, M. Phillips A. Williams,P. Morrison, D. Joske. (2018) 'The effect of self-selected complementary therapies on cancer patients' quality of life and symptom distress: A prospective cohort study in an integrative oncology setting', *Complementary Therapies in Medicine*. Elsevier, 37(January), pp. 1–5. doi: 10.1016/j.ctim.2018.01.006.
- Ni, Cheng-Hua Hou, Wen-Hsuan Kao, Ching-Chiu Chang, Ming-Li Yu, Lee-Fen Wu, Chia-Che & Chen, Chieh-feng (2013) 'The Anxiolytic Effect of Aromatherapy on Patients Awaiting Ambulatory Surgery: A Randomized

Controlled Trial', *Evidence-Based Complementary and Alternative Medicine*, 2013, pp. 1–5. doi: 10.1155/2013/927419.

Nusdwinuringtyas, N. *et al.* (2016) 'Validity and Reliability of the Indonesian Version of the Brief Fatigue Inventory in Cancer Patients', *Journal of Pain and Symptom Management*. Elsevier Ltd, 52(5), pp. 744–751. doi: 10.1016/j.jpainsymman.2016.04.011.

*Potter & Perry. (2005)*. Buku Ajar Fundamental Keperawatan Konsep, Proses, dan Praktik. Edisi 4 volume 1. EGC. Jakarta. Almansier

Özlem Ovayolu, Ümit Sevig, Nimet Ovayolu & Alper Sevinç. (2014) 'The effect of aromatherapy and massage administered in different ways to women with breast cancer on their symptoms and quality of life', *International journal of nursing practice*, 20(4), pp. 408–417. doi: 10.1111/ijn.12128.

Özdelikara, A. & Tan, M. (2017) 'The Effect of Reflexology on Chemotherapy-induced Nausea, Vomiting, and Fatigue in Breast Cancer Patients.', *Asia-Pacific journal of oncology nursing*, 4(3), pp. 241–249. doi: 10.4103/apjon.apjon\_15\_17.

Ping Lei Chui, Khatijah Lim Abdullah, Li Ping Wong & Nur Aishah Taib. (2017). 'Complementary and Alternative Medicine Use and Symptom Burden in Women Undergoing Chemotherapy for Breast Cancer in Malaysia', *Cancer Nursing*, 00(0), p. 1. doi: 10.1097/NCC.0000000000000527.

Ramathuba, D. U., Ratshirumbi, C. T. and Mashamba, T. M. (2015) 'Knowledge, attitudes and practices toward breast cancer screening in a rural South African community', *Curationis*, 38(1), pp. 1–8. doi: 10.4102/curationis.v38i1.1172.

Rhodes, V. (1996) 'Rhodes Index of Nausea, Vomiting and Retching', *Curators of Missouri*, (1), p. 1996. Available at: <http://www.helper.org/downloads/rhodes-index.pdf>.

Roila, F. Molassiotis, A. Herrstedt, J. Aapro, M. Gralla, R. J. Bruera, E. Clark-Snow, R. A. Dupuis, L. L. Einhorn, L. H. Feyer, P. Hesketh, P. J. Jordan, K. Olver, I. Rapoport, B. L. Roscoe, J. Ruhlmann, C. H. Walsh, D. Warr, D. van der Wetering, M. on behalf of the participants of the MASCC/ESMO Consensus Conference Copenhagen 2015 (2016) '2016 MASCC and ESMO guideline update for the prevention of chemotherapy- and radiotherapy-induced nausea and vomiting and of nausea and vomiting in advanced cancer patients', *Annals of Oncology*, 27(Supplement 5), pp. v119–v133. doi: 10.1093/annonc/mdw270.

Ronco, Alvaro L Espinosa, Edison Calderon, Juan M Lasalvia- Galante, Eduardo De Rosa & Alejandro Sanchez, Gustavo (2017) "Mate" Intake, Hormone-

- Based Risk Factors and Breast Cancer: a Case-Control Study', *Asian Pacific journal of cancer prevention: APJCP*, 18(4), pp. 941–948. doi: 10.22034/APJCP.2017.18.4.941.
- Ronco, Alvaro L Espinosa, Edison Calderon, Juan M Lasalvia- Galante, Eduardo De Rosa, Alejandro Sanchez, Gustavo (2014) 'Effect of ginger on relieving nausea and vomiting in pregnancy: a randomized, placebo-controlled trial.', *Nursing and midwifery studies*, 3(1), pp. 1–6. doi: 10.5812/nms.11841.
- Salihah, N., Mazlan, N. and Lua, P. L. (2016) 'The effectiveness of inhaled ginger essential oil in improving dietary intake in breast-cancer patients experiencing chemotherapy-induced nausea and vomiting', *Focus on Alternative and Complementary Therapies*, 21(1), pp. 8–16. doi: 10.1111/fct.12236.
- Seifi, Zahra Bikmoradi, Ali Bazrafshan, Mohammad Rafi Poorolajal, Jalal Araghchian, Malihe Kashfi, Seyyed Hannan Kavi, Esmaeil Jokar, Mozghan (2018) 'The effect of inhalation aromatherapy with lavender essential oil on pain severity of patients after coronary artery bypass surgery: A single-blind randomised clinical trial', *Journal of Clinical and Diagnostic Research*, 12(7), pp. LC01–LC05. doi: 10.7860/JCDR/2018/34865.11721.
- Shin, J. and Park, H. (2018) 'Effects of Auricular Acupressure on Constipation in Patients With Breast Cancer Receiving Chemotherapy: A Randomized Control Trial', *Western Journal of Nursing Research*, 40(1), pp. 67–83. doi: 10.1177/0193945916680362.
- Stallings-Welden, Lois M. Doerner, Mary Ketchem, Elizabeth (Libby) Benkert, Laura Alka, Susan Stallings, Jonathan D. (2018) 'A Comparison of Aromatherapy to Standard Care for Relief of PONV and PDNV in Ambulatory Surgical Patients', *Journal of Perianesthesia Nursing*. Elsevier Inc, 33(2), pp. 116–128. doi: 10.1016/j.jopan.2016.09.001.
- Suh, E. E. (2012) 'The Effects of P6 Acupressure and Nurse-Provided Counseling on Chemotherapy-Induced Nausea and Vomiting in Patients With Breast Cancer', *Oncology Nursing Forum*, 39(1), pp. E1–E9. doi: 10.1188/12.ONF.E1-E9.
- Suzanna Maria Zick, Gwen Karilyn Wyatt, Susan Lynn Murphy, J Todd Arnedt, Ananda Sen and Richard Edmund Harris(2012) 'Acupressure for persistent cancer-related fatigue in breast cancer survivors (AcuCrft): a study protocol for a randomized controlled trial', *BMC Complement Altern Med*, 12, p. 132. doi: 10.1186/1472-6882-12-132.
- Undang-Undang Republik Indonesia Nomor 38 Tahun 2014 tentang Keperawatan (2014) 'Keperawatan', *Sekretariat Negara Republik Indonesia*, p. 52.

- WHO, W. H. O. (2018) 'Breast cancer', *World Health Organization*. Available at: <http://www.who.int/cancer/prevention/diagnosis-screening/breast-cancer/en/>.
- Zick, Suzanna M. Sen, Ananda Wyatt, Gwen K. Murphy, Susan L. Todd Arnedt, J. Harris, Richard E. (2016) 'Investigation of 2 types of self-Administered acupressure for persistent cancer-related fatigue in breast cancer survivors a randomized clinical trial', *JAMA Oncology*, 2(11), pp. 1470–1476. doi: 10.1001/jamaoncol.2016.1867.
- Zorba, P. and Ozdemir, L. (2017) 'The Preliminary Effects of Massage and Inhalation Aromatherapy on Chemotherapy-Induced Acute Nausea and Vomiting: A Quasi-Randomized Controlled Pilot Trial', *Cancer Nursing*, 00(0), pp. 1–8. doi: 10.1097/NCC.0000000000000496.