

## DAFTAR PUSTAKA

- Alfians R Belian Ali, Gresty N M Masi, V. K. (2017) ‘Perbandingan Kualitas Hidup Pasien Gagal Ginjal Kronik Dengan Comorbid Faktor Diabetes Mellitus dan Hipertensi di Ruangan Hemodialisa RSUP. Prof. Dr. R. D. Kandou Manado’, *e-Jurnal Keperawatan (e-Kp)*, 5(2), pp. 1–9.
- Angraini (2016) ‘Pemantauan Intake Output Cairan Pada Pasien Gagal Ginjal Kronik Dapat Mencegah Overload Cairan’, 19(3), pp. 152–160. doi: 10.7454/jki.v19i3.475.
- Beerappa, H. and Chandrababu, R. (2018a) ‘Adherence to dietary and fluid restrictions among patients undergoing hemodialysis: An observational study’, *Clinical Epidemiology and Global Health*. INDIACLEN, (2010). doi: 10.1016/j.cegh.2018.05.003.
- Beerappa, H. and Chandrababu, R. (2018b) ‘Adherence to dietary and fluid restrictions among patients undergoing hemodialysis: An observational study’, *Clinical Epidemiology and Global Health*, (May). doi: 10.1016/j.cegh.2018.05.003.
- Brunner & Suddarth (2002) *Buku Ajar Keperawatan Medikal Bedah*. Jakarta: EGC .
- Clark-Cutaia., M. N. and Mary Ann Sevick., Jennifer Thurheimer-Cacciotti., Hoffman., Linda Snetselaar., L. E. B. and S. L. Z. (2018) ‘Perceived Barriers to Adherence to Hemodialysis Dietary Recommendations’, *Clinical Nursing Research*, pp. 1–21. doi: 10.1177/1054773818773364.
- Daehler, Marvin dan Bukatko, D. (1985) *Cognitive Development 1 st edition*. New York: Alfred A. Knopf.
- Daniel J. W. Jones, Kate Harvey, John P. Harris, L. T. B. and Emma C Vaux (2017) ‘UNDERSTANDING THE IMPACT OF HAEMODIALYSIS ON UK NHS PATIENTS’ WELLBEING: A QUALITATIVE INVESTIGATION’, *Journal of Clinical Nursing*, 27(1–2), pp. 193–204. doi: 10.1111/ijlh.12426.
- Denise F. Polit, C. and Beck, T. (2008) *Essentials of nursing research : appraising evidence for nursing practice*.
- Efe, D. and Kocaöz, S. (2015) ‘Adherence to diet and fluid restriction of individuals on hemodialysis treatment and affecting factors in Turkey’, pp. 113–123. doi: 10.1111/jjns.12055.

- Geldine Chironda and Busisiwe Bhengu (2016) ‘Engagement with Fluid and Dietary Restriction among Chronic Kidney Disease ( CKD ) Patients in Selected Public Hospitals of KwaZulu-Natal ( KZN ) Province , South Africa Methodology Study design’, *Health Science Journal*, pp. 1–9. doi: 10.4172/1791-809X.1000100504.
- Glanz, Karen. Rimer, Barbara K. Viswanath, K. (Kasisomayajula) (2008) *Health Behavior and Health Education*.
- Glanz, K., Rimer, K. B. and Viswanath, K. (2008) *Health and Health*.
- Griva, K. et al. (2013) ‘Managing treatment for end-stage renal disease – A qualitative study exploring cultural perspectives on facilitators and barriers to treatment adherence’, *Psychology & Health*, 28(1), pp. 13–29. doi: 10.1080/08870446.2012.703670.
- Griva, K. et al. (2018) ‘Hemodialysis Self-management Intervention Randomized Trial (HED-SMART): A Practical Low-Intensity Intervention to Improve Adherence and Clinical Markers in Patients Receiving Hemodialysis’, *American Journal of Kidney Diseases*, 71(3), pp. 371–381. doi: 10.1053/j.ajkd.2017.09.014.
- Imai Indra (2013) ‘Anesthetic in Renal Insufficiency Imai Indra’, *Journal, Idea Nursing*, IV(1), pp. 69–73.
- Janet L. Welch, Kim Schafer Astroth, Susan M. Perkins, Cynthia S. Johnson, Kay Connelly, Katie Siek, Josette Jones, L. L. S. (2014) ‘Using a Mobile Application to Self-Monitor Diet and Fluid Intake among Adults Receiving Hemodialysis’, *NIH Public Access*, 36(3), pp. 284–298. doi: 10.1002/nur.21539.Using.
- Jessica Stevenson., Allison Tong, ., Talia Gutman., K. L. C. and Jonathan C. Craig., Mark A. Brown., and V. W. L. (2018) ‘Experiences and Perspectives of Dietary Management Among Patients on Hemodialysis: An Interview Study’, *Journal of Renal Nutrition*. National Kidney Foundation, Inc., pp. 1–11. doi: 10.1053/j.jrn.2018.02.005.
- Jones, D. J. W. et al. (2018) ‘Understanding the impact of haemodialysis on UK National Health Service patients ’ well-being : A qualitative investigation’, (April 2017), pp. 193–204. doi: 10.1111/jocn.13871.
- Junhong Yu., Hui J Ng., Mooppil Nandakumar., Konstadina Griva. (2015) ‘The management of food cravings and thirst in hemodialysis patients : A qualitative study’, *Journal of Health Psychology*. doi: 10.1177/1359105314525066.
- Karamanidou, C., Weinman, J. and Horne, R. (2014) ‘A qualitative study of

- treatment burden among haemodialysis recipients', *Journal of Health Psychology*, 19(4), pp. 556–569. doi: 10.1177/1359105313475898.
- KDIGO (2013) 'KDIGO 2012 Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease KDIGO 2012 Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease', *Kidney international, Journal of the International*, 3(1), p. Supplement. doi: 10.1038/kisup.2012.76.
- Kemenkes RI (2017) 'InfoDATIN', in *Situasi Penyakit Ginjal Kronis*.
- Kim, Yoonsoo · Kim, M. (2015) 'The Experience of Fluid Management in Hemodialysis Patients', *Journal Korean Acad Nurs*, 45(5), pp. 773–782.
- Kim, S. et al. (2016) 'Lived experience of Korean nurses caring for patients on maintenance haemodialysis', *Journal of Clinical Nursing*, 25(9–10), pp. 1455–1463. doi: 10.1111/jocn.13160.
- Leting Isabella Hong., Wenru Wang., Ee Yuee Chan., Fatimah Mohamed., and H.-C. C. (2017) 'Dietary and fluid restriction perceptions of patients undergoing haemodialysis: An exploratory study', *Journal of Clinical Nursing Clinical Nursing*, 26(21–22), pp. 3664–3676. doi: 10.1111/ijlh.12426.
- Lincoln, Y. S. & E. G. G. (1985) *Naturalistic Inquiry*. California: Sage.
- Lissette González Oquendo., José Miguel Morales Asencio., Candela Bonill de las Nieves. (2016) 'Contributing Factors for Therapeutic Diet Adherence in Patients Receiving Haemodialysis Treatment: An integrative review', *International Journal of Laboratory Hematology*, 38(1), pp. 42–49. doi: 10.1111/ijlh.12426.
- Van Mannen, M. (1990) *RESEARCHING LIVED EXPERIENCE Human Science for an Action Sensitive Pedagogy*.
- Matteson, M. L. and Russell, C. (2010) 'Interventions to improve hemodialysis adherence: A systematic review of randomized-controlled trials', *Hemodialysis International*, 14(4), pp. 370–382. doi: 10.1111/j.1542-4758.2010.00462.x.
- Maya N. Clark-Cutaia, Dianxu Ren, L. A. H. et al (2015) 'Adherence to Hemodialysis Dietary Sodium Recommendations: Influence of Patient Characteristics, Self-Efficacy and Perceived Barriers', *NIH Public Access*, 24(2), pp. 92–99. doi: 10.1053/j.jrn.2013.11.007.
- Melianna, R. (2013) 'Hubungan Kepatuhan Cairan terhadap Terjadinya Overload pada Pasien Gagal Ginjal Kronik Post Hemodialisa di Rumah Sakit Fatmawati', *Skripsi Fakultas Ilmu keperawatan Universitas*

*Indonesia*, pp. 1–12. doi: 10.1016/j.jcf.2012.06.005.

Michelle M.Y. Wong., Keith P. McCullough., Brian A. Bieber., Juergen Bommer., Manfred Hecking., Nathan W. Levin., William M. McClellan., RonaldL. Pisoni., Rajiv Saran., Francesca Tentori., Tadashi Tomo., Friedrich K. Port., and B. M. R. (2017) ‘Interdialytic Weight Gain: Trends, Predictors, and Associated Outcomes in the International Dialysis Outcomes and Practice Patterns Study (DOPPS)’, *American Journal of Kidney Diseases*. Elsevier Inc, 69(3), pp. 367–379. doi: 10.1053/j.ajkd.2016.08.030.

Momennasab, M., Ranjbar, M. and Najafi, S. S. (2018) ‘Comparing the effect of listening to music during hemodialysis and at bedtime on sleep quality of hemodialysis patients: A randomized clinical trial’, *European Journal of Integrative Medicine*, 17(September 2017), pp. 86–91. doi: 10.1016/j.eujim.2017.12.001.

Nail, N. (2000) *Editor Monica Ester. Psikologi kesehatan : pengantar untuk perawat dan profesi kesehatan lain . Edisi 2*. Jakarta: EGC.

National Institute of Diabetes and Digestive and Kidney Disease (2006) *reatment Methods for Kidney Failure: Hemodialysis*, [http://www.niddk.nih.gov/health-information/health-topics/kidney-disease/hemodialysis/Documents/hemodialysis\\_508.pdf](http://www.niddk.nih.gov/health-information/health-topics/kidney-disease/hemodialysis/Documents/hemodialysis_508.pdf).

National Kidney Foundation (2007) *Hemodialysis: What You Need to Know*, <https://www.kidney.org/sites/default/files/docs/hemodialysis.pdf>.

Nelson, L. A. et al. (2018) ‘Assessing barriers to diabetes medication adherence using the Information-Motivation-Behavioral skills model’, *Diabetes Research and Clinical Practice*. Elsevier B.V., 142, pp. 374–384. doi: 10.1016/j.diabres.2018.05.046.

Notoatmodjo, S. (2010) *Metodologi Penelitian Kesehatan*.

Onbe, H. et al. (2013) ‘Defining The Culture and Attitude Towords Dietary Management Action In People Undergoing Hemodialysis’, pp. 90–95.

Perhimpunan Dokter Spesialis Penyakit Dalam Indonesia (2006) *Panduan Pelayanan Medik*. Jakarta: Fakultas Kedokteran Universitas Indonesia.

Perrett, S. E. (2007) ‘Review of Roy adaptation model-based qualitative research’, *Nursing Science Quarterly*, 20(4), pp. 349–356. doi: 10.1177/0894318407306538.

Polit, D. F. and Beck, C. T. (2013) *Nursing Research; Appraising Evidence for Nursing Practice*. 7th edn. Philadelphia: Lippincot Williams & Wilkins.

Prior, L. (2008) *The Sage encyclopedia of qualitative research methods, The Sage*

*Encyclopedia of Qualitative Research Methods.* doi: 10.4135/9781412963909.

Rahardjo, P., Susalit, E., S. (2009) *Hemodialysis. Dalam: Sudoyo , A.W., Setiyohadi, B., Alwi, I., Simadribata, M.K., Setiati, S., penyunting. Buku Ajar Ilmu Penyakit Dalam. Edisi ke-5.* Jakarta: Interna Publishing.

Rajiv Saran,Jennifer R L. Bragg-Gresham, H. C. R. (2003) ‘Nonadherence in hemodialysis : Associations with mortality , hospitalization , and practice patterns in the DOPPS’, 64, pp. 254–262. doi: 10.1046/j.1523-1755.2003.00064.x.

Reid, C., Seymour, J. and Jones, C. (2016) ‘A thematic synthesis of the experiences of adults living with hemodialysis’, *Clinical Journal of the American Society of Nephrology*, 11(7), pp. 1206–1218. doi: 10.2215/CJN.10561015.

Rongkavilit, C. et al. (2010) ‘Applying the Information-Motivation-Behavioral Skills Model in Medication Adherence Among Thai Youth Living with HIV: A Qualitative Study’, *AIDS Patient Care and STDs*, 24(12), pp. 787–794. doi: 10.1089/apc.2010.0069.

Sciberras, A. and Scerri, J. (2017) ‘Facilitators and barriers to treatment with haemodialysis among persons in mid-adulthood: an interpretative phenomenological analysis’, *Scandinavian Journal of Caring Sciences*, 31(4), pp. 695–701. doi: 10.1111/scs.12381.

Smeltzer, Suzanne C. dan Bare, B. G. (2002) *Buku Ajar Keperawatan Medikal Bedah Brunner dan Suddarth (Ed.8, Vol. 1,2)*, Alih bahasa oleh Agung Waluyo...(dkk). Jakarta: EGC.

Stevenson, J. et al. (2018) ‘Perspectives of healthcare providers on the nutritional management of patients on haemodialysis in Australia: An interview study’, *BMJ Open*, 8(3). doi: 10.1136/bmjopen-2017-020023.

Suetonia C. Palmer., Camilla S. Hanson., 2 Jonathan C. Craig., G. F. M. S. and Marinella Ruospo., Katrina Campbell., David W. Johnson., and Allison Tong. (2014) ‘Dietary and Fluid Restrictions in CKD: A Thematic Synthesis of Patient Views From Qualitative Studies’, *American Journal of Kidney Diseases*. Elsevier Inc. doi: 10.1053/j.ajkd.2014.09.012.

Suharyanto T & Madjid A (2009) *Asuhan Keperawatan pada klien dengan gangguan sistem perkemihan*. Jakarya: Trans Info Media.

Suwitra, K. (2009) *Penyakit Ginjal Kronik. In: Aru W Sudoyo, editor. Buku Ajar Ilmu Penyakit Dalam Jilid 2. Edisi 5.* Jakarta: nterna Publishing.

Suwitra, K. (2014) *Penyakit Ginjal Kronik . Dalam Sudoyo, et al. Buku Ajar*

*Ilmu Penyakit Dalam.* Jakarta: Pusat Penerbitan Departemen Penyakit Dalam Fakultas Kedokteran Universitas Indonesia.

Vivekanand Jha, Guillermo Garcia-Garcia, K. I. et al (2013) ‘Chronic kidney disease: Global dimension and perspectives’, *The Lancet*. Elsevier Ltd, 382(9888), pp. 260–272. doi: 10.1016/S0140-6736(13)60687-X.

Yi, E. and Sook, K. (2014) ‘Nurses’ Experience of Managing Diet and Fluid in Hemodialysis Patients’, 17(1), pp. 27–37.

Yvette Meuleman., Lucia ten Brinke ., Arjan J. Kwakernaak., Liffert Vogt ., Joris I. Rotmans., Willem Jan W. Bos., Paul J. M. van der Boog., Gerjan Navis., Gert A. van Montfrans ., Tiny Hoekstra ., F. W. D. and S. van D. (2015) ‘Perceived Barriers and Support Strategies for Reducing Sodium Intake in Patients with Chronic Kidney Disease: a Qualitative Study’, *International Journal of Behavioral Medicine*, 22(4), pp. 530–539. doi: 10.1007/s12529-014-9447-x.