

DAFTAR PUSTAKA

- A, A. (2018). Candida Infection Pathogenesis and Host Defensive Mechanism. *Virology & Immunology Journal*, 2(7).
- Adwan, G., Salameh, Y., Adwan, K. and Barakat, A. (2012). Assessment of antifungal activity of herbal and conventional toothpastes against clinical isolates of *C. albicans*. *Asian Pacific Journal of Tropical Biomedicine*, 2(5), pp.375-379.
- Agrawal, A., Singh, A., Verma, R. and Murari, A. (2014). Oral candidiasis: An overview. *Journal of Oral and Maxillofacial Pathology*, 18(4), p.81.
- Akbar B. (2010). Tumbuhan Dengan Kandungan Senyawa Aktif Berpotensi Sebagai Bahan Antifertilitas. Jakarta: Adabia Press.
- Akpan, A. (2002). Oral candidiasis. *Postgraduate Medical Journal*, 78(922), pp.455-459.
- Allard, J., Rinaldi, L., Wargo, M., Allen, G., Akira, S., Uematsu, S., Poynter, M., Hogan, D., Rincon, M. and Whittaker, L. (2009). Th2 allergic immune response to inhaled fungal antigens is modulated by TLR-4-independent bacterial products. *European Journal of Immunology*, 39(3), pp.776-788.
- Alves, R., Mota, S., Silva, S., Rodrigues, C. F., Alistair, J. P., Henriques, M., et al. (2017). The carboxylic acid transporters Jen1 and Jen2 affect the architecture and fluconazole susceptibility of *C. albicans* biofilm in the presence of lactate. *Biofouling* 33, 943–954. doi: 10.1080/08927014.2017.1392514
- Alzarea, Bader K., Sghaireen, Mohd G., Taher, Ibrahim. and Mohager, Mazin. (2015). Prevalence of Oral Candidiasis in Diabetic Patients at Northern of Kingdom of Saudi Arabia. *Research Journal of Biological Sciences*, 10, pp. 10-14.
- Ambarawati, I. (2017). Oral Candidiasis. [online] Available at: https://simdos.unud.ac.id/uploads/file_penelitian_1_dir/1ebd826e5176b98d4a5df1907b53da75.pdf [Accessed 2 Oct. 2018].
- American Diabetes Association. (2018). Diagnosis and Classification of Diabetes Mellitus. *Diabetes care*, Volume 33, Supplement 1
- Amin, L. E. (2018). Biological assessment of ozone therapy on experimental oral candidiasis in immunosuppressed rats. *Biochemistry and Biophysics Reports*, 15, 57–60. doi:10.1016/j.bbrep.2018.06.007
- Arts, J., Kramer, K., Arndt, S. and Ohl, F. (2014). Sex Differences in Physiological Acclimatization after Transfer in Wistar Rats. *Animals*, 4(4), pp.693-711.
- Byrd, A., O'Brien, X., Johnson, C., Lavigne, L. and Reichner, J. (2013). An Extracellular Matrix-Based Mechanism of Rapid Neutrophil Extracellular Trap Formation in Response to *C. albicans*. *The Journal of Immunology*, 190(8), pp.4136-4148.
- Campisi G, Panzarella V, Matranga D, Calvino F, Pizzo G, Lo Muzio L, Porter S (2008). Risk factors of oral candidosis: a twofold approach of study by fuzzy logic and traditional statistic. *Arch. Oral Biol.*, 53:388-397.
- Chávez EM, Borrell LN, Taylor GW, Ship JA. (2001). A longitudinal analysis of salivary flow in control subjects and older adults with type 2 diabetes. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 91:166-73.

- Cheng, S., van de Veerdonk, F., Smeekens, S., Joosten, L., van der Meer, J., Kullberg, B. and Netea, M. (2010). *C. albicans* Dampens Host Defense by Downregulating IL-17 Production. *The Journal of Immunology*, 185(4), pp.2450-2457.
- Costa, A., Pereira, C., Junqueira, J. and Jorge, A. (2013). Recent mouse and rat methods for the study of experimental oral candidiasis. *Virulence*, 4(5), pp.391-399.
- Cristina de Lima D, Nakata GC, Balducci I, Almeida JD. (2008). Oral manifestations of diabetes mellitus in complete denture wearers. *J Prosthet Dent*. 99:60-5.
- Damasceno, D., Netto, A., Iessi, I., Gallego, F., Corvino, S., Dallaqua, B., Sinzato, Y., Bueno, A., Calderon, I. and Rudge, M. (2014). *Streptozotocin-Induced Diabetes Models: Pathophysiological Mechanisms and Fetal Outcomes*.
- Depkes.go.id. (2018). *Riset Kesehatan Dasar*. [online] Available at: http://www.depkes.go.id/resources/download/info-terkini/materi_rakorpop_2018/Hasil%20Riskesdas%202018.pdf [Accessed 3 Dec. 2018]
- Ermert, D., Zychlinsky, A. and Urban, C. (2009). Fungal and Bacterial Killing by Neutrophils. *Host-Pathogen Interactions*, pp.293-312.
- Eleazu, C., Eleazu, K., Chukwuma, S. and Essien, U. (2013). Review of the mechanism of cell death resulting from streptozotocin challenge in experimental animals, its practical use and potential risk to humans. *Journal of Diabetes & Metabolic Disorders*, 12(1), p.60.
- Ferreira, L., Hochman, B. and Barbosa, M. (2005). Modelos experimentais em pesquisa. *Acta Cirurgica Brasileira*, 20(suppl 2), pp.28-34.
- Flecknell, PA (2009). *Laboratory Animal Anesthesia (Third Edition)*. Academic Press, Harcourt Brace Jovanovich, London.
- Federiuk, IF., Casey, HM., Quinn, MJ., Wood, MD. Ward, KW. (2004). Induction of type-1 diabetes mellitus in laboratory rats by use of alloxan: route of administration, pitfalls, and insulin treatment. *Compar Med*, 6(3), pp. 252-257
- Furman, B.L. (2015). Streptozotocin-induced diabetic models in mice and rats. *Curr. Protoc. Pharmacol.* 70:5.47.1-5.47.20.
- Ganathipan, B. (2011). Skripsi Profil Tingkat Pengetahuan Mahasiswa FK USU Stambuk 2008 Tentang Diabetes Gestasional. Pdf (diakses tanggal 3 Oktober 2018)
- Garcia-Cuesta, C., Sarrion-Perez, M. and Bagan, J. (2014). Current treatment of oral candidiasis: A literature review. *Journal of Clinical and Experimental Dentistry*, pp.e576-e582.
- Glick, M. (2015). *Burket's Oral Medicine 12th edition*. Connecticut: People's Medical Publishing House.
- González Gravina, H., González de Morán, E., Zambrano, O., Lozano Chourio, M., Rodríguez de Valero, S., Robertis, S. and Mesa, L. (2007). *Oral Candidiasis in children and adolescents with cancer: Identification of Candida spp.* [online] Scielo.isciii.es. Available at: http://scielo.isciii.es/scielo.php?pid=S169869462007000600001&script=sci_abstract&tlng=pt [Accessed 18.Oct 2018].

- Gow, N., van de Veerdonk, F., Brown, A. and Netea, M. (2011). *C. albicans* morphogenesis and host defence: discriminating invasion from colonization. *Nature Reviews Microbiology*, 10(2), pp.112-122.
- Greenwood, D., Slack, R., Barer, M. and Irving, W. (2007). *Medical Microbiology E-Book*. Churchill Livingstone Elsevier. Edinburgh. 2007:60, 596, 602-4,614-16
- Guggenheimer J, Moore PA, Rossie K, Myers D, Mongelluzzo MB, Block HM, et al. (2000). Insulin-dependent diabetes mellitus and oral soft tissue pathologies: II. Prevalence and characteristics of Candida and Candidal lesions. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*. 89:570-6.
- Henriques, M., Azeredo, J. and Oliveira, R. (2006). Candida Species Adhesion to Oral Epithelium: Factors Involved and Experimental Methodology Used. *Critical Reviews in Microbiology*, 32(4), pp.217-226.
- Hyttinen, V., Kaprio, J., Kinnunen, L., Koskenvuo, M. and Tuomilehto, J. (2003). Genetic Liability of Type 1 Diabetes and the Onset Age Among 22,650 Young Finnish Twin Pairs: A Nationwide Follow-Up Study. *Diabetes*, 52(4), pp.1052-1055.
- Ighodaro, O., Adeosun, A. and Akinloye, O. (2017). Alloxan-induced diabetes, a common model for evaluating the glycemic-control potential of therapeutic compounds and plants extracts in experimental studies. *Medicina*, 53(6), pp.365-374.
- Ihiheidioha JI, Ugwuja JI, Noel_Uneke OA, Udeani IJ, Daniel-Igwe G. (2012). Reference Values for the Haematology Profile of Conventional Grade Outbred Albino Mice (*Mus musculus*) in Nsukka, Eastern Nigeria. *ARI*. Vol 9(2):1601-1612.
- InfoDATIN. (2014). Situasi dan Analisis Diabetes. Available from <http://www.depkes.go.id/resources/download/pusdatin/infodatin/infodatin-diabetes.pdf>. Accessed on 18 October 2018
- International Diabetes Federation. 2017. IDF Diabetes Atlas eight edition 2017. Available from <http://www.diabetesatlas.org>. Accessed on 18 October 2018
- Islam, M., Rupeshkumar, M., Reddy, KB. (2017). Streptozotocin is more convenient than Alloxan for the induction of Type 2 Diabetes. *International Journal of Pharmaceutical Research*, 7(01), pp.06-11.
- Jackson, S., Andrews, N., Ball, D., Bellantuono, I., Gray, J., Hachoumi, L., Holmes, A., Latcham, J., Petrie, A., Potter, P., Rice, A., Ritchie, A., Stewart, M., Strepka, C., Yeoman, M. and Chapman, K. (2016). Does age matter? The impact of rodent age on study outcomes. *Laboratory Animals*, 51(2), pp.160-169.
- Jafar, N., Edriss, H. and Nugent, K. (2016). The Effect of Short-Term Hyperglycemia on the Innate Immune System. *The American Journal of the Medical Sciences*, 351(2), pp.201-211.
- Jain, DK., Arya, RK. (2011). Anomalies in alloxan-induced diabetic model: It is better to standardize it first. *Indian J Pharmacol* 43, p.91.
- Janvier Labs. (2013). Research Model: Sprague Dawley Rat [Online]. Tersedia di: <http://www.janvier-labs.com/rodent-research-models-services/researchmodels/per-species/outbred-rats/product/wistar.html>. Accessed on 10 Oct 2018.

- Jiang, S. (2016). Immunity against Fungal Infections. *Immunology and Immunogenetics Insights*, 8, p.III.S38707.
- Justice M. J., Dhillon P. (2016). Using the mouse to model human disease: increasing validity and reproducibility. *Dis. Model. Mech.* 9, 101–103. 10.1242/dmm.024547
- Kadir T, Pisiriciler R, Akyüz S, Yarat A, Emekli N, Ipbüker A. (2002). Mycological and cytological examination of oral candidal carriage in diabetic patients and non-diabetic control subjects: Thorough analysis of local aetiologic and systemic factors. *J Oral Rehabil.* 2002;29:452-7.
- King, A. (2012). The use of animal models in diabetes research. *British Journal of Pharmacology*, 166(3), pp.877-894.
- Kudiyirickal, M. and Pappachan, J. (2014). Diabetes mellitus and oral health. *Endocrine*, 49(1), pp.27-34.
- Kusumaningtyas, Eni. (2014). Mekanisme Infeksi *C. albicans* Pada Permukaan Sel. Lokakarya Nasional Penyakit Zoonosis. Balai Penelitian Veteriner. Hal: 304-311
- Lamont, R., Hajishengallis, G. and Jenkinson, H. (n.d.). *Oral microbiology and immunology*.
- Lenzen, S. (2008). The mechanisms of alloxan- and streptozotocin-induced diabetes. *Diabetologia*, 51(2), pp.216-226.
- Lestari, P. (2010). Peran Faktor Virulensi Pada Patogenesis Infeksi *C. albicans*. *Stomatognathic (J.K.G Unej)*, 7(2), pp.113-17.
- Lopes, Jose Pedro. (2018). *Candida albicans* adaptation to host microenvironments drives immune evasion. *Umea University Department Clinical Microbiology*, pp. 35-45.
- Martinez-Beneyto, Y., LÁpez-Jornet, P., Velandrino-Nicolas, A. and Jornet-Garcia, V. (2010). Use of antifungal agents for oral candidiasis: results of a national survey. *International Journal of Dental Hygiene*, 8(1), pp.47-52.
- Martinez, R., Jaimes-Aveldeañez, A., Hernández-Pérez, F., Arenas, R. and Miguel, G. (2013). Oral *Candida* spp carriers: its prevalence in patients with type 2 Diabetes Mellitus. *Anais Brasileiros de Dermatologia*, 88(2), pp.222-225.
- Martins, M., Henriques, M., Lopez-Ribot, J. and Oliveira, R. (2011). Addition of DNase improves the in vitro activity of antifungal drugs against *C. albicans* biofilms. *Mycoses*, 55(1), pp.80-85.
- Mendes, A., Mores, A., Carvalho, A., Rosa, R., Samaranayake, L. and Rosa, E. (2007). *C. albicans* Biofilms Produce More Secreted Aspartyl Protease than the Planktonic Cells. *Biological & Pharmaceutical Bulletin*, 30(9), pp.1813-1815.
- Miralles Jorda L, Silvestre Donat FJ, Grau García-Moreno DM, Hernandez-Mijares A. (2002). Buccodental pathology in patients with insulin-dependent diabetes mellitus: a clinical study. *Med Oral.* 7:298-302.
- Misra, M., Airman, U. (2012). Alloxan: An unpredictable drug for diabetes induction ?. *Indian Journal of Pharmacology*, 44(4), pp.538-539.
- Mutiawati, V. (2016). PEMERIKSAAN MIKROBIOLOGI PADA *C. ALBICANS*. *Jurnal Kedokteran Syiah Kuala*, 16(1).

- Nakamura, S., Okamoto, M., Yamamoto, K., Tsurumoto, A., Yoshino, Y., Iwabuchi, H., Saito, I., Maeda, N. and Nakagawa, Y. (2017). The *Candida* species that are important for the development of atrophic glossitis in xerostomia patients. *BMC Oral Health*, 17(1).
- Netea, M. (2013). Training innate immunity: the changing concept of immunological memory in innate host defence. *European Journal of Clinical Investigation*, 43(8), pp.881-884.
- Netea, M., Brown, G., Kullberg, B. and Gow, N. (2008). An integrated model of the recognition of *C. albicans* by the innate immune system. *Nature Reviews Microbiology*, 6(1), pp.67-78.
- Niemec, M. (2017). Commensal and pathogen: *C. albicans*. *Annals of Geriatric Education and Medical Sciences*, 4(1), pp.18-21.
- Nistiari, F., Racz, O., Lukacinova, A., Hubkova, B., Novakova, J., Lovasova, E. and Sedlakova, E. (2012). Age dependency on some physiological and biochemical parameters of male Wistar rats in controlled environment. *Journal of Environmental Science and Health, Part A*, 47(9), pp.1224-1233.
- Nittayananta W, Tao R, Jiang L, Peng Y, Huang Y. (2014). Oral innate immunity in human immunodeficiency infection in the era of highly active antiretroviral therapy. *J Oral Pathol Med.*; doi: 10.1111/jop.12304
- Nittayananta W. (2016). Oral fungi in HIV: challenges in antifungal therapies. *Oral diseases*. Oct; 22; 107-113
- Nobile, C. and Johnson, A. (2015). *C. albicans* Biofilms and Human Disease. *Annual Review of Microbiology*, 69(1), pp.71-92.
- Osaigbovo, I., Lofor, P. and Oladele, R. (2017). Fluconazole Resistance among Oral *Candida* Isolates from People Living with HIV/AIDS in a Nigerian Tertiary Hospital. *Journal of Fungi*, 3(4), p.69.
- Pamolango, M., Wantouw, B. and Sambeka, J. (2013). Hubungan Riwayat Diabetes Mellitus Pada Keluarga Dengan Kejadian Diabetes Mellitus Gestasional Pada Ibu Hamil Di PKM Bahu Kec. Malalayang Kota Manado. *Jurnal Keperawatan Universitas Sam Ratulangi*, 1(1).
- Patil S, Majumdar B, Sarode S, Sarode G, Awan K. (2018). Oropharyngeal Candidiasis in HIV-Infected Patients-An Update. *Front. Microbiol.* 9:980. Doi: 10.3389/fmicb.00980. May; 15; 9: 2-9.
- Patil, S., Rao, R., Majumdar, B. and Anil, S. (2015). Clinical Appearance of Oral *Candida* Infection and Therapeutic Strategies. *Frontiers in Microbiology*, 6.
- Pereira-Cenci, T., Del Bel Cury, A., Crielaard, W. and Ten Cate, J. (2008). Development of *Candida*-associated denture stomatitis: new insights. *Journal of Applied Oral Science*, 16(2), pp.86-94.
- Perlin D, Rautemaa-Richardson R, Alastruey-Izquierdo (2017). A. The global problem of antifungal resistance: prevalence, mechanisms, and management. *The Lancet Infectious Diseases*. 2017;17(12):e383-e392.
- Peschke, E., Hofmann, K., Bähr, I., Streck, S., Albrecht, E., Wedekind, D. and Mühlbauer, E. (2011). The insulin–melatonin antagonism: studies in the

- LEW.1AR1-iddm rat (an animal model of human type 1 diabetes mellitus). *Diabetologia*, 54(7), pp.1831-1840.
- Rahayu, R., Prasetyo, R., Purwanto, D., Kresnoadi, U., Iskandar, R. and Rubianto, M. (2018). The immunomodulatory effect of green tea (*Camellia sinensis*) leaves extract on immunocompromised Wistar rats infected by *C. albicans*. *Veterinary World*, 11(6), pp.765-770.
- Rao, A. and Balachandran, B. (2002). Role of Oxidative Stress and Antioxidants in Neurodegenerative Diseases. *Nutritional Neuroscience*, 5(5), pp.291-309.
- Rodrigues, C., Rodrigues, M. and Henriques, M. (2019). *Candida* sp. Infections in Patients with Diabetes Mellitus. *Journal of Clinical Medicine*, 8(1), p.76.
- Romani, L. (2004). Immunity to fungal infections. *Nature Reviews Immunology*, 4(1), pp.11-24.
- Rosenthal, N. and Brown, S. (2007). The mouse ascending: perspectives for human-disease models. *Nature Cell Biology*, 9(9), pp.993-999.
- Saijo, S. and Iwakura, Y. (2011). Dectin-1 and Dectin-2 in innate immunity against fungi. *International Immunology*, 23(8), pp.467-472.
- Salazar, F. and Brown, G. (2018). Antifungal Innate Immunity: A Perspective from the Last 10 Years. *Journal of Innate Immunity*, 10(5-6), pp.373-397.
- Samaranayake, Y. and Samaranayake, L. (2001). Experimental Oral Candidiasis in Animal Models. *Clinical Microbiology Reviews*, 14(2), pp.398-429.
- Sanjeeta N. (2014). Oral changes in Diabetes – a review. *IOSR-JDMS* 13(1): 36-9
- Sano, T., Ozaki, K., Terayama, Y., Kodama, Y. and Matsuura, T. (2014). A Novel Diabetic Murine Model of *C. albicans*-Induced Mucosal Inflammation and Proliferation. *Journal of Diabetes Research*, 2014, pp.1-6.
- Segal, E. and Frenkel, M. (2018). Experimental In Vivo Models of Candidiasis. *Journal of Fungi*, 4(1), p.21.
- Shanks, N., Greek, R. and Greek, J. (2009). Are animal models predictive for humans?. *Philosophy, Ethics, and Humanities in Medicine*, 4(1), p.2.
- Sharp, P. and Villano, J. (2013). *The Laboratory Rat*. Second edition. Boca Raton: CRC Press.
- Shenoy, M., Puranik, R., Vanaki, S., Puranik, S., Shetty, P. and Shenoy, R. (2014). A comparative study of oral candidal species carriage in patients with type1 and type2 diabetes mellitus. *Journal of Oral and Maxillofacial Pathology*, 18(4), p.60.
- Solis, N. and Filler, S. (2012). Mouse model of oropharyngeal candidiasis. *Nature Protocols*, 7(4), pp.637-642.
- Soltesova, D. and Herichova, I. (2011). On The Mechanism Of Diabetogenic Effects Of Alloxan And Streptozotocin. *Diabetologie*, 14(3), pp.130-8.
- Sousa MG de M, Costa A de LL, Roncalli AG. (2011). Clinical study of the oral manifestations and related factors in type 2 diabetics patients. *Braz J Otorhinolaryngol*. 2011;77:145-52.
- Soysa, N., Samaranayake, L. and Ellepola, A. (2008). Antimicrobials as a contributory factor in oral candidosis – a brief overview. *Oral Diseases*, 14(2), pp.138-143.
- Szkudelski, T. (2001). The Mechanism Of Alloxan And Streptozotocin Action In B Cells Of The Rat Pancreas. *Physiol Res* 2001; 50:536-546