

DAFTAR PUSTAKA

- Arrangoiz, R., Cordera, F. and Luque-de-león, E. (2016) 'Understand Cancer : Research and Treatment Oral Cavity Cancer : Literature Review and Current Management . Oral Cavity Cancer: Literature Review and Current Management', (May).
- Al-Alasmari, A. K., Albalawi, S. M., Athar, M. T., Khan, A. Q., Al-Shahrani, H., & Islam, M. (2015). Moringa oleifera as an anti-cancer agent against breast and colorectal cell lines. *Plos One*, 10. <http://dx.doi.org/10.1371/journal.pone.0135814>.
- Bancroft JD dan Gamble M. 2008. *Theory and Practice of Histological Techniques: Immunohistochemical Techniques*. United State: Churchill Livingstone Elsevier p.433-53.
- Budhy, T.I. (2000) Mekanisme Nekrosis Sel Kanker Oleh Sel Imunokompeten Makrofag Karena Pemberian Ekstrak Teh Hitam Pada Mukosa Rongga Mulut yang Terpapar Benzopirene. Surabaya: Universitas Airlangga.
- Budhy, T.I., Sumaryono, B., Arundia, I. and Khrisnanthi, R.S 2018. Hedyotis corymbosa (L.) Lamk-The Potential Inhibitor Extract of Oral Cancer Cell Progressivity in Benzopyrene Induced Rattus Novergicus. *Journal of International Dental and Medical Research*, vol. 11, no. 1, pp.312-317.
- Calderwood, S. K. *et al.* (2011) 'Signal Transduction Pathways Leading to Heat Shock Transcription', *PMC*, pp. 13–24. doi: 10.4137/STI.S3994.
- Chatterjee, S. and Burns, T. F. (2017) 'Targeting Heat Shock Proteins in Cancer: A Promising Therapeutic Approach', *International Journal of Molekuler Sciences*, pp. 1–39. doi: 10.3390/ijms18091978.
- Chen, Z., Forman, L., Williams, R. and Faller, D. (2014). Protein kinase C-delta inactivation inhibits the proliferation and survival of cancer stem cells in culture and in vivo. *BMC Cancer*, 14(1), p.2.
- Cheong, S. C. *et al.* (2017) 'Oral cancer in South East Asia', *Translational Research in Oral Oncology*, 2(1), p. 2057178X1770292. doi: 10.1177/2057178X17702921.
- Cossarizza, A. *et al.* (2011) 'Quercetin and cancer chemoprevention', *Evidence-based Complementary and Alternative Medicine*, 2011. doi: 10.1093/ecam/neq053.
- Dai, C. *et al.* (2007) 'Heat shock factor 1 is a powerful multifaceted modifier of carcinogenesis. (SUPPLEMENTARY INFORMATION)', *Cell*, 130(6), pp. 1005–18. doi: 10.1016/j.cell.2007.07.020.
- Dai, C. and Sampson, S. B. (2017) 'HSF1: Guardian of proteostasis in cancer', 46(5), pp. 1247–1262. doi: 10.1002/jmri.25711.PET/MRI.
- Dany, M., Madi, N., Nemer, N., Beyrouthy, M., Abdoun, S., & Usta, J. (2012). Moringa oleifera: Natural leaf extract with potential anti-cancerous effect on A549 lung cancer cells. *Lung Cancer*, 77, S22. <http://dx.doi.org/10.1016/j.lungcan.2012.05.035>.
- Dayalan Naidu, S. *et al.* (2018) 'Phenethyl Isothiocyanate, a Dual Activator of Transcription Factors NRF2 and HSF1', *Molekuler Nutrition Food Research*. doi: 10.1002/mnfr.201700908.

- Diab, D. L. *et al.* (2009) 'Oral benzo[a]pyrene-induced cancer: two distinct types in different target organs depend on the mouse Cyp1 genotype Zhanquan', 6(11), pp. 1249–1254. doi: 10.1016/j.cgh.2008.07.016.Cytokeratin.
- Gao, M. *et al.* (2011) 'A common carcinogen benzo[a]pyrene causes p53 overexpression in mouse cervix via DNA damage', *Mutation Research - Genetic Toxicology and Environmental Mutagenesis*. Elsevier B.V., 724(1–2), pp. 69–75. doi: 10.1016/j.mrgentox.2011.06.008.
- Gopalakrishnan, L., Doriya, K. and Kumar, D. S. (2016) '*Moringa oleifera*: A review on nutritive importance and its medicinal application', *Food Science and Human Wellness*, 5(2), pp. 49–56. doi: 10.1016/j.fshw.2016.04.001.
- Gupta, N. *et al.* (2017) 'Changing Trends in oral cancer – a global scenario', *Nepal Journal of Epidemiology*, 6(4), p. 613. doi: 10.3126/nje.v6i4.17255.
- Huang, S.-H. and Margaret Hospital, P. (2013) 'Med Oral Patol Oral Cir Bucal', 18(2), pp. 233–273. doi: 10.4317/medoral.18772.
- IARC. (2012) Chemical agents and related occupations: A review of human carcinogens. Switzerland: WHO Press.
- Jiang, S. *et al.* (2015) 'Multifaceted roles of HSF1 in cancer', *Tumor Biology*, 36(7), pp. 4923–4931. doi: 10.1007/s13277-015-3674-x.
- Kartawiguna, E. (2001) *Faktor-faktor yang berperan pada karsinogenesis*. Available at: https://univmed.org/wp-content/uploads/2011/02/Vol.20_no.1_3.pdf (Accessed: 3 May 2019).
- Kasala, E. R. *et al.* (2015) '*Benzo(a)pyrene* induced lung cancer: Role of dietary phytochemicals in chemoprevention', *Pharmacological Reports*. Institute of Pharmacology, Polish Academy of Sciences, 67(5), pp. 996–1009. doi: 10.1016/j.pharep.2015.03.004.
- Kim, J. Y. and Yenari, M. (2017) 'Heat Shock Proteins and the Stress Response', *Primer on Cerebrovascular Diseases: Second Edition*, pp. 273–275. doi: 10.1016/B978-0-12-803058-5.00056-4.
- Leone, A. *et al.* (2015) 'Cultivation, genetic, ethnopharmacology, phytochemistry and pharmacology of *Moringa oleifera* leaves: An overview', *International Journal of Molekuler Sciences*, 16(6), pp. 12791–12835. doi: 10.3390/ijms160612791.
- Li, D. *et al.* (2014) 'A gain-of-function mutant p53–HSF1 feed forward circuit governs adaptation of cancer cells to proteotoxic stress', *Citation: Cell Death and Disease*, 5. doi: 10.1038/cddis.2014.158.
- Lin, M., Zhang, J. and Chen, X. (2018) 'Bioactive flavonoids in *Moringa oleifera* and their health-promoting properties', *Journal of Functional Foods*. Elsevier, 47(August), pp. 469–479. doi: 10.1016/j.jff.2018.06.011.
- Liu, S. A. *et al.* (2017) 'Pathological features and their prognostic impacts on oral cavity cancer patients among different subsites - A single institute's experience in Taiwan', *Scientific Reports*. Springer US, 7(1), pp. 1–9. doi: 10.1038/s41598-017-08022-w.
- Malarkey, D.E., Hoenerhoff, M. and Maronpot, R.R. 2013, *Carcinogenesis: Mechanisms and Manifestations*. Haschek and Rousseaux's Handbook of Toxicologic Pathology. 3rd ed. North Carolina, USA: Elsevier. pp. 107-146.

- Mendillo, M. L. *et al.* (2012) *HSF1 drives a transcriptional program distinct from heat shock to support highly malignant human cancers.*
- Nagai, N., Nakai A., and Nagata K. (1995). Quercetin suppresses heat shock response by down regulation of HSF1. *Biochemical and Biophysical Research Communications*, 208 (3), pp. 1101-1104
- Naraya, SA 2017, Uji Toksisitas Daun Kelor (*Moringa oleifera*) Terhadap Sel Fibroblas Gingiva Menggunakan Uji Mtt Assay. Skripsi. FKG, Pend. Dokter Gigi, Universitas Airlangga Surabaya.
- Neville, B., Damm, D., Allen, C. and Chi, A. (2016). *Oral and maxillofacial pathology*. 4th ed. St. Louis: Elsevier.
- Noel, M. *et al.* (2017) 'Role of tumour-associated macrophages in oral squamous cells carcinoma progression: an update on current knowledge'. *Diagnostic Pathology*, pp. 1–7. doi: 10.1186/s13000-017-0623-6.
- Ohler, L. (2009) *The living donor: Courage, character and commitment, Progress in Transplantation.*
- Paikra, B. K. *et al.* (2017) 'Phytochemistry and Pharmacology of *Moringa oleifera* Lam', *Journal of Pharmacopuncture*, 20(3), pp. 194–200. doi: 10.3831/KPI.2017.20.022.
- Parker, J. K. (2014) *Introduction to aroma compounds in foods, Flavour Development, Analysis and Perception in Food and Beverages.* Elsevier Ltd. doi: 10.1016/b978-1-78242-103-0.00001-1.
- Patois, C. (2009) '*Moringa oleifera Moringa oleifera*', *Agroforestry Database*, 0(October), pp. 4–9. doi: 10.1002/9783527678518.ehg2005015.
- Pearce, A. *et al.* (2017) 'Incidence and severity of self-reported chemotherapy side effects in routine care: A prospective cohort study'. doi: 10.1371/journal.pone.0184360.
- Pratama, I. W. D. (2016) 'Identifikasi Senyawa Kimia Ekstrak Etanol Daun Kelor (*Moringa oleifera* L) di Bali', *Indonesia Medicus Veterinus*, 5(5), pp. 464–473.
- Raja, R. R. *et al.* (2016) '*Moringa oleifera*-An Overview', *RA Journal Of Applied Research*, (September 2016). doi: 10.18535/rajar/v2i9.05.
- Razis, A. F. A., Muhammad Din Ibrahim and Kntayya, S. B. (2014) 'Health Benefits of *Moringa oleifera*', *Asian Pac J Cancer Prev*, 15(20), pp. 8571–8575. doi: 10.7314/APJCP.2014.15.20.8571.
- Rivera, C. (2015) 'Essentials of oral cancer', *International Journal of Clinical and Experimental Pathology*, 8(9), pp. 11884–11894. doi: 10.1111/anae.12918.
- Saini, R. K., Sivanesan, I. and Keum, Y. S. (2016) 'Phytochemicals of *Moringa oleifera*: a review of their nutritional, therapeutic and industrial significance', *3 Biotech*. Springer Berlin Heidelberg, 6(2), pp. 1–14. doi: 10.1007/s13205-016-0526-3.
- Sarkars, R., Mukherjee, S. and Roy, M. (2013) 'Targeting heat shock proteins by phenethyl isothiocyanate results in cell-cycle arrest and apoptosis of human breast cancer cells', *Nutrition and Cancer*, 65(3), pp. 480–493. doi: 10.1080/01635581.2013.767366.

- Tiloke, C., Phulukdaree, A. and Chuturgoon, A. A. (2013) *The antiproliferative effect of Moringa oleifera crude aqueous leaf extract on cancerous human alveolar epithelial cells*, *BMC Complementary and Alternative Medicine*. doi: 10.1186/1472-6882-13-226.
- Tomás-Barberán, F. A., Gil-Izquierdo, A. and Moreno, D. A. (2009) *Bioavailability and metabolism of phenolic compounds and glucosinolates*, *Designing Functional Foods: Measuring and Controlling Food Structure Breakdown and Nutrient Absorption*. Woodhead Publishing Limited. doi: 10.1533/9781845696603.1.194.
- Visalaxi, G. (2014) 'Oral Cancer Early Detection and Stages Using Various Methods', *International Journal of Innovative Research in Computer and Communication Engineering*, 2(11), pp. 6394–6400. Available at: <http://www.bookstores.umn.edu/health/oralcancer.pdf>.
- Voisine, C., Orton, K. and Morimoto, R. I. (2007) *Protein Misfolding, Chaperone Networks, and the Heat Shock Response in the Nervous System*, *Molekuler Neurology*. Elsevier Inc. doi: 10.1016/B978-012369509-3.50007-X.
- Wang, Q., Zhang, Y., Zhu, L., Pan, L., Yu, M., Shen, W., Li, B., Zhang, W. and Liu, L. (2019). Heat shock factor 1 in cancer- associated fibroblasts is a potential prognostic factor and drives progression of oral squamous cell carcinoma. *Cancer Science*, 110(5), pp.1790-1803.
- Waterman, C., Cheng, D., Rojas-Silva, P., Poulev, A., Dreifus, J., Lila, M. and Raskin, I. (2014). Stable, water extractable isothiocyanates from *Moringa oleifera* leaves attenuate inflammation in vitro. *Phytochemistry*, 103, pp.114-122.
- Yang, W. *et al.* (2016) 'Heat shock protein inhibitor, quercetin, as a novel adjuvant agent to improve radiofrequency ablation-induced tumor destruction and its molekuler mechanism', *Chin J Cancer Res*, 28(1), pp. 19–28. doi: 10.3978/j.issn.1000-9604.2016.02.06.