

## DAFTAR PUSTAKA

- Alizadeh Asl, S., Mousavi, M. dan Labbafi, M. (2017). Synthesis and Characterization of Carboxymethyl Cellulose from Sugarcane Bagasse. *Journal of Food Processing & Technology*.
- Alvites, R. *et al.* (2018). Peripheral nerve injury and axonotmesis: State of the art and recent advances. *Cogent Medicine*.
- Andia, I., Martin, J. I. dan Maffulli, N. (2018). Advances with platelet rich plasma therapies for tendon regeneration. *Expert Opinion on Biological Therapy*.
- Aronoff, G. M. (2016). What Do We Know About the Pathophysiology of Chronic Pain? Implications for Treatment Considerations. *Medical Clinics of North America*.
- Arthur-Farraj, P. J. *et al.* (2012). c-Jun Reprograms Schwann Cells of Injured Nerves to Generate a Repair Cell Essential for Regeneration. *Neuron*.
- Baad-Hansen, L. dan Benoliel, R. (2017). Neuropathic orofacial pain: Facts and fiction. *Cephalalgia*, 37(7), pp. 670–679.
- Bahmanpour, S. *et al.* (2016). Effects of platelet-rich plasma & platelet-rich fibrin with and without Stromal cell-derived factor-1 on repairing full-thickness cartilage defects in knees of rabbits. *Iranian Journal of Medical Sciences*, 41(6), pp. 507–517.
- Baron, R., Binder, A. and Wasner, G. (2010). Neuropathic pain: Diagnosis, pathophysiological mechanisms, and treatment. *The Lancet Neurology*. Elsevier Ltd, 9(8), pp. 807–819.
- Bathina, S. and Das, U. N. (2015). Brain-derived neurotrophic factor and its clinical Implications. *Archives of Medical Science*.
- Baxter, R. *et al.* (2008). Orofacial Pain: A Guide to Medications and Management. *Animal Genetics*, 39(5), pp. 561–563.
- Benarroch, E. E. (2015). Brain-derived neurotrophic factor: Regulation, effects, and potential clinical relevance. *Neurology*, 84(16), pp. 1693–1704.
- Benito, C. *et al.* (2017). STAT3 Controls the Long-Term Survival and Phenotype of Repair Schwann Cells during Nerve Regeneration. *The Journal of neuroscience : the official journal of the Society for Neuroscience*, 37(16), pp. 4255–4269.
- Benoliel, R. and Eliav, E. (2012). Neuropathic orofacial pain. *The Alpha omegan*, 105(3–4), pp. 66–74.
- Binder, D. K. and Scharfman, H. E. (2004). Brain-derived neurotrophic factor. *Growth Factors*.
- Bouhassira, D. (2019). Neuropathic pain: Definition, assessment and epidemiology. *Revue Neurologique*.
- Di Cesare Mannelli, L. *et al.* (2010). The neuropathy-protective agent acetyl-L-carnitine activates protein kinase C- $\gamma$  and MAPKs in a rat model of neuropathic pain. *Neuroscience*.
- Christoforou, J. (2018). Neuropathic Orofacial Pain. *Dental Clinics of North America*, 62(4), pp. 565–584.
- Cole, B. J. *et al.* (2010). Platelet-rich plasma: Where are we now and where are we going?. *Sports Health*.
- Colloca, L. *et al.* (2017). Neuropathic pain. *Nature Reviews Disease Primers*.

- Conforti, L., Gilley, J. and Coleman, M. P. (2014). Wallerian degeneration: An emerging axon death pathway linking injury and disease. *Nature Reviews Neuroscience*.
- DeFrancesco-Lisowitz, A. *et al.* (2015). The neuroimmunology of degeneration and regeneration in the peripheral nervous system. *Neuroscience*.
- Duraikannu, A. *et al.* (2019). Beyond trophic factors: Exploiting the intrinsic regenerative properties of adult neurons. *Frontiers in Cellular Neuroscience*, 13(April), pp. 1–22.
- Gerdts, J. *et al.* (2013). Sarm1-mediated axon degeneration requires both SAM and TIR interactions. *Journal of Neuroscience*, 33(33), pp. 13569–13580.
- Gordon, T. (2010). The physiology of neural injury and regeneration: The role of neurotrophic factors. *Journal of Communication Disorders*, 43(4), pp. 265–273.
- Goutianos, G. *et al.* (2015). The rat adequately reflects human responses to exercise in blood biochemical profile: A comparative study. *Physiological Reports*.
- Gu'nay, H. *et al.* (2014). Effects of platelet-rich plasma on nerve regeneration in a rat model. *Acta Orthopaedica et Traumatologica Turcica*, 48(4), pp. 449–454.
- Han, G., Li, L. and Meng, L. X. (2013). Effects of hyperbaric oxygen on pain-related behaviours and nitric oxide synthase expression in a rat model of neuropathic pain. *Pain Research and Management*.
- Huang, Y. *et al.* (2017). Platelet-rich plasma for regeneration of neural feedback pathways around dental implants: A concise review and outlook on future possibilities. *International Journal of Oral Science*. Nature Publishing Group, 9(1), pp. 1–9.
- Jaggi, A. S., Jain, V. and Singh, N. (2011). Animal models of neuropathic pain. *Fundamental and Clinical Pharmacology*, 25(1), pp. 1–28.
- St. John Smith, E. (2018). Advances in understanding nociception and neuropathic pain. *Journal of Neurology*.
- Jongen, J. L. M. *et al.* (2014). Neuropathic Pain and Pharmacological Treatment', *Pain Practice*.
- Jungnickel, J. *et al.* (2006). Faster nerve regeneration after sciatic nerve injury in mice over-expressing basic fibroblast growth factor. *Journal of Neurobiology*.
- Khan, N. and Smith, M. T. (2015). Neurotrophins and neuropathic pain: Role in pathobiology. *Molecules*, 20(6), pp. 10657–10688.
- Khonsary, S. (2017). Guyton and Hall: Textbook of Medical Physiology. *Surgical Neurology International*.
- Klasser, G. D. and Gremillion, H. A. (2012). Neuropathic orofacial pain patients in need of dental care. *Journal of the Canadian Dental Association*, 78(1).
- Kron, J., Henderson, R. and Lombard, J. (2008). Peripheral neuropathy. *Journal of Complementary Medicine*.
- Kuffler, D. P. (2013). Platelet-rich plasma and the elimination of neuropathic pain. *Molecular Neurobiology*, 48(2), pp. 315–332.
- Kumar, K. H. and Elavarasi, P. (2016). Definition of pain and classification of pain disorders. *Journal of Advanced Clinical & Research Insights*.
- Lin, G. *et al.* (2016). Brain-derived neurotrophic factor promotes nerve regeneration by activating the JAK/STAT pathway in Schwann cells.

- Translational Andrology and Urology*, 5(2), pp. 167–175.
- Lopes, C. D. F. *et al.* (2017). BDNF gene delivery mediated by neuron-targeted nanoparticles is neuroprotective in peripheral nerve injury. *Biomaterials*.
- Maghsoudi, O. (2015). Standardization and Modification Techniques of Platelet-Rich Plasma (PRP) Preparation in Rabbit. *International Clinical Pathology Journal*.
- Manju, S. *et al.* (2017). Neurobiology of local and intercellular BDNF signaling. *Pflugers Archiv European Journal of Physiology*. Pflügers Archiv - European Journal of Physiology, 3, pp. 1–18.
- McGregor, C. E. and English, A. W. (2019). The role of BDNF in peripheral nerve regeneration: Activity-dependent treatments and Val66Met. *Frontiers in Cellular Neuroscience*, 12.
- Menorca, R. M. G., Fussell, T. S. and Elfar, J. C. (2013). Peripheral Nerve Trauma : Mechanisms of Injury and Recovery. *Hand Clin*, 29(3), pp. 317–330.
- Nakatani, Y. *et al.* (2017). Efficacy of freeze-dried platelet-rich plasma in bone engineering. *Archives of Oral Biology*.
- Önger, M., Delibaş, B., Türkmen, A., Erener, E., Altunkaynak, B., Kaplan, S. (2016). The role of growth factors in nerve regeneration. *Drug Discoveries & Therapeutics*, 10(6), pp. 285–291.
- Ramli, D. *et al.* (2017). The Changes in Rats with Sciatic Nerve Crush Injury Supplemented with Evening Primrose Oil: Behavioural, Morphologic, and Morphometric Analysis. *Evidence-based Complementary and Alternative Medicine*.
- Rodriguez, I. A. *et al.* (2014). Platelet-rich plasma in bone regeneration: Engineering the delivery for improved clinical efficacy. *BioMed Research International*.
- Salarinia, R. *et al.* (2017). Platelet rich plasma: Effective treatment for repairing of spinal cord injury in rat. *Acta Orthopaedica et Traumatologica Turcica*, 51(3), pp. 254–257.
- Sánchez, M. *et al.* (2019). Platelet-Rich Plasma for Injured Peripheral Nerves: Biological Repair Process and Clinical Application Guidelines in *Demystifying Polyneuropathy - Recent Advances and New Directions*.
- Scheib, J. and Höke, A. (2013). Advances in peripheral nerve regeneration', *Nature Reviews Neurology*.
- Sheppard, P. A. S., Choleris, E. and Galea, L. A. M. (2019). Structural plasticity of the hippocampus in response to estrogens in female rodents. *Molecular Brain*.
- Shiga, Y. *et al.* (2017). Freeze-dried human platelet-rich plasma retains activation and growth factor expression after an eight-week preservation period. *Asian Spine Journal*.
- Singh, B. N. and Pramanik, K. (2018). Generation of bioactive nano-composite scaffold of nanobioglass/silk fibroin/carboxymethyl cellulose for bone tissue engineering. *Journal of Biomaterials Science, Polymer Edition*.
- Song, X. Y. *et al.* (2008). Peripherally-derived BDNF promotes regeneration of ascending sensory neurons after spina cord injury. *PLoS ONE*.
- Sousa, A. M. *et al.* (2016). Experimental models for the study of neuropathic pain. *Revista Dor*.
- Tortora, G. J. and Derrickson, B. (2014) *Principles of Anatomy & Physiology 14th Edition*, Wiley.

- Wiffen, P. J. *et al.* (2013). Antiepileptic drugs for neuropathic pain and fibromyalgia - an overview of Cochrane reviews. *Cochrane Database of Systematic Reviews*.
- Wilhelm, J. C. *et al.* (2012). Cooperative roles of BDNF expression in neurons and schwann cells are modulated by exercise to facilitate nerve regeneration. *Journal of Neuroscience*, 32(14), pp. 5002–5009.
- Wong, K. M., Babetto, E. and Beirowski, B. (2017). Axon degeneration: Make the schwann cell great again. *Neural Regeneration Research*, 12(4), pp. 518–524.
- Wu, D. and Murashov, A. K. (2013). Molecular mechanisms of peripheral nerve regeneration: Emerging roles of microRNAs. *Frontiers in Physiology*, 4 APR(April), pp. 1–12.
- Xu, M., Aita, M. and Chavkin, C. (2008). Partial Infraorbital Nerve Ligation as a Model of Trigeminal Nerve Injury in the Mouse: Behavioral, Neural, and Glial Reactions. *Journal of Pain*.
- Xu, Q. G. *et al.* (2004). Insulin as an in vivo growth factor. *Experimental Neurology*, 188(1), pp. 43–51.
- Yang, Q. *et al.* (2018). Endocytic adaptor protein HIP1R controls intracellular trafficking of epidermal growth factor receptor in neuronal dendritic development. *Frontiers in Molecular Neuroscience*.
- Yeung, J., Hawley, M. and Holinstat, M. (2017). The expansive role of oxylipins on platelet biology. *Journal of Molecular Medicine*.
- Yu, W., Wang, J. and Yin, J. (2011). Platelet-rich plasma: A promising product for treatment of peripheral nerve regeneration after nerve injury. *International Journal of Neuroscience*, 121(4), pp. 176–180.
- Zhao, H. *et al.* (2017). The role of microglia in the pathobiology of neuropathic pain development: What do we know?. *British Journal of Anaesthesia*, 118(4), pp. 504–516.
- Zheng, C. *et al.* (2013). Effect of platelet-rich plasma (PRP) concentration on proliferation, neurotrophic function and migration of Schwann cells in vitro. *Journal of Tissue Engineering and Regenerative Medicine*, 10(5), pp. 428–436.
- Zochodne, D. W., Ramji, N. and Toth, C. (2008). Neuronal targeting in diabetes mellitus: A story of sensory neurons and motor neurons. *Neuroscientist*.