

DAFTAR PUSTAKA

- Agapito, G., Simeoni, M., Calabrese, B., Caré, I., Lamprinoudi, T., Guzzi, P. H., Cannataro, M. (2018). Computer Methods and Programs in Biomedicine DIETOS : A dietary recommender system for chronic diseases monitoring and management. *Computer Methods and Programs in Biomedicine*, 153, 93–104. <https://doi.org/10.1016/j.cmpb.2017.10.014>
- Cheng, T., Tarng, D., Liao, Y., & Lin, P. (2016). Effects of systematic nursing instruction on a low-phosphorus diet , serum phosphorus level and pruritus of patients on haemodialysis, 1–10. *Journal of Clinical Nursing*. <https://doi.org/10.1111/jocn.13471>
- Dharma, K. (2011). *Metodologi Penelitian Keperawatan: Panduan Melaksanakan dan Menerapkan Hasil Penelitian*. Jakarta: Trans Info Media.
- Diamantidis, C. J., Zuckerman, M., Fink, W., Hu, P., Yang, S., & Fink, J. C. (2012). Article Usability of a CKD Educational Website Targeted to Patients and Their Family Members, 1553–1560. *Clinical Journal of the American Society of Nephrology*. <https://doi.org/10.2215/CJN.03690412>
- Düsing, Rainer, Lottermoser, K., & Mengden, T. (2001). Compliance to drug therapy - new answer to an old question. *Nephrol Dial Transpl.*
- Griva, K., Nandakumar, M., Ng, J. H., Lam, K. F. Y., Mcbain, H., & Newman, S. P. (2017). Hemodialysis Self-management Intervention Randomized Trial (HED-SMART): A Practical Low- Intensity Intervention to Improve Adherence and Clinical Markers in Patients Receiving Hemodialysis, 1–11. *American Journal Kidney Disease*. <https://doi.org/10.1053/j.ajkd.2017.09.014>
- Howren, M. B., Cozad, A. J., & Christensen, A. J. (2016). The interactive effects of patient control beliefs on adherence to fluid-intake restrictions in hemodialysis: Results from a randomized controlled trial. *Journal of Behavioral Medicine* <https://doi.org/10.1177/1359105316631813>
- Ishani, A., Christopher, J., Palmer, D., Otterness, S., Clothier, B., Nugent, S., & Nelson, D. (2016). Original Investigation Telehealth by an Interprofessional Team in Patients With CKD: A Randomized Controlled Trial, 68(1), 41–49. *American Journal Kidney Disease*. <https://doi.org/10.1053/j.ajkd.2016.01.018>
- Manuscript, A., & Intake, F. (2014). *NIH Public Access*, 36(3), 284–298. <https://doi.org/10.1002/nur.21539>.Using
- Nauta, J. M., Boog, P. J. M. Van Der, Slegten, J. T., Janssen, R., & Hettinga, M. (2013). Web-based Lifestyle Management for Chronic Kidney Disease

Patients in a Clinical Setting, (c), 141–146.

Navis, G., Vogt, L., & Boog, P. J. M. Van Der. (2017). Original Investigation Sodium Restriction in Patients With CKD: A Randomized Controlled Trial of Self-management Support, 69(5), 576–586. <https://doi.org/10.1053/j.ajkd.2016.08.042>

Notoatmodjo, S. (2012). Promosi Kesehatan dan Perilaku Kesehatan (Revisi, 20). Jakarta: Rineka Cipta.

Pasyar, N., Rambod, M., Sharif, F., Rafii, F., & Pourali-Mohammadi, N. (2015). Improving adherence and biomedical markers in hemodialysis patients: The effects of relaxation therapy. *Complementary Therapies in Medicine*, 23(1), 38–45. <https://doi.org/10.1016/j.ctim.2014.10.011>

Pebriyanti, Amalia. (2017). Gambaran tingkat *self-efficacy* dalam Melakukan *self-management* pada Pasien Gagal Ginjal Terminal yang Menjalani Hemodialisis di RSUP Dr.Hasan Sadikin Bandung. Fakultas Keperawatan. Universitas Padjadjaran. Bandung.

Pusat Data dan Informasi Kemenkes RI. (2017). Situasi Penyakit Ginjal Kronis. InfoDATIN. Retrieved from https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&cad=rja&uact=8&ved=0ahUKEwjmltCm4r_VAhXHkZQKHVn_CpQQFggmMAA&url=http%3A%2F%2Fwww.depkes.go.id%2Fdownload.php%3Ffile%3Ddownload%2Fpusdatin%2Finfodatin%2Finfodatin%2520ginjal%2520017.pdf&usg=A

Sabate, E. (2001). WHO Adherence Meeting Report. Geneva: World Health Organization.

Setiawati. (2008). Proses Pembelajaran dalam Pendidikan Kesehatan. Jakarta: Trans Info Media.

Suliha, U. (2002). Pendidikan Kesehatan dalam Keperawatan (Cetakan 1). Jakarta: EGC.

Teng, H., Yen, M., Fetzer, S., Sung, J., & Hung, S. (2013). Effects of Targeted Interventions on Lifestyle Modifications of Chronic Kidney Disease Patients : Randomized Controlled Trial. *Western Journal of Nursing Research*. <https://doi.org/10.1177/0193945913486202>

Timmerman, G. M., Tahir, M. J., Lewis, R. M., Samoson, D., Temple, H., & Forman, M. R. (2017). Self-management of dietary intake using mindful eating to improve dietary intake for individuals with early stage chronic kidney disease. *Journal of Behavioral Medicine*. <https://doi.org/10.1007/s10865-017-9835-1>

- USRDS. (2015). Chapter 1: Incidence, prevalence, patient characteristics, and treatment modalities. 2015 Annual Data Report, 2, 139–58.
- Widiany, Fery Lusviana. (2017). Faktor-faktor yang Mempengaruhi Kepatuhan Diet pasien Hemodialisis. *Jurnal Gizi Klinik Indonesia*, Vol.14, No.2, Oktober 2017:72-79.
- WHO. (2015). *Global Tuberculosis Report (20th ed.)*. France: WHO Library Cataloguing-in-Publication Data.
- Wu, S. V., Hsieh, N., Lin, L., & Tsai, J. (2016). Prediction of self-care behaviour on the basis of knowledge about chronic kidney disease using self-efficacy as a mediator, (1), 1–10. *Journal of Clinical Nursing*. <https://doi.org/10.1111/jocn.13305>