

DAFTAR PUSTAKA

- Rosdiana and Cahyati. 2019, 'Effect of Progressive Muscle Relaxation (Pmr) on Blood Pressure Among Patients With Hypertension', *International Journal of Advancement in Life Sciences Research*, 2(1), pp. 28–35. doi: 10.31632/ijalsr.2019v02i01.005.
- Amini, Goudarzi, Masoudi, Ahmadi and Momeni 2016, 'Effect of Progressive Muscle Relaxation and Aerobic Exercise on Anxiety , Sleep Quality , and Fatigue in Patients with Chronic Renal Failure Undergoing Hemodialysis', 8(12), pp. 1634–1639.
- Barret, BArman, Boitano and Brooks 2016, *Ganong 's Review of Medical Physiology*.
- Hannedouche, Roth, Krummel, London, Jean, Bouchet, Drueke, Fouque, Attroun, Azar, Bories, Caillette-Beaudouin, Canaud, Choukroun, Esnault, Hammadi, Hannedouche, Henri, Honoré, Issad, Joly, Laruelle, Le Mao, Marchais, Vendrely, Zaoui, Aazib, Abbassi, Abdullah, Abou-Bekr, Achard-Hottelart, Achin, Ahriz-Saksi, Albadawy, Albert, Albitar, Alenabi, Allouache, Amaouche, Amara, Ammor, Ang, Assogba, Azzouz, Badid, Baleynaud, Bargas, Baron, Basse, Batho, Bauwens, Bazin, Aicha, Benarbia, Bencheikh, Bendini, Benyakoub, Bergua, Bessin, Billaux, Billion, Bittar, Bocquet, Bonarek, Bonniol, Pengloan, Perrin, Perrone, Petitjean, Petregne, Philit, Planquois, Reberolle, Renaud, Richalet, Richter, Rieu, Rince, Rivault, Robert, Rottembourg, Rousseau, Duval, Roubicek, Seniuta, Seris, Shahapuni, Sharobeem, Shenouda, Com, Simonin, Soltani, Souid, Sow, Szelag, Taddei, Takla, Teboulle, Terrat, Thomas, Tifoura, Toulon, Touzard, Urena Torres, Van der Pijl, Vanel, Vela, Vernier, Verove, Wambergue, Wehbe, Wong-Fat, Yazbeck, Yousfi, Youssef and Ziane 2016, 'Multiphasic effects of blood pressure on survival in hemodialysis patients', *Kidney International*, 90(3), pp. 674–684. doi: 10.1016/j.kint.2016.05.025.
- Herawati and Azizah 2016, 'Effect of Progressive Muscle Relaxation Exercise To Decrease Blood Pressure for', *International Conference on Health and Well-Being (ICHWB)*, pp. 405–412. Available at: <https://publikasiilmiah.ums.ac.id/handle/11617/7430>.
- Ikemata and Momose 2017, 'Effects of a progressive muscle relaxation intervention on dementia symptoms, activities of daily living, and immune function in group home residents with dementia in Japan', *Japan Journal of Nursing Science*, 14(2), pp. 135–145. doi: 10.1111/jjns.12147.
- Inrig, Patel, Toto, Reddan, Himmelfarb, Lindsay, Stivelman, Winchester and Szczecz 2009, 'Decreased pulse pressure during hemodialysis is associated with improved 6-month outcomes', *Kidney International*. Elsevier Masson SAS, 76(10), pp. 1098–1107. doi: 10.1038/ki.2009.340.
- Kemenkes 2017, 'InfoDATIN'.
- Khanna, Paul and Sandhu 2007, 'Efficacy of two relaxation techniques in reducing pulse rate among highly stressed females .', 5(2), pp. 6–8.

- Ko and Lin 2012, 'The effect of using a relaxation tape on pulse, respiration, blood pressure and anxiety levels of surgical patients', *Journal of Clinical Nursing*, 21(5–6), pp. 689–697. doi: 10.1111/j.1365-2702.2011.03818.x.
- Kokoszka, Leszczyńska, Radzio, Daniewska, Łukasiewicz, Orzechowski, Piskorz and Gellert 2016, 'Prevalence of depressive and anxiety disorders in dialysis patients with chronic kidney disease', *Archives of Psychiatry and Psychotherapy*, 18(1), pp. 8–13. doi: 10.12740/APP/61977.
- Lee, Liu, Lin, Hsu, Lin and Lin 2018, 'Effects of Educational Intervention on State Anxiety and Pain in People Undergoing Spinal Surgery: A Randomized Controlled Trial', *Pain Management Nursing*. American Society for Pain Management Nursing, 19(2), pp. 163–171. doi: 10.1016/j.pmn.2017.08.004.
- Li, Jiang, Wu, Xu and Miao 2017, 'Night-time blood pressure and pulse wave velocity in dialysis patients', *Clinical and Experimental Nephrology*. Springer Japan. doi: 10.1007/s10157-017-1464-z.
- Li, Shapiro, Kim, Zhang, Porszasz, Bross, Feroze, Upreti, Martin, Kalantar-Zadeh and Kopple 2016, 'Association between quality of life and anxiety, depression, physical activity and physical performance in maintenance hemodialysis patients', *Chronic Diseases and Translational Medicine*. Elsevier Ltd, 2(2), pp. 110–119. doi: 10.1016/j.cdtm.2016.09.004.
- Li, Wang, Tang, Chen, Tan, Wu, Yu and Wang 2015, 'Progressive Muscle Relaxation Improves Anxiety and Depression of Pulmonary Arterial Hypertension Patients', *Evidence-Based Complementary and Alternative Medicine*, 2015, pp. 1–8. doi: 10.1155/2015/792895.
- Mhaske, Poovishnu Devi and Jagtap 2018, 'Comparison of the effectiveness of visual imagery technique and progressive relaxation technique on anxiety and depression in subjects with moderate chronic obstructive pulmonary disease', *Asian Journal of Pharmaceutical and Clinical Research*, 11(6), pp. 318–323. doi: <http://dx.doi.org.wam.leeds.ac.uk/10.22159/ajpcr.2018.v11i6.25067>.
- Of and Kidney Disease: Improving Global Outcomes (KDIGO) CKD Work Group 2013, 'KDIGO 2012 Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease', *Kidney International Supplements*, 3(1), pp. 4–4. doi: 10.1038/kisup.2012.76.
- Paramita, Nusdwinuringtyas, Nuhonni, Atmakusuma, Ismail, Mendoza and Cleeland 2016, 'Validity and Reliability of the Indonesian Version of the Brief Fatigue Inventory in Cancer Patients', *Journal of Pain and Symptom Management*. Elsevier Ltd, 52(5), pp. 744–751. doi: 10.1016/j.jpainsymman.2016.04.011.
- Parás-Bravo, Alonso-Blanco, Paz-Zulueta, Palacios-Ceña, Sarabia-Cobo, Herrero-Montes, Boixadera-Planas and Fernández-de-las-Peñas 2018, 'Does Jacobson's relaxation technique reduce consumption of psychotropic and analgesic drugs in cancer patients? A multicenter pre-post intervention study', *BMC Complementary and Alternative Medicine*. BMC

- Complementary and Alternative Medicine, 18(1), pp. 1–9. doi: 10.1186/s12906-018-2200-2.
- Qureshi, Lorch and Navaneethan 2017, ‘Blood Pressure Parameters and their Associations with Death in Patients with Chronic Kidney Disease’. Current Hypertension Reports. doi: 10.1007/s11906-017-0790-6.
- Rahimlu, Shab-bidar and Djafarian 2017, ‘Body Mass Index and All-cause Mortality in Chronic Kidney Disease : A Dose – response Meta-analysis of Observational Studies’.,*Journal of Renal Nutrition*. National Kidney Foundation, Inc., 27(4), pp. 225–232. doi: 10.1053/j.jrn.2017.01.016.
- Ramasamy, Panneerselvam, Govindharaj, Kumar and Nayak 2018, ‘Progressive muscle relaxation technique on anxiety and depression among persons affected by leprosy’, 14(3), pp. 375–381.
- Riskesdas 2018, ‘Riset Kesehatan Dasar 2018’.,*Kementrian Kesehatan Republik Indonesia*, pp. 1–100. doi: 1 Desember 2013.
- S Kep 2019, ‘The Effect of Progressive Muscle Relaxation Techniques to Decrease Blood Pressure for Patients with Hypertension in Mataram’.,*Primary Health Care Open Access*, 08(04), pp. 10–13. doi: 10.4172/2167-1079.1000309.
- Semaan, Noureddine and Farhood 2018, ‘Prevalence of depression and anxiety in end-stage renal disease: A survey of patients undergoing hemodialysis’.,*Applied Nursing Research*. Elsevier, 43(April), pp. 80–85. doi: 10.1016/j.apnr.2018.07.009.
- Seyed Chegeni, Gholami, Azargoon, Hossein Pour, Birjandi and Norollahi 2018a, ‘The effect of progressive muscle relaxation on the management of fatigue and quality of sleep in patients with chronic obstructive pulmonary disease: A randomized controlled clinical trial’.,*Complementary Therapies in Clinical Practice*. Elsevier Ltd, 31, pp. 64–70. doi: 10.1016/j.ctcp.2018.01.010.
- Seyed Chegeni, Gholami, Azargoon, Hossein Pour, Birjandi and Norollahi 2018b, ‘The effect of progressive muscle relaxation on the management of fatigue and quality of sleep in patients with chronic obstructive pulmonary disease: A randomized controlled clinical trial’.,*Complementary Therapies in Clinical Practice*. Elsevier Ltd, 31, pp. 64–70. doi: 10.1016/j.ctcp.2018.01.010.
- Shin, Yeo, Hong, Hwang and Kim 2018, ‘Impact of intradialytic blood pressure changes on cardiovascular outcomes is independent of the volume status of maintenance hemodialysis patients’.,*Journal of the American Society of Hypertension*. American Society of Hypertension. doi: 10.1016/j.jash.2018.06.011.
- Shinde, Kini, Naik and Desousa 2015, ‘A Study on the Effect of Relaxation Techniques and Shavasana on Stress and Pulse Rates of Medical Students’.,*Journal of Exercise Science and Physiotherapy*, 11(2), p. 123. doi: 10.18376//2015/v11i2/67711.

- Sulaeman, Muhasidah, Purnamawati, Zulkifli, Jafar and Suiraoka 2018, ‘Progressive muscle relaxation using video aids reduces blood pressure of hypertension patients’, *International Journal of Health Sciences*, 2(3), pp. 33–42. doi: 10.29332/ijhs.v2n3.214.
- Suzanne C. Smeltzer, Brenda G. Bare, Janice L. Hinkle 2015, *Brunner & Suddarth, Brunne-Suddarth infirmieristica medico-chirurgica*.
- Trapp, Trapp, Egger, Domej, Schillaci, Avian, Rohrer, Hörlesberger, Magometschnigg, Cervar-Zivkovic, Komericki, Velik and Baulmann 2014, ‘Impact of mental and physical stress on blood pressure and pulse pressure under normobaric versus hypoxic conditions’, *PLoS ONE*, 9(5), pp. 1–7. doi: 10.1371/journal.pone.0089005.
- Ublosakka-Jones, Tongdee, Pachirat and Jones 2018, ‘Slow loaded breathing training improves blood pressure, lung capacity and arm exercise endurance for older people with treated and stable isolated systolic hypertension’, *Experimental Gerontology*. Elsevier, 108(December 2017), pp. 48–53. doi: 10.1016/j.exger.2018.03.023.
- Valika and Peixoto 2016, ‘Hypertension Management in Transition: From CKD to ESRD’, *Advances in Chronic Kidney Disease*. Elsevier Inc, 23(4), pp. 255–261. doi: 10.1053/j.ackd.2016.02.002.