

DAFTAR PUSTAKA

- Acar, Y., Kalkan, M., Çetin, R., Çevik, E. and Çınar, O. (2019). *Acute Psychotic Symptoms due to Benzydamine Hydrochloride Abuse with Alcohol*.
- ADA (2014) 'Diagnosis and Classification of Diabetes Mellitus', *Diabetes Care*, 37(1), pp. 581–590.
- ADA (2018) 'Classification and Diagnosis of Diabetes: Standards of Medical Care in Diabetes', *Diabetes Care*, 41(1), pp. 513–527.
- Apriasari, M. (2012). The management of chronic traumatic ulcer in oral cavity. *Dental Journal (Majalah Kedokteran Gigi)*, 45(2).
- Brizeno, L., Assreuy, A., Alves, A., Sousa, F., de B. Silva, P., de Sousa, S., Lascane, N., Evangelista, J. and Mota, M. (2016). Delayed healing of oral mucosa in a diabetic rat model: Implication of TNF- α , IL-1 β and FGF-2. *Life Sciences*, 155, pp.36-47.
- Budaraga, K., Arnim, A., Marlida, Y. and Bulanin, U. (2016). Liquid Smoke Production Quality from Raw Materials Variation and Different Pyrolysis Temperature. *International Journal on Advanced Science, Engineering and Information Technology*, 6(3), p.306.
- Chen, L., Arbieva, Z., Guo, S., Marucha, P., Mustoe, T. and DiPietro, L. (2010). Positional differences in the wound transcriptome of skin and oral mucosa. *BMC Genomics*, 11(1), p.471.
- desJardins-Park, H., Mascharak, S., Chinta, M., Wan, D. and Longaker, M. (2019). The Spectrum of Scarring in Craniofacial Wound Repair. *Frontiers in Physiology*, 10.
- Desniorita, D. and Maryam, M. (2015). The effect of Adding Liquid Smoke Powder to Shelf Life of Sauce. *International Journal on Advanced Science, Engineering and Information Technology*, 5(6), p.457.
- Gonzalez, A., Costa, T., Andrade, Z. and Medrado, A. (2016). Wound healing - A literature review. *Anais Brasileiros de Dermatologia*, 91(5), pp.614-620.
- Goswami, D., Jain, G., Mohod, M., Baidya, D., Bhutia, O. and Roychoudhury, A. (2018). Randomized controlled trial to compare oral analgesic requirements and patient satisfaction in using oral non-steroidal anti-inflammatory drugs versus benzydamine hydrochloride oral rinses after mandibular third molar extraction: a pilot study. *Journal of Dental Anesthesia and Pain Medicine*, 18(1), p.19.
- Grazul-Bilska, A., Luthra, G., Reynolds, L., Bilski, J., Johnson, M., Adbullah, S., Redmer, D. and Abdullah, K. (2002). Effects of basic fibroblast growth factor (FGF-2) on proliferation of human skin fibroblasts in type II diabetes

- mellitus. *Experimental and Clinical Endocrinology & Diabetes*, 110(04), pp.176-181.
- Hasanah, U., Setiaji, B., Triyono, T. and Anwar, C. (2012). *The Chemical Composition and Physical Properties of the Light and Heavy Tar Resulted from Coconut Shell Pyrolysis*.
- Hermans, M. (2010). Wounds and Ulcers: Back to the Old Nomenclature. *Wounds* 2010, 22(11), pp.289-293.
- Houston, G. (2017). Traumatic Ulcers.
- Ighodaro, O., Adeosun, A. and Akinloye, O. (2017). Alloxan-induced diabetes, a common model for evaluating the glycemic-control potential of therapeutic compounds and plants extracts in experimental studies. *Medicina*, 53(6), pp.365-374.
- Kan, T., Strezov, V. and Evans, T. (2019). *Lignocellulosic biomass pyrolysis: A review of product properties and effects of pyrolysis parameters*.
- Kementerian Kesehatan Republik Indonesia (2018). *Hasil Utama RISKESDAS 2018*.
- Kim, S., Yang, J., Kang, M., Park, J., Nam, S. and Friedman, M. (2011). Composition of Liquid Rice Hull Smoke and Anti-Inflammatory Effects in Mice. *Journal of Agricultural and Food Chemistry*, 59(9), pp.4570-4581.
- Lathifah, N. (2017). The Relationship Between Duration Disease And Glucose Blood Related To Subjective Compliance In Diabetes Mellitus. *Jurnal Epidemiologi Berkala*, 5(2).
- Lombok, J., Setiaji, B. Trisunaryanti W., Wijaya K. (2014). Effect Of Pyrolysis Temperature and Distillation on Character of Coconut Shell Liquid Smoke. *Asian Journal of Science and Technology*, 5(6), pp.320-325.
- Mahdani, F., Nirwana, I. and Sunariani, J. (2015). The decrease of fibroblasts and fibroblast growth factor-2 expressions as a result of X-ray irradiation on the tooth extraction socket in *Rattus novergicus*. *Dental Journal (Majalah Kedokteran Gigi)*, 48(2), p.94.
- Manoppo, S. K. P. (2013). Gambaran ulkus traumatik pada mahasiswa pengguna alat ortodontik cekat di Program Studi Kedokteran Gigi Fakultas Kedokteran Universitas Sam Ratulangi. *e-GIGI*, 1(2).
- Matsumoto, S., Tanaka, R., Okada, K., Arita, K., Hyakusoku, H., Miyamoto, M., Tabata, Y. and Mizuno, H. (2013). The Effect of Control-released Basic Fibroblast Growth Factor in Wound Healing. *Plastic and Reconstructive Surgery Global Open*, 1(6), p.e44.

- Mihardja, L., Soetrisno, U. and Soegondo, S. (2014). Prevalence and clinical profile of diabetes mellitus in productive aged urban Indonesians. *Journal of Diabetes Investigation*, 5(5), pp.507-512.
- Nunes, Q., Li, Y., Sun, C., Kinnunen, T. and Fernig, D. (2016). Fibroblast growth factors as tissue repair and regeneration therapeutics. *PeerJ*, 4, p.e1535.
- Ornitz, D. and Itoh, N. (2015). The Fibroblast Growth Factor signaling pathway. *Wiley Interdisciplinary Reviews: Developmental Biology*, 4(3), pp.215-266.
- Paleri, V., Staines, K., Douglas, A., Wilson, J. and Sloan, P. (2010). Evaluation of oral ulceration in primary care. *BMJ*, 340(jun02 1), pp.c2639-c2639.
- Pandya, M., Kalappanavar, A., Annigeri, R. and Rao, D. (2017). Relative Efficacy of Quercetin Compared with Benzydamine Hydrochloride in Minor Aphthae: A Prospective, Parallel, Double Blind, Active Control, Preliminary Study. *International Journal of Dentistry*, 2017, pp.1-6.
- Politis, C., Schoenaers, J., Jacobs, R. and Agbaje, J. (2016). Wound Healing Problems in the Mouth. *Frontiers in Physiology*, 7(507).
- Roopashri, G., Jayanthi, K. and Guruprasad, R. (2011). Efficacy of benzydamine hydrochloride, chlorhexidine, and povidone iodine in the treatment of oral mucositis among patients undergoing radiotherapy in head and neck malignancies: A drug trail. *Contemporary Clinical Dentistry*, 2(1), p.8.
- Seshan, H., Shanavas, S. and Ashwini, S. (2016). Effective evaluation of benzydamine hydrochloride as a mouth wash in subjects with plaque induced gingival inflammation. *International Journal of Oral Health Dentistry*, 2(3), p.161.
- Shah, A., Jhajharia, K., Pathak, H., Yadav, D., Siddiqui, HY., Mazhar, M. (2016). Recurrent Aphthous Stomatitis: A Review. *Journal of Advanced Medical and Dental Sciences Research*. 4(3). Pp.54-56.
- Sinno, H. and Prakash, S. (2013). Complements and the Wound Healing Cascade: An Updated Review. *Plastic Surgery International*, 2013, pp.1-7.
- Slamet, S. and Hidayat, T. (2015). Studi Eksperimen Pemilihan Biomassa Untuk Memproduksi Gas Asap Cair (Liquid Smoke Gases) Sebagai Bahan Pengawet. *SIMETRIS*, 6(1), pp.189-196.
- Stentz, F., Umpierrez, G., Cuervo, R. and Kitabchi, A. (2004). Proinflammatory Cytokines, Markers of Cardiovascular Risks, Oxidative Stress, and Lipid Peroxidation in Patients With Hyperglycemic Crises. *Diabetes*, 53(8), pp.2079-2086.

- Suhendi, E. (2012). Identifikasi Komponen Kimia Asap Cair Tempurung Kelapa Dari Wilayah Anyer Banten. *Jurnal Agroekotek*, 4(1), pp.39-46.
- Surboyo, M. and Arundina, I. (2012). Analgesic effect of coconut shell (*Cocos nucifera* L) liquid smoke on mice. *Dental Journal (Majalah Kedokteran Gigi)*, 45(3), pp.156-160.
- Surboyo, M., Arundina, I. and Rahayu, R. (2017). Increase of collagen in diabetes-related traumatic ulcers after the application of liquid smoke coconut shell. *Dental Journal (Majalah Kedokteran Gigi)*, 50(2), p.71.
- Surboyo, M., Arundina, I., Rahayu, R., Mansur, D. and Bramantoro, T. (2019). Potential of Distilled Liquid Smoke Derived from Coconut (*Cocos nucifera* L) Shell for Traumatic Ulcer Healing in Diabetic Rats. *European Journal of Dentistry*, 13(02), pp.271-279.
- Tarakji, B., Gazal, G., Al-Maweri, S., Azzeghaiby, S. and Alaizari, N. (2018). Guideline for the Diagnosis and Treatment of Recurrent Aphthous Stomatitis for Dental Practitioners. *Journal of International Oral Health*, 7(5), pp.74-80.
- Tarawan, V., Mantilidewi, K., Dhini, I., Radhiyanti, P. and Sutedja, E. (2016). Coconut Shell Liquid Smoke Promotes Burn Wound Healing. *Journal of Evidence-Based Complementary & Alternative Medicine*, 22(3), pp.436-440.
- Tim Penyusun Revisi Konsensus Pengelolaan Dan Pencegahan Diabetes Melitus Tipe 2 Di Indonesia 2015 (2015). *Konsensus Pengelolaan Dan Pencegahan Diabetes Melitus Tipe 2 Di Indonesia 2015*.
- Tripathi, R. and Tripathi, K. (2015). Management of Non Healing Oral Ulcer in Diabetic Patient Using Tropical Application of Epidermal Growth Factor: A Case Report. *Scholars Academic Journal of Biosciences*, 3(8), pp.640-643.
- Xuan, Y., Huang, B., Tian, H., Chi, L., Duan, Y., Wang, X., Zhu, Z., Cai, W., Zhu, Y., Wei, T., Ye, H., Cong, W. and Jin, L. (2014). High-Glucose Inhibits Human Fibroblast Cell Migration in Wound Healing via Repression of bFGF-Regulating JNK Phosphorylation. *PLoS ONE*, 9(9), p.e108182.
- Yun, Y., Won, J., Jeon, E., Lee, S., Kang, W., Jo, H., Jang, J., Shin, U. and Kim, H. (2010). Fibroblast Growth Factors: Biology, Function, and Application for Tissue Regeneration. *Journal of Tissue Engineering*.