

## DAFTAR PUSTAKA

- Alligood, M. R. & Tomey, A. M. (2017) *Pakar Teori Keperawatan dan Karya Mereka*. Edisi Indo. Elsevier, Singapura.
- Bassareo, P. P. and Mercurio, G. (2014) 'Pediatric hypertension: An update on a burning problem', *World Journal of Cardiology*, 6(5), p. 253. doi: 10.4330/wjc.v6.i5.253.
- Bennett, H. *et al.* (2009) 'monitoring , and home-titration in controlling hypertension among low-income patients: protocol for a randomized controlled trial', 6, pp. 1–6. doi: 10.1186/1471-2458-9-456.
- Centre, T. evidence (2014) 'Does health coaching work ? Key themes', (April).
- Crittenden, D., Seibenhener, S. and Hamilton, B. (2017) 'of Hypertension', *TJNP: The Journal for Nurse Practitioners*. Elsevier, Inc, 13(5), pp. e237–e239. doi: 10.1016/j.nurpra.02.010.
- Dye, C. *et al.* (no date) 'Improving Chronic Disease Self-Management by Older Home Health Patients through Community Health Coaching', pp. 1–23. doi: 10.3390/ijerph15040660.
- Effendy, F. F., Lestari, P., & Bakar, A. (2017). *Pengaruh Health Coaching dengan pendekatan Health Belief Model Terhadap Perilaku Compliance dan Kestabilan Tekanan Darah Penderita Hipertensi*. Surabaya: Fakultas Keperawatan Unair.
- Fadhilah, D.K., (2016), Analisis faktor yang berhubungan dengan perilaku ibu dalam pemenuhan nutrisi pada balita dengan status gizi lebih dan obesitas di Desa Karangrejo Kecamatan Ngasem Kabupaten Kediri, Skripsi, Universitas Airlangga.
- Gopinath, B. *et al.* (2012) 'Relationship between a range of sedentary behaviours and blood pressure during early adolescence', *Journal of Human Hypertension*. Nature Publishing Group, 26(6), pp. 350–356. doi: 10.1038/jhh.2011.40.
- Has, E. M., Prahasiwi, D. F., Wahyuni, S. D., Nursalam, & Efendi, F. (2018). Mothers' Behaviour Regarding School-Aged Children's Nutrition: In Indonesia. *Indian Journal of Public Health Research & Development* , 318-322.
- hermens, H. *et al.* (2014) ' Personalized Coaching Systems to Support Healthy Behaviour in People with Chronic Conditions', *Journal of Electromyography and Kinesiology*. Elsevier Ltd. 24(6), pp. 815-826. doi: 10.1016/j.jelekin.2014.10.003.
- Hidayat'e, N. Z. (2017). Hubungan Persepsi dengan Perilaku Kesehatan Masyarakat Terhadap Penderita Tuberculosis Berbasis Health Promotion Model di Wilayah Kerja Puskesmas Pegirian Surabaya. Surabaya: Fakultas Keperawatan Universitas Airlangga.

- Huffman, M. H. (2016) 'Advancing the Practice of Health Coaching', *Workplace Health and Safety*, 64(9), pp. 400–403. doi: 10.1177/2165079916645351.
- Jefferson, V. *et al.* (2011) 'Coping Skills Training in a Telephone Health Coaching Program for Youth at Risk for Type 2 Diabetes', *Journal of Pediatric Health Care*. Elsevier Ltd. 25(3), pp. 153-161. doi: 10.1016/j.pedhc.2009.12.003.
- Kalangi, J. A. *et al.* (2006) 'A Simulation-Driven Approach For A Cost Efficient Airport Wheelchair Assistance Service', 3(April), pp. 1–19.
- Khodaveisi, M. *et al.*, (2016), Dietary behavior status and its predictors based on the Pender's Health Promotion Model constructs among overweight women referred to Fatemieh hospital clinics in Hamedan, *Journal of Nursing Education*, 5(2), pp.31–39.
- Macadam, C. (2013) 'Health Coaching – a powerful approach to support Self-Care'.
- Madruga, J. G., Silva, F. M. and Adami, F. S. (2016) ' , a de hipertensão em adolescentes', 35(9). doi: 10.1016/j.repc.2016.03.004.
- Mahanta, T. G. *et al.* (2017) 'Determinants of hypertension amongst school going adolescents aged 13-15 yrs in Assam', *Clinical Epidemiology and Global Health*. INDIACLEN. doi: 10.1016/j.cegh.2017.08.005.
- Margolius, D. *et al.* (2012) 'Health Coaching to Improve Hypertension Treatment in a Low-Income , Minority Population', pp. 199–205. doi: 10.1370/afm.1369.INTRODUCTION.
- Nazem, F., Chenari, H. and Sadeghi, O. (2013) Validation of the scale of knowledge management assessment in the technical and vocational training organization of Tehran, Proceedings of the European Conference on Knowledge Management, *ECKM*. doi: 10.1161/HYP.0000000000000065.
- Nisa', K. (2018). Pengaruh Health Coaching Berbasis Health Promotion Model Terhadap Self-Efficacy, Komitmen, dan Tindakan pada Wanita Usia Subur (WUS) dalam Melaksanakan Pencegahan Kanker Serviks dan Inspeksi Visual Asetat (IVA). Surabaya: Fakultas Keperawatan Unair.
- Notoatmodjo, S. (2012) *Promosi Kesehatan dan Perilaku Kesehatan*. Rineka Cipta, Jakarta.
- Notoatmodjo, S. (2003) *Pendidikan dan Perilaku Kesehatan*. Rineka Cipta, Jakarta.
- Nursalam (2016) *Konsep dan Penerapan Metodologi Penelitian Ilmu Keperawatan*. 5th edn. Jakarta: Salemba Medika.
- Paula, L. *et al.* (2018) 'Clinical Nutrition ESPEN Effects of the Dietary Approach to Stop Hypertension ( DASH ) diet on blood pressure , overweight and obesity in adolescents : A systematic review', *Clinical Nutrition ESPEN*. Elsevier Ltd. doi: 10.1016/j.clnesp.2018.09.003.

- Pender, N.J., (2011), *Health Promotion Model Manual*. *University of Michigan*. Available at: <http://hdl.handle.net/2027.42/85350> [Accessed April 20, 2017].
- Pender, N.J., Murdaugh & Parsons, (2011), *Health Promotion in Nursing Practice* 6th ed., Boston, MA Pearson.
- Persell, S. D. *et al.* (2018) ‘Design of a randomized controlled trial comparing a mobile phone-based hypertension health coaching application to home blood pressure monitoring alone : The Smart Hypertension Control Study’, *Contemporary Clinical Trials*. Elsevier, 73(August), pp. 92–97. doi: 10.1016/j.cct.2018.08.013.
- Purwanto, H. (2009) *Pengantar Perilaku Manusia Untuk Keperawatan*. EGC, Jakarta.
- Purwono, J. (2015). Hubungan Sikap dan Persepsi Manfaat dengan. *Jurnal Kesehatan Metro Sai Wawai* , 37-42.
- Rashidi, H. *et al.* (2019) ‘Diabetes & Metabolic Syndrome : Clinical Research & Reviews Incidence of obesity , overweight and hypertension in children and adolescents in Ahvaz southwest of IRAN : Five-years study’, 13, pp. 201–205. doi: 10.1016/j.dsx.2018.05.021.
- RI, K. (2018) *Riset Kesehatan Dasar*. Jakarta.
- Saraiva, B. T. C. *et al.* (2017) ‘Association between hypertension in adolescents and the health risk factors of their parents: An epidemiological family study’, *Journal of the American Society of Hypertension*. American Society of Hypertension, (2018). doi: 10.1016/j.jash.2017.12.011.
- Sitanggang, Y., Amin, M., Sukartini, T. (2017) ‘Health Coaching Berbasis Health Promotion Model Terhadap Peningkatan Efikasi Diri dan Perilaku Pencegahan Penularan Pada Pasien TB Paru’, *Jurnal Penelitian Kesehatan Suara Forikes*, 8(4), pp. 172–179.
- Spearman, R.- (2017) ‘Faktor Risiko Hipertensi Pada Remaja Enny Probosari Bagian Gizi, Fakultas Kedokteran, Universitas Diponegoro ABSTRAK’, 5(1), pp. 18–27.
- Sukut, S.S., Arif, Y.S. & Qur’aniati, N., 2015, Faktor kejadian diare pada balita dengan pendekatan Teori Nola J. Pender di IGD RSUD Ruteng, *Jurnal Pediomaternal*, 3., pp.230–249.
- Thabit, M. F. and Al-janabi, S. K. (2018) ‘Life style modification in the management of hypertension in a sample of hypertensive patients attending Primary Health Care centers at Baghdad city’, 14(1), pp. 13–17.
- UCSF Center for Excellence in Primary Care (2014) ‘The 10 Building Blocks of Primary Care: Health Coaching in Primary Care – Intervention Protocol’.
- Ulya, Z., Iskandar, A., & Asih, F. T. (2017). Pengaruh Pendidikan Kesehatan dengan Media Poster Terhadap Pengetahuan Manajemen Hipertensi pada

Penderita Hipertensi. *Jurnal Keperawatan Soedirman (The Soedirman Journal of Nursing)*, 38-46.

- Wang, J. et al., 2015, Impact of perceived barriers to healthy eating on diet and weight in a 24-month behavioral weight loss trial, *Journal of Nutrition Education and Behavior*, 47 (5), pp.432–436.
- Wang, J. et al. (2018) ‘Differences in prevalence of hypertension and associated risk factors in urban and rural residents of the northeastern region of the People ’ s Republic of China : A cross-sectional study’, pp. 1–14.
- Webster, E. K. et al. (2018) ‘A cross-sectional study on the relationship between the risk of hypertension and obesity status among pre-adolescent girls from rural areas of Southeastern region of the United States’, *Preventive Medicine Reports*. Elsevier, 12(May), pp. 135–139. doi: 10.1016/j.pmedr.2018.09.006.
- Widiana, R. (2006) ‘Paediatrica Indonesiana’, 46(5), pp. 127–133. doi: 10.14238/pi.
- Willard-grace, R. et al. (2015) ‘Kesehatan Coaching oleh Asisten Medis untuk Meningkatkan Kontrol Diabetes, Hipertensi, dan Hiperlipidemia di Berpenghasilan Rendah Pasien: A Trial Acak Terkendali’, 13(2), pp. 130–138.
- Wolever, R. Q., Dreusicke, M., Fikkan, J., Hawkins, T. V, Yeung, S., Wakefield, J., Duda, L., Flowers, P. and Cook, C. (2010) ““Integrative Health Coaching for Patients With Type 2 Diabetes”.”
- Wong-Rieger, D. and Rieger, F. P. (2013) ‘Health coaching in diabetes: empowering patients to self-manage’, *Canadian journal of diabetes*. Elsevier Ltd, 37(1), pp. 41–44. doi: 10.1016/j.jcjd.2013.01.001.
- Xu, R. Y. et al. (2018) ‘Nutrition , Metabolism & Cardiovascular Diseases Body mass index , waist circumference , body fat mass , and risk of developing hypertension in normal-weight children and adolescents’, pp. 6–11. doi: 10.1016/j.numecd.2018.05.015.