

DAFTAR PUSTAKA

- Abdelsadek A, Khair MDA, Naga OA, 2015. Lung ultrasound as early diagnostic tool in neonatal respiratory distress syndrome (RDS). *Egypt J of Chest Dis. and Tuber.* 1:1-6.
- Asztalos EV, Murphy KE, Willan AR, Matthews SG, Ohlsson A, Saigal S, Armson BA, Kelly EN, Delisle MF, Gafni A, Lee SK, Sananes R, Rovet J, Guselle P, Amankwah K, Saleem M, Sanchez J, MACS-5 Collaborative, Group, 2013. Multiple Courses of Antenatal Corticosteroids for Preterm Birth Study: Outcomes in Children at 5 Years of Age (MACS-5). *JAMA Pediatrics.* 167 (12): 1102–10.
- Ahuja CK, Saxena AK, Sodhi KS, Kumar P, Khandelwal N, 2012. Role of transabdominal ultrasound of lung bases and follow up in premature neonates with respiratory distress soon after birth. *J chest radiology.* 22: 279-285
- Alrajab S, Youssef AM, Akkus NI, et al, 2013. Pleural ultrasonography versus chest radiography for the diagnosis of pneumothorax: review of the literature and meta-analysis. *Crit Care.* 17(5): R208.
- Boo NY, Cheah IG, Malaysian National Neonatal Registry, 2011. Risk factors associated with pneumothorax in Malaysian neonatal intensive care units. *J Paediatr Child Health.* 47(4):183–190.
- Cattarossi L, 2013. Lung ultrasound: its role in neonatology and pediatrics. *Early Hum Dev.* 89(Suppl 1): S17–S19.
- Cattarossi L, Copetti R, Brusa G, et al, 2016. Lung ultrasound diagnostic accuracy in neonatal pneumothorax. *Can Respir J.* 2016:6515069.
- Chan SSW, 2012. Emergency bedside ultrasound to detect pneumothorax. *Acad Emerg Med Off J Soc Acad Emerg Med.* 10(1):91–94.
- Chen SW, Fu W, Liu J, et al, 2017. Routine application of lung ultrasonography in the neonatal intensive care unit. *Medicine (Baltimore).* 96(2): e5826.
- Colvin J, Bower C, Dickinson JE, et al, 2009. Outcomes of congenital diaphragmatic hernia: a population-based study in Western Australia. *Pediatrics.* 116(3): e356–e363.
- Copetti R, Cattarossi L, 2017. The “double lung point”: an ultrasound sign diagnostic of transient tachypnea of the newborn. *Neonatology.* 91(3):203
- Copetti R, Cattarossi L, Macagno F, et al, 2016. Lung ultrasound in respiratory distress syndrome: a useful tool for early diagnosis. *Neonatology.* 94(1):52
- Danahoe PK, Longoni M, High FA, 2016. Polygenic cause of congenital diaphragmatic hernia produce common lung pathologies. *American J of Patho.* 186(10):2532-2543.

- Desjardins MP, Weerdenburg KD, Fischer JW, 2016. Emergency point-of-care ultrasound diagnosis of diaphragmatic hernia in the pediatric emergency department. *Pediatr Emerg Care*. 32(10):685–687.
- Fanaroff AA, Stoll BJ, Wright LL, 2017. NICHD Neonatal Research Network: Trends in neonatal morbidity and mortality for very low birthweight infants. *Am J Obstet Gynecol* 196: 147.e1–e8.
- Ferreira CH, Carmona F, Martinez FE, 2014. Prevalence, risk factors and outcomes associated with pulmonary hemorrhage in newborns. *J Pediatr (Rio J)*. 90(3):316–322.
- Hiles M, Culpan AM, Watts C, et al, 2012. Neonatal respiratory distress syndrome: chest X-ray or lung ultrasound? A systematic review. *Ultrasound*. 25(2):80–91.
- Hiles M, Culpan AM, Watts C, Munyombwe T, Wolstenhulme S, 2017. Neonatal respiratory distress syndrome : chest x-ray or lung ultrasound: a systematic review. *J ultrasound*. 0:1-12.
- Ho MC, Ker CR, Hsu JH, et al, 2015. Usefulness of lung ultrasound in the diagnosis of community-acquired pneumonia in children. *Pediatr Neonatol*. 56(1):40–45.
- Jessen, Torben E, Hoskuldsson, Agnar T, Bjerrum, Poul J, Verder, Henrik Sorensen Lars, Bratholm Palle S, Christensen Bo, Jensen, Lene S, Jensen, Maria A.B. 2014. Simultaneous determination of glucose, triglycerides, urea, cholesterol, albumin and total protein in human plasma by Fourier transform infrared spectroscopy: Direct clinical biochemistry without reagents. *Clinical Biochemistry*. 47 (13–14): 1306–12.
- Kementrian Kesehatan Republik Indonesia, 2017. Profil Data Kesehatan Indonesia Tahun 2016, Jakarta: Kementerian Kesehatan Republik Indonesia.
- Kosim MS, 2009. Gangguan napas pada neonatus baru lahir. Kosim MS, Yunanto A, Dewi R, Sarosa GI, Usman A. In *Buku Ajar Neonatologi*. Jakarta: Penerbit FKUI, p126-146.
- Kumar A dan Bhat BV, 2016. Epidemiology of respiratory distress newborns. *Indian J Pediatr*. 63(1):93-8.
- Lichtenstein D, Meziere G, Biderman P, et al, 2017. The comet-tail artifact. An ultrasound sign of alveolar-interstitial syndrome. *Am J Respir Crit Care Med*. 156(5):1640–1646.
- Lichtenstein D, Meziere G, Seitz J, 2009. The dynamic air bronchogram. A lung ultrasound sign of alveolar consolidation ruling out atelectasis. *Chest*. 135(6):1421–1425.
- Lichtenstein D, van Hooland S, Elbers P, et al, 2014. Ten good reasons to practice ultrasound in critical care. *Anaesthesiol Intensive Ther*. 46(5):323–335.

- Lichtenstein DA, 2017. Ultrasound in the management of thoracic disease. *Crit Care Med.*35(5 Suppl): S250–S261.
- Lichtenstein DA, Lascols N, Meziere G, et al, 2014. Ultrasound diagnosis of alveolar consolidation in the critically ill. *Intensive Care Med.* 30(2):276–281.
- Lichtenstein DA, Lascols N, Prin S, et al, 2013. The “lung pulse”: an early ultrasound sign of complete atelec-tasis. *Intensive Care Med.* 29(12):2187–2192.
- Lichtenstein DA, Mauriat P, 2012. Lung ultrasound in the critically ill neonate. *Curr Pediatr Rev.* 8(3):217–223.
- Lichtenstein DA, Menu Y, 2015. A bedside ultrasound sign ruling out pneumothorax in the critically ill. Lung sliding. *Chest.* 108(5):1345–1348
- Liszewski MC, Stanescu AL, Phillips GS, et al, 2017. Respiratory distress in neonates: underlying causes and current imaging assessment. *Radiol Clin North Am.* 55(4):629–644.
- Liu J, Cao H, Liu Y, 2013. Lung ultrasonography for the diagnosis of neonatal respiratory distress syndrome: a pilot study. *Zhonghua Er Ke Zhi Chin J Pediatr.* 51(3):205–210.
- Liu J, Cao HY, Fu W, 2016. Lung ultrasonography to diagnose meconium aspiration syndrome of the newborn. *J Int Med Res.* 44(6):1534–1542.
- Liu J, Cao HY, Wang HW, et al, 2014. The role of lung ultra-sound in diagnosis of respiratory distress syndrome in newborn infants. *Iran J Pediatr.* 24(2):147–154.
- Liu J, Cao HY, Wang HW, et al, 2015. The role of lung ultrasound in diagnosis of respiratory distress syndrome in newborn infants. *Iran J Pediatr.* 25 (1): e323.
- Liu J, Cao HY, Wang HW, Kong XY, 2015. The role of lung ultrasound in diagnosis of respiratory sitress syndrome in newborn infants. *Iran J Pediatr.* 25:1-6.
- Liu J, Chen SW, Liu F, et al, 2015. The diagnosis of neonatal pulmonary atelectasis using lung ultrasonography. *Chest.* 147(4):1013–1019.
- Liu J, Chen XX, Li XW, et al, 2016. Lung ultrasonography to diagnose transient tachypnea of the newborn. *Ches.*149(5):1269–1275.
- Liu J, Chi JH, Ren XL, et al, 2017. Lung ultrasonography to diagnose pneumothorax of the newborn. *Am J Emerg Med.* 35(9):1298–1302.
- Liu J, Fu W, Chen SW, et al, 2017. Diagnosis of pulmonary hemorrhage of the newborn infants using lung ultrasonography. *Zhonghua Er Ke Zhi Chin J Pediatr.* 55(1):46–49.

- Liu J, Liu F, Liu Y, et al, 2014. Lung ultrasonography for the diagnosis of severe neonatal pneumonia. *Chest*. 146(2):383–388.
- Liu J, Wang Y, Fu W, et al, 2014. Diagnosis of neonatal transient tachypnea and its differentiation from respiratory distress syndrome using lung ultrasound. *Medicine (Baltimore)*. 93(27): e197.
- Mehta N, Parihar P, Khan S, Rajimwale G, 2018. Role of chest x-ray in respiratory distress of neonates. *Intl J Recent Surg and Med Sci*. 4:19-23.
- Miller JD, Carlo WA, 2018. Pulmonary complications of mechanical ventilation in neonates. *Clin Perinatol*. 35(1):273–281.
- Morosini A, Davies MW, 2014. Predicting the need for ventilation in term and near-term neonates. *J Paediatr Child Health*. 40(8):438–443.
- Northway Jr WH, Rosan, RC, Porter, DY 2017. Pulmonary disease following respirator therapy of hyaline-membrane disease. Bronchopulmonary dysplasia. *The New England Journal of Medicine*. 276 (7): 357–68.
- Piastra M, Yousef N, Brat R, et al, 2014. Lung ultrasound findings in meconium aspiration syndrome. *Early Hum Dev*. 90(Suppl 2): S41–S43.
- Pudjiadi AH, Hegar B, Handryastuti S, Idris NS, Gandaputra EP, Harmoniati ED, 2009. *Pedoman pelayanan medis IDAI*. Jilid I. Jakarta:IDAI, pp 150-255.
- Rachuri H, Oleti TAPI, Murki S, Subramanian, Nethagani J, 2017. Diagnostic Performance of point of care ultrasound in identifying the etiology of respiratory distress in neonates. *Indian J Pediatr*. 84(4):267-270.
- Rachuri H, Oleti TP, Murki S, et al, 2017. Diagnostic performance of point of care ultrasonography in identifying the etiology of respiratory distress in neonates. *Indian J Pediatr*. 84(4):267–270.
- Rankin JH, Elkhunovich M, Seif D, et al, 2016. Point-of-care ultrasound diagnosis of diaphragmatic hernia in an infant with respiratory distress. *Pediatr Emerg Care*. 32(10):731–733.
- Reissig A, Copetti R, 2014. Lung ultrasound in community-acquired pneumonia and in interstitial lung diseases. *Respiration*. 87(3):179–189.
- Reissig A, Copetti R, Mathis G, et al, 2012. Lung ultrasound in the diagnosis and follow-up of community-acquired pneumonia: a prospective, multicenter, diagnostic accuracy study. *Chest*. 142(4):965–972.
- Ren XL, Fu W, Liu J, et al, 2017. Lung ultrasonography to diagnose pulmonary hemorrhage of the newborn. *J Matern Fetal Neonatal Med*. 30(21):2601–2606.
- Reuter S, Moser C, Baack M, 2014. Respiratory distress in the newborn. *Pediatr Rev*. 35(10):417–428; quiz 429.

- Rodriguez-Fanjul J, Balcells C, Aldecoa-Bilbao V, et al, 2016. Lung ultrasound as a predictor of mechanical ventilation in neonates older than 32 weeks. *Neonatology*. 110(3):198–203.
- Rodriguez RJ, Martin RJ, Fanaroff, AA, 2012. Respiratory distress syndrome and its management. In Fanaroff, Avroy A; Martin, Richard J (eds.). *Neonatal-perinatal medicine: diseases of the fetus and infant*. St. Louis: Mosby. pp. 1001–1011.
- Santosham Mathuram, Chan Grace J, Lee Anne CC, Baqui, Abdullah H, Tan, Jingwen, Black Robert E, 2013. Risk of Early-Onset Neonatal Infection with Maternal Infection or Colonization: A Global Systematic Review and Meta-Analysis. *PLoS Medicine*. 10 (8).
- Sarvaiya K, Singla H, Patel N, Dhillon JI, Patel B, 2015. Radiological evaluation of neonatal thoracic lesions in 118 neonates. 2(6):172-182.
- Sauparna C, Nagaraj N, Berwal PK, Inani H, Kanungo M, 2016. A clinical study of prevalence, spectrum of respiratory distress and immediate outcome in neonates. *Indian J of Immun and Resp Med*. 1(4):80-83.
- Sawires HK, Abdel Ghany EA, Hussein NF, et al, 2015. Use of lung ultrasound in detection of complications of respiratory distress syndrome. *Ultrasound Med Biol*. 41(9):2319–2325.
- Scholl JE, 2015. Yanowitz TD. Pulmonary hemorrhage in very low birth weight infants: a case-control analysis. *J Pediatr*. 166(4):1083–1084.
- Schwartz RM, Luby AM, Scanlon JW, Kellogg RJ, 2014. Effect of surfactant on morbidity, mortality, and resource use in newborn infants weighing 500 to 1500 g. *The New England Journal of Medicine*. 330 (21): 1476–80.
- Stevens TP, Blennow M, Soll RF, 2014. Early surfactant administration with brief ventilation vs selective surfactant and continued mechanical ventilation for preterm infants with or at risk for respiratory distress syndrome. *The Cochrane Database of Systematic Reviews* (3): CD003063
- Tomaszewska M, Stork E, Minich NM, et al, 2009. Pulmonary hemorrhage: clinical course and outcomes among very low-birth-weight infants. *Arch Pediatr Adolesc Med*. 153(7):715–721.
- Vellanki H, Antunes M, Locke RG, et al, 2012. Decreased incidence of pneumothorax in VLBW infants after increased monitoring of tidal volumes. *Pediatrics*. 130(5): e1352–e1358.
- Verder H, Robertson B, Greisen G, Ebbese F, Albertsen P, Lundstrom K, Jacobsen T, 2014. Surfactant therapy and nasal continuous positive airway pressure for newborns with respiratory distress syndrome. Danish-Swedish Multicenter Study Group. *The New England Journal of Medicine*. 331 (16): 1051–5.

- Verder H, Albertsen P, Ebbesen F, Greisen G, Robertson B, Bertelsen A, Agertoft L, Djernes B, Nathan E, Reinholdt J, 2015. Nasal continuous positive airway pressure and early surfactant therapy for respiratory distress syndrome in newborns of less than 30 weeks' gestation. *Pediatrics*. 103 (2): E24.
- Verder H, Ebbese F, Linderholm B, Robertson B, Eschen C, Arroe M, Lange A, Grytter C, Bohlin K, Bertelsen A, Danish-Swedish Multicentre Study, Group 2013. Prediction of respiratory distress syndrome by the microbubble stability test on gastric aspirates in newborns of less than 32 weeks' gestation. *Acta Paediatrica*. 92 (6): 728–33.
- Verder H, Ebbesen F, Fenger-Gron J, Henriksen TB, Andreasson B, Bender L, Bertelsen A, Bjorklund LJ, Dahl M, Esberg G, Eschen C, Hovring M, Kreft A, Kroner J, Lundberg F, Pedersen P, Reinholdt J, Stanchev H 2013. Early surfactant guided by lamellar body counts on gastric aspirate in very preterm infants. *Neonatology*. 104 (2): 116–22.
- Vergine M, Copetti R, Brusa G, Cattarossi L, 2014. Lung ultrasound accuracy in respiratory distress syndrome and transient tachypnea of the newborn. *J neonatology*. 106:87-93.
- Vergine M, Copetti R, Brusa G, et al, 2014. Lung ultrasound accuracy in respiratory distress syndrome and transi-ent tachypnea of the newborn. *Neonatology*.106(2):87–93.
- Volpicelli G, Elbarbary M, Blaivas M, et al, 2012. International evidence-based recommendations for point-of-care lung ultrasound. *Intensive Care Med*. 38(4): 577–591.
- Volpicelli G. Lung sonography. *J*, 2013. *Ultrasound Med*. 32(1):165–171.
- von der Hardt, K; Schoof, E; Kandler, MA; Dötsch, J; Rascher, W (February 2002). Aerosolized perfluorocarbon suppresses early pulmonary inflammatory response in a surfactant-depleted piglet model. *Pediatric Research*. 51 (2): 177–8.
- WHO, March of Dimes, PMNCH, Save the Children, 2016. *Bomtoo soon The global action report on preterm birth Gereva: Walid Health Olganization*.
- Wilkerson RG, Stone MB, 2010. Sensitivity of bedside ultra-sound and supine anteroposterior chest radiographs for the identification of pneumothorax after blunt trauma. *Acad Emerg Med Off J Soc Acad Emerg Med*. 17(1):11
- Zechner PM, Seibel A, Aichinger G, et al, 2012. Lung ultrasound in acute and critical care medicine. *Anaesthesist*. 61(7):608–617.