

**DAFTAR PUSTAKA**

- Andrews L.F. (1972). The six keys to normal occlusion. *Am J Orthod* Vol. 62: pp. 296–309.
- Anggaraeni, P.I., Suparwitri, S., Soekarsono, dan Pinandi. (2013). Perawatan Maloklusi Klas III Skeletal disertai Open Bite dengan Teknik Begg . *Majalah Kedokteran Gigi*, Vol. 20(2): pp. 192-198.
- Angle, E.H. (1907). *Treatment of malocclusion of the teeth : Angle's system, 7th ed.* Philadelphia : White Dental Manufacturing Co.
- Ardani, I.G.A.W., Narmada, I.B., Hamid, T., Sjafei, A., Sjamsudin, J., Winoto, E.R. dan Alida. (2017). *Pengantar Ilmu Ortodoti II*. Surabaya: Airlangga University Press.
- Bath-Balogh, M., dan Fehrenbach, M. (2012). *Illustrated Dental Embryology, Histology, and Anatomy*. Missouri: Elsevier Saunders, p. 283.
- Bhalajhi, S.I. (2015). *Orthodontics, The Art and Science 6<sup>th</sup> ed.* New Delhi: Arya Medi Publishing House Pvt. Ltd.
- Biondi, K. Lorusso, P. Fastuca, R. Mangano, A. Zecca, P.A. Bosco, M. Caprioglio, A. dan Levrini, L. 2016. Evaluation of masseter muscle in different vertical skeletal patterns in growing patients. *Eur J Paediatr Dent*, Vol. 17(1): pp.47-52.
- Bishara, S.E. (2001). *Textbook of orthodontics*. Toronto: WB Saunders Company.
- Chanaday, N.L., dan Kavalali, E.T. (2018). Presynaptic origins of distinct modes of neurotransmitter release. *Current opinion in neurobiology*, Vol 51: pp. 119-26.
- Couborne, M.T., dan DiBiase, A.T. (2010). *Handbook of Orthodontics*. China: Elsevier.
- De Faria, C.R.S., dan Bérzin, F. (1998). Electromyographic study of the temporal, masseter and suprahyoid muscles in the mandibular rest position. *Journal of Oral Rehabilitation*, Vol. 25(10): pp. 776–780.
- Dmytrenko, M.I. (2018). Analysis of electromyographic indexes of temporal and masticatory muscles in patients with distal occlusion complicated by dental crowding. *Wiad Lek.*, Vol. 71(2 pt 2): pp. 295-298.
- Enlow, D.H., dan Hans, M.G. (1996). *Essentials of facial growth 6<sup>th</sup> ed.* Philadelphia: WB Saunders Co.
- Foster, T.D. (1997). *Buku Ajar Ortodonsi (Terjemahan), 3<sup>rd</sup> ed.* Jakarta: EGC.
- Graber, T.M., dan Neumann, B. (1977). *Removable Orthodontic Appliances*. Philadelphia: WB Saunders Co.
- Grippaudo, C., Paolantonio, E.G., Antonini, G., Saulle, R., La Torre, G., dan Deli, R. (2016). Association between oral habits, mouth breathing and malocclusion. *Acta Otorhinolaryngologica Italica*, Vol. 36(5): p. 386.

- Gunawan, H., Ifandi, dan Rahmayani, L. (2017). Gambaran kasus deviasi mandibula pada mahasiswa fakultas kedokteran gigi unisyah angkatan 2011-2015 yang memiliki aktifitas parafungsi. *Journal Caninus Dentistry*, Vol. 2(2): pp. 97-103.
- Guyton, A.C., dan Hall, J.E. (2016). *Textbook of Medical Physiology*, 13th ed. Philadelphia: Elsevier. pp. 77-80.
- Hartati, S., Heryumani J.C.P., dan Kuswahyuning. (2013). Perubahan Posisi Mandibula pada Perawatan Kamufase Maloklusi Kelas III Skeletal. *Majalah Kedokteran Gigi*, Vol. 20(2): pp. 140-145.
- Ismah, N. (2010). Perawatan maloklusi Klas III pada usia tumbuh kembang. *Dentofasial*, Vol. 9(2): pp. 130-137.
- Ivosevic, A., Miletic, N., Vulovic, M., Vujkovic, Z., Bursac, S.N., Cetkovic, S.S., dan Stojiljkovic, M.P. (2017). Mechanism and Clinical Importance of Respiratory Failure Induced by Anticholinesterases. *Serbian Journal of Experimental and Clinical Research*, Vol 18(4): pp. 349-55.
- Iyer, M., dan Valiathan, A. (2001). Electromyography and its application in orthodontics. *CURRENT SCIENCE-BANGALORE*-, Vol. 80(4): pp. 503-506.
- Jacob, H.B., dan Buschang, P.H. (2014). Mandibular growth comparisons of Class I and Class II division 1 skeletofacial patterns. *The Angle Orthodontist*, Vol 84(5): pp. 755–761.
- James, G.A. (2018). Etiology of Malocclusion: Contributory Factors. Available at <https://www.oralhealthgroup.com/features/etiology-malocclusion-contributory-factors/>. Accessed 11 November 2018.
- Jones, M.L., dan Oliver, R.G. (2000). *W&H Orthodontic Notes*, 6<sup>th</sup> ed. Oxford: Wright.
- King, J.M., dan Hunter, J.M. (2002). Physiology of the neuromuscular junction. *Bja Cepd Reviews*, Vol 2(5): pp. 129-33.
- Ko, E. W.-C., Teng, T. T.-Y., Huang, C. S., & Chen, Y.-R. (2015). The effect of early physiotherapy on the recovery of mandibular function after orthognathic surgery for class III correction. Part II: Electromyographic activity of masticatory muscles. *Journal of Cranio-Maxillofacial Surgery*, Vol. 43(1): pp. 138–143.
- Laguhi, V.A., Anindita, P.S., dan Gunawan, P.N. (2014). Gambaran Maloklusi dengan Menggunakan HMAR pada Pasien di Rumah Sakit Gigi dan Mulut Universitas Sam Ratulangi Manado. *Jurnal e-GiGi (eG)*, Vol. 2(2).
- Lieb Gott, B. (1994). *Dasar-Dasar Anatomi Kedokteran Gigi*. Jakarta: EGC.
- Loeb, G.E. dan Gans, C. (1986). *Electromyography for Experimentalists*. Chicago: University of Chicago Press.
- Mageet, A.O. (2016). Classification of Skeletal and Dental Malocclusion. *STOMA EDUJ*, Vol. 3(2): pp. 38-44.
- Moyers, R.E. (1988). *Handbook of Orthodontics*, 4<sup>th</sup> ed. Chicago: Year Book Medical Publisher.
- Netter, F.H. (2014) *Atlas of human anatomy*. Philadelphia: Elsevier,
- Nishi, S.E., Basri, R., Rahman, N.A., Husein, A., dan Alam, M.K. (2018). Association between muscle activity and overjet in class II malocclusion with surface electromyography. *J Orthod Sci*, Vol. 7(3).

- Odias, R.R. (2008). Analisis wajah perempuan suku batak. [TESIS]. Medan: FK USU, pp.18-39.
- Petrović, D., Vujkov, S., Petronijević, B., Šarčev, I., dan Stojanac, I. (2014). Examination of the bioelectrical activity of the masticatory muscles during Angle's Class II division 2 therapy with an activator. *Vojnosanit Pregl*, Vol. 71(12): pp.1116–1122.
- Primarti, R.S. (2007). Deteksi Dini Ketidakseimbangan Otot Orofasial Pada Anak. *Jurnal PDGI*, Edisi Khusus PIN IKGA.
- Proffit, W., Fields, H. dan Sarver, D. (2013). *Contemporary Orthodontics*. St. Louis: Mosby Elsevier.
- Saladin, K.S., Sullivan, S.J., dan Gan, C.A. (2015). *Anatomy & physiology: The unity of form and function*, 7<sup>th</sup>. New York : McGraw-Hill Education.
- Santos, R. R., Nayme, J. G., Garbin, A. J., Saliba, N., Garbin, C. A., dan Moimaz, S. A. (2012). Prevalence of malocclusion and related oral habits in 5-to 6-year-old children. *Oral Health Prev Dent*, Vol. 10(4): pp. 311-318.
- Setyowati, P., dan Ardhana W. (2013). Perawatan Maloklusi Kelas III dengan Hubungan Skeletal Kelas III disertai Makroglosia Menggunakan Alat Ortodontik Cekat Teknik Begg. *Majalah Kededokteran Gigi*, Vol. 20(2): pp. 184-191.
- Siqueira, V.C.V., Sousa, M.A., Bérzin, F., dan Casarini C.A.S. (2011). Electromyographic analysis of the orbicularis oris muscle in youngsters with Class II, Division 1 and normal occlusion. *Dental Press J Orthod*, Vol. 16(5): pp. 54-61.
- Soeprapto, A. (2017). *Buku Pedoman dan Tatalaksana Praktik Kedokteran Gigi*. Yogyakarta: Jembatan Merah.
- Sudibjo, H., Subagyo, Santoso, M.W.A. dan Alimsardjono, H. (2013). *Diktat Anatomi 3*. Surabaya: Departemen Anatomi dan Histologi FK UNAIR.
- Suhartini. (2011). Fisiologi Pengunyahan pada Sistem Stomatognati. *Jurnal Kedokteran Gigi UNEJ*, Vol. 8(3): pp. 122-126.
- Sulandjari, H. (2008). *Buku Ajar Ortodonsia I*. Yogyakarta: FKG UGM.
- Woźniak, K., Piątkowska, D., Lipski, M., dan Mehr, K. (2013). Surface electromyography in orthodontics – a literature review. *Med Sci Monit*, Vol. 19: pp. 416-423.
- Yolanda, E. (2017). Prevalensi Maloklusi yang Ditemukan pada Pemeriksaan Radiografi Sepalometri di RSGM UNHAS. [Doctoral Dissertation].