

## DAFTAR PUSTAKA

- Alavi, A.S., Soloway, M.S., Vaidya, A., Lynne, C.M., Gheiler, E.L., 2001. Local anesthesia for ultrasound guided prostate biopsy: A prospective randomized trial comparing 2 methods. *J. Urol.* 166, 1343–1345. [https://doi.org/10.1016/S0022-5347\(05\)65765-5](https://doi.org/10.1016/S0022-5347(05)65765-5)
- Ambert, V., Budau, M., Chira, I., Tudor Radu, M., Vasile Constantin, T., Abd-Halal, A., 2008. The TRUS guided prostate extended biopsy in the detection of prostate cancer. *Ultraschall der Medizin - Eur. J. Ultrasound* 29, 185–191. <https://doi.org/10.1055/s-2008-1079989>
- Autorino, R., De Sio, M., Di Lorenzo, G., Damiano, R., Perdonà, S., Cindolo, L., D'Armiento, M., 2005. How to decrease pain during transrectal ultrasound guided prostate biopsy: A look at the literature. *J. Urol.* <https://doi.org/10.1097/01.ju.0000181212.51025.06>
- Bazinet, M., Meshref, A.W., Trudel, C., Aronson, S., Péloquin, F., Nachabe, M., Bégin, L.R., Elhilali, M.M., 1994. Prospective evaluation of prostate-specific antigen density and systematic biopsies for early detection of prostatic carcinoma. *Urology* 43, 44–51. [https://doi.org/10.1016/S0090-4295\(94\)80260-2](https://doi.org/10.1016/S0090-4295(94)80260-2)
- Bezinque, A., Moriarity, A., Farrell, C., Peabody, H., Noyes, S.L., Lane, B.R., 2018. Determination of Prostate Volume: A Comparison of Contemporary Methods. *Acad. Radiol.* 25, 1582–1587. <https://doi.org/10.1016/j.acra.2018.03.014>
- Bingqian, L., Peihuan, L., Yudong, W., Jinxing, W., Zhiyong, W., 2009. Intraprostatic Local Anesthesia With Periprostatic Nerve Block for Transrectal Ultrasound Guided Prostate Biopsy. *J. Urol.* 182, 479–484. <https://doi.org/10.1016/j.juro.2009.04.029>
- Borley, N., Feneley, M.R., 2009. Prostate cancer: Diagnosis and staging. *Asian J. Androl.* <https://doi.org/10.1038/aja.2008.19>

- Brooks, J., Tracey, I., 2005. From nociception to pain perception: Imaging the spinal and supraspinal pathways. *J. Anat.* 207, 19–33. <https://doi.org/10.1111/j.1469-7580.2005.00428.x>
- Brooks, J.D., 2016. Anatomy of the Lower Urinary Tract and Male Genitalia, in: *Campbell Walsh Urology*. Elsevier Saunders, Philadelphia.
- Budau, M., Jinga, V., Braticevici, B., Ambert, V., Radavoi, G.D., Calin, C., 2011. Prostate cancer detection using power Doppler contrast-enhanced ultrasonography and elastography for targeted biopsies. *Eur. Urol. Suppl.* 10.
- Butterworth, J., Mackey, D., Wasnick, J., 2013. Morgan {&} Mikhail Clinical Anesthesiology, Clinical Anaesthesiology. <https://doi.org/10.17354/ijss/2015/238>
- Catalona, W.J., Hudson, M.A., Scardino, P.T., Richie, J.P., Ahmann, F.R., Flanigan, R.C., DeKernion, J.B., Ratliff, T.L., Kavoussi, L.R., Dalkin, B.L., Waters, W.B., MacFarlane, M.T., Southwick, P.C., 1994. Selection of optimal prostate specific antigen cutoffs for early detection of prostate cancer: Receiver operating characteristic curves. *J. Urol.* 152, 2037–2042. [https://doi.org/10.1016/S0022-5347\(17\)32300-5](https://doi.org/10.1016/S0022-5347(17)32300-5)
- Cermak, A., Mareckova, N., Pacik, D., 2009. Anesthesia in Transrectal Ultrasound-Guided Prostate Biopsy: The Comparison of Four Different Methods. *Eur Urol Suppl* 8, 396. [https://doi.org/10.1016/S1569-9056\(09\)60398-5](https://doi.org/10.1016/S1569-9056(09)60398-5)
- Chang, S.S., Alberts, G., Wells, N., Smith, J.A., Cookson, M.S., 2001. Intrarectal lidocaine during transrectal prostate biopsy: Results of a prospective double-blind randomized trial. *J. Urol.* 166, 2178–2180. [https://doi.org/10.1016/S0022-5347\(05\)65529-2](https://doi.org/10.1016/S0022-5347(05)65529-2)
- Dai, B., Ye, D.W., Kong, Y.Y., Shen, Y.J., Wang, B.H., 2008. Individualized prostate biopsy strategy for Chinese patients with different prostate-specific antigen levels. *Asian J. Androl.* 10, 325–331. <https://doi.org/10.1111/j.1745-7262.2008.00345.x>

- El-Hakim, A., Moussa, S., 2010. CUA guidelines on prostate biopsy methodology. *J. Can. Urol. Assoc.* 4, 89–94. <https://doi.org/10.5489/cuaj.10021>
- European Association of Urology, 2018. EAU - ESTRO - ESUR - SIOG Guidelines on Prostate Cancer. EAU Guidelines Office.
- Fathurrahman, H., Soebadi, D.M., Hakim, L., 2019. The effect of silodosin and sodium diclofenac to reduce pain after DJ stent removal in soetomo hospital : double- blinded randomized-controlled trial. *Indones. J. Urol.* 26.
- Giannarini, G., Autorino, R., Valent, F., Mogorovich, A., Manassero, F., De Maria, M., Morelli, G., Barbone, F., Di Lorenzo, G., Selli, C., 2009. Combination of perianal-intrarectal lidocaine-prilocaine cream and periprostatic nerve block for pain control during transrectal ultrasound guided prostate biopsy: a randomized, controlled trial. *J Urol* 181, 583–585. <https://doi.org/10.1016/j.juro.2008.10.002>
- Gomella, L.G., Halpern, E.J., Trabulsi, E.J., 2016. Prostate Biopsy: Techniques and Imaging, in: *Campbell-Walsh Urology*. Elsevier Saunders, Philadelphia, pp. 2579–2592.
- Gottschalk, A., Smith, D.S., 2001. New Concepts in Acute Pain Therapy : *Am. Fam. Physician* 63, 1979–1984.
- Gray, H., 2000. Male Genital Organ, in: *Gray's Anatomy of the Human Body*.
- Halpern, E.J., Ramey, J.R., Strup, S.E., Frauscher, F., McCue, P., Gomella, L.O., 2005. Detection of prostate carcinoma with contrast-enhanced sonography using intermittent harmonic imaging. *Cancer* 104, 2373–2383. <https://doi.org/10.1002/cncr.21440>
- Initiative, T.N., Control, P., 2003. Wong-Baker FACES Pain Rating Scale. *Natl. Initiat. Pain Control* 2–3. <https://doi.org/10.1037/t05330-000>
- Izawa, J.I., Babaian, R.J., 2003. Prostate Cancer: Detection and Biopsy Strategies, in: *Prostate Cancer: Science and Clinical Practice*. pp. 129–136.

<https://doi.org/10.1016/B978-012286981-5/50016-1>

- Kirby, R.S., 1992. The clinical assessment of benign prostatic hyperplasia. *Cancer* 70, 284–290. [https://doi.org/10.1002/1097-0142\(19920701\)70:1+<284::AID-CNCR2820701316>3.0.CO;2-{}#](https://doi.org/10.1002/1097-0142(19920701)70:1+<284::AID-CNCR2820701316>3.0.CO;2-{})
- Klein, T., Palisaar, R.J., Holz, A., Brock, M., Noldus, J., Hinkel, A., 2010. The impact of prostate biopsy and periprostatic nerve block on erectile and voiding function: A prospective study. *J. Urol.* 184, 1447–1452. <https://doi.org/10.1016/j.juro.2010.06.021>
- Knaapila, J., Gunell, M., Syvänen, K., Ettala, O., Kähkönen, E., Lamminen, T., Seppänen, M., Jambor, I., Rannikko, A., Riikonen, J., Munukka, E., Eerola, E., Hakanen, A.J., Boström, P.J., 2017. Prevalence of Complications Leading to a Health Care Contact After Transrectal Prostate Biopsies: A Prospective, Controlled, Multicenter Study Based on a Selected Study Cohort. *Eur. Urol. Focus* 1–6. <https://doi.org/10.1016/j.euf.2017.12.001>
- Kundu, S.D., Roehl, K.A., Yu, X., Antenor, J.A. V, Suarez, B.K., Catalona, W.J., 2007. Prostate Specific Antigen Density Correlates With Features of Prostate Cancer Aggressiveness. *J. Urol.* 177, 505–509. <https://doi.org/10.1016/j.juro.2006.09.039>
- Lee, H.Y., Lee, H.J., Byun, S.S., Lee, S.E., Hong, S.K., Kim, S.H., 2007. Effect of Intraprostatic Local Anesthesia During Transrectal Ultrasound Guided Prostate Biopsy: Comparison of 3 Methods in a Randomized, Double-Blind, Placebo Controlled Trial. *J. Urol.* 178, 469–472. <https://doi.org/10.1016/j.juro.2007.03.130>
- Leibovici, D., Zisman, A., Siegel, Y.I., Sella, A., Kleinmann, J., Lindner, A., 2002. Local anesthesia for prostate biopsy by periprostatic lidocaine injection: a double-blind placebo controlled study. *J. Urol.* 167, 563–565.
- Luboldt, H.J., Schindler, J.F., Rübber, H., 2007. Age-Specific Reference Ranges for Prostate-Specific Antigen as a Marker for Prostate Cancer {A figure is presented}. *EAU-EBU Updat. Ser.* 5, 38–48.

<https://doi.org/10.1016/j.eeus.2006.10.003>

MacIntyre, P.E., Walker, S.M., 2010. The scientific evidence for acute pain treatment. *Curr. Opin. Anaesthesiol.*

<https://doi.org/10.1097/ACO.0b013e32833c33ed>

MacKintosh, F.R., Sprenkle, P.C., Walter, L.C., Rawson, L., Karnes, R.J., Morrell, C.H., Kattan, M.W., Nawaf, C.B., Neville, T.B., 2016. Age and Prostate-Specific Antigen Level Prior to Diagnosis Predict Risk of Death from Prostate Cancer. *Front. Oncol.* 6, 1–7.

<https://doi.org/10.3389/fonc.2016.00157>

Mallick, S., Humbert, M., Braud, F., Fofana, M., Blanchet, P., 2004. Local anesthesia before transrectal ultrasound guided prostate biopsy: Comparison of 2 methods in a prospective, randomized clinical trial. *J. Urol.* 171, 730–733. <https://doi.org/10.1097/01.ju.0000108125.96072.ff>

Matlaga, B.R., Eskew, L.A., McCullough, D.L., 2003. Prostate biopsy: Indications and technique. *J. Urol.* [https://doi.org/10.1016/S0022-5347\(05\)64024-4](https://doi.org/10.1016/S0022-5347(05)64024-4)

Moudouni, S., Amine, M., Lakmichi, A., Dahami, Z., Sarf, I., 2011. A Randomized, Controlled Trial Comparing Lidocaine Periprostatic Nerve Block and Lidocaine Gel Intrarectally Associated with Tramadol Per Os for Transrectal Ultrasound Guided Biopsy of Prostate. *Urology* 78, S307. <https://doi.org/10.1016/j.urology.2011.07.955>

Mutaguchi, K., Shinohara, K., Matsubara, A., Yasumoto, H., Mita, K., Usui, T., 2005. Local anesthesia during 10 core biopsy of the prostate: Comparison of 2 methods, in: *Journal of Urology.* pp. 742–745. <https://doi.org/10.1097/01.ju.0000152119.28959.3a>

Nash, P.A., Bruce, J.E., Indudhara, R., Shinohara, K., 1996. Transrectal ultrasound guided prostatic nerve blockade eases systematic needle biopsy of the prostate. *J. Urol.* 155, 607–609. [https://doi.org/10.1016/S0022-5347\(01\)66464-4](https://doi.org/10.1016/S0022-5347(01)66464-4)

- Öbek, C., Özkan, B., Tunc, B., Can, G., Yalcin, V., Solok, V., 2004. Comparison of 3 different methods of anesthesia before transrectal prostate biopsy: A prospective randomized trial. *J. Urol.* 172, 502–505. <https://doi.org/10.1097/01.ju.0000131601.06286.26>
- Olmez, G., Kaya, S., Aflay, U., Sahin, H., 2008. Comparison of lornoxicam versus tramadol analgesia for transrectal prostate biopsy : a randomized prospective study. *Int Urol Nephrol* 40, 341–344. <https://doi.org/10.1007/s11255-007-9297-4>
- Ozok, H.U., Sagnak, L., Ates, M.A., Karakoyunlu, N., Topaloglu, H., Ersoy, H., 2010. The efficiency of a sedative or analgesic supplement to periprostatic nerve blockage for pain control during transrectal ultrasound-guided prostate biopsy - A prospective, randomized, controlled, double blind study. *Arch. Med. Sci.* 6, 787–792. <https://doi.org/10.5114/aoms.2010.17096>
- Pendleton, J., Costa, J., Wludyka, P., Carvin, D.M., Rosser, C.J., 2006. Combination of Oral Tramadol , Acetaminophen Biopsy of the Prostate : A Prospective , Randomized , Controlled Trial. *J. Urol.* 176, 1372–1375. <https://doi.org/10.1016/j.juro.2006.06.018>
- Presti, J.C., Kane, C., Shinohara, K., Carroll, P., 2008. Neoplasma of the Prostate Glands, in: Tanagho, E., McAninch, J.W. (Eds.), *Smith's General Urology*. Mc-Graw Hill Lange, New York, pp. 348–374.
- Purnomo, B., 2014. Anatomi Sistem Urogenitalia, in: *Dasar-Dasar Urologi*. Sagung Seto, Jakarta, pp. 5–20.
- S.I., A., Hazratullah, Z., K., I., M., Alam, S.I., Hazratullah, Kibria, Z., Masood, I., Jawed, R., 2017. Intramuscular Diclofenac Vs Periprostatic Lidocaine Injection For Controlling Pain Undergoing Transrectal Ultrasound Guided Prostatic Biopsy. *J. Ayub Med. Coll. Abbottabad* 29, 566–569. <https://doi.org/10.1016/j.mehy.2007.04.008>
- Seaman, E., Whang, M., Olsson, C.A., Katz, A., Cooner, W.H., Benson, M.C., 1993. PSA density (PSAD). Role in patient evaluation and management.

Urol. Clin. North Am. 20, 653–663.

Seçkiner, I., Sen, H., Erturhan, S., Yagci, F., 2011. A Prospective, Randomized Controlled Study Comparing Lidocain and Tramadol in Periprostatic Nerve Blockage for Transrectal Ultrasound-guided Prostate Biopsy. *Urology* 78, 257–260. <https://doi.org/10.1016/j.urology.2011.03.010>

Sen, H., Seckiner, I., Bayrak, O., Sen, E., Erturhan, S., Yagci, F., 2015. Combination of tramadol and lidocaine for pain control during transrectal ultrasound-guided prostate biopsy: A randomized double-blinded study. *Urology* 85, 1247–1251. <https://doi.org/10.1016/j.urology.2015.03.015>

Senturk, A.B., Yaytokgil, M., Ekici, M., Sari, S., Demir, E., Çakiroglu, B., 2018. Comparing use of lidocaine periprostatic nerve block and diclofenac suppository alone for patients undergoing transrectal ultrasound guided prostate biopsy. *Cent. Eur. J. Urol.* 71, 38–42. <https://doi.org/10.5173/ceju.2017.1381>

Soloway, M.S., Obek, C., 2000. Periprostatic local anesthesia before ultrasound guided prostate biopsy. *J Urol.* 2000;163(1):172–3. *J. Urol.* 163, 172–173.

Tae, J.Y., Hak, J.L., Seung, H.K., Sang, E.L., Byun, S.S., Sung, K.H., Jeong, Y.C., Chang, K.S., 2007. Prospective analysis on the relation between pain and prostate volume during transrectal prostate biopsy. *Korean J. Radiol.* 8, 231–235. <https://doi.org/10.3348/kjr.2007.8.3.231>

Taverna, G., Maffezzini, M., Benetti, A., Seveso, M., Giusti, G., Graziotti, P., 2002. A single injection of lidocaine as local anesthesia for ultrasound guided needle biopsy of the prostate. *J. Urol.* 167, 222–223. [https://doi.org/10.1016/S0022-5347\(05\)65417-1](https://doi.org/10.1016/S0022-5347(05)65417-1)

Telussa, A.S., Susila, D., Hakim, L., Soebadi, D.M., 2018. Comparison of Peritubal Infiltration of Ropivacain and Placebo in Percutaneous Nephrolitholapaxy for Post Operative Analgesia at Soetomo Hostipal Suraya. *Indones. J. Urol.* 25, 157–161.

- Vanderkerken, J., De la Rosette, J., Laguna, P., Debruyne, F., 2002. How and when to take prostate biopsies. *Eur. Urol. Suppl.* 1, 15–20. [https://doi.org/10.1016/S1569-9056\(02\)00052-0](https://doi.org/10.1016/S1569-9056(02)00052-0)
- Wang, B.R., Chen, C.C., Zheng, R.H., Hu, J.C., Ou, Y.C., 2018. Comparison of cancer detection between 18- and 12-core prostate biopsy in Asian patients with prostate-specific antigen levels of 4–20 ng/mL. *J. Chinese Med. Assoc.* 81, 1044–1051. <https://doi.org/10.1016/j.jcma.2018.06.003>
- Watanabe, H., 2017. History of Transrectal Ultrasound (TRUS). *Ultrasound Med. Biol.* 43, S207. <https://doi.org/10.1016/j.ultrasmedbio.2017.08.1708>
- Yalcin, I., Aksu, F., 2005. Involvement of potassium channels and nitric oxide in tramadol antinociception. *Pharmacol. Biochem. Behav.* 80, 69–75. <https://doi.org/10.1016/j.pbb.2004.10.020>