

### DAFTAR PUSTAKA

- Abbas, A. K., Lichtman, A. H., & Pillai, S. (2018). *Cellular and molecular immunology* (9th ed.). Philadelphia: Elsevier.
- Ackerman, H. D., & Gerhard, G. S. (2016). Bile acids in neurodegenerative disorders. *Frontiers in Aging Neuroscience*, Vol. 8, p. 263. <https://doi.org/10.3389/fnagi.2016.00263>
- Amanda, Z. (2018). *Aktivitas profilaksis antimalaria ekstrak ethanol akar Helianthus annuus L. secara in vivo pada mencit BALB/c*. Universitas Airlangga, Surabaya.
- Asthana, O. P., Srivastava, J. S., & Valecha, N. (1997). Current status of the artemisinin derivatives in the treatment of malaria with focus on arteether. *Journal of Parasitic Diseases*, 211, 1–12.
- Attili, A. F., Angelico, M., Cantafora, A., Alvaro, D., & Capocaccia, L. (1986). Bile acid-induced liver toxicity: Relation to the hydrophobic-hydrophilic balance of bile acids. *Medical Hypotheses*, 19(1), 57–69. [https://doi.org/10.1016/0306-9877\(86\)90137-4](https://doi.org/10.1016/0306-9877(86)90137-4)
- Avrina, R., Risniati, Y., Siswantoro, H., Hasugian, A. R., Tjitra, E., & Delima. (2011). Hubungan kepadatan parasit dengan manifestasi klinis pada malaria Plasmodium falciparum dan Plasmodium vivax. *Media Litbang Kesehatan*, 21(3), 120–126. <https://doi.org/10.22435/mpk.v21i3Sept.93>.
- Bartoloni, A., & Zammarchi, L. (2012). Clinical aspects of uncomplicated and severe malaria. *Mediterranean Journal of Hematology and Infectious Diseases*, 4(1). <https://doi.org/10.4084/MJHID.2012.026>
- Boyer, J. L. (2013). Bile formation and secretion. *Comprehensive Physiology*, 3(3), 1035–1078. <https://doi.org/10.1002/cphy.c120027>
- Bujang, I. (1994). *Makanan: wujud variasi dan fungsinya serta cara penyajiannya pada orang Melayu, Jambi*. Departemen Pendidikan dan Kebudayaan.
- Dachlan, Y. P. (2013). Sistem imun innate pada manusia. In Y. P. Dachlan, A. D. W. Widodo, & B. Hidajat (Eds.), *Imunologi Malaria*. Surabaya: Rumah Sakit Penyakit Tropik Infeksi Universitas Airlangga.
- Darlina, Tur R., dan T. K. (2015). Respon tumour necrosis factor alfa (TNF- $\alpha$ ) dalam darah dan limpa mencit yang divaksinasi dengan P.berghei radiasi. *Prosiding Pertemuan Dan Presentasi Ilmiah - Penelitian Dasar Ilmu Pengetahuan Dan Teknologi Nuklir 2015*, 148–153. Yogyakarta, 9-10 Juni 2015.
- Depkes. (2018). Hari malaria sedunia, pemerintah perluas wilayah bebas malaria.

Retrieved December 2, 2018, from <http://www.depkes.go.id/article/view/18043000010/hari-malaria-sedunia-pemerintah-perluas-wilayah-bebas-malaria.html>

- Fitri, L. E. (2017). *Imunologi malaria: misteri Interaksi inang dan parasit*. Malang: UB Press.
- Gahring, L. C., Carlson, N. G., Kulmer, R. A., & Rogers, S. W. (1996). Neuronal expression of tumor necrosis factor alpha in the OVOUJI fine brain. *NeuroImmunoModulation*, 3(5). <https://doi.org/10.1159/000097283>
- Gardner, M. J., Hall, N., Fung, E., White, O., Berriman, M., Hyman, R. W., ... Barrell, B. (2002). Genome sequence of the human malaria parasite *Plasmodium falciparum*. *Nature*, 419(6906), 498–511. <https://doi.org/10.1038/nature01097>
- Ghosh, D., & Stumhofer, J. (2014). Do you see what I see: recognition of protozoan parasites by toll-like receptors. *Current Immunology Reviews*, 9(3), 129–140. <https://doi.org/10.2174/1573395509666131203225929>
- Gimenez, F., De Lagerie, S. B., Fernandez, C., Pino, P., & Mazier, D. (2003). Tumor necrosis factor  $\alpha$  in the pathogenesis of cerebral malaria. *Cellular and Molecular Life Sciences*, 60(8), 1623–1635. <https://doi.org/10.1007/s00018-003-2347-x>
- Gun, S. Y., Claser, C., Tan, K. S. W., & Rénia, L. (2014). Interferons and interferon regulatory factors in malaria. *Mediators of Inflammation*. <https://doi.org/10.1155/2014/243713>
- Gusra, T., Irawati, N., & Sulastri, D. (2014). Gambaran penyakit malaria di puskesmas tarusan dan puskesmas balai selasa kabupaten pesisir selatan periode Januari - Maret 2013. *Jurnal Kesehatan Andalas*, 3(2), 234–237. <https://doi.org/AEM.02116-13> [pii]r10.1128/AEM.02116-13
- Hapsari, W. T. (2012). *Aktivitas antimalaria dari cairan empedu kambing pada mencit BALB/c terinfeksi Plasmodium berghei ANKA secara in vivo*. Karya Tulis Ilmiah. Surabaya: Program Studi Pendidikan Dokter, Fakultas Kedokteran, Universitas Airlangga.
- Hapsari, W. T., Novriandika, D., Ramadhani, R. B., & Arwati, H. (2014). In vivo and in vitro tests on antimalarial activity of goat bile against *Plasmodium berghei* and Aqueous extract of goat bile against *P. falciparum*. *The 1st International Symposium of Traditional, Complementary and Alternative Medicine (TradCAM)*. Surabaya, 12-13 April 2014.
- Hasugian, A. R., Wibowo, H., & Tjitra, E. (2012). Hubungan kadar hemoglobin dengan respon sitokin proinflamasi dan anti inflamasi pada penderita infeksi *Plasmodium falciparum* dan *Plasmodium vivax* di Timika, Papua tahun 2010. *Media of Health Research and Development*, 22(1), 6–17.

<https://doi.org/10.22435/mpk.v22i1Mar.2622>.

- Hasyim, H., Nursafingi, A., Haque, U., Montag, D., Groneberg, D. A., Dhimal, M., ... Müller, R. (2018). Spatial modelling of malaria cases associated with environmental factors in South Sumatra, Indonesia. *Malaria Journal*, 17, 87. <https://doi.org/10.1186/s12936-018-2230-8>
- Hidayati, T., & Akrom. (2003). Respon imun pada infeksi malaria. *Mutiara Medika*, Vol. 3, pp. 91–101.
- Ho, M., & White, N. J. (1999). Molecular mechanisms of cytoadherence in malaria. *American Journal of Physiology*, 276(6), 1231–1242.
- Holan, K. R., Holzbach, R. T., Hermann, R. E., Cooperman, A. M., & Claffey, W. J. (1979). Nucleation time: A key factor in the pathogenesis of cholesterol gallstone disease. *Gastroenterology*, 77(4 Pt 1), 611–617.
- Holder, A. A. (1996). Preventing merozoite invasion of erythrocytes. In S. L. Hofmann (Ed.), *Malaria Vaccine Development: A Multi-Immune Response Approach* (pp. 77–104). Washington DC: ASM Press.
- <http://manfaat.co.id>. (2018). Manfaat empedu kambing jantan bagi tubuh. Retrieved December 12, 2018, from <https://manfaat.co.id/manfaat-empedu-kambing>
- <http://ririekhayan.com>. (2018). Khasiat [pahitnya] empedu kambing. Retrieved December 12, 2018, from <http://www.ririekhayan.com/2012/04/khasiat-pahitnya-empedu-kambing.html>
- <https://www.smallcrab.com>. (2018). Khasiat empedu kambing. Retrieved December 12, 2018, from <https://www.smallcrab.com/kesehatan/238-khasiat-empedu-kambing>
- IAMAT. (2019). Indonesia general health risks: malaria. Retrieved April 3, 2019, from <https://www.iamat.org/country/indonesia/risk/malaria#>
- Ihualulam, O. C., Obiora, A. C., Chukwuebuka, I. F., Francis, I. U., Kenneth, O. K., Ikechukwu, N. R., ... Ijeoma, O. O. (2018). The relationship between the ratio of interleukin-10(IL-10) and tumor necrosis factor (TNF) with Plasmodium falciparum density in Nigerian children. *European Journal of Preventive Medicine*, 6(14), 58–63. <https://doi.org/10.11648/j.ejpm.20180604.14>
- Irawati, L. (2014). Hubungan tumor necrosis Factor-alfa ( TNF-A ) dengan kadar hemoglobin dan parasitemia pada infeksi malaria falciparum. *Jurnal Kesehatan Andalas*, 3(2), 98–101.
- Irawati, N., Kasakeyan, E., & Rusmono, N. (2001). *Buku ajar ilmu kesehatan telinga hidung tenggorok kepala leher* (5th ed.). Jakarta: Balai Penerbit FK UI.

- Junaid, Q. O., Khaw, L. T., Mahmud, R., Ong, K. C., Lau, Y. L., Borade, P. U., ... Vythilingam, I. (2017). Pathogenesis of Plasmodium berghei ANKA infection in the gerbil (*Meriones unguiculatus*) as an experimental model for severe malaria. *Parasite*, *24*, 38. <https://doi.org/10.1051/parasite/2017040>
- Kappe, S. H. I., Kaiser, K., & Matuschewski, K. (2003). The Plasmodium sporozoite journey: A rite of passage. *Trends in Parasitology*, *19*(3), 135–143. [https://doi.org/10.1016/S1471-4922\(03\)00007-2](https://doi.org/10.1016/S1471-4922(03)00007-2)
- Kemenkes RI. (2016). Kombinasi derivat artemisinin sebagai obat antimalaria yang efektif. Retrieved December 20, 2018, from <http://www.depkes.go.id/article/print/16050300001/kombinasi-derivat-artemisinin-sebagai-obat-anti-malaria-yang-efektif.html>
- Kitua, A. Y., & Malebo, H. M. (2004). Malaria control in Africa and the role of traditional medicine. In M. Willcox, G. Bodeker, P. Rasoanaivo, & J. Addae-Kyereme (Eds.), *Traditional Medicinal Plants and Malaria* (1st Editio). Boca Raton: CRC Press.
- Kotepui, M., Piwkhram, D., PhunPhuech, B., Phiwklam, N., Chupeerach, C., & Duangmano, S. (2015). Effects of malaria parasite density on blood cell parameters. *PLoS ONE*, *10*(3), 3. <https://doi.org/10.1371/journal.pone.0121057>
- Kumar, R., Ng, S., & Engwerda, C. (2019). The role of IL-10 in malaria: A double edged sword. *Frontiers in Immunology*, *10*, 229. <https://doi.org/10.3389/fimmu.2019.00229>
- Kurup, S. P., Butler, N. S., & Harty, J. T. (2019). T cell-mediated immunity to malaria. *Nature Reviews Immunology*, *19*(7), 457–471. <https://doi.org/10.1038/s41577-019-0158-z>
- Levine, N. D. (1985). *Veterinary protozoology*. Iowa: Iowa State University Press.
- Mading, M., & Yunarko, R. (2014). Respon imun terhadap infeksi parasit malaria. *Jurnal Vektor Penyakit*, *8*(2), 45–52. <https://doi.org/10.22435/vektor.v8i2.3639>
- Margono, D. P. N. H., Suhartono, E., & Arwati, H. (2016). Potensi ekstrak kelakai (*Stenochlaena palustris* (Burm.F) Bedd) terhadap kadar tumor necrosis factor- $\alpha$  (TNF- $\alpha$ ) pada mencit BALB/c yang diinfeksi Plasmodium berghei ANKA. *Berkala Kedokteran*, *2*(1), 77–85. <https://doi.org/10.20527/jbk.v12i1.359>
- Maverakis, E., Kim, K., Shimoda, M., Gershwin, M., Patel, F., Wilken, R., ... Lebrilla, C. (2015). Glycans in the immune system and the altered glycan theory of autoimmunity: a critical review. *Journal of Autoimmunity*, *57*(6), 1–13. <https://doi.org/10.1016/j.jaut.2014.12.002>

- May, J., Lell, B., Luty, A. J. F., Meyer, C. G., & Kremsner, P. G. (2000). Plasma interleukin-10: tumor necrosis factor (TNF)- $\alpha$  ratio is associated with TNF promoter variants and predicts malarial complications. *The Journal of Infectious Diseases*, Vol. 182, pp. 1570–1573. <https://doi.org/10.1086/315857>
- Mohanty, S., Patel, D. K., Pati, S. S., & Mishra, S. K. (2006). Adjuvant therapy in cerebral malaria. *Indian Journal of Medical Research*, 124(3), 245.
- Niikura, M., Inoue, S. I., & Kobayashi, F. (2011). Role of interleukin-10 in malaria: Focusing on coinfection with lethal and nonlethal murine malaria parasites. *Journal of Biomedicine and Biotechnology*. <https://doi.org/10.1155/2011/383962>
- Nussenblatt, V., Mukasa, G., Metzger, A., Ndeezi, G., Garrett, E., & Semba, R. D. (2001). Anemia and interleukin-10, tumor necrosis factor alpha, and erythropoietin levels among children with acute, uncomplicated Plasmodium falciparum malaria. *Clinical and Diagnostic Laboratory Immunology*, 8(6), 1164–1170. <https://doi.org/10.1128/CDLI.8.6.1164-1170.2001>
- Othoro, C., Lal, A. A., Nahlen, B., Koech, D., Orago, A. S. S., & Udhayakumar, V. (1999). A low interleukin-10 tumor necrosis factor- $\alpha$  ratio is associated with malaria anemia in children residing in a holoendemic malaria region in western kenya. *The Journal of Infectious Diseases*, 179(1), 279–282. <https://doi.org/10.1086/314548>
- Parroche, P., Lauw, F. N., Goutagny, N., Latz, E., Monks, B. G., Visintin, A., ... Golenbock, D. T. (2007). Malaria hemozoin is immunologically inert but radically enhances innate responses by presenting malaria DNA to toll-like receptor 9. *Proceedings of the National Academy of Sciences of the United States of America*, 104(6), 1919–1924. <https://doi.org/10.1073/pnas.0608745104>
- Pava, Z., Noviyanti, R., Handayuni, I., Trimarsanto, H., Trianty, L., Burdam, F. H., ... Auburn, S. (2017). Genetic micro-epidemiology of malaria in Papua Indonesia: extensive *P. vivax* diversity and a distinct subpopulation of asymptomatic *P. falciparum* infections. *PLoS ONE*, 12(5). <https://doi.org/10.1371/journal.pone.0177445>
- Pearce, E. (2010). *Anatomi dan fisiologi untuk paramedis*. Jakarta: PT Gramedia Pustaka Utama.
- Penna-Coutinho, J., Cortopassi, W. A., Oliveira, A. A., França, T. C. C., & Krettli, A. U. (2011). Antimalarial activity of potential inhibitors of Plasmodium falciparum lactate dehydrogenase enzyme selected by docking studies. *PLoS ONE*. <https://doi.org/10.1371/journal.pone.0021237>
- Poerwadi, T. (1993). *Metode penelitian dan statistik terapan*. Surabaya: Airlangga University Press.

- PUSDATIN. (2014). *InfoDATIN: situasi malaria di Indonesia*. Jakarta: Pusat Data dan Informasi Kementerian Kesehatan RI.
- Roda, A., Minutello, A., Angellotti, M. A., & Fini, A. (1990). Bile acid structure-activity relationship: evaluation of bile acid lipophilicity using 1-octanol/water partition coefficient and reverse phase HPLC. *Journal of Lipid Research*, 31(8), 1433–1443.
- Roinwowan, M. A., Bernadus, J. B. B., & Sorisi, A. M. H. (2014). Hubungan kadar tumor necrosis factor –  $\alpha$  dengan densitas Plasmodium pada penderita malaria. *Jurnal E-Biomedik*, 2(2). <https://doi.org/10.35790/ebm.2.2.2014.5430>
- Singh, C., Hassam, M., Verma, V. P., Singh, A. S., Naikade, N. K., Puri, S. K., ... Kant, R. (2012). Bile acid-based 1,2,4-trioxanes: Synthesis and antimalarial assessment(1). *Journal of Medicinal Chemistry*, 55(23). <https://doi.org/10.1021/jm301323k>
- Sulistiyawati, S. W., Basuki, S., & Dachlan, Y. P. (2018). Ekspresi mRNA interleukin-10 (IL-10) dalam kaitannya dengan patogenesis malaria berat pada mencit strain BALB/c yang diinfeksi Plasmodium yoelii 17XL. *Jurnal Biosains*, 20(3). <https://doi.org/http://dx.doi.org/10.20473/bsn.v20i3.Y2018.12007>
- Vanderberg, J. P., Chew, S., & Stewart, M. J. (1990). Plasmodium sporozoite interactions with macrophages in vitro: a videomicroscopic analysis. *The Journal of Protozoology*, 37(6), 528–536. <https://doi.org/10.1111/j.1550-7408.1990.tb01260.x>
- Wang, D. Q. H., & Carey, M. C. (2014). Therapeutic uses of animal biles in traditional Chinese medicine: An ethnopharmacological, biophysical chemical and medicinal review. *World Journal of Gastroenterology*, 20(29), 9952–9975. <https://doi.org/10.3748/wjg.v20.i29.9952>
- WHO. (2019). World malaria report 2019. Retrieved December 22, 2019, from <https://apps.who.int/iris/rest/bitstreams/1262394/retrieve>