

SIARAH
PERPUSTAKAAN
UNIVERSITAS AIRLANGGA
KABUPATEN

Daftar Pustaka

1. White PF, ed. Textbook of Ambulatory Anesthesia and Surgery, London: WB Saunders; 1997.
2. Karen A, Cullen. Ambulatory Surgery in United States. National Health Statistics Reports. 2009; 11: 1-11.
3. Geoffrey R. Mortality in Outpatient Surgery. Plast Reconstr Surg. 2008; 122: 245
4. Whippey A, Kostandoff G. Predictors of unanticipated admission following ambulatory surgery: a retrospective case-control study. Canadian Journal of Anesthesia July 2013, Volume 60, Issue 7, pp 675-683
5. Chung F. Recovery pattern and home readiness after ambulatory surgery. Anesthesia Analgesia 1995; 80 :896
6. Marshall S and Chung F "Discharge Criteria After Ambulatory Surgery" Anaesthesia and Analgesia 1999;88:508-17
7. Paul F. White, Matthew R. Eng. Ambulatory (Outpatient) Anesthesia. In: Miller RD. Miller's Anesthesia. 7th Ed. Orlando, FL: Churchill Livingstone, 2009
8. Canet J, Raeder J, Rasmussen LS, et al: Cognitive dysfunction after minor surgery in the elderly. Acta Anaesthesiol Scand 2003; 47:1204.
9. Snyder DS, Pasternak LR: Facility design and procedural safety. In White PF (ed): Ambulatory Anesthesia and Surgery. London, WB Saunders, 1997, p 61

10. Warner MA, Shields SE, Chute CG: Major morbidity and mortality within 1 month of ambulatory surgery and anesthesia. *JAMA* 1993; 270:1437.
11. Duncan PG: Day surgical anaesthesia: Which patients? Which procedures?. *Can J Anaesth* 1991; 38:881.
12. Junger A, Klasen J, Benson M, et al: Factors determining length of stay of surgical day-case patients. *Eur J Anaesthesiol* 2001; 18:314.
13. Warner MA, Shields SE, Chute CG: Major morbidity and mortality within 1 month of ambulatory surgery and anesthesia. *JAMA* 1993; 270:1437.
14. Mingus ML, Bodian CA, Bradford CN, et al: Prolonged surgery increases the likelihood of admission of scheduled ambulatory surgery patients. *J Clin Anesth* 1997; 9:446
15. W.Thomas, Feeley, A. Macario. The Post anesthesia Care Unit. In : Ronald D. Miller. *Anesthesia* Ch 68. Churchill Livingstone 2000: 2302-19.
16. Marshall SI, Chung F. Discharge criteria and complications after ambulatory surgery. *Anesth Analg* 1999;88:508-517.
17. Chung F, Mezei G: Factors contributing to a prolonged stay after ambulatory surgery. *Anesth Analg* 1999; 89:1352.
18. Chung F, Chan VW, Ong D: A post-anesthetic discharge scoring system for home readiness after ambulatory surgery. *J Clin Anesth* 1995; 7:500
19. Morgan, G. E., Mikhail, M. S., & Murray, M. J. *Clinical anesthesiology*. New York: Lange Medical Books/McGraw Hill Medical Pub. Division 2006; 48:
20. Marshall S, Chung F. Assessment of 'home-readiness'- discharge criteria and postdischarge complications. *Curr Opin Anesthesiol* 1997; 10: 445-50.

21. Trevisani L. Post-Anaesthetic Discharge Scoring System to assess patient recovery and discharge after colonoscopy. *World Journal of Gastrointestinal Endoscopy* 2013; 5 (10): 502-507
22. Palumbo P, Tellan G, Perotti B. Modified PADSS (Post-anesthetic discharge scoring system) for monitoring outpatients discharge. *Ann Italiaa Chir.* 2012. P 1-6.
23. Macario A, Weinger M, Carney S: Which clinical anesthesia outcomes are important to avoid? The perspective of patients. *Anesth Analg* 1999; 89:652
24. Carroll NV, Miederhoff P, Cox FM, et al: Postoperative nausea and vomiting after discharge from outpatient surgery centers. *Anesth Analg* 1995; 80:903
25. Chung F, Un V, Su J: Postoperative symptoms 24 h after ambulatory anaesthesia. *Can J Anaesth* 1996; 43:1121
26. Gupta A, Stierer T: Comparison of Recovery Profile After Ambulatory Anesthesia with Propofol, Isoflurane, Sevoflurane and Desflurane: A Systematic Review : *Ambulatory Anesthesia Anesth Analg* 2004;98:632–41
27. Eikaas H, Raeder J. Total intravenous anaesthesia techniques for ambulatory surgery. *Current Opinion in Anaesthesiology* 2009, 22:725–729
28. Ki Shin H, Lee Mi Hyeon. Post-operative nausea and vomiting after gynecologic laparoscopic surgery comparison between propofol and sevoflurane. *Korean J Anesthesiol*. 2011 January; 60(1): 36–40

29. McGrath B, Chung F: Postoperative recovery and discharge. *Anesthesiol Clin N Am*: 2003; 21:367-386.
30. Shirakami G. Delayed discharge and acceptability of ambulatory surgery in adult outpatients receiving general anesthesia. *J Anesth* (2005) 19:93-101.
31. Pavlin DJ, Rapp SE, Polissar NL, et al: Factors affecting discharge time in adult outpatients. *Anesth Analg* 1998; 87:816.
32. Chung F, Ritchie E, Su J: Postoperative pain in ambulatory surgery. *Anesth Analg* 1997; 85:808.
33. Wu CL, Berenholtz SM, Pronovost PJ, Fleisher LA: Systematic review and analysis of postdischarge symptoms after outpatient surgery. *Anesthesiology* 2002; 96:994.
34. Gold BS, Kitz DS, Lecky JH, et al: Unanticipated admission to the hospital following ambulatory surgery. *JAMA* 1989; 262:3008.
35. Twersky R, Fishman D, Homel P: What happens after discharge? Return hospital visits after ambulatory surgery. *Anesth Analg* 1997; 84:319.
36. Pavlin DJ, Chen C, Penaloza DA, Polissar NL, Buckley FP. Pain as a factor complicating recovery and discharge after ambulatory surgery. *Anesth Analg* 2002; 95: 627-34.
37. Macario A, Weinger M, Carney S, Kim A. Which clinical anesthesia outcomes are important to avoid? The perspective of patients. *Anesth Analg* 1999; 89: 652-8.
38. Imad T, Awad, Frances Chung: Factors affecting recovery and discharge following ambulatory surgery CAN J ANESTH 2006 . 53: 9 .pp 858-872

39. Ofelia L. The role of multimodal analgesia in pain management after ambulatory surgery. *Current Opinion in Anesthesiology* 2010; 23:697–703
40. Gan TJ. Postoperative nausea and vomiting: can it be eliminated? *JAMA* 2002; 287: 1233–6.
41. Golembiewski J, Chernin E, Chopra T. Prevention and treatment of postoperative nausea and vomiting. *Am J Health Syst Pharm* 2005; 62: 1247–60
42. Apfel CC, Laara E, Koivuranta M, Greim CA, Roewer N. A simplified risk score for predicting postoperative nausea and vomiting: conclusions from cross-validations between two centers. *Anesthesiology* 1999; 91: 693–700.
43. Apfel CC, Kranke P, Eberhart LH, Roos A, Roewer N. Comparison of predictive models for postoperative nausea and vomiting. *Br J Anaesth* 2002; 88: 234–40.
44. Koivuranta M, Laara E, Snare L, Alahuhta S. A survey of postoperative nausea and vomiting. *Anesthesia* 1997; 52: 443–9
45. Kok-yuen ho et Tong Joo gan. Complication in anesthesiology: post operative nausea and vomiting.:2008;39:571
46. Andrews PLR. Physiology of nausea and vomiting. *Brit J Anaesth* 1992; 69 : 2S-19S.
47. Roberts GW, Bekker TB, Carlsen HH, et al: Postoperative nausea and vomiting are strongly influenced by postoperative opioid use in a dose-related manner. *Anesth Analg* 2005; 101:1343-1348

48. Apfel CC, Korttila K, Abdalla M, et al: A factorial trial of six interventions for the prevention of postoperative nausea and vomiting. *N Engl J Med* 2004; 350:2441-2451
49. Christian C. Apfel. Postoperative Nausea and Vomiting In: Miller RD. *Miller's Anesthesia*. 7th Ed. Orlando, FL: Churchill Livingstone, 2009
50. Higgins PP, Chung F, Mezei G. Postoperative sore throat after ambulatory surgery. *Br J Anaesth* 2002; 88: 582-4
51. Philip BK. Patient's assessment of ambulatory anesthesia and surgery. *J Clin Anesth* 1992;4:355-358
52. Sarin P, Philip B. Specialized Ambulatory Anesthesia Teams Contribute to Decreased Ambulatory Surgery Recovery Room Length of Stay. *The Ochsner Journal*, 2012, 12:94-100