

**DAFTAR PUSTAKA**

- ACOG. (2018). Nausea and vomiting of pregnancy. *Clinical Management Guidelines for Obstetrician*, **131**(1), pp. 1–25.
- Aneja, J., Chavan, B., Goel, P., Kohli, N dan Chhabra, P. (2017). Percieved stress and its psychological correlates in pregnant women : an Indian study. *International Journal of Culture and Mental Health*. Chandigarh : Routledge. doi:10.1080/17542863.2017.1364284.
- Attard, Cheryl L., Kohli, Michele A., Coleman, Suzanne., Bradley, Cathy., Hux, Margaret., Atanackovic, Gordana., and Torrance, George W. (2002). The burden of illness of severe nausea and vomiting of pregnancy in the United States. *American Journal of Obstetrics and Gynecology*, **186**(5), pp. 220–227. doi: 10.1067/mob.2002.122605.
- Bäckström, C., Larsson, T., Wahlgren, E., Golsäter, M., Mårtensson, L., and Thorstensson, S. (2017). It makes you feel like you are not alone: Expectant first-time mothers experiences of social support within the social network when preparing for childbirth and parenting. *Sexual and Reproductive Healthcare*, **12**, pp. 51–57. doi: 10.1016/j.srhc.2017.02.007.
- Balik, G., Tekin, Y & Kagitci. (2015). Is there relationship between social support, psychological distress mood disorders and emesis gravidarum. *Journal of Obstetrics and Gynaecology* pp 1-4. Turkey : Informa healthcare. doi : 10.3109/01443615.2015.1004529
- Bernard, O., Gibson, R., McCaw-Binns, A., Reece, J., Desai., C., Pellington, S., & Vaughan, M. (2018). Antenatal depressive symptoms in Jamaica associated with limited perceived partner and other social support : a cross sectional study. Kingston : Plos One. doi : <https://doi.org/10.1371/journal.pone.0194338>
- BKKBN. (2018). *Survei demografi dan kesehatan Indonesia 2017*. Jakarta : Badan Kependudukan dan Keluarga Berencana Nasional
- Bogossian, Fiona E. (2007). Social support: Proposing a conceptual model for application to midwifery practice. *Women and Birth*, **20**(4), pp. 169–173. doi: 10.1016/j.wombi.2007.08.003.
- Buchwald, Petra. (2017). Social support. *Reference Module in Neuroscience and Biobehavioral Psychology*, (**September 2016**), pp. 1–7. doi: 10.1016/B978-0-12-809324-5.05719-9.
- Buckwalter, J and Simpson, G. (2002). Psychological factors in the etiology and treatment of severe nausea and vomiting in pregnancy. *Am Journal of*

*Obstetric and Gynecology* Vol. **186** S210-4. Pasadena.  
doi:101067/mob.2002.122600.

- Bustos, M., Venkataramanan, R., and Caritis, S. (2016). Nausea and vomiting of pregnancy-what's new ?. *Autonomic Neuroscience: Basic and Clinical*. Elsevier B.V. doi: 10.1016/j.autneu.2016.05.002.
- Choi, H. J., Bae, Y. J., Choi, J. S., Ahn, H. K., An, H. S., Hong, D. S., Yun, J. S., and Han, J. Y. (2018). Evaluation of nausea and vomiting in pregnancy using the Pregnancy-Unique Quantification of Emesis and Nausea scale in Korea. *Obstetrics & Gynecology Science*, **61**(1), p. 30. doi:10.5468/ogs.2018.61.1.30.
- Choi, K. W., Smit, J. A., Coleman, J. N., Mosery, N., Bangsberg, D. R., Safren, S. A., and Psaros, C. (2019). Mapping a syndemic of psychosocial risks during pregnancy using network analysis. *International Journal of Behavioral Medicine*. doi: 10.1007/s12529-019-09774-7.
- Chou FH. (2001). The adaptation to pregnancy in Taiwanese women who experience different severities of nausea and vomiting. Texas: Unpublished doctoral dissertation, University of Texas at Austin
- Chou, F. H., Chen, C. H., Kuo, S. H., and Tzeng, Y. L. (2006) Experience of taiwanese women living with nausea and vomiting during pregnancy. *Journal of Midwifery and Women's Health*, **51**(5), pp. 370–375. doi: 10.1016/j.jmwh.2006.04.009.
- Chou, F.H ., Avant, K. C., Kuo S. H., and Fetzer, S. J. (2008). Relationships between nausea and vomiting, perceived stress, social support, pregnancy planning, and psychosocial adaptation in a sample of mothers: A questionnaire survey. *International Journal of Nursing Studies*, **45**(8), pp. 1185–1191. doi: 10.1016/j.ijnurstu.2007.08.004.
- Cohen S (ed.), Underwood L. G. (ed.), Gottlieb B. H. (ed.). (2000). *Social support and measurement and intervention*. New York : Oxford University Press
- Cunningham, F. G (ed.), Leveno, K. J (ed.), Bloom, S. L (ed.), Spong, C. Y (ed.), Dashe, J. S (ed.), Casey, B. M (ed.), and Sheffield, J. S (ed.). (2014) *Williams obstetrics 24th ed*. New York : Mc graw hill education
- Dinas Kesehatan Kota Surabaya. (2018). *Profil Kesehatan Kota Surabaya 2017*. Surabaya : Dinas Kesehatan Kota Surabaya
- Ebrahimi, N., Maltepe, C., Bournissrn, F. G., and Koren, G. (2009). Nausea and vomiting of pregnancy: using the 24-hour pregnancy-unique quantification of emesis (PUQE-24) Scale. *Journal of Obstetrics and Gynaecology Canada*. Elsevier Masson SAS, **31**(9), pp. 803–807. doi: 10.1016/S1701-2163(16)34298-0.

- Emmanuel, E., St John, W., and Sun, J. (2012). Relationship between social support and quality of life in childbearing women during the perinatal period. *JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing*, **41**(6), pp. 1–9. doi: 10.1111/j.1552-6909.2012.01400.x.
- FitzGerald CM. (1984). Nausea and vomiting in pregnancy. *British Journal of Medical Psychology*, *57*:159–65. doi : <https://doi.org/10.1111/j.2044-8341.1984.tb01595.x>.
- Giurgescu, C., Misra, D. P., Shawnita-J. S., Caldwell, C. H., Temli, T. N., Slaughter-A. J. C., and Osypuk, T. L. (2015). The impact of neighborhood quality, perceived stress, and social support on depressive symptoms during pregnancy in African American women. *Social Science and Medicine*. Elsevier Ltd, **130**, pp. 172–180. doi: 10.1016/j.socscimed.2015.02.006.
- Gleeson, D. M., Craswell, A. and Jones, C. M. (2019). Women’s use of social networking sites related to childbearing: An integrative review. *Women and Birth*. Australian College of Midwives. doi: 10.1016/j.wombi.2018.10.010.
- Goodwin, Thomas M. (2002). Nausea and vomiting of pregnancy: An obstetric syndrome. *American Journal of Obstetrics and Gynecology*, **186**(5), pp. S184–S189. doi: 10.1067/mob.2002.122592.
- Hayati, E., Eriksson, M., Hakimi, M., Högberg, U and Emmelin, M. (2013). Elastic band strategy : women's lived experiences of coping with domestic violence in rural Indonesia. *Global Health Action*, **6**, pp 18894. doi : <http://dx.doi.org/10.3402/gha.v6i0.18894>.
- Jonsdottir, S. S., Thome, M., Steingrimsdottir, T., Lydsdottir, L. B., Sigurdsson, J.F., Olafsdottir, H., and Swahnberg, K. (2017). Partner relationship, social support and perinatal distress among pregnant Icelandic women. *Women and Birth*. Australian College of Midwives, **30**(1), pp. e46–e55. doi: 10.1016/j.wombi.2016.08.005.
- Karimzade, A., Besharat, M. (2011). An investigation of the relationship between personality dimensions and stress coping styles. *Procedia Social and Behavioral Science*, **30**, pp 797-802. Thran : Elvevier. doi : 10.1016/j.sbspro.2011.10.155
- Kaunang, S., Kepel, J., & Malonda, H. (2014). Hubungan antara penggunaan kontrasepsi pil dengan kejadian hipertensi pada wanita usia subur di wilayah kerja Puskesmas Bahu Manado.
- Kemenkes RI. (2010). *Pedoman pelayanan antenatal terpadu*. Jakarta : Kemenkes RI. doi: 10.1016/j.bbr.2012.09.037.
- Khresheh, Reham. (2011). How women manage nausea and vomiting during pregnancy : a Jordanian study. *Midwifery*. Elsevier, **27**(1), pp. 42–45. doi: 10.1016/j.midw.2009.12.002.

- King, T. L. and Murphy, P. A. (2009). Evidence-based approaches to managing nausea and vomiting in early pregnancy. *Journal of Midwifery and Women's Health*, **54**(6), pp. 430–444. doi: 10.1016/j.jmwh.2009.08.005.
- Klebanoff MA, Koslowe PA, Kaslow R, Rhoads GG. (1985). Epidemiology of vomiting in early pregnancy. *Obstet Gynecol*, 66:612– 6.
- Koren, G., Piwko, E., Boskovic, R., Maltepe, M., Einarson, A., Navioz, Y., and Ungar, W.J. (2005). Validation studies of the pregnancy unique-quantification of emesis (PUQE) scores. *Journal of Obstetrics and Gynaecology*, **25**(3), pp. 241–244. doi: 10.1080/01443610500060651.
- Kramer, J., Bowen, A., Stewart, N., and Muhajarine, N. (2013). Nausea and vomiting of pregnancy: prevalence, severity and relation to psychosocial health. *MCN The American Journal of Maternal/Child Nursing*, **38**(1), pp. 21–27. doi: 10.1097/NMC.0b013e3182748489.
- Kuo, S. H., Wang, R. H., Tseng, H. C., Jiang, S. Y., Chou, F. H. (2007). A comparison of different severities of nausea and vomiting during pregnancy relative to stress, social support, and maternal adaptation. *Journal of Midwifery and Women's Health*, **52**(1), pp. 1–7. doi: 10.1016/j.jmwh.2006.10.002.
- Lacroix, R., Eason, E. and Melzack, R. (2000). Nausea and vomiting during pregnancy: a prospective study of its frequency, intensity, and patterns of change. *American Journal of Obstetrics and Gynecology*, **182**(4), pp. 931–937. doi: 10.1016/S0002-9378(00)70349-8.
- Leandro, P and Castillo., M. (2010). Coping with stress and its relationship with personality dimensions, anxiety and depression. *Procedia Social and Behavioral Science*, **5**, pp. 1562-1573. Tenerife : Elsevier. doi:10.1016/j.sbspro.2010.07.326.
- Lee, N. M. and Saha, S. (2011). Nausea and vomiting of pregnancy. *Gastroenterology Clinics of North America*. Elsevier Ltd, 40(2), pp. 309–334. doi: 10.1016/j.gtc.2011.03.009.
- Locock, L., Alexander, J. and Rozmovits, L. (2008). Women's responses to nausea and vomiting in pregnancy. *Midwifery*, **24**(2), pp. 143–152. doi: 10.1016/j.midw.2006.12.001.
- Macy, Christopher. (1986). Psychological factors in nausea and vomiting in pregnancy: a review. *Journal of Reproductive and Infant Psychology* 4:23-55. doi: 10.1080/02646838608408664.
- Matthews, A., Haas, D. M., Mathuna, D. P. O., and Dowswell, T. (2015). Interventions for nausea and vomiting in early pregnancy (Review).

*Cochrane Database of Systematic Reviews*, (9), pp. 1–134. doi: 10.1002/14651858.CD007575.pub4.www.cochranelibrary.com.

- Mazzotta, P., Stewart, D., Atanakovic, G., Koren, G., and Magee, L.A. (2000). Psychosocial morbidity among women with nausea and vomiting of pregnancy: prevalence and association with anti-emetic therapy. *Journal of Psychosomatic Obstetrics and Gynaecology*, **21**(3), pp. 129–136. doi: 10.3109/01674820009075620.
- Miller, F. (2002). Nausea and vomiting in pregnancy: the problem of perception—is it really a disease?. *American Journal of Obstetrics and Gynecology*, **186**(5), pp. S182–S183. doi: 10.1067/mob.2002.122594.
- National Institute for Health Care Excellence (2015). Antenatal care for uncomplicated pregnancies. *NICE Guidelines*, (March 2008), p. 47. doi: 10.1017/CBO9781107415324.004.
- Neufeld, A. and Harrison, J. M. (2010). *Nursing and family caregiving : social support and nonsupport*. New York: Springer Publishing Company
- Niebyl, J. R. (2008). Nausea and vomiting in pregnancy (NVP). **16** (August), pp. 1544–1550. doi: 10.1016/B978-0-12-408078-2.00005-6.
- Rachmah, Ida. (2001). The construction of gender identity in Indonesia : between cultural norms, economic implications and state formation. *Masyarakat, Kebudayaan dan Politik*, **XIV**, pp 21-34.
- Rook, K. S. and Underwood, L. G. (2015). *Social support measurement and interventions, social support measurement and intervention*. doi: 10.1093/med:psych/9780195126709.003.0010.
- Sue, M. and Cuerden, J. M. (2011). *Mayer's midwifery*. 14th ed. London : Elsevier
- Varney, H., Kriebs, J. and Gegor, C. (2004) *Varney's midwifery*. 4th ed. Canada : Jones and Bartlett Publishers
- Vijayaselvi, R., Beck, M., Abraham, A., Kurian, S., Regi, A., Rebeca, G. (2015). Risk Factors for Stress During Antenatal Period Among Pregnant Women in Tertiary Care Hospital of Southern India. *Journal of Clinical and Diagnostic Research*, Vol-9(10): QC01-QC05. doi: 10.7860/JCDR/2015/13973.6580.
- Vollrath, Margerete (Ed). (2006). *Handbook of personality and health*. Oslo : John Wiley & Sons Ltd
- WHO. (2013). WHO recommendations on antenatal care for a positive pregnancy experience. *Ultrasound in Obstetrics and Gynecology*, pp. 102–113. doi: 10.1002/uog.12342.

- Wolkind, S & Zajicek, E. (1978). Psycho-social correlates of nausea and vomiting in pregnancy. *Journal of Psychosomatic Research* (22) pp 1-5. London : Pergamon Press
- Wood, H., McKellar, L & Lightbody, M. (2013). Nausea and vomiting in pregnancy : blooming or bloomin awful a review of the literature. *Women and Birth* (26) 100–104. Australia : Elsevier. doi : <http://dx.doi.org/10.1016/j.wombi.2012.10.001>
- Zimet, G. D., Dahlem, N. W., Zimet, S. G., Farley, G.K. (2010). The multidimensional scale of perceived social support. *Journal of Personality Assessment*, 52(1), pp. 37–41. doi: 10.1207/s15327752jpa5201.