

Daftar Pustaka

- Adesola OA, Ayodeji RAM, Akorede QJ, Oluranti O. *Breakfast Habit and Nutritional Status of Undergraduates in Ekiti State, Nigeria*. Science Journal of Public Health. 2014;2(4):252-6
- Adolescent Development and Participation Unit Program Division. (2006). *Adolescent Development: Perspectives and Frameworks Frameworks-A Discussion Paper*. United Nations Children's Fund (UNICEF): New York
- Agarwal A, Venkat A. *Questionnaire study on menstrual disorders in adolescent girls in Singapore*. J Pediatr Adolesc Gynecol 2009;22 (6):365-371.
- Akbarzadeh M, Tayebi N, Abootalebi M. *The Relationship between Age at Menarche and Primary Dysmenorrhea in Female Students of Shiraz Schools, Shiraz E-Med J*. 2017 ; 18(9):e14520. doi: [10.5812/semj.14520](https://doi.org/10.5812/semj.14520)
- Aktas, D. (2015). Prevalence and Factors Affecting Dysmenorrhea in Female University Students: Effect on General Comfort Level. Pain Management Nursing, 16(4), 534–543. doi:10.1016/j.pmn.2014.10.004
- Alsaleem MA. Dysmenorrhea, associated symptoms, and management among students at King Khalid University, Saudi Arabia: An exploratory study. J Family Med Prim Care. 2018 Jul-Aug; 7(4): 769–774. doi: 10.4103/jfmpc.jfmpc_113_18 PMID: PMC6131986
- Ammar UR. (2016). *Faktor Risiko Dismenore Primer pada Wanita Usia Subur di Kelurahan Ploso Kecamatan Tambaksari Surabaya*. Jurnal Berkala Epidemiologi, Vol. 4, No. 1 Januari 2016: 37–49 FKM_UNAIR All right reserved. Open access under CC BY – SA license doi: 10.20473/jbe.v4i1.37-49
- American Psychological Association. (2002). *A Reference for Professionals: Developing Adolescents*. Washington: American Psychological Association
- Ansong E, et al. *Menstrual Characteristics, Disorders and Associated Risk Factors among Female International Students in Zhejiang Province, China: a Cross-sectional Survey*. BMC Women's Health (2019) 19:35 <https://doi.org/10.1186/s12905-019-0730-5>
- Balbi C, Musone R, Menditto A, Prisco LD, Cassese E, D'Ajello M, et al. *Influence of menstrual factors and dietary habits on menstrual pain in adolescence age*. Eur J Obstet Gynecol Reprod Biol. 2000;91(2):143–8.

- Beckmann, Chaeles R.B *et al.* 2010. *Obstetrics and Gynecology*. Philadelphia: Wolters Kluer.
- Bernardi M, Lazzeri L, Perelli F, Reis FM, Petraglia F. (2018). *Dysmenorrhea and Related Disorders*. F1000Research 2017, 6(F1000 Faculty Rev):1645 Last updated: 15 AUG 2018
- Bobel C, Kissling EA. (2015). *Menstruation Matters: Introduction to Representations of the Menstrual Cycle*. *Women's Studies*, 40:121–126, 2011 DOI: 10.1080/00497878.2011.537981 Source: PubMed
- Bourdel N, *et al.* *Systematic Review of Endometriosis Pain Assessment: How To Choose a Scale?*. *Human Reproduction Update*, Vol.21, No.1 pp. 136–152, 2015 Advanced Access publication on September 1, 2014 doi:10.1093/humupd/dmu046
- Charu S, *et al.* (2012) *Menstrual Characteristics' and 'Prevalence and Effect of Dysmenorrhea' on Quality of Life of Medical Students*. *International Journal of Collaborative Research on Internal Medicine & Public Health*. 2012;4(4).
- Chauhan M, Kala J. Relation between dysmenorrhea and body mass index in adolescents with rural versus urban variation. *J Obstet Gynaecol India* 2012;62(4):442-445.
- Chia, C. F., Lai, H. Y., Cheung, P. K., Kwong, L. T., Lau, P. M., & Leung, K. H. (2013). Dysmenorrhea among Hong Kong university students: Prevalence, impact, and management. *Hong Kong Medical Journal*, 19(3), 222–228
- Chuamoor, K., Kaewmanee, K., & Tanmahasamut, P. (2012). Dysmenorrhea among Siriraj nurses: Prevalence, quality of life, and knowledge of management. *Journal of the Medical Association of Thailand*, 95(8), 983–991
- Coad J, Dunstall M. (2006). *Anatomi dan Fisiologi untuk Bidan*. Jakarta: Penerbit Buku Kedokteran EGC
- Coco AS. *Primary dysmenorrhea*. *Am Fam Physician* 1999;60:489–496.
- Dayalan V, Rajavelu S, Kumari S, *et al.* (2017). *A study on Menstrual Health in School Going Adolescent Girls from South India*. *J. Evid. Based Med. Healthc*. 2017; 4(77), 4559-4562. DOI: 10.18410/jebmh/2017/910
- De Sanctis, *et al.* Onset of menstrual cycle and menses features among secondary school girls in Italy: A questionnaire study on 3,783 students. *Indian Journal of Endocrinology and Metabolism* / 2014 / Vol 18 doi: 10.4103/2230-8210.140251 [Downloaded free from <http://www.ijem.in> on Tuesday, December 17, 2019, IP: 36.81.174.17]

- De Sanctis V, Soliman A, Bernasconi S, *et al.* Primary Dysmenorrhea in Adolescents: Prevalence, Impact and Recent Knowledge. *Pediatr Endocrinol Rev.* 2015;13(2):512–20.
- Dutta BK, Saikia T, Prafulla M. (2018). *Study of Menstrual Cycle Disorders in Adolescent Girls in Relation to BMI.* *J. Evid. Based Med. Healthc.* 2018; 5(47), 3239-3244. DOI: 10.18410/jebmh/2018/659
- Fisher C, Adams J, Hickman L, Sibbritt D. *The use of Complementary and Alternative Medicine by Australian Women with Cyclic Perimenstrual Pain and Discomfort: A Cross-Sectional Study.* *BMC Complement Altern Med. BioMed Central;* 2016; 16: 129. <https://doi.org/10.1186/s12906-016-1119-8> PMID: 27189381
- French L. Dysmenorrhea. *Am Fam Physician.* 2005;71(2):285–91
- Gold JJ, Josimovich JB. (1987). *Gynecologic Endocrinology Fourth Edition.* New York and London: Plenum Medical Book Company
- Habibi N, Huang MSL, Gan WY, Zulida R, Safavi SM. *Prevalence of Primary Dysmenorrhea and Factors Associated with Its Intensity Among Undergraduate Students: A Cross-Sectional Study.* *Pain Manag Nurs.* 2015; 16: 855±861. <https://doi.org/10.1016/j.pmn.2015.07.001> PMID: 26328887
- Hailemeskel S, Demissie A, Assefa N. (2016). *Primary Dysmenorrhea Magnitude, Associated Risk Factors, and Its Effect on Academic Performance: Evidence from Female University Students in Ethiopia.* *International Journal of Women's Health* 2016;8 489–496 <https://dx.doi.org/10.2147/IJWH.S112768>
- Henzl M.R., *et al.* *Lysosomal Concept of Menstrual Bleeding in Humans.* *J Clin Endocrinol Metab.* 1972;34(5):860–875. [PubMed: 5012496]
- Herlina. (2013). *Bibliotherapy: Mengatasi Masalah Anak dan Remaja melalui Buku.* Bandung: Pustaka Cendekia Utama
- Hoppenbrouwers K, Roelants M, Meuleman C, Rijkers A, Leeuwen KV, Desoete A, D'Hooghe T. (2016). *Characteristics of The Menstrual Cycle in 13-year-old Flemish Girls and The Impact of Menstrual Symptoms on Social Life.* *Eur J Pediatr* (2016) 175:623–630 DOI 10.1007/s00431-015-2681-7
- Hui Xu, *et al.* (2018). *Obesity as an Effect Modifier of The Association between Menstrual Abnormalities and Hypertension in Young Adult Women: Results from Project ELEFANT.* <https://doi.org/10.1371/journal.pone.0207929>

- Husnah. (2018). *Association between Breakfast and Dysmenorrhea Degrees of SMAN 2 Students in Banda Aceh, Indonesia*. World Nutrition Journal |eISSN 2580-7013 DOI: 10.25220/WNJ.V02.i1.0006
- Ju, H., Jones, M., & Mishra, G. D. (2015). A U-Shaped Relationship between Body Mass Index and Dysmenorrhea: A Longitudinal Study. PLOS ONE, 10(7), e0134187. doi:10.1371/journal.pone.0134187
- Jum, E., Chang, S., Kang, D., & Kim, S. (2007). Effect of acupressure on dysmenorrhea and skin temperature changes in college students. International Journal of Nursing Study, 44(6), 973–981.
- Kemenkes RI. 2015. *Pusat Data dan Informasi Kementerian Kesehatan RI- Situasi Kesehatan Reproduksi Remaja*. Jakarta: Pusat Data dan Informasi
- Klossner NJ, Hatfield NT. (2010). *Introductory Maternity and Pediatric Nursing 2nd Edition*. Lippincott: Wolters Kluwer Health
- Kural M, Noor NN, Pandit D, Joshi T, Patil A. Menstrual characteristics and prevalence of dysmenorrhea in college going girls. J Family Med Prim Care [serial online] 2015 [cited 2019 Dec 12];4:426-31. Available from: <http://www.jfmprc.com/text.asp?2015/4/3/426/161345>
- Lacovides S, Avidon I, Baker FC: *What we know about primary dysmenorrhea today: a critical review*. Hum Reprod Update. 2015; 21(6): 762–78.
- Laksham KB, Selvaraj R, Kar SS. *Menstrual disorders and quality of life of women in an urban area of Puducherry: A community-based cross-sectional study*. J Family Med Prim Care 2019;8:137-40.
- Martinez EF, Zafra MDO, Fernandez MLP. (2018). Lifestyle and Prevalence of Dysmenorrhea among Spanish Female University Students. Department of Nursing University of Castilla-La Mancha, Ciudad Real, Spain. PLoS ONE 13(8): e0201894 <https://doi.org/10.1371/journal.pone.0201894>
- McCaffery, M., Beebe, A., et al. 1989. *Pain: Clinical Manual For Nursing Practice*, Mosby St. Louis MO.
- McNeeley C and Blanchard J. (2009). *The Teen Year Explained: A Guide To Healthy Adolescent Development*. Center for Adolescent Health at Johns Hopkins Bloomberg School of Public Health
- Morgan, Geri dan Carole Hamilton. (2009). *Obstetri dan Ginekologi Panduan Praktik Edisi 2*. Jakarta : EGC

- Mahvash N, *et al.* "The effect of physical activity on primary dysmenorrhea of female university students," *World Applied Sciences Journal*, vol. 17, no. 10, pp. 1246–1252, 2012.
- Muluneh AA, Nigussie TS, Gebreslasie KZ, Anteneh KT, Kassa ZY. (2018). *Prevalence and Associated Factors of Dysmenorrhea among Secondary and Preparatory School Students in Debremarkos Town, North-West Ethiopia.* *BMC Women's Health* (2018) 18:57 <https://doi.org/10.1186/s12905-018-0552-x>
- Nagata, C., Hirokawa, K., Shimizu, N., & Shimizu, H. (2005). Associations of menstrual pain with intakes of soy, fat and dietary fiber in Japanese women. *European Journal of Clinical Nutrition*, 59(1), 88–92.
- National Research Council (US) and Institute of Medicine (US) Forum on Adolescence; Kipke MD, editor. *Adolescent Development and the Biology of Puberty: Summary of a Workshop on New Research.* Washington (DC): National Academies Press (US); 1999. Changes in the Study of Adolescent Development.
- Nursing, Physiotherapy and Occupational Therapy, Faculty of Nursing, University of Castilla-La Mancha, Ciudad Real, Spain <https://doi.org/10.1371/journal.pone.0201894>
- Olson BM, Shaw LJ, Kaizar EE *et al.* Obesity distribution and reproductive hormone levels in women: a report from the NHLBI-sponsored WISE Study. *J Womens Health (Larchmt)* 2006; 15: 836–842 DOI: 10.1089/jwh.2006.15.836
- Omidvar S, *et al.* Association Between Physical Activity, Menstrual Cycle Characteristics, and Body Weight in Young South Indian Females. *International Journal of Women's Health and Reproduction Sciences*, Vol. 7, No. 3, July 2019 281–286 ISSN 2330- 4456
- Ortiz, M. I., Ranger-Flores, E., Carrillo-Alarcon, L. C., & Veras-Godoy, H. A. (2009). Prevalence and impact of primary dysmenorrhea among Mexican high school students. *International Journal of Gynecology and Obstetrics*, 107(3), 240–243
- Parker MA, Sneddon AE, Arbon P. (2010). *The menstrual disorder of teenagers (MDOT) study: determining typical menstrual patterns and menstrual disturbance in a large population-based study of Australian teenagers.* *BJOG.* 2010; 117(2): 185–92.
- Peraturan Menteri Kesehatan Republik Indonesia Nomor 25 Tahun 2014 tentang Upaya Kesehatan Anak

- Reed BG, Carr BR. *The Normal Menstrual Cycle and the Control of Ovulation*. 2018 South Dartmouth (MA): MDText.com, Inc.; 2000-.
- Saifuddin, Abdul Bari, dkk. 2009. *Ilmu Kebidanan Edisi 4 Cetakan 2*. Jakarta: Yayasan Bina Pustaka Sarwono Prawirohardjo
- Sahin N, Kasap B, Kirli U, Yeniceri N, Topal Y . (2018). *Assessment of Anxiety-Depression Levels and Perceptions of Quality of Life in Adolescents with Dysmenorrhea*. *Reproductive Health* (2018) 15:13 DOI 10.1186/s12978-018-0453-3
- Samani RO, *et al.* (2018). *The prevalence of menstrual disorders in Iran: A systematic review and meta-analysis*. *Int J Reprod BioMed* Vol. 16. No. 11. pp: 665-678 November 2018
- Santrock, JW. (2014). *Adolescence Fifteenth Edition*. New York: McGraw-Hill Education
- Saryono. 2010. *Kumpulan Instrumen Penelitian*. Jakarta: Nulia Medica
- Sangwan, G dan Vashisht, BM. Menstrual pattern and prevalence of dysmenorrhea among school going adolescent girls in a rural block of Haryana: A cross sectional study. *Global Journal of Medicine and Public Health*. 2017; Vol. 6, issue 2 ISSN#- 2277-9604
- Sharma P, Malhotra C, Taneja DK, Saha R. Problems related to menstruation amongst adolescent girls. *Indian J Pediatr* 2008;75:125-9
- Shrotriya C, Ray A, Ray S, Thomas GA. Menstrual characteristics and prevalence and effect of dysmenorrhea on quality of life in medical students. *Int J Collab Res Intern Med Public Health* 2012;4:276-94
- Subasinghe AK, Happo L, Jayasinghe YL, Garland SM, Gorelik A, Wark JD. *Prevalence and severity of dysmenorrhoea, and management options reported by young Australian women*. *Aust Fam Physician*. 2016; 45: 829±834. Available: <http://www.ncbi.nlm.nih.gov/pubmed/27806454> PMID: 27806454
- Tamsuri, A. 2007. *Konsep dan Penatalaksanaan Nyeri*. Jakarta: EGC.
- Tavallae, M., Joffres, M. R., Corber, S. J., Bayanzadeh, M., & Rad, M. M. (2011). The prevalence of menstrual pain and associated risk factors among Iranian women. *Journal of Obstetrics and Gynaecology Research*, 37(5), 442–451. doi:10.1111/j.1447-0756.2010.01362.x
- Tekin, Y. B., Güvendağ Güven, E. S., Kirbas, A., Üstüner, I., Doğan, O. D., Balik, G., & Şahin, F. K. (2015). The Role of Hypoxia at Primary Dysmenorrhea,

- Utilizing a Novel Hypoxia Marker—Scube1. *Journal of Pediatric and Adolescent Gynecology*, 28(1), 63–65. doi:10.1016/j.jpag.2014.05.001
- Unsal A, Ayranci, M. Tozun, G. Arslan, and Calik E. “Prevalence of dysmenorrhea and its effect on quality of life among a group of female university students,” *Upsala Journal of Medical Sciences*, vol. 115, no. 2, pp. 138–145, 2010.
- Varney H, Kriebs JM, Gegor CL. (2006). *Buku Ajar Asuhan Kebidanan Edisi 4*. Jakarta: Penerbit Buku Kedokteran EGC
- Vlachou E, *et al.* Prevalence, Wellbeing, and Symptoms of Dysmenorrhea among University Nursing Students in Greece. *Diseases* 2019, 7, 5; doi:10.3390/diseases7010005
- Walia DK, Yadav RJ, Pandey A, Bakshi RK. *Menstrual patterns among school going adolescent girls in Chandigarh and rural areas of Himachal Pradesh, North India*. *National Journal of Community Medicine* 2015; 6: 583-586.
- WHO. (2009). *Promoting adolescent sexual and reproductive health through schools in low income countries: an information brief*. Geneva: World Health Organization
- WHO. World Health Organization. [Internet]: World Health Organization. Adolescent health; 2019 Dec 17 [Accessed on 2019 Dec 17]. Available from: http://www.who.int/topics/adolescent_health/en/
- Wiknjastro, H. (2008). *Ilmu Kandungan*. Jakarta: Bina Pustaka Sarwono Prawirohardjo
- Wong CL, Farquhar C, Roberts H, *et al.*: Oral contraceptive pill for primary dysmenorrhoea. *Cochrane Database Syst Rev*. 2009; (4):CD002120. 10.1002/14651858.CD002120.pub3 [PubMed]
- Yesuf TA, Eshete NA, Sisay EA. (2018). *Dysmenorrhea among University Health Science Students, Northern Ethiopia: Impact and Associated Factors*. *International Journal of Reproductive Medicine* Volume 2018, Article ID 9730328, <https://doi.org/10.1155/2018/9730328>
- Zarei S, *et al.* (2017). *Effects of Calcium-Vitamin D and Calcium-Alone on Pain Intensity and Menstrual Blood Loss in Women with Primary Dysmenorrhea: A Randomized Controlled Trial*. *Pain medicine*. 2017; 18(1):3–13 <https://doi.org/10.1093/pm/pnw121> PMID: 27296057
- Zhang Q, *et al.* (2017). *The Influence of Age at Menarche, Menstrual Cycle Length and Bleeding Duration on Time to Pregnancy: A Large Prospective Cohort Study among Rural Chinese Women*. *BJOG* 2017;124:1654–1662.

- Zhou, H. G., Yang, Z. W., & Students group (2010). Prevalence of dysmenorrhea in female students in a Chinese university: A prospective study. *Health*, 2(4), 311–314.
- Zhu, X., Wong, F., Bensoussan, A., Lo, S. K., Zhou, C., & Yu, J. (2010). Are there any cross-ethnic differences in menstrual profiles? A pilot comparative study on Australian and Chinese women with primary dysmenorrhea. *Journal of Obstetrics and Gynaecology Research*, 36(5), 1093–1101. doi:10.1111/j.1447-0756.2010.01250.x