

DAFTAR PUSTAKA

- Abbasi, M. *et al.* (2010) 'The effect of hypnosis on pain relief during labor and childbirth in Iranian pregnant women', *International Journal of Clinical and Experimental Hypnosis*, 57(2), pp. 174–183. doi: 10.1080/00207140802665435.
- Adam, J. and Umboh, J. M. . (2015) 'Hubungan antara Umur , Parietas dan Pendampingan Suami dengan Intensitas Nyeri Persalinan Kala I Fase Aktif Deselarasi di Ruang Bersalin RSUD Prof . Dr . H . Aloe Saboe Kota Gorontalo', *Jurnal Ilmu Kesehatan Masyarakat Unsrat*, 5, pp. 406–413.
- Akbarzadeh, M. *et al.* (2018) 'The Effect of Two-Stage Warm Compress on the Pain Duration of First and Second Labor Stages and Apgar Score in Prim Gravida Women: a Randomized Clinical Trial', *Journal of Caring Sciences*, 7(1), pp. 21–26. doi: 10.15171/jcs.2018.004.
- Alehagen, Wijma and Lundberg (2005) 'Fear, pain and stress hormones during childbirth', *J Psychom Obstet Gynecol*, 26, pp. 153–65.
- Ali (2010) *Pengantar Keperawatan Keluarga*. Jakarta: EGC.
- Altman, M. *et al.* (2015) 'Prolonged second stage of labor is associated with low Apgar score', *European Journal of Epidemiology*, 30(11), pp. 1209–1215. doi: 10.1007/s10654-015-0043-4.
- Andarmoyo, S. and Suharti, S. (2013) *Persalinan Tanpa Nyeri ; Konsep Dan Aplikasi Manajemen Persalinan*. Yogyakarta: Ar-Ruzz Media.
- Andreinie, R. (2016) 'Analisis Efektivitas Kompres Hangat terhadap Penurunan Nyeri Persalinan', *Temu Ilmiah Hasil Penelitian dan Pengabdian Masyarakat*, 2(1), pp. 311–317. Available at: <https://media.neliti.com/media/publications/176114-ID-analisis-efektivitas-kompres-hangat-terh.pdf>.
- Anisyah, D. (2013) 'Analisis Faktor-Faktor yang Mempengaruhi Nyeri Persalinan Pada Ibu Bersalin Kala 1 Fase Aktif di Puskesmas Mergangsan Tahun 2013'.
- Ayu, N. G. M. and Supliyani, E. (2017) 'Karakteristik Ibu Bersalin Kaitannya dengan Intensitas Nyeri Persalinan Kala 1 di Kota Bogor', *Jurnal Kabidanan*, 3(4), pp. 204–210. Available at: <http://ejournalmalahayati.ac.id/>.
- Baker, A. *et al.* (2001) 'Perceptions of labour pain by mothers and their attending midwives', *Journal of Advanced Nursing*, 35(2), pp. 171–179. doi: 10.1046/j.1365-2648.2001.01834.x. Diperoleh dari: <https://doi.org/10.1046/j.1365-2648.2001.01834.x>[diakses pada 25 Juni 2019]
- Brinsmead, M., Smith, R. and Singh, B. (1985) 'Peripartum concentrations of beta endorphin and cortisol and maternal mood states', *Aust N.Z.J Obstet Gynaecol*, 25(3), p. 194.

- Buckley, S. *et al.* (2018) 'No. 355-Physiologic Basis of Pain in Labour and Delivery: An Evidence-Based Approach to its Management', *Journal of Obstetrics and Gynaecology Canada*. Elsevier Inc., 40(2), pp. 227–245. doi: 10.1016/j.jogc.2017.08.003. Diperoleh dari: <https://doi.org/10.1016/j.jogc.2017.08.003> [diakses pada 9 Maret 2019].
- CA, S. *et al.* (2006) 'Complementary and alternative therapies for pain management in labour', (4). doi: 10.1002/14651858.CD003521.pub2. [diakses pada 20 Maret 2019].
- Deviany (2013) 'Pendamping Persalinan Sebagai Pengurang Rasa Nyeri Saat Bersalin di RS Margono Soekardjo Purwokerto', *Jurnal Kabidanan*, 4(1), pp. 190–198.
- Dozier, A. M., Howard, C. R., Brownell, E. A., Wissler, R. N., Glantz, J. C., Ternullo, S. R., ... Lawrence, R. A. (2013). Labor epidural anesthesia, obstetric factors and breastfeeding cessation. *Maternal and Child Health Journal*, 17(4), 689–698. diperoleh dari: <https://doi.org/10.1007/s10995-012-1045-4> [diakses pada 27 April 2019]
- Dick, R. (1954) *Childbirth Without Fear: the Principles and Practice of Natural Childbirth*. 3rd editio. London: William Heinerman.
- Drake, R., Vogl, W. and Michtel, A. (2005) *Pelvis and Perineum Regional Anatomy in Women. In Gray's Anatomy for Students*. Philadelphia: Churchill Livingstone.
- Dugas, M., Wassef, M., Bonapace, J., Roy, L., Crochetière, C., Rossignol, M., ... Moutquin, J. M. (2014). Nonpharmacologic Approaches for Pain Management During Labor Compared with Usual Care: A Meta-Analysis. *Birth*, 41(2), 122–137. diperoleh dari: <https://doi.org/10.1111/birt.12103> [diakses pada 27 April 2019]
- Einion, A. (2017) 'Hormonal physiology of childbearing: Evidence and implications for women, babies and maternity care', *Practising Midwife*, 20(4), pp. 31–34.
- El-Adham and Abo-Romia (2014) 'Effect of Warm Showering on Labor Pain During The First Stage of Labor', p. 438.
- England, P. and Horowitz, R. (2007) *Birthing from within: an extraordinary guide to childbirth preparation*. London: Souvenir Press.
- Gaskin, I. (1977) *Spiritual Midwifery*. Summetown: TN: The Book Publishing Company.
- Green, J., Baston, H. and Easton, S. (2003) 'Greater expectations? Inter - relationship between women's expectations and experiences of decision making, continuity, choice and control in labour, and psychological outcomes: summary report .Leeds', *Mother InfantResearch Unit*.
- Hodnett, E. D. (2002). Pain and women's satisfaction with the experience of

- childbirth: A systematic review. *American Journal of Obstetrics and Gynecology*, 186(5 SUPPL.), 160–174. diperoleh dari: <https://doi.org/10.1067/mob.2002.121141> [diakses pada 20 Maret 2019]
- Hoffman, Abboud and Haase (1984) ‘Plasma beta-endorphin concentration prior to and during pregnancy, in labor, and after delivery’, *Am J Obstet Gynecol*, 150, pp. 492–2.
- Hutahaen (2009) *Asuhan Keperawatan Dalam Maternitas dan Ginekologi*. Jakarta: Salemba Medika.
- Judha and Mohamad (2012) *Teori Pengukuran Nyeri dan Nyeri Persalinan*. Yogyakarta: Nuha Medika.
- Kemendes RI (2014) ‘Peraturan Menteri Kesehatan Republik Indonesia Nomor 97 Tahun 2014’.
- KemendesRI. (2017).
[Http://www.depkes.go.id/resources/download/pusdatin/Lain-Lain//Datadanimformasikesehatanindonesia2016-Smallsize-Web.Pdf](http://www.depkes.go.id/resources/download/pusdatin/lain-lain/datadanimformasikesehatanindonesia2016-smallsize-web.pdf). *Profil Kesehatan Indonesia*, 100.
- Khusniyah, Z., & Rizqi, H. (2012). Efektivitas Stimulasi Kulit dengan Teknik Kompres Hangat dan Dingin terhadap Nyeri Kala 1 Fase Aktif Persalinan, 2, 2. Retrieved from <http://www.journal.unipdu.ac.id>[diakses pada [diakses pada 27 Maret 2019]
- Leap N, Dodwell M, N. M. (2010) ‘Working with pain in labour: an overview of evidence’, 49, pp. 22–6.
- Leap, N., Dodwell, N. C. T. and Newburn, M. (2010) ‘Working with pain in labour’, *Res. Dig.: Natl. Childbirth Trust*, 49(12), pp. 22–26.
- Lee, S. L., Liu, C. Y., Lu, Y. Y., & Gau, M. L. (2013). Efficacy of Warm Showers on Labor Pain and Birth Experiences During the First Labor Stage. *JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 42(1), 19–28. diperoleh dari: <https://doi.org/10.1111/j.1552-6909.2012.01424.x>[diakses pada 27 Maret 2019]
- Lowe, N. K. (2002) ‘The nature of labor pain’, *American Journal of Obstetrics and Gynecology*, 186(5 SUPPL.), pp. 16–24. doi: 10.1067/mob.2002.121427.
- Mahmoud, R. and Ghani, A. (2014) ‘Effect of Heat and Cold Therapy during the First Stage of Labor on Women Perception of Birth Experience: A Randomized Controlled Trial’, *Journal of Biology, Agriculture and Healthcare*, 4(26), pp. 66–73.
- Manurung, S., Nuraeni, A., Riana Lestari, T., Soleha, I., Nurhaeni, H., Paulina, K., & Rahmawaty Dosen Poltekkes Jakarta1 Jurusan Keperawatan, E. (2013). Pengaruh Tehnik Pemberian Kompres Hangat Terhadap Perubahan Skala Nyeri Persalinan Pada Klien Primigravida. *Health Quality*, 4(1), 1–76. Retrieved from [https://www.poltekkesjakarta1.ac.id/file/dokumen/7PENGARUH TEKNIK](https://www.poltekkesjakarta1.ac.id/file/dokumen/7PENGARUH%20TEKNIK)

PEMBERIAN KOMPRES HANGAT TERHADAP PERUBAHAN SKALA NYERI PERSALINAN PADA KLIEN PRIMIGRAVIDA 2013.pdf [diakses pada 12 Mei 2019]

- Marchand S (2015) *The Phenomenon of Pain*. IASP.
- Massieh, M. and Karen, D. D. (2013) 'Theories of pain: from specificity to gate control', *Journal of neurophysiology*, 109(1), pp. 5–12. doi: 10.1152/jn.00457.2012.
- Matthiesen, Ransjo-Arvidson and Nissen (2001) 'Postpartum maternal oxytocin release by newborn : effects of infant hand massage and sucking', *Birth*, 28, pp. 13–9.
- McLean, M., Thompson, D. and Zhang, H. (1994) 'Corticotrophin releasing hormone and beta-endorphin in labour', *Eur.J Endocrinol .*, 131(2), pp. 167–72.
- Mertz, M. J., & Earl, C. J. (2018). *Chapter 52 – Labor Pain Management. Integrative Medicine* (Fourth Edi). Elsevier Inc. diperoleh dari: <https://doi.org/10.1016/B978-1-4377-1793-8.00104-7> [diakses pada 9 Maret 2019].
- Mohammad, N. *et al.* (2018) 'Women ' s experience of pain during childbirth', 15(2), pp. 77–82.
- Nelson and Panksepp (1998) 'Brain substrates of infant-mother attachment: contributions of opioids, oxytocin, and norepinephrine', *Neurosci Biobehav*, 22, pp. 437–52.
- Neumark, Hammerle and Biegelmayr (1985) 'Effect of epidural analgesia on plasma catecholamines and cortisol in parturition', *Acta Anaesthesiol Scand*, 29, pp. 555–9.
- Party, M. C. W. (2007) 'Making normal birth a reality: Consensus statement from The Maternity Care Working Party', p. 6.
- Putri Ika Damayanti dkk (2014) *Buku Ajar Asuhan Kebidanan Komprehensif pada Ibu Bersalin dan Bayi Baru Lahir*. Yogyakarta: Deepublish.
- R Jouppila, Jouppila, P., Karlqvist, K., Kaukoranta, P., Leppäluoto, J., & Vuolteenaho, O. (1983). Maternal and umbilical venous plasma immunoreactive beta-endorphin levels during labor with and without epidural analgesia. *Am J Obstet Gynecol*, 147(7), 799–803. diperoleh dari: [https://doi.org/https://doi.org/10.1016/0002-9378\(83\)90042-X](https://doi.org/https://doi.org/10.1016/0002-9378(83)90042-X) [diakses pada 10 Maret 2019]
- Riyandi, I. K. and Mardana, P. (2017) 'Penilaian nyeri'.
- Rohmana Haqiqi, B. (2016) 'Perbedaan Perubahan Tingkat Nyeri Persalinan Normal Antara Kelompok Dengan dan Tanpa Aromaterapi Lavender Di Lamongan', *Adln-Perpustakaan Universitas Airlangga*, p. 8. doi: 10.1111/j.1532-950X.2013.12007.x.

- R Jouppila, Jouppila, P., Karlqvist, K., Kaukoranta, P., Leppäluoto, J., & Vuolteenaho, O. (1983). Maternal and umbilical venous plasma immunoreactive beta-endorphin levels during labor with and without epidural analgesia. *Am J Obstet Gynecol*, *147*(7), 799–803. diperoleh dari: [https://doi.org/https://doi.org/10.1016/0002-9378\(83\)90042-X](https://doi.org/https://doi.org/10.1016/0002-9378(83)90042-X) [diakses pada 10 Maret 2019]
- Riyandi, I. K., & Mardana, P. (2017). Penilaian nyeri.
- Sheiner, E. K., Sheiner, E., Shoham-Vardi, I., Mazor, M., & Katz, M. (1999). Ethnic differences influence care giver's estimates of pain during labour. *Pain*, *81*(3), 299–305. diperoleh dari: [https://doi.org/10.1016/S0304-3959\(99\)00019-6](https://doi.org/10.1016/S0304-3959(99)00019-6) [diakses pada 20 Maret 2019]
- Sheiner, E., Sheiner, E. K., Hershkovitz, R., Mazor, M., Katz, M., & Shoham-Vardi, I. (2000). Overestimation and underestimation of labor pain. *European Journal of Obstetrics Gynecology and Reproductive Biology*, *91*(1), 37–40. diperoleh dari: [https://doi.org/10.1016/S0301-2115\(99\)00247-X](https://doi.org/10.1016/S0301-2115(99)00247-X) [diakses pada 20 Maret 2019]
- Shirvani, M. A., & Ganji, Z. (2014). The influence of cold pack on labour pain relief and birth outcomes: A randomised controlled trial. *Journal of Clinical Nursing*, *23*(17–18), 2473–2480. diperoleh dari: <https://doi.org/10.1111/jocn.12413> [diakses pada 9 Maret 2019]
- Simkin, P., & Bolding, A. (2004). Update on nonpharmacologic approaches to relieve labor pain and prevent suffering. *Journal of Midwifery and Women's Health*, *49*(6), 489–504. diperoleh dari: <https://doi.org/10.1016/j.jmwh.2004.07.007> [diakses pada 27 April 2019]
- Taavoni, S., Abdollahian, S., & Haghani, H. (2011). S644 Sacrum-Perineal Heat Therapy for Physiologic Labor Pain Management: a Randomized Control Trial Study. *European Journal of Pain Supplements*, *5*(1), 282. diperoleh dari: [https://doi.org/10.1016/s1754-3207\(11\)70974-9](https://doi.org/10.1016/s1754-3207(11)70974-9) [diakses pada 16 Maret 2019]
- Tom, & Assinder. (2010). Oxytocin in Health and Disease. *Int J Biochem Cell Biol*, *42*, 202.
- Uliyah, M. and Hidayah, A. (2006) *Keterampilan Dasar Praktik Klinik Kebidanan*. Jakarta: Salemba Medika.
- Uvnaas-Moberg (2015) 'Oxytocin: the biological guide to motherhood', *Amarillo, TX: Hale Publishing*.
- Varney, H., Kriebs, M. and Gregor, C. (2008) *Buku Ajar Asuhan Kebidanan*. 4th edn, EGC. 4th edn. Jakarta.
- Walsh, L. (2008) *Buku Ajar Kebidanan Komunitas*. 4th edn. Jakarta: EGC.
- Yani, D. P. and Khasanah, U. (2012) 'Pengaruh Pemberian Kompres Air Hangat terhadap Rasa Nyaman dalam Proses Persalinan Kala I Fase Aktif', *Jurnal Keperawatan*, pp. 1–5.
- Yanti (2010) *Buku Ajar Asuhan Kebidanan Persalinan*. Yogyakarta: Pustaka

Rihama.

Ye, H. and Jiang, Y. (2011) 'Relationship Between Factors Of Labour Pain And Delivery Outcome', *Zhejiang Chinese Medical University*,. doi: 10.3760/cma.j.issn.0529-567x.2011.10.008.