

DAFTAR PUSTAKA

- Ayers, S., Bond, R., Bertullies, S., & Wijma, K. (2016). The aetiology of post-traumatic stress following childbirth: A meta-analysis and theoretical framework. *Psychological Medicine*, 46(6), 1121–1134. <https://doi.org/10.1017/S0033291715002706>
- Beck, C. T. (2017). The Anniversary of Birth Trauma: A Metaphor Analysis. *The Journal of Perinatal Education*, 26(4), 219–228. <https://doi.org/10.1891/1058-1243.26.4.219>
- Beck, C. T., Gable, R. K., Sakala, C., & Declercq, E. R. (2011). Posttraumatic Stress Disorder in New Mothers: Results from a Two-Stage U.S. National Survey. *Birth*, 38(3), 216–227. <https://doi.org/10.1111/j.1523-536X.2011.00475.x>
- Boorman, R. J., Devilly, G. J., Gamble, J., Creed, D. K., & Fenwick, J. (2014). Childbirth and criteria for traumatic events. *Midwifery*, 30(2), 255–261. <https://doi.org/10.1016/j.midw.2013.03.001>
- BPJS Kesehatan. (2015). Sistem Rujukan Berjenjang ; Panduan Praktis (Badan Penyelenggara Jaminan Sosial (BPJS) Kesehatan).
- Byrne, V., Egan, J., Mac Neela, P., & Sarma, K. (2017). What about me? The loss of self through the experience of traumatic childbirth. *Midwifery*, 51(April), 1–11. <https://doi.org/10.1016/j.midw.2017.04.017>
- De Schepper, S., Vercauteren, T., Tersago, J., Jacquemyn, Y., Raes, F., & Franck, E. (2016). Post-Traumatic Stress Disorder after childbirth and the influence of maternity team care during labour and birth: A cohort study. *Midwifery*, 32(2015), 87–92. <https://doi.org/10.1016/j.midw.2015.08.010>
- de Vries, N. E., Stramrood, C. A. I., Slijter, L. M., Sluijs, A. M., & van Pampus, M. G. (2018). Midwives' practices and knowledge about fear of childbirth and postpartum posttraumatic stress disorder. *Women and Birth*. <https://doi.org/10.1016/j.wombi.2018.11.014>
- Departemen Kesehatan RI. (2016). Buku Kesehatan Ibu dan Anak. *Buku Kesehatan Ibu Dan Anak*. <https://doi.org/362.198.2.Ind b>
- Elmir, R., Schmied, V., Wilkes, L., & Jackson, D. (2010). Women's perceptions and experiences of a traumatic birth: A meta-ethnography. *Journal of Advanced Nursing*, 66(10), 2142–2153. <https://doi.org/10.1111/j.1365-2648.2010.05391.x>
- Fenech, G., & Thomson, G. (2014). Tormented by ghosts from their past': A meta-synthesis to explore the psychosocial implications of a traumatic birth on maternal well-being. *Midwifery*, 30(2), 185–193.

<https://doi.org/10.1016/j.midw.2013.12.004>

- Ford, E., Ayers, S., & Bradley, R. (2010). Exploration of a cognitive model to predict post-traumatic stress symptoms following childbirth. *Journal of Anxiety Disorders*, 24(3), 353–359. <https://doi.org/10.1016/j.janxdis.2010.01.008>
- Henriksen, L., Grimsrud, E., Schei, B., & Lukasse, M. (2017). Factors related to a negative birth experience – A mixed methods study. *Midwifery*, 51, 33–39. <https://doi.org/10.1016/j.midw.2017.05.004>
- Horsch, A., & Ayers, S. (2016). *Childbirth and stress. Stress: Concepts, Cognition, Emotion, and Behavior: Handbook of Stress*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-800951-2.00040-6>
- Hunter, B. (2004). Conflicting ideologies as a source of emotion work in midwifery. *Midwifery*, 20(3), 261–272. <https://doi.org/10.1016/j.midw.2003.12.004>
- Ii, B. a B., & Sistem, a P. (2001). *Universitas Sumatera Utara* 7, 7–37.
- James, S. (2015). Women’s experiences of symptoms of posttraumatic stress disorder (PTSD) after traumatic childbirth: a review and critical appraisal. *Archives of Women’s Mental Health*, 18(6), 761–771. <https://doi.org/10.1007/s00737-015-0560-x>
- Leinweber, J., Creedy, D. K., Rowe, H., & Gamble, J. (2017a). A socioecological model of posttraumatic stress among Australian midwives. *Midwifery*, 45(September 2016), 7–13. <https://doi.org/10.1016/j.midw.2016.12.001>
- Leinweber, J., Creedy, D. K., Rowe, H., & Gamble, J. (2017b). Responses to birth trauma and prevalence of posttraumatic stress among Australian midwives. *Women and Birth*, 30(1), 40–45. <https://doi.org/10.1016/j.wombi.2016.06.006>
- Ma, B., Bo, B., & Tunçalp, Ö. (2019). Perceptions and experiences of labour companionship : a qualitative evidence synthesis (Review) SUMMARY OF FINDINGS FOR THE MAIN COMPARISON, (3). <https://doi.org/10.1002/14651858.CD012449.pub2.www.cochranelibrary.com>
- O’Donovan, A., Alcorn, K. L., Patrick, J. C., Creedy, D. K., Dawe, S., & Devilly, G. J. (2014). Predicting posttraumatic stress disorder after childbirth. *Midwifery*, 30(8), 935–941. <https://doi.org/10.1016/j.midw.2014.03.011>
- Priddis, H. S., Keedle, H., & Dahlen, H. (2018). The Perfect Storm of Trauma: The experiences of women who have experienced birth trauma and subsequently accessed residential parenting services in Australia. *Women and Birth*, 31(1), 17–24. <https://doi.org/10.1016/j.wombi.2017.06.007>
- Reed, R., Sharman, R., & Inglis, C. (2017). Women’s descriptions of childbirth trauma relating to care provider actions and interactions. *BMC Pregnancy and Childbirth*, 17(1), 1–10. <https://doi.org/10.1186/s12884-016-1197-0>

- Regan, M., & Liaschenko, J. (2007). In the mind of the beholder: Hypothesized effect of intrapartum nurses' cognitive frames of childbirth cesarean section rates. *Qualitative Health Research*, *17*(5), 612–624. <https://doi.org/10.1177/1049732307301610>
- Rice, H., & Warland, J. (2013). Bearing witness: Midwives experiences of witnessing traumatic birth. *Midwifery*, *29*(9), 1056–1063. <https://doi.org/10.1016/j.midw.2012.12.003>
- Sheen, K., Spiby, H., & Slade, P. (2016). The experience and impact of traumatic perinatal event experiences in midwives: A qualitative investigation. *International Journal of Nursing Studies*, *53*, 61–72. <https://doi.org/10.1016/j.ijnurstu.2015.10.003>
- Simpson, M., & Catling, C. (2016). Understanding psychological traumatic birth experiences: A literature review. *Women and Birth*, *29*(3), 203–207. <https://doi.org/10.1016/j.wombi.2015.10.009>
- Sng, B. L., Sia, S. T., Razak, A. S., Moo, D., & Kwok, S. C. (2015). Childbirth pain and postpartum depression. *Trends in Anaesthesia and Critical Care*, *5*(4), 95–100. <https://doi.org/10.1016/j.tacc.2015.04.003>
- Soendari, T. (2000). GEJALA-GEJALA TRAUMA: Hubungannya dengan Pemikiran Karier, Identitas Vokasional, dan Pengembangan Kepribadian Pekerjaan.
- Soltani, N., Abedian, Z., Mokhber, N., & Esmaily, H. (2015). The Association of Family Support After Childbirth With Posttraumatic Stress Disorder in Women With Preeclampsia. *Iranian Red Crescent Medical Journal*, *17*(10), 12–17. <https://doi.org/10.5812/ircmj.17865>
- Sorenson, D. S., & Tschetter, L. (2010). Disaffirmation , Perinatal Trauma Symptoms , and. *Perspectives In Psychiatric Care*, *46*(1).
- Taghizadeh, Z., Irajpour, A., Nedjat, S., Arbabi, M., & Lopez, V. (2014). Iranian mothers' perception of the psychological birth trauma: A qualitative study. *Iranian Journal of Psychiatry*, *9*(1), 31–36. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/25561946> <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC4277605>
- Tonei, V. (2019). Mother's mental health after childbirth: Does the delivery method matter? *Journal of Health Economics*, *63*, 182–196. <https://doi.org/10.1016/j.jhealeco.2018.11.006>
- Toohill, J., Fenwick, J., Sidebotham, M., Gamble, J., & Creedy, D. K. (2019). Trauma and fear in Australian midwives. *Women and Birth*, *32*(1), 64–71. <https://doi.org/10.1016/j.wombi.2018.04.003>
- Toohill, Jocelyn, Creedy, D. K., Gamble, J., Fenwick, J., Ryding, E. L., & Buist, A. (2014). Psycho-Social Predictors of Childbirth Fear in Pregnant Women: An Australian Study. *Open Journal of Obstetrics and Gynecology*, *04*(09), 531–543. <https://doi.org/10.4236/ojog.2014.49075>

- Verreault, N., Da Costa, D., Marchand, A., Ireland, K., Banack, H., Dritsa, M., & Khalifé, S. (2012). PTSD following childbirth: A prospective study of incidence and risk factors in Canadian women. *Journal of Psychosomatic Research*, 73(4), 257–263. <https://doi.org/10.1016/j.jpsychores.2012.07.010>
- Walker, J. J. (2017). Planned home birth. *Best Practice and Research: Clinical Obstetrics and Gynaecology*, 43, 76–86. <https://doi.org/10.1016/j.bpobgyn.2017.06.001>
- Wallis, J. (2009). Planned home birth versus planned hospital birth. *Midwives*, 12(5), 28.
- Walsh, D. (1999). An ethnographic study of women's experiences of partnership caseload midwifery practice. *Midwifery*, 15, 165–176.
- Walsh, Denis, & Devane, D. (2012). A metasynthesis of midwife-led care. *Qualitative Health Research*, 22(7), 897–910. <https://doi.org/10.1177/1049732312440330>
- Wen, W.-S., Yuan, Z.-M., Ma, S.-J., Xu, J., Yuan, D.-T., & Sciences, L. (2013). Fundal pressure in second stage of labor (Kristeller maneuver) is associated with higher risk of levator ani muscle avulsion. *International Journal of Cancer. Journal International Du Cancer*, 1–23. <https://doi.org/10.1002/elsc.201200179>
- Whitburn, L. Y., Jones, L. E., Davey, M. A., & Small, R. (2017). The meaning of labour pain: How the social environment and other contextual factors shape women's experiences. *BMC Pregnancy and Childbirth*, 17(1), 1–10. <https://doi.org/10.1186/s12884-017-1343-3>
- WHO. (2018). Recommendation on fundal pressure to facilitate childbirth, (February), 1–17.
- World Health Organization. (2018). *Intrapartum care for a positive childbirth experience*. Retrieved from <http://apps.who.int/iris/bitstream/10665/260178/1/9789241550215-eng.pdf?ua=1> <http://www.who.int/reproductivehealth/publications/intrapartum-care-guidelines/en/>
- Wright, E. M., Matthai, M. T., & Budhathoki, C. (2018). Midwifery Professional Stress and Its Sources: A Mixed-Methods Study. *Journal of Midwifery and Women's Health*, 63(6), 660–667. <https://doi.org/10.1111/jmwh.12869>