

## Daftar Pustaka

- Acharya, N., Singh, R. R., Bhatta, N. K., and Poudel, P. (2014). 'Randomized Control Trial Of Kangaroo Mother Care In Low Birth Weight Babies At A Tertiary Level Hospital'. *Journal Of Nepal Paediatric Society*, **34**(1),pp 18-23.
- Alfirevic, Z., Milan, S. J., and Livio, S. (2012). 'Caesarean Section Versus Vaginal Delivery For Preterm Birth In Singletons'. *Cochrane Database Of Systematic Reviews*, (6),pp.1-24.
- American Academy of Pediatrics. (2015). 'The Apgar Score'. *Pediatrics*, **136**(4), p.819.
- Anggriani, S., Fransisca, A., and Kasim, J. (2014). 'Hubungan Antara Metode Kangaroo Mother Care (KMC) Terhadap Suhu Tubuh BBLR Di RSKD Ibu Dan Anak Pertiwi Makassar'. *Jurnal Ilmiah Kesehatan Diagnosis*, **4**(1),pp. 7-12.
- Aslam, H. M., Saleem, S., Afzal, R., Iqbal, U., Saleem, S. M., Shaikh, M. W. A., and Shahid, N. (2014). 'Risk Factors Of Birth Asphyxia'. *Italian Journal Of Pediatrics*, **40**(1),p. 94.
- Astuti, D. (2019). 'Efektivitas Kangaroo Mother Care Terhadap Average Length Of Stay (Avlos) Pada Bayi Berat Badan Lahir Rendah'. *Proceeding Of The Urecol*, pp.236-242.
- Badan Penelitian Dan Pengembangan Kesehatan. (2019). *Laporan Nasional Riskesdas 2018*. Jakarta: Badan Penelitian Dan Pengembangan Kesehatan.
- Badan Penyelenggara Jaminan Kesehatan.(2019). *Visi, Misi dan Landasan Hukum*. [online] diperoleh dari <https://bpjs-kesehatan.go.id/> [20 Desember 2019]
- Baley, J. (2015). 'Skin-To-Skin Care For Term And Preterm Infants In The Neonatal ICU'. *Pediatrics*, **136**(3),pp. 596-599.
- Boundy, E. O., Dastjerdi, R., Spiegelman, D., Fawzi, W. W., Missmer, S. A., Lieberman, E., And Chan, G. J. (2016). 'Kangaroo Mother Care And Neonatal Outcomes: A Meta-Analysis'. *Pediatrics*, **137**(1),p. E20152238.
- Carducci, B., And Bhutta, Z. A. (2018). 'Care Of The Growth-Restricted Newborn'. *Best Practice And Research Clinical Obstetrics And Gynaecology*, **49**, pp. 103-116.
- Cheah, I. G. S. (2019). 'Economic Assessment Of Neonatal Intensive Care'. *Translational Pediatrics*, **8**(3), p.246.
- Conde-Agudelo, A., and Díaz-Rossello, J. L. (2016). 'Kangaroo Mother Care To Reduce Morbidity And Mortality In Low Birthweight Infants'. *Cochrane Database Of Systematic Reviews*, (8), pp. 1-3.
- Cunningham, F., Leveno, K., Bloom, S., Hauth, J., Spong, C. Y., And Rouse, D. (2017). *Williams Obstetrics (24th Ed)*. New York: Mcgraw-Hill Education, Chapter 44, Fetal Growth Disorder, pp. 872–890.
- Daga, S. (2018). 'Reinforcing Kangaroo Mother Care Uptake In Resource Limited Settings'. *Maternal Health, Neonatology And Perinatology*, **4**(1), 26.

- Darlow, B. A., and Gilbert, C. (2019, May). 'Retinopathy Of Prematurity-A World Update'. In *Seminars In Perinatology*.**43**(6),pp.315-316.
- Ditaningtias, S., Sulistiyono, A., & Indawati, R. (2015). 'Anemia sebagai Faktor Risiko Peningkatan Skor Kehamilan Berdasarkan Kartu Skor Poedji Rochjati'. *Majalah Obstetri & Ginekologi*, **23**(3),pp. 90-96.
- Donald, S. K. (2017). 'Critical Analyses Of The Implications Of Kangaroo Mother Care On A Preterm infant'. *Journal of Neonatal Nursing*, **23**(3), pp.159-168.
- Dzunnuroin, Naura, R. (201). *Gambaran Karakteristik Ibu Bersalin dan Kejadian BBLR di Ruang Bersalin RSUD Ibnu Sina Gresik*. Laporan Tugas Akhir. Universitas Airlangga.
- El-Nagger, N. S. M., El-Azim, H. A., and Hassan, S. M. Z. (2013). 'Effect Of Kangaroo Mother Care On Premature Infants' Physiological, Behavioral And Psychosocial Outcomes In Ain Shams Maternity And Gynecological Hospital, Cairo, Egypt'. *Life Sci Journal*, **10**(1),pp. 703-716.
- Evereklian, M., and Posmontier, B. (2017). 'The Impact Of Kangaroo Care On Premature Infant Weight Gain'. *Journal of Pediatric Nursing*, **34**, e10-e16.
- Fahmi, N., Ernawati, R., and Masnina, R. (2015). *Pengaruh Perawatan Metode Kanguru dan Pijat Bayi Terhadap Kenaikan Berat Badan pada Bayi Berat Badan Lahir Rendah di Ruang NICU RSUD Taman Husada Bontang*. Skripsi.Stikes Muhamadiyah Samarinda.
- Fastman, B. R., Howell, E. A., Holzman, I., and Kleinman, L. C. (2014). 'Current Perspectives On Temperature Management And Hypothermia In Low Birth Weight Infants'. *Newborn and Infant Nursing Reviews*, **14**(2), pp. 50-55.
- Gelaye, B., Rondon, M. B., Araya, R., and Williams, M. A. (2016). 'Epidemiology Of Maternal Depression, Risk Factors, And Child Outcomes In Low-Income And Middle-Income Countries'. *The Lancet Psychiatry*, **3**(10), pp.973-982.
- Goodman, D. C., Ganduglia-Cazaban, C., Franzini, L., Stukel, T. A., Wasserman, J. R., Murphy, M. A.,and Little, G. A. (2019). 'Neonatal Intensive Care Variation in Medicaid-Insured Newborns: A Population-Based Study'. *The Journal of pediatrics*, **209**, pp.44-51.
- Gunawan, D. A. (2015). *Hubungan Status Pekerjaan Ibu Dan Jarak Kehamilan Dengan Bayi Berat Lahir Rendah Di Rsud Luwuk*. Disertasi. Universitas Gadjah Mada.
- Haakstad, L. A., Voldner, N., and Bo, K. (2019). 'Pregnancy And Advanced Maternal Age–The Associations Between Regular Exercise And Maternal And Newborn Health Variables'. *Acta obstetricia et gynecologica Scandinavica*,pp.1-9
- Hartati, N. (2018). 'Preeklampsia dengan Berat Badan Lahir Rendah (BBLR) pada ibu bersalin'. *Jurnal Gema Keperawatan*, **11**(1),pp.1-9
- Hashim, S., S. Zakariya, A. Ali, I. Shareena. and J. Rohana. (2017) 'Polyethylene Versus Cotton Caps As Adjunct To Body Wrap In Preterm Infants', *Pediatrics International*, **59**(7), pp. 776–780.

- Heraswati, H., Rahayu, S., and Khafidhoh, N. (2013). 'Efektifitas Perawatan Metode Kanguru Intermitten Dalam Peningkatan Berat Badan Bayi Berat Lahir Rendah di RSUD Tugurejo Semarang Tahun 2013'. *Jurnal Kebidanan*, **2**(4), pp.10-15.
- Herich, L. C., Cuttini, M., Croci, I., Franco, F., Di Lallo, D., Baronciani, D., and Zeitlin, J. (2017). 'Maternal Education Is Associated With Disparities In Breastfeeding At Time Of Discharge But Not At Initiation Of Enteral Feeding In The Neonatal Intensive Care Unit'. *The Journal of pediatrics*, **182**, pp. 59-65.
- Hidayati, N. (2015). 'Hubungan Riwayat BBLR Dengan Kejadian Sepsis Neonatorum'. *Oksitosin: Jurnal Ilmiah Kebidanan*, **2**(1), pp. 7-14.
- Hoy, W. E., Susan, A. M., and Jennifer, L. N. (2017). 'Prematurity, Low Birth Weight, and CKD, Chronic Kidney Disease in Disadvantaged Populations'. *Elsevier Inc*, pp.229-249
- Johan, H. and Fadzlul, F. (2019). *Pengantar Ilmu Kesehatan Masyarakat*. Yogyakarta: Gosyen Publishing
- Johnson, W., and Moore, S. E. (2016). 'Adolescent Pregnancy, Nutrition, And Health Outcomes In Low-And Middle-Income Countries: What We Know And What We Don't Know'. *BJOG*, **123**(10), pp.1589.
- Kanodia, P., Bora, R., and Gupta, A. (2016). 'Kangaroo Mother Care-A Cost Effective and an Alternate Method to Manage Hypothermia in Low Birth Weight Babies for Better Clinical Outcome'. *Value in Health*, **19**(7), p.A405.
- Kaur, S., Ng, C. M., Badon, S. E., Jalil, R. A., Maykanathan, D., Yim, H. S., and Mohamed, H. J. J. (2019). 'Risk Factors For Low Birth Weight Among Rural And Urban Malaysian Women'. *BMC public health*, **19**(4), p.539.
- Kementerian Kesehatan RI. (2012). *Buku Saku Pelayanan Kesehatan Neonatal Esensial*. Revisi. Jakarta: Kementerian Kesehatan RI. pp.46-49
- Kementerian Kesehatan RI. (2018). *Data dan Informasi Profil kesehatan Indonesia 2017*. Jakarta.
- Kementerian Kesehatan RI (2019). *Penerima Bantuan Iuran (PBI) Jaminan Kesehatan Nasional (JKN) di Daerah Istimewa Yogyakarta Sebanyak 1.572.154 Jiwa*. [online] [jkn.kemkes.go.id](http://www.jkn.kemkes.go.id) diperoleh dari <http://www.jkn.kemkes.go.id/detailberita.php?id=62> tanggal [7 Januari 2020].
- Knobel, R. B. (2014). 'Thermal stability of the premature infant in Neonatal Intensive Care'. *Newborn and Infant Nursing Reviews*, **14**(2), pp.72-76.
- Korraa, A. A., El Nagger, A. A., Mohamed, R. A. E. S., and Helmy, N. M. (2014). 'Impact Of Kangaroo Mother Care On Cerebral Blood Flow Of Preterm Infants'. *Italian journal of Pediatrics*, **40**(1), 83.
- Kumar, S., and Gonzalez, F. (2018). 'Effects Of Health Insurance On Birth Weight In Mexico'. *Health economics*, **27**(8), pp.1149-1159.
- Kuper, S. G., Sievert, R. A., Steele, R., Biggio, J. R., Tita, A. T., and Harper, L. M. (2017). 'Maternal And Neonatal Outcomes In Indicated Preterm Births Based On The Intended Mode Of Delivery'. *Obstetrics and Gynecology*, **130**(5), pp.1143-1151.

- Lahana, A., Delanaud, S., Erhani, R., Glusko-Charlet, A., Durand, E., Haraux, E., and Tourneux, P. (2018). 'Warming The Premature Infant In The Delivery Room: Quantification Of The Risk Of Hyperthermia'. *Medical engineering and physics*, **59**, pp.70-74.
- Lissauer, T. and Avroy, A. F. (2013) *Selayang Neonatologi*. Edisi 2. Jakarta: PT. Indeks. pp. 106-139
- Liu, K. E., and Case, A. (2017). 'Advanced Reproductive Age and Fertility'. *Journal of Obstetrics and Gynaecology Canada*, **39**(8), 685-695.
- Lumbanraja, S. N. (2016). 'Influence Of Maternal Factors On The Successful Outcome Of Kangaroo Mother Care In Low Birth-Weight Infants: A Randomized Controlled Trial'. *Journal of neonatal-perinatal medicine*, **9**(4), pp.385-392.
- Mahayana, S. A. S., Chundrayetti, E., and Yulistini, Y. (2015). 'Faktor Risiko yang Berpengaruh terhadap Kejadian Berat Badan Lahir Rendah di RSUP Dr. M. Djamil Padang'. *Jurnal Kesehatan Andalas*, **4**(3).
- Manuaba, I. A. C. IBG Fajar M., dan I. BG Manuaba, 2012. *Ilmu Kebidanan, Penyakit Kandungan dan KB untuk Pendidikan Bidan Edisi, 2*. Jakarta: EGC, pp.425
- Marmi. (2016). *Buku Ajar Pelayanan KB*. Yogyakarta: Pustaka Pelajar, pp.32-36
- Maryamah, A., Raksanagara, A. S., Rasyad, A. S., Wijayanegara, H., & Garna, H. (2019). 'Pengaruh Penggunaan Hypothermic Baby Blanket Dalam Meningkatkan Dan Menstabilkan Suhu Tubuh BBLR di RSU Dr. Slamet Garut'. *Jurnal Sistem Kesehatan*, **5**(1), p. 24-30.
- Mathews, T. J., and Hamilton, B. E. (2016). 'Mean Age Of Mothers Is On The Rise: United States, 2000-2014'. *NCHS data brief*, (232), pp. 1-8.
- Mathias, C. T., Solange, M. and Themba, G. G. (2018) 'Evidence Of The Factors That Influence The Utilisation Of Kangaroo Mother Care By Parents With Low-Birth-Weight Infants In Low- And Middle-Income Countries (Lmics): A Scoping Review Protocol', *Systematic Reviews*. *Systematic Reviews*, **7**(1), pp. 1-7.
- McCall, E. M., Alderdice, F., Halliday, H. L., Vohra, S., and Johnston, L. (2018). 'Interventions To Prevent Hypothermia At Birth In Preterm And/OR Low Birth Weight Infants'. *Cochrane Database of Systematic Reviews*, (2).
- Mekonnen, A. G., Yehualashet, S. S., and Bayleyegn, A. D. (2019). 'The Effects Of Kangaroo Mother Care On The Time To Breastfeeding Initiation Among Preterm And LBW Infants: A Meta-Analysis Of Published Studies'. *International Breastfeeding Journal*, **14**(1), p. 12.
- Merklinger-Gruchala, A., Jasienska, G., and Kapiszewska, M. (2019). 'Paternal Investment And Low Birth Weight—The Mediating Role Of Parity'. *PloS one*, **14**(1), p.e0210715.
- Moghaddam, P. S., and Aghaali, M. (2015). 'Survival of 798 Low Birth Weight Infants According to Birth Weight and Gestational Age'. *Shiraz E-Medical Journal*, **16**(11-12), pp. e31761
- Nadiyah, H., and Setyowati, D. L. (2017). 'Faktor-Faktor yang Berhubungan dengan Kepesertaan Program JKN di Wilayah Kerja Puskesmas Remaja Kota Samarinda'. *Jurnal Kebijakan Indonesia*. **6**(2), pp. 66-72

- Naidoo, H., de Witt, T. W., and Coetzee, M. (2018). 'Improving Survival Of Preterm Babies In Low-To Middle-Income Countries–What Can We Do?'. *South African Journal of Child Health*, **12**(3),pp. 117-120.
- Namnabati, M., Talakoub, S., Mohammadzadeh, M., and Mousaviasl, F. (2016). 'The Implementation Of Kangaroo Mother Care And Nurses' Perspective Of Barriers In Iranian'NICUs'. *Iranian Journal of Nursing and Midwifery Research*, **21**(1), p.84.
- National Institute for Health Research. (2016) Kangaroo mother care may boost the survival of newborn, premature babies', *NIHR signal*. [online]diperoleh dari <https://discover.dc.nihr.ac.uk/> [17Desember 2019].
- National Institute for Health Research. (2018) 'Plastic Wrap Or Bag Keep Pre-Term Infants Warm Immediately After Birth', *NIHR signal*.pp.1-4
- Newborn Service Clinical Guideline. (2016). *Management Of Infant On Postnatal Wards Under Paediatric Care*. [online] adhb.govt.nz diperoleh dari <http://www.adhb.govt.nz/newborn/Guidelines/Admission/NeonatalProblemsOnThePNW.htm#Admission> [2 Juli 2019]
- NICE. (2019). 'Specialist Neonatal Respiratory Care For Babies Born Preterm'. [online]diperoleh dari <https://www.nice.org.uk/> [17 Desember 2019]
- Nimbalkar, S. M., Khanna, A. K., Patel, D. V., Nimbalkar, A. S., and Phatak, A. G. (2018). 'Efficacy Of Polyethylene Skin Wrapping In Preventing Hypothermia In Preterm Neonates (< 34 Weeks): A Parallel Group Non-Blinded Randomized Control Trial'. *Journal of Tropical pediatrics*, **65**(2), pp.122-129.
- Norlén, F., Gustavsson, P., Wiebert, P., Rylander, L., Albin, M., Westgren, M., and Selander, J. (2019). 'Occupational Exposure to Inorganic Particles During Pregnancy and birth Outcomes: a Nationwide Cohort Study in Sweden'. *BMJ open*, **9**(2), p. e023879.
- Nurmalasari, Diana. (2014). *Gambaran Faktor Risiko Bayi Berat Lahir Rendah Di Rumah Sakit Umum Pusat Fatmawati Pada Tahun 2014*. Skripsi. Universitas Islam Negeri Syarif Hidayatullah Jakarta.
- Nursalam.(2017). *Manajemen Keperawatan: Aplikasi dalam Praktik Keperawatan Profesional Edisi 5*. Jakarta: Salemba Medika,pp.83-89
- NUVIRA,C.D.(2018). *Gambaran Penerapan Perawatan Metode Kanguru Di Rumah Sakit*.Disertasi. FKIK UMY.
- Oatley, H. K., Blencowe, H., and Lawn, J. E. (2016). 'The Effect Of Coverings, Including Plastic Bags And Wraps, On Mortality And Morbidity In Preterm And Full-Term Neonates'. *Journal of perinatology*, **36**(S1), p.S83.
- Palmer, K. T., Bonzini, M., Harris, E. C., Linaker, C., and Bonde, J. P. (2013). 'Work Activities And Risk Of Prematurity, Low Birth Weight And Pre-Eclampsia: An Updated Review With Meta-Analysis'. *Occup Environ Med*, **70**(4),pp. 213-222.
- Panaitescu, A. M., Baschat, A. A., Akolekar, R., Syngelaki, A., and Nicolaides, K. H. (2017). 'Association Of Chronic Hypertension With Birth Of Small-For-Gestational-Age Neonate'. *Ultrasound in Obstetrics and Gynecology*, **50**(3), pp.361-366.

- Panasevich, S., Håberg, S. E., Aamodt, G., London, S. J., Stigum, H., Nystad, W., and Nafstad, P. (2016). 'Association Between Pregnancy Exposure To Air Pollution And Birth Weight In Selected Areas Of Norway'. *Archives of Public Health*, **74**(1), p.26.
- Pemerintah Kota Surabaya. (2016). *Profil Kota Surabaya*. [online]diperoleh dari <https://surabaya.go.id/uploads/attachments/2016> [20 Desember 2019]
- Prabandari, F., and Purwoko, Y. (2013). *Hubungan Antara Skor Kerapuhan Dengan Lama Rawat Pasien Lanjut Usia: Studi pada Bangsal Rawat Inap Geriatri RSUP Dr. Kariadi Semarang*. Tesis. Universitas Diponegoro.
- Pramono, M. S., and Muzakkiroh, U. (2011). 'Pola Kejadian Bayi Berat Lahir Rendah Dan Faktor Yang Memengaruhinya Di Indonesia Tahun 2010'. *Buletin Penelitian Sistem Kesehatan*, **14**(3), pp.209-217
- Purwoastuti, Endang and Elisabeth Siwi. *Panduan Materi Kesehatan Reproduksi dan Keluarga Berencana*. Yogyakarta: Pustakabarupress, pp.127-137
- Queensland Clinical Guidelines (2019) 'Maternity and Neonatal Clinical Guideline Neonatal jaundice', pp. 7–8.
- Rahim, K. (2014) *Kangaroo Mother Care Health Technology Assessment Section Medical Development Division*. Putrajaya, Malaysia. pp. 3-5
- Ramani, M., Choe, E. A., Major, M., Newton, R., Mwenechanya, M., Travers, C. P., and Carlo, W. A. (2018). 'Kangaroo Mother Care For The Prevention Of Neonatal Hypothermia': A Randomised Controlled Trial In Term Neonates. *Archives of disease in childhood*, **103**(5), pp.492-497.
- Riaz, L., Kashif, S., and Haider, A. (2018). 'Comparison of Frequency of Hypothermia in Preterm and Low Birth Weight Infant Managed with Plastic Bag Versus Conventional Method'. *Annals of PIMS-Shaheed Zulfiqar Ali Bhutto Medical University*, **14**(1), pp. 99-102.
- Rini, K. S., and Istikomah, I. (2018). 'Hubungan Ibu Hamil Perokok Pasif Dengan Berat Bayi Lahir Rendah (BBLR) Pada Bayi Baru Lahir Di Kabupaten Pringsewu Lampung'. *Jurnal Wacana Kesehatan*, **3**(1), pp.253-259
- Rohana, J., Khairina, W., Boo, N. Y., and Shareena, I. (2011). 'Reducing Hypothermia In Preterm Infants With Polyethylene Wrap'. *Pediatrics International*, **53**(4), pp.468-474.
- Royal Collage of Obstetricians and Gynaecologist.(2014). 'Green-Top Guideline 31: The investigation and Management of the Small-for-Gestational-Age Fetus', *RCOG Green-Top Guideline No. 31*, (31), pp. 1-34
- Saifuddin, A. B. (2016) *Ilmu Kebidanan Sarwono Prawirohardjo*. Edisi 5. Jakarta: Bina Pustaka Sarwono Prawirohardjo, hlmn. 696-700.
- Saifudin, A.B. (2014). *Buku Panduan Praktis Pelayanan Kesehatan Maternal dan Neonatal*. Jakarta: PT. Bina Pustaka Sarwono Prawirohardjo, hlmn. M.18-24.
- Salehi, K., Mahmoodi, Z., Kabir, K., & Dolatian, M. (2016). 'Pathways of Job Style and Preterm Low Birth Weight. *Electronic physician*. **8**(9), p. 2888.
- Samuri, S., Yustina, E. W., and Kuntjoro, T. (2018). 'Tanggung Jawab Hukum Terhadap Pelaksanaan Asuhan Persalinan Patologi Oleh Bidan Di Rumah Sakit Umum Daerah Kabupaten Batang'. *SOEPRA*, **1**(1), pp.76-90.

- Sari, S. D. (2017) *Kehamilan, Persalinan, Bayi Preterm dan Postterm Disertai Evidence Based*. Palembang: Noerfikri. diperoleh: <https://books.google.co.id/books> (diakses 28 Maret 2019).
- Sartorius, G. A., and Nieschlag, E. (2010). 'Paternal age and reproduction. *Human reproduction update*', **16**(1), 65-79.
- Setyowati, R. (2015). 'Hubungan Pendidikan dan Pekerjaan dengan Pengetahuan Ibu tentang Perawatan Bayi Prematur di RSUD Cideres Kabupaten Majalengka Tahun 2014'. *J Keperawatan dan Kesehatan AKPER YPIB Majalengka*, **2014**(1), p.3.
- Shabeer, M. P., Abiramalatha, T., Devakirubai, D., Rebekah, G., and Thomas, N. (2018). 'Standard Care With Plastic Bag Or Portable Thermal Nest To Prevent Hypothermia At Birth: A Three-Armed Randomized Controlled Trial'. *Journal of Perinatology*, **38**(100), pp. 1324-1330
- Shafie, H., Syed Zakaria, S. Z., Adli, A., Shareena, I., and Rohana, J. (2017). 'Polyethylene Versus Cotton Cap As An Adjunct To Body Wrap In Preterm Infants'. *Pediatrics International*, **59**(7), pp.776-780.
- Sharma, D. (2017). 'Golden 60 Minutes Of Newborn's Life: Part 1: Preterm Neonate'. *The Journal of Maternal-Fetal and Neonatal Medicine*, **30**(22), pp.2716-2727.
- Simaheira, V. Z. (2013). *Perbedaan Pelaksanaan Perawatan Metode Kanguru Kontinyu Dan Intermitten Terhadap Hasil Peningkatan Pemberian Asi Pada Bayi Dengan Bblr Di Rsud Jombang*. Skripsi. Universitas Airlangga.
- Smith, J., Usher, K., Alcock, G., and Buettner, P. (2013). 'Application Of Plastic Wrap To Improve Temperatures In Infants Born Less Than 30 Weeks Gestation: A Randomized Controlled Trial'. *Neonatal network*, **32**(4), pp.235-245.
- Smith, R. B., Fecht, D., Gulliver, J., Beevers, S. D., Dajnak, D., Blangiardo, M., and Toledano, M. B. (2017). 'Impact Of London's Road Traffic Air And Noise Pollution On Birth Weight: Retrospective Population Based Cohort Study'. *BMJ*, **359**, p.j5299.
- Sohn, K. (2017). 'The Trend In The Relationship Of Advanced Maternal Age To Preterm Birth And Low Birthweight'. *The European Journal of Contraception and Reproductive Health Care*, **22**(5), pp. 363-368.
- Stewart, D. L., and Barfield, W. D. (2019). 'Updates on an At-Risk Population: Late-Preterm and Early-Term Infants'. *Pediatrics*, **144**(5), pp. e20192760
- Subramanian, S. K. N. (2014) 'Extremely Low Birth Weight Infant', pp. 1–24. Available at: <https://emedicine.medscape.com/article/979717-overview>.
- Sugiarti, Titik. (2015). *Keefektifan Pembungkus Plastik Terhadap Perubahan Tanda-Tanda Vital Pada BBLR Dan Premature Di Ruang NICU Instalasi Rawat Daeurar RSUD Dr. Soetomo Surabaya*. Skripsi. Universitas Airlangga.
- Suzuki, K., Nomura, K., Takenoshita, S., Ando, K., and Kido, M. (2016). 'Combination Of Parity And Pre-Pregnancy BMI And Low Birth Weight Infants Among Japanese Women Of Reproductive Age'. *Industrial Health*, **54**(6), pp.515-520.

- The American College of Obstetricians and Gynecologist. (2017). 'Periviable Birth'. *Obstetrics and Gynecology*, **130** (4), pp. e187-e199.
- Trevisanuto, D., Testoni, D., and de Almeida, M. F. B. (2018). 'Maintaining Normothermia: Why And How?'. In *Seminars in Fetal and Neonatal Medicine*. **23**(5), pp. 333-339.
- Treyvaud, K. (2014). 'Parent And Family Outcomes Following Very Preterm Or Very Low Birth Weight Birth: A Review'. In *Seminars in Fetal and Neonatal Medicine* **19**(2), pp. 131-135.
- Umboh, A. (2013) *Berat Lahir Rendah dan Tekanan Darah Pada Anak*. Jakarta: CV. Agung Seto, pp.16-17.
- UNICEF (2018) *Mortality rate, neonatal (per 1,000 live births), Data*. [online] worldbank.org. Diperoleh dari: <https://data.worldbank.org/indicator/SH.DYN.NMRT> (diakses tanggal 23 Maret 2019).
- Urhoj, S. K., Andersen, P. K., Mortensen, L. H., Smith, G. D., and Andersen, A. M. N. (2017). 'Advanced Paternal Age And Stillbirth Rate: A Nationwide Register-Based Cohort Study Of 944,031 Pregnancies In Denmark'. *European journal of epidemiology*, **32**(3),pp. 227-234.
- USAID (2019) 'USAID Identifikasi Penyebab Tingginya Angka Kematian Bayi di Jatim'. [online] timesindonesia.co.id. Diperoleh dari: <https://www.timesindonesia.co.id/read/189939/20181116/102047/usaid-identifikasi-penyebab-tingginya-angka-kematian-bayi-di-jatim> (diakses tanggal 23 Maret 2019).
- Valizadeh, L., Mahallei, M., Safaiyan, A., Ghorbani, F., and Peyghami, M. (2017). 'The Effect Of Plastic Cover On Regulation Of Vital Signs In Preterm Infants: A Randomized Cross-Over Clinical Trial'. *Iranian Journal of Neonatology IJN*, **8**(2),pp. 24-30.
- Verklan, M. T. and Marlene, W. (2010) *Neonatal Intensive Care Nursing*. St. Louis, Missouri: Saunders Elsevier, p. 110.
- Vogel, J. P., Chawanpaiboon, S., Moller, A. B., Watananirun, K., Bonet, M., and Lumbiganon, P. (2018). 'The Global Epidemiology Of Preterm Birth'. *Best practice and research Clinical obstetrics and gynaecology*, **52**, pp.3-12.
- Wen, Y. H., Yang, H. I., Chou, H. C., Chen, C. Y., Hsieh, W. S., Tsou, K. I., and Tsao, P. N. (2019). 'Association of Maternal Preeclampsia with Neonatal Respiratory Distress Syndrome in Very-Low-Birth-Weight Infants'. *Scientific reports*, **9**(1),pp. 1-8.
- Williamson, A. (2014). *Buku Ajar Asuhan Neonatus*. Jakarta: EGC, hlmn. 55-57
- World Health Organization.(2016). *WHO Recommendation On Antenatal Care For A Positif Pregnancy Experience*. Luxemburg: WHO, pp. 13-85.
- World Health Organization. (2017). *WHO Recommendations on Newborn Health: Guidelines Approved by the WHO guidelines review committee*. Geneva: WHO,pp.10-13.
- World Health Organization. (2018). *Fast-tracking action on health and the environment* [online] who.int diperoleh dari <https://www.afro.who.int/news/fast-tracking-action-health-and-environment> [7 Januari 2020].



- World Health Organization. (2018). *More than 90% of the world's children breathe toxic air every day*. [online] who.int diperoleh dari <https://www.who.int/news-room/detail/29-10-2018-more-than-90-of-the-world%E2%80%99s-children-breathe-toxic-air-every-day>. [7 Januari 2020].
- World Health Organization.(2018). *Care Of The Preterm And Low-Birth-Weight Newborn*. [online] who.int diperoleh dari [https://www.who.int/maternal\\_child\\_adolescent/newborns/prematurity/en/](https://www.who.int/maternal_child_adolescent/newborns/prematurity/en/) [4 April 2019].
- World Health Organization.(2018). *Preterm Birth*. [online]who.int diperoleh dari: URL. <https://www.who.int/en/news-room/factsheets/detail/preterm-birth> [19 Februari 2019].
- World Health Organization. (2019). *Newborn: reducing mortality*. [online] who.int diperoleh dari <https://www.who.int/news-room/factsheets/detail/newborns-reducing-mortality> [27 Desember 2019].
- Wu, Y., Chen, Y., Shen, M., Guo, Y., Wen, S. W., Lanes, A., and Hua, X. (2019). 'Adverse Maternal And Neonatal Outcomes Among Singleton Pregnancies In Women Of Very Advanced Maternal Age: A Retrospective Cohort Study'. *BMC pregnancy and childbirth*, **19**(1), p.3.
- Wyckoff, M. H. (2014, February). 'Initial Resuscitation And Stabilization Of The Periviable Neonate: The Golden-Hour Approach'. In *Seminars in Perinatology*. **38**(1), pp. 12-16.
- Wylie, Linda., and Helen Bryce.(2010). *Manajemen Kebidanan*. Jakarta: EGC,pp.1-9.