

DAFTAR PUSTAKA

DAFTAR PUSTAKA

1. Puhringer FK, Khuenl-Brady KS, Koller J. Evaluation of the endotracheal intubating conditions of rocuronium (Org 9426) and succinylcholine in outpatient surgery. *Anesth Analg* 1992;75:37-40.
2. Rekapitulasi Pasien Operasi Elektif Gedung Bedah Pusat Terpadu. Surabaya: RSUD dr. Soetomo / Fakultas Kedokteran Universitas Airlangga, Departemen Anestesiologi & Reanimasi; 2013.
3. Lockey D, Coleman P. Pain during injection of rocuronium bromide. *Anaesthesia* 1995; 50:474.
4. Ertugrul F. A Comparison of the efficacies of different pretreatment drugs in resolving the injection pain of rocuronium. *The journal of international med research* 2006;34:665-70.
5. Shabana MA, Nasr SE. Prevention of rocuronium injection pain in paediatrics: ketamine versus midazolam: A prospective randomized double blind study. *Egyptian journal of anaesthesia* 2011;27:141-44.
6. Morthy SS, Dierdof SF. Pain on injection of rocuronium bromide. *Anesthesia and Analgesia* 1995; 80 : 1066-7.
7. Shin Hee Young, Kim Su C, Lee Hwan J, Sin Woo S, Sangobok J, Sung Cho Hyun. Dilution and slow injection reduces the incidence of rocuronium-

induced withdrawal movements in children. Anesthesiol Korean 2011;61(6):465-69.

8. Steegers MAH, Robertson EN. Pain on Injection of rocuronium bromide. Anesthesia and analgesia 1996; 83 :203.
9. Cheong KF, Wong WH. Pain on injection of rocuronium: influence of two doses of lidocaine pretreatment. Br J Anaesth 2000;84:106-7.
10. Borgeat A, Kwiatkowski D. Spontaneous movements associated with rocuronium: is pain on injection the cause.Br J Anaesth 1997; 79:382-3.
11. Guinaz A, Arzu E, Alpasian A,Goksen O, Alpasian A. Effect of paracetamol pretreatment on rocuronium-induced injection pain: A Randomized double blind, placebo-controlled comparison with lidocaine. Journal of Clinical and analytical medicine 2008;11:82-6.
12. Sari mine, Lylikeil L, Bayindir S,Ellidokuz H, Gunerli A. Comparison of the effectiveness of pretreatment by fentanyl and ramifentanyl on rocuronium induced injection pain. Saudi med J 2008;29(3):374-78.
13. Mencke T, Beerhalter U, Fuchs BT. Spontaneous movements, local reaction and pain on injection of rocuronium. Acta Anaesthesiol 2001;45:1002-1005.
14. Mahajan C, Prasad R, Kumar P Prabhakar H, Yadav Rahul, Kumar Dube S. Local warming at injection site helps alleviate pain after rocuronium administration. J Anest 2010;24:845-48.
15. Eyigorcon C, Ceylan A, Demir F,Omer A, Ugur Gulden. Superficial venous thrombophlebitis caused by rocuronium. J Anest 2010;24:646-48.

16. McCulloch MJ, Less NW. Assessment and modification of pain on induction with propofol (Diprivan). *Anaesthesia* 1985;40:117-20.
17. Stokes DN, Robson N, Hutton P. Effect of diluting propofol on the incidence of pain on injection and venous sequelae. *Br J Anaesth* 1989;62:202-3.
18. Ahmad N, Choy Yin C, Aris E. Preventing the withdrawal response associated with rocuronium injection: A comparison of fentanyl. *Anesth Analg* 2005;100:987-90.
19. Barkerp, Langton JA, Murphy p, Rowbotham DJ. Effect of prior administration of cold saline on pain during propofol injection. *Anaesthesia*, 1991;46:1069-70.
20. Mc. Cririck A, Hunter S. Pain on injection of propofol: the effect of injectate temperature. *Anaesthesia* 1990;45.
21. Mundeleer P. The incidence and avoidance of pain on injection with propofol. *Anaesthesia*,1988;43:115-21.
22. Lee CJ, Jang HY, Kim MJ,GyuSang L. Rapid injection of rocuronium reduces withdrawal movement on injection. *Anaesthesia* 2009;21:427-430.
23. King SY, Davis FM, Wells JE, Murchison DJ, Prior PJ. Lidocaine for the prevention of pain due to injection of propofol. *Anest Analg* 1992;74:246-9.
24. Mernis Dilek, Turan A, Karamanhoglu B, Sut Needet, Pamukcu Zafer. The prevention of pain from injection of rocuronium by ondancetron, lidocaine, tramadol and fentanyl. *Anaesthesiol Analg* 2002;94:1517-20.

25. Ewart MC, Whitman JG. Prevention of pain during injection of propofol. Lancet 1990;335:798-9.
26. Booker J, Hull CJ, Stafford M. Effect of lignocaine on pain caused by propofol injection. Anaesthesia 1985;40:91-2.
27. Akcaboy NZ, Yawz E, Balkiz O. Can Ephedrine pretreatment be effective in alleviating rocuronium injection pain. Med Princ pract 2012;21:323-27.
28. Halaweh SA, Aloweidi AK, Qudaisat LY, Hussami MO, Atyat BS, Mustafa M, Halaweh NS. Comparison of three methods of preventing rocuronium induced pain on injection using venous occlusion technique. M.E.J Anesth 2013;22(1):88-92.
29. Goeta RR, Brose WG. Pain Management. In: Morgan GE, Mikhail MS. Clinical Anesthesiology. East Norwalk: Appleton & Lange, 1992;269-84.
30. Akkaya T, Toyga P, Bedirli N. Effects of pretreatment with lidocaine or ketamine on injection pain and withdrawal movements of rocuronium. Turk J med 2008;38(6):577-82.
31. Mehtab, Belkiz B, Tarik T, Honca T, Camgoz N, Eryilmaz, Ozkan Ugur, Horasanli E. A Comparison of tramadol, sufentanil, meperidine, and lidocaine in prevention of pain to rocuronium injection. Turk J med 2013; 43:79-83.
32. Dodson ME. Postoperative pain physiology, natural history and psychology. The management of post operative pain. London: Edward Arnold Ltd, 1985;1-30.

33. Bonica JJ. Biochemistry and modulation of nociception and pain.In: Bonica JJ. The management of pain. 2nded.Philadelphia:Lea & Febiger:1990;95-119.
34. Levine J, Taiwo Y. Inflammatory pain. In : WallPD, Melzack R. Text book of pain. 3rd. Edinburgh:Churchill livingstone 1994;45-52.
35. Klement W, Arndt JO. Pain on injection of some anaesthetic agents is evoked by unphysiological osmolality or PH of their formulations. British Journal of Anaesthesia 1991; 66:189-195.
36. Iwama H, Nakame M, Ohmori s. Nemostat mesilate, a kallikrein inhibitor, prevents pain on injection with propofol. British Journal of Anaesthesia 1998;81:963-964.
37. Gaiser RR. Pharmacology of local anesthetics. In : Longnecker DE, Murphy FL. Introduction to anesthesia. 6th ed. Philadelphia: Lea & Febinger, 1993;1257-8.
38. Collins VJ. Local anaesthetics. Principles of anesthesiology-general and regional anesthesia. 3rd ed. Philadelphia: Lea & Febinger, 1993;1257-8.
39. Sieber TJ, Zbinden AM, CuratoloM, Shorten GD. Trachel Intubation with rocuronium using the"timing principle", Anesth Analg 1998;45:397-401.
40. Singh M, Chauhan H, Rath PG. Effect of narcotic pretreatment on pain after rocuronium injection: A randomized, double blind controlled comparison with lidocaine. J Anesth 2007;21:510-12.
41. Tsui BC, Reid S, Gupta S, Kearney R, Mayson T, Finucane B. A rapid precurarization technique using rocuronium. Can J Anaesth 1998;45:397-401.

42. Esmeron product monograph, Organon technical document number. Belgium1996; OT/960207-990.
43. Woelfel SK, Brandon BW, Cook DR. Effect of bolus administration of Org 9462 in children during nitrous oxide-halothane anaesthesia. *Anaesthesiology* 1992;76: 939-42.
44. International Prescribing information Esmeron (summary of product Characteristics), International Document Number OTP 05.588/G;April 1998.
45. Wierda JMKH, Proost JH, Schhiere S, Hommes FDM. Pharmacokinetics/dynamic relationship of rocuronium bromide in humans. *Eur J Anaesth*.1994;11(9):66-74.
46. Madden VR, Mc Coy EP, Mirakhur RK, MC Bridge RJ. Onset and duration of action and hemodynamic effect of rocuronium bromide under balanced volatile anesthesia. *Acta Anesth Belg*.1994;45:41-48.
47. Wierda JMKH, De Wit APM, Kuizenga K, Agoston S. Clinical observations on the neuromuscular blocking action of org 9426, a new steroid non depolarizing agent. *Br J Anaesth* 1990;64;521-23.
48. Sparr HJ, Luger TJ, Heidegger T, Putensen-Himmer G. Comparison of intubating conditions after rocuronium and suxamethonium following “rapid sequence induction” with thiopentone in elective cases. *Acta anaesthesiol Scand* 1996;40:425-30.
49. Tryba M, Zorn A, Thole H, Zenz m. Rapid sequence of orotracheal intubation with rocuronium: A randomized double-blind comparison with

suxamethonium-preliminary communication. Eur J Anaesthesiol Suppl 1994;44-8.

50. Magorian T, Flannery KB, Miller RD. Comparison of rocuronium, succinylcholine and vecuronium for rapid sequence induction of anesthesia in adult patients. Anesthesiology 1993;79:913-8.
51. Dubois MY, Lapeyre G, Lea D. Pharmacodynamic effects of three doses of Org 9426 used for endotracheal intubation in humans. J Clin Anesth 1992;4:472-5.
52. De Mey JC, Debrock M, Rolly G. Evaluation of the onset and intubation conditions of rocuronium bromide. Eur J Anaesthesiol 1994;11 (9);37-40.
53. Huizinga ACT, Vandenbrom RHG, Wierda JMKH, et al. Intubating conditions and onset of neuromuscular block of rocuronium. Acta Anaesthesiol Scand 1992;36:463-8.
54. Sparr HJ, Khuenl-Brady KS, Erikson LJ, Lee H. Pharmacodynamics and pharmacokinetics of rocuronium following continuous infusion in patients during intravenous anesthesia. Eur J Anesthesiol 1994;11(9):63-65.
55. Viby-Mogensen J. Dose-response relationship and time course of action of rocuronium bromide in perspective. Eur J Anaesthesiol 1994;11(9):28-32.
56. Ariawan I. Besar sampel untuk beda proporsi. Besar dan metode sampel pada penelitian kesehatan. Jurusan Biostatistik dan kependudukan Fakultas Kesehatan Masyarakat, Universitas Indonesia, 1998;25-32.

57. Wawolumaya C. Desain dan metodologi. Metode epidemiologi eksperimen. Jakarta: Setia Bumi Jaya, 1997;7-19.
58. Custeau I, Martin R, Larabes S. Pain on injection of rocuronium:methods of alleviation. Can J Anaesth 1998; 45:A 13.
59. Shevchenko Y, Jocson JC, Mc Rae VA. The use of lidocaine for preventing the withdrawal associated with the injection of rocuronium in children and adolescents. Anesth analg 1999;88:746-8.
60. Seridiami. Efek Lidokain intravena perioperatif terhadap kadar Interleukin-1 β pada kasus pembedahan diRS Sanglah .www.SanglahhospitalBali.com
61. Sastroasmoro S, Ismael S. Dasar-Dasar Metodologi penelitian Klinis.Bagian Ilmu Kesehatan Anak Fakultas kedokteran Indonesia.PT Bina Rupa Aksara, Jakarta 1995
62. Joshi GP, Whitten CW. Pain on injection of Rocuronium Bromide. Anesth Analg 1997;84:228.