

DAFTAR PUSTAKA

- Abdallah, I. B., Bouteraa, Y. & Rekik, C. 2017. *Design and Development of 3D Printed Myoelectric Robotic Exoskeleton for Hand Rehabilitation. International Journal on Smart Sensing and Intellegent*, pp. 6-8.
- American Heart Association. 2007. *Heart Disease 2007*. Dallas, Texas: American Heart Association.
- Amran. Analisis Faktor Risiko Kematian Penderita Stroke. Makasar: Amranepid; 2012
- Arayaprane, W. 2012. Rubber Abrasion Resistance, Rangsit University. Thailand.
- Ardhyananta, Hosta, Deni Budi Utomo. 2014. Studi Pengaruh Katalis Curing Benzoil Peroksida terhadap Kekuatan Tarik dan Stabilitas Termal Karet Silikon. Program Sarjana. Institut Teknologi Sepuluh Nopember. Surabaya.
- Batubara, S. O., & Tat, F. (2016). Hubungan antara penanganan awal dan luasnya kerusakan neurologis pasien stroke di RSUD Kupang. *Jurnal Keperawatan Soedirman*, 10(3), 143-157.
- Beatrice.2012."Paper Carpal Tunnel Syndrome" dalam <http://www.scribd.com/doc/95662572/Paper-Carpal-Tunnel-Syndrome> .Diakses tanggal 24 Desember 2019
- Bustamante, Marlene & Vega-Centeno, Rodrigo & Sanchez Sifuentes, Midori & Mio, Renato. (2018). A parametric 3D-printed body-powered hand prosthesis based on the four-bar linkage mechanism. 10.1109/BIBE.2018.00022
- Bland, M.D., Whitson, M., Harris, H., Edmiaston, J., Connor, L. T., Fucetola, R., ... Corbetta, M. (2015). Descriptive data analysis how standardized assessment are used to guide post-acut discharge recommendations for rehabilitation service after stroke. *Physical Therapy*, 5 (5), 710-719.
- Candeo, R. 2017. *Design of an Exoskeleton for Hand Rehabilitation after Stroke*.Milano: *Scuola di Ingegneria Industriale e dell'Informazione Master of Science in Mechanical Engineering*.
- Dalgas, U., Stenager, E., Ingemann-Hansen, T., 2008. *Multiple sclerosis and physical exercise: recommendations for the application of resistance-, endurance- and combined-training*. *Multiple Sclerosis*, 14 (1): 35-53.
- Dewanto, G. dkk. 2009. Panduan Praktis Diagnosis dan Tata Laksana Penyakit Saraf. hal.25. Jakarta: EGC.

- Geyer JD, Gomez CR, Sheppard AR, Akhtar N, Brandstater ME, 2009.
Modifiable risk factor associated with stroke. Dalam: Geyer JD, Gomez CR (Eds). *Stroke: A practical approach*. Philadelphia: Lippincot Williams & wilkins, hal: 15-18.
- G. I. Bain, N. Polites., B. G. Higgs., Heptinstall, R. J., & McGrath, A. M. 2014. *The Functional Range of Motion of the Finger Joints*. *Journal of Hand Surgery (European Volume)*, XXE(X)(1-6), p. 1.
- Hall J, Swinkels A, Briddon J, Candida SM, 2008 ; Does Aquatic Exercise Relieve Pain in Adults With Neurologic or Musculoskeletal Disease? A Systematic Review and MetaAnalysis of Randomized Controlled Trials. *Arch Phys Med Rehabil*, 89, 873-883.
- Hume, Mary & Gellman, Harris & Mckellop, Harry & Brumfield, Robert. (2011). Functional range of motion of the joints of the hand. *The Journal of Hand Surgery*. 15. 240-243. 10.1016/0363-5023(90)90102-W.
- India, R., 2019. *Robo India-Learning Portal*. <https://roboindia.com/tutorials/servo-tester/> diakses pada 12 Oktober 2019.
- Irfan, M. 2012. Aplikasi Terapi Latihan Metode Bobath dan Surface Electromyography (SEMG) Memperbaiki Pola Jalan Insan Stroke. Vol. 12 No 1: 2-4.
- Jianrenstore,2019.https://ae01.alicdn.com/kf/HTB1a2jpXxSYBuNjSspjq6x73VXap/Servo-Tester_CCPM-Servo-Consistency-Master-for-RC-Helicopter.jpg. Diakses pada 12 Oktober 2019.
- Kamran, M. & Saxena, A., 2016. *A Comprehensive Study on 3D Printing Technology*. *MIT International Journal of Mechanical Engineering*, Volume 6, p. 5.
- Kong, Y.K., Kim, D.M. 2015. *The Relationship Between Hand Anthropometrics, Total Grip Strength and Individual Finger Force*. *International Journal of Occupational Safety and Ergonomics (JOSE)*, Volume XXI, p. 188.
- Lampl Y., Silva D.A.D., Venketasubramanian N., JR. Roxas, A.A., and Kee P.L. (2014). Understanding stroke. A guide for stroke Survivors and Their families. National stroke Association of Malaysia. Pages 7-11 and 32 51.
- Made, U. 2011. *Rentang Gerak*. <https://www.scribd.com/doc/76755420/Rentang-Gerak> Diakses pada 2 Oktober 2019.
- Marco Troncosi, Mohammad Mozaffari-Foumashi and Vincenzo Parenti-Castelli (2016) *An Original Classification of Rehabilitation Hand Exoskeletons*. *J Robot Mech Eng Resr* 1(4): 17-29.

- Mardjono, M dan Sidharta P. 2014. *Neurologi Klinis Dasar*. Jakarta: Dian Rakyat.
- Md Akhlaqor Rahman and Adel Al-Jumaily. *Design And Development Of A Hand Exoskeleton For Rehabilitation Following Stroke*. *Procedia Engineering* 41 (2012) 1028 – 1034
- Media Fisioterapi, 2012. *Media Fisioterapi*.
<http://mediafisioterapi.blogspot.com/2014/04/cara-mengukur-rom.html>.
 Diakses pada 12 Oktober 2019.
- Miftah, F., 2015. *Electronic Theses and Dissertations Universitas Muhammadiyah Surakarta*. <http://eprints.ums.ac.id/39675/2/BAB%20I.pdf>. Diakses pada 29 Oktober 2019.
- Muaza, N. A. N., Azmi, A. P. M. N. & Lee, H., 2018. *Biomechanical Analysis using Kinovea for Sports Application. IOP Conference Series: Materials Science and Engineering*, pp. 1-2.
- Mufasu 2010, Program 3Ds Max dalam <https://mufasu.wordpress.com/tag/apa-itu-3ds-max/>. Diakses pada tanggal 24 Desember 2019.
- Olewi, Jawad. K dkk. 2011. *A Study of The Effect of Carbon Black Powder on The Physical Properties of SBR/NR Blends Used In Passanger Tire Tread*. Baghdad. University of Technology.
- Opportunity, New. York. S. O., 2017. *Workers' Compensation Guidelines for Determining Impairment*. 1st ed. New York : New York State Of Opportunity.
- Pedersen, M. E., 2011. *Servo Tester 2 User Manual*. http://www.ejberg.dk/Wordpress42/wpcontent/uploads/2015/07/Servo_Tester_2_user_manual.pdf. Diakses pada 12 Oktober 2019.
- Pinzon, Rizaldy dan Asanti, Laksmi, 2010. *Awas stroke! Pengertian, gejala, tindakan, perawatan dan pencegahan*. Yogyakarta: Andi Offset.
- Pramod Kumar Parida, B. B. B., 2012. *Design and Analysis of a Multifingered Robot Hand. International Journal of Robotics and Automation (IJRA)* , Volume I, p. 71.
- Putri, A., 2012. www.academia.edu/9543827/ROM_Range_Of_Motion. Diakses pada 26 December 2018.
- Suratun, 2008. *Klien Gangguan sistem Muskuloskeletal. Seri Asuhan Keperawatan ; Editor Monika Ester, Jakarta: EGC*.
- Rogers, T., 2015. *Creative Mecanisms*. www.creativemechanisms.com/blog/learn-about-polylactic-acid-pla-prototypes. Diakses pada 1 Oktober 2019.
- Sandoval-Gonzalez, O. et al., 2016. *Design and Development of a Hand Exoskeleton Robot for Active and Passive Rehabilitation*. pp. 3-8.

- Satyanegara. 2010. Ilmu Bedah Saraf. Edisi ke-4. Jakarta: PT. Gramedia Pustaka Utama.
- Sutikno, Edi, 2014. Pengaruh Variasi Jumlah Gigi *Wheel* terhadap Perbandingan Kontak serta Kecepatan Luncur Spesifik untuk Jumlah Gigi Pinion Minimum, Jurnal Rekayasa Mesin, Vol.5, No.3, 275 – 284.
- Vinstrup, J., Calatayud, J., Jakobsen, M. D., Sundstrup, E., Jørgensen, J. R., Casaña, J., & Andersen, L. L. (2018). *Hand strengthening exercises in chronic stroke patients: Dose-response evaluation using electromyography*. *Journal of Hand Therapy*, 31(1), 111–121. doi:10.1016/j.jht.2017.01.004
- Widiyanto. 2009. Terapi Gerak bagi Penderita Stroke dalam Medikora Vol. V, No. 1. Medikora : UNY Yogyakarta
- Wirawan, R., 2009. Rehabilitasi Stroke pada Pelayanan Kesehatan Primer. Volume 59. Majalah Kedokteran Indonesia. Jakarta.
- Worsnoop TT, et al. 2007. *An Actuated Finger Exoskeleton for Hand Rehabilitation Following Stroke*. *Journal of Rehabilitation Robotics*