

**DAFTAR PUSTAKA**

- Ali, P. and Hossain, N. (2018) ‘Criteria based audit in the management of eclampsia at a public sector tertiary care hospital in Karachi , Pakistan’, 11(August 2017), pp. 111–114. doi: 10.1016/j.preghy.2018.01.012.
- Amoakoh-coleman, M., Ansah, E., Klipstein-grobusch, K. and Arhinful, D. (2019) ‘Completeness of obstetric referral letters / notes from subdistrict to district level in three rural districts in Greater Accra region of Ghana : an implementation research using mixed methods’, pp. 1–10. doi: 10.1136/bmopen-2019-029785.
- Badan Pusat Statistik (2015) *Angka Kematian Ibu Menurut Pulau 2015*. Available at: <https://www.bps.go.id/dynamictable/2018/06/05/1439/angka-kematian-ibu-menurut-pulau-per-100-000-kelahiran-hidup-2015.html> (Accessed: 27 March 2019).
- Badan Pusat Statistik (2017) *Statistik Kesejahteraan Rakyat 2017*. Jakarta: Badan Pusat Statistik. doi: 10.1111/j.1469-7610.2010.02280.x.
- Badan Pusat Statistik Provinsi Kalimantan Selatan (2018) *Jumlah Kecamatan Menurut Kabupaten/Kota di Kalimantan Selatan Tahun 2005-2015*. Available at: <https://kalsel.bps.go.id/site/resultTab>.
- Baiti, B. N. and Cahyanti, R. D. (2018) ‘Kualitas Rujukan Ibu Hamil Dengan Preeklampsia/Eklampsia di UGD Obstetri-Ginekologi RSUP Dr. Kariadi Semarang Periode Tahun 2013-2016’, 7(1), pp. 81–99.
- Bappeda Kotabaru (2017) *Peta Administrasi Kabupaten Kotabaru*. Available at: <http://www.bappeda-kotabaru.info/umum/80/>.
- BPJS Kesehatan (2016) ‘Pahami Lebih Dalam tentang Sistem Rujukan Berjenjang dan Pola Pembayaran BPJS Kesehatan ke Faskes. Siaran Pers’. Jakarta: BPJS Kesehatan.
- Browne, J. L., Nievelt, S. W. Van and Srofeyoh, E. K. (2015) ‘Criteria-Based Audit of Quality of Care to Women with Severe Pre-Eclampsia and Eclampsia in a Referral Hospital in Accra ’, pp. 1–12. doi: 10.1371/journal.pone.0125749.
- Christanto, D. and Damayanti, N. A. (2014) ‘Kepuasan pasien ibu hamil dalam proses rujukan vertikal pelayanan kesehatan ibu dan anak’, 2, pp. 217–225.
- Cohen, W. R. (2014) ‘Does maternal age affect pregnancy outcome ?’, pp. 252–254. doi: 10.1111/1471-0528.12563.
- Cunningham, F., Leveno, K., Bloom, S., Spong, C. Y. and Dashe, J. (2014) *Williams obstetrics, 24e*. United States: McGraw-hill.
- Dachlan, E., TJ, H., Sulistyono, A., Wardhana, M. and Gumilar, K. (2016) *Preeklampsia, Eklampsia & Perdarahan Pasca Saliان*. Surabaya: Satgas Penakib Jawa Timur.

- Deen, M. E., Ruurda, L. G. C., Wang, J. I. M. and Dekker, G. A. (2006) ‘Risk factors for preeclampsia in multiparous women : Primipaternity versus the birth interval hypothesis’, 19(February), pp. 79–84. doi: 10.1080/14767050500361653.
- Dinas Kesehatan Provinsi Kalimantan Selatan (2018) *Profil Dinas Kesehatan Provinsi Kalimantan Selatan 2018*. Banjarmasin: Pemerintah Provinsi Kalimantan Selatan.
- Dirjen Bina Gizi KIA Kementerian Kesehatan RI (2015) ‘Kesehatan dalam Kerangka Sustainable Development Goals (SDGs)’. Jakarta: DIRJEN BINA GIZI KIA.
- Druzin, M. L., Shields, L. E. and Peterson, N. L. (2013) ‘A California Toolkit to Transform Maternity Care Improving Health Care Response to Preeclampsia: A California Quality Improvement Toolkit Improving Health Care Response to Preeclampsia: A California Quality Improvement Toolkit’.
- Ekasafitri, D., Hikayati and Kusumaningrum, A. (2019) ‘Pengalaman Pelaksanaan Sistem Rujukan Kasus Kegawatdaruratan Maternal dan Neonatal di Puskesmas Indralaya’.
- Enquiries, T. C. and Deaths, M. (2010) ‘The Management of Severe Pre-Eclampsia/Eclampsia’, 10(10), pp. 1–11.
- Gordon, R., Magee, L. A., Payne, B., Firoz, T., Sawchuck, D., Tu, D., Vidler, M., Silva, D. De, Dadelszen, P. Von, *et al.* (2014) ‘Magnesium Sulphate for the Management of Preeclampsia and Eclampsia in Low and Middle Income Countries: A Systematic Review of Tested Dosing Regimens’, *Journal of Obstetrics and Gynaecology Canada*. Elsevier Masson SAS, 36(2), pp. 154–163. doi: 10.1016/S1701-2163(15)30662-9.
- Handriani, I. and Melaniani, S. (2013) ‘Pengaruh Proses Rujukan dan Komplikasi Terhadap Kematian Ibu’, pp. 400–411.
- Hidayat, A. A. (2007) ‘Metode penelitian kebidanan dan teknik analisis data’, *Jakarta: salemba medika*, pp. 43–44.
- Hons, M., Aero, B. E. and Oxon, D. (2011) ‘What ’ s in a referral letter : does the detail matter ?’, 14(August), pp. 11–14.
- Ispandiyah, W. and Endartiwi, S. S. (2019) ‘Implementation of Reference Policy Final for BPJS Health Participants Peserta BPJS Kesehatan dapat dirujuk dari fasilitas kesehatan yang lebih rendah ke fasilitas kesehatan yang lebih tinggi jika dijumpai permasalahan peserta dapat ditangani oleh’, 5, pp. 196–204. doi: 10.33485/jiik-wk.v5i2.129.
- Jackson, R., Tesfay, F. H., Gebrehiwot, T. G. and Godefay, H. (2017) ‘Factors that hinder or enable maternal health strategies to reduce delays in rural and pastoralist areas in Ethiopia’, 22(2), pp. 148–160. doi: 10.1111/tmi.12818.

- Jasovic, V. and Stoilova, S. (2011) 'Previous pregnancy history , parity , maternal age and risk of pregnancy induced hypertension', (May 2014).
- Kementerian Kesehatan Republik Indonesia (2013) *Pelayanan Kesehatan Ibu di Fasilitas Kesehatan Dasar dan Rujukan*. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Kidanto, H., Wangwe, P., Sciences, A., Kilewo, C. and Sciences, A. (2014) 'Improved quality of management of eclampsia patients through criteria based audit at Muhimbili National Hospital , Dar es Salaam , Tanzania . Bridging the quality gap', (November 2012). doi: 10.1186/1471-2393-12-134.
- Lapau, B. (2015) *Metodologi Penelitian Kebidanan: Panduan Penulisan Protokol dan Laporan Hasil Penelitian*. Jakarta: Yayasan Pustaka Obor Indonesia.
- Lean, S. C., Derricott, H., Jones, R. L. and Heazell, A. E. P. (2017) 'Advanced maternal age and adverse pregnancy outcomes : A systematic review and meta-analysis', pp. 1–15.
- Lestariningsih (2018) 'Pengaruh Usia Kehamilan terhadap Risiko Pre Eklamsi – Eklamsi pada Kehamilan', 13.
- Lombo, G. E., Wagey, F. W. and Mamengko, L. S. (2017) 'Karakteristik Ibu Hamil dengan Preeklampsia di RSUP Prof Dr. R.D. Kandou Manado', 1(3).
- Martaadisoebrita, D., Sastrawinata, S., & Saifuddin, A. B. (2011) *Bunga Rampai Obstetri dan Ginekologi Sosial*. Jakarta: PT Bina Pustaka Sarwono Prawirohardjo.
- Mgawadere, F., Unkels, R., Kazembe, A. and Broek, N. Van Den (2017) 'Factors associated with maternal mortality in Malawi: application of the three delays model'. BMC Pregnancy and Childbirth, pp. 1–9. doi: 10.1186/s12884-017-1406-5.
- Milne, F., Redman, C., Walker, J., Baker, P., Bradley, J., Cooper, C., Swiet, M. De, Fletcher, G., Jokinen, M., et al. (2005) 'Primary care community', 330(March), pp. 576–580.
- Morken, N. H., Irgens, L. and Vollset, S. E. (2012) 'Secular trends in the epidemiology of pre-eclampsia throughout 40 years in Norway: prevalence , risk factors and perinatal survival', pp. 190–198. doi: 10.1111/j.1365-3016.2012.01260.x.
- Mosadeghrad, A. M. (2014) 'Original Article Factors influencing healthcare service quality', 3(2), pp. 77–89. doi: 10.15171/ijhpm.2014.65.
- Myatt, L., Redman, C. W., Staff, A. C., Hansson, S., Wilson, M. L., Laivuori, H., Poston, L. and Roberts, J. M. (2014) 'Strategy for Standardization of Preeclampsia Research Study Design', pp. 1293–1301. doi: 10.1161/HYPERTENSIONAHA.113.02664.
- Nursalam (2017) *Manajemen Keperawatan: Aplikasi dalam Praktik Keperawatan*

- Profesional*. 5th edn. Jakarta: Salemba Medika.
- Okunade, K. S., Gbadegesin, A. and Akinsola, O. J. (2014) ‘Risk Factors for Pre-eclampsia in Multiparous Women in Lagos , Nigeria’, 9633, pp. 3–6. doi: 10.7439/ijbr.
- Penelitian, A., Setiawati, M. E., Nurrizka, R. H., Ilmu, F., Universitas, K., Nasional, P. and Jakarta, V. (2019) ‘Evaluasi pelaksanaan sistem rujukan berjenjang dalam program jaminan kesehatan nasional’, 08(01), pp. 35–40.
- Pribadi, A. (2019) *Preeklampsi ‘Stopable’*. Jakarta: CV. Sagung Seto.
- Pribadi, A., Mose, J. C. and Anwar, A. D. (2015) *Kehamilan Risiko Tinggi*. Jakarta: CV. Sagung Seto.
- Scheffler, E., Visagie, S. and Schneider2, M. (2015) ‘The impact of health service variables on healthcare access in a low resourced urban setting in the Western Cape, South Africa’, pp. 1–11. doi: 10.4102/phcfm.v7i1.820.
- Sekretariat Jenderal Kementerian Kesehatan RI (2016) *Profil Kesehatan RI 2015, Profil Kesehatan Indonesia Tahun 2015*. doi: 10.1111/evo.12990.
- Shan, D., Qiu, P., Wu, Y., Chen, Q., Li, A. and Ramadoss, S. (2018) ‘Pregnancy Outcomes in Women of Advanced Maternal Age : a Retrospective Cohort Study from’, (March), pp. 1–9. doi: 10.1038/s41598-018-29889-3.
- Shaw, C. D. (1990) ‘Audit in Person Criterion based audit’, 300, pp. 649–651.
- Shen, M., Smith, G. N., Rodger, M., White, R. R., Walker, C. and Wen, S. W. (2017) ‘Comparison of risk factors and outcomes of gestational hypertension and pre-eclampsia’, pp. 1–13.
- Sibai, B. M. (2004) ‘Magnesium sulfate prophylaxis in preeclampsia : Lessons learned from recent trials’, pp. 1520–1526. doi: 10.1016/j.ajog.2003.12.057.
- Silva, D. A. De, Sawchuck, D., Dadelszen, P. Von, Basso, M., Synnes, A. R., Liston, R. M. and Magee, L. A. (2015) ‘Magnesium Sulphate for Eclampsia and Fetal Neuroprotection: A Comparative Analysis of Protocols Across Canadian Tertiary Perinatal Centres’, *Journal of Obstetrics and Gynaecology Canada*. Elsevier Masson SAS, 37(11), pp. 975–987. doi: 10.1016/S1701-2163(16)30047-0.
- Sjahruddin, D. D. and Ardian, M. (2017) *Criteria-Based Audit tentang Kualitas Rujukan Pasien Preeklampsia Berat dan Eklampsia di RSUD dr. Soetomo Surabaya Bulan Januari 2015 – Desember 2016*. Surabaya.
- Sk, I. K., Paswan, B., Anand, A. and Mondal, N. A. (2019) ‘Praying until death : revisiting three delays model to contextualize the socio-cultural factors associated with maternal deaths in a region with high prevalence of eclampsia in India’. BMC Pregnancy and Childbirth, pp. 1–11.
- Souza, P. (2014) ‘Risk Factors of Pre-Eclampsia / Eclampsia and Its Adverse Outcomes in Low- and Middle-Income Countries : A WHO Secondary

- Analysis', 9(3), pp. 1–9. doi: 10.1371/journal.pone.0091198.
- States, U., Wallis, A. B., Saftlas, A. F., Hsia, J. and Atrash, H. K. (2008) 'articles Secular Trends in the Rates of Preeclampsia , Eclampsia , and Gestational Hypertension ', 21(5). doi: 10.1038/ajh.2008.20.
- Stellenberg, E. L., Africa, S., Stellenberg, E., Africa, S. and Attribution, C. (2000) 'Accessibility , affordability and use of health services in an urban area in South Africa', pp. 1–7. doi: 10.4102/curationis.v38i1.102.
- Suharmiati, Handayani, L. and Kristiana, L. (2012) 'Faktor-faktor yang memengaruhi keterjangkauan Pelayanan Kesehatan di Puskesmas Daerah Terpencil Perbatasan di Kabupaten Sambas ( Studi Kasus di Puskesmas Sajigan Besar )', 15, pp. 223–231.
- Sumarmi, S. (2017) 'Model sosio ekologi perilaku kesehatan dan pendekatan', (September), pp. 129–141. doi: 10.20473/ijph.v12i1.2017.129.
- Sumba, E., Adriana, N., Putu, L., Wulandari, L. and Duarsa, D. P. (2014) 'Access to Health Service Related to Use of Antenatal Care Facilities at the Kawangu Health Akses Pelayanan Kesehatan Berhubungan dengan Pemanfaatan Fasilitas Persalinan yang Memadai di Puskesmas Kawangu , Kabupaten Sumba Timur', 2(2), pp. 135–139. doi: 10.15562/phpma.v2i2.140.
- The American College of Obstetricians and Gynecologists (2013) *Hypertension In Pregnancy*. Washington DC: The American College of Obstetricians and Gynecologist.
- The ASEAN Secretariat (2017) *ASEAN Statistical Report on Millennium Development Goals 2017*. Jakarta: ASEAN. Available at: [https://asean.org/storage/2012/05/ASEAN\\_MDG\\_2017.pdf](https://asean.org/storage/2012/05/ASEAN_MDG_2017.pdf).
- Villa, P. M., Marttinen, P., Gillberg, J., Lokki, A. I., Majander, K., Taipale, P., Pesonen, A., Ra, K. and Laivuori, H. (2017) 'Cluster analysis to estimate the risk of preeclampsia in the high-risk Prediction and Prevention of Preeclampsia and Intrauterine Growth Restriction ( PREDO ) study', pp. 1–14.
- Von, D. P. (2016) 'Best Practice & Research Clinical Obstetrics and Gynaecology Preventing deaths due to the hypertensive disorders of pregnancy', *Best Practice & Research Clinical Obstetrics & Gynaecology*. Elsevier Ltd, 36, pp. 83–102. doi: 10.1016/j.bpobgyn.2016.05.005.
- Widarta, G. D., Ardian, M., Sulistyono, A. and Purnomo, W. (2015) 'Deteksi Dini Risiko Ibu Hamil dengan Kartu Skor Poedji Rochjati dan Pencegahan Faktor Empat Terlambat', 23(1), pp. 28–32.
- World Health Organization (2018) 'WHO country cooperation strategy at a glance: Rwanda'. World Health Organization.
- Zhang, J., Han, L., Li, Wei, Chen, Q., Lei, J., Long, M., Yang, W., Li, Wenya and Zeng, L. (2019) 'Early prediction of preeclampsia and small- for-

gestational-age via multi-marker model in Chinese pregnancies: a prospective screening study'. BMC Pregnancy and Childbirth, 8(1), pp. 1–10.

Zulhadi, Trisnantoro, L. and Zaenab, S. N. (2013) 'Problem dan Tantangan Puskesmas dan Rumah Sakit Umum Daerah dalam Mendukung Sistem Rujukan Maternal di Kabupaten Karimun Provinsi Kepri Tahun 2012', 02(04), pp. 189–201.