

REFERENCES

- "NIOSH Pocket Guide to Chemical Hazards 0506" . National Institute for Occupational Safety and Health (NIOSH).
- A. D. McNaught and A. Wilkinson. (1997)., "Compendium of Chemical Terminology, 2nd ed. (The "Gold Book")." International Union of Pure and Applied Chemistry. Compiled by Blackwell Scientific Publications, Oxford ISBN 0-9678550-9-8 doi:10.1351/goldbook,
- A.K. Maiti, S.S. Ahlawat, D.P. Sharma and N. Khanna, (2008), "Application Of Natural Tenderizers In Meat- A Review", Agric. Rev., 29 (3) : 226 – 230.
- Abdo, Z.M.A., Hassan, R.A., Amal, A.E. and Shahinaz, A.H. (2010) "Effect of adding green tea and its aqueous extract as natural antioxidants to laying hen diet on productive, reproductive performance and egg quality during storage and its content of cholesterol", Egyptian Poultry Science Journal 30(4), 1121–1149,
- Aktas, N. and M. Kaya. (2010) "Influence of weak organic acids and salts on the denaturation characteristics of intramuscular connective tissue. A differential scanning calorimetry study." Meat Sci. 58:413-419.
- Alexandr Ya. Yashin; Boris V. Nemzer; Emilie Combet; Yakov I. Yashin, (2015), "Determination of the Chemical Composition of Tea by Chromatographic Methods: A Review, 2015", Journal of Food Research; Vol. 4, No. 3;
- Anang, D.M., Rusul, B., Hooi Ling, F. and Bhat, R., (2001) "Inhibitory effects of lactic acid and lauricidin on spoilage organisms of chicken breast during storage at chilled temperature." International Journal Food Microbiol. 144, 152e159.
- Berge, P., P. Ertbjerg, L. M.Larson, T. Astruc, X. Vignon and A. J.Moller. (2018) "Tenderization of beef by lactic acid injected at different times post mortem.", Meat Sci.57:347-357.
- Bille PG and MS Taapopi, (2008), "Effects Of Two Commercial Meat Tenderizers On Different Cuts Of Goat's Meat In Namibia", African journal of food agriculture nutrition and development, Volume 8 No. 4,
- Burke, R. M. and F. J. Monahan. (2003) "The tenderisation of shin beef using a citrus juice marinade.", Meat Science. 63:161-168.
- C. Ho, X. Zheng, and S. Li, (2015), "Tea aroma formation," , Food Science and Human Wellness, vol. 4, no. 1, pp. 9–27.
- Cabrera C, Artacho R and Giménez R J Am Coll Nutr. (2006), "Beneficial effects of green tea--a review", 25(2):79-99.
- Channel Check. (2008) Bev Spect 6:14–7.

- Diaa Sharedeh, Philippe Gatellier, Thierry Astruc and Jean-Dominique Daudin, (2015) “Effects of pH and NaCl levels in a beef marinade on physicochemical states of lipids and proteins and on tissue microstructure”, Meat Science 110, 24–31.
- Eric A. Decker, Ryan J. Elias and D. Julian McClements, (2010) “Oxidation in food and beverages and antioxidant applications.” Woodhead Publishing Series in Food Science, Technology and Nutrition Number 199
- Erika Mozuriene, Elena Bartkiene, Vita Krungleviciute, Daiva Zadeike, Grazina Juodeikiene, Jonas Damasius, Aldona Baltusnikiene (2016) “Effect of natural marinade based on lactic acid bacteria on pork meat quality parameters and biogenic amine contents” LWT - Food Science and Technology
- Fadda, S., Lopez, C. and Vignolo, G. (2010) “Role of lactic acid bacteria during meat conditioning and fermentation: peptides generated as sensorial and hygienic biomarkers.”, Meat Science, 86, 66e79.,
- Faisal A. Mustafa (2013) “Effects of Green Tea extract on color and Lipid oxidation in Ground Beef Meat”, Journal Tikrit Univ. For Agri. Sci. Vol. (13) No. (1), Food Sci. Dept., Agric. & Forestry Coll., Mosul Univ., Iraq, ISSN-1813-1646
- Feiner G (2006). “Meat products handbook - Practical science and technology.”, Woodhead Publishing Limited, Cambridge, England
- Fernandez San Juan, P.M. (2006) “Dietary habits and nutritional status of school aged children in Spain.”, Nutricion Hospitalaria, 21 (3): 374-378.
- Fernández-López J, Sayas-Barberá E, Pérez-Alvarez JA and Aranda-Catalá V (2004). “Effect of sodium chloride, sodium tripolyphosphate and pH on color properties of pork meat.” Color Res. Appl. 29: 67-74.
- Ferre S. (2008.) “An update in the mechanisms of the psychostimulant effects of caffeine”.
- Financial Aid Officer. FAO. (2014), Food and Agriculture Organization (United Nations) World Food Outlook. Available at: <http://www.fao.org/3/a-i4136e.pdf>.
- Fletcher, D.L., (2002), “Poultry meat quality.”, Worlds Poult. Sci. J. 58, 131e145.
- Gilbert, Steven G. (2005), “A small dose of toxicology” p.m. ISBN 0-415-31168-3
1. Toxicology—Popular works. I. Title. RA1213 .G54 2003615.9—dc21
2003055232. This edition published in the Taylor & Francis e-Library,
2005.
- Goli, T., Ricci, J., Bohuon, P., Marchesseau, S. and Collignan, A., (2014), “Influence of sodium chloride and pH during acidic marination on water retention and mechanical properties of Turkey breast meat.”, Journal Meat Sci. 96, 1133e1140.

- Hinkle, Jeremey B., (2010), "Acid Marination For Tenderness Enhancement Of Beef Bottom Round", Theses and Dissertations in Animal Science. 12.
- Ho, C.-T., Lin, J.-K., & Shahidi, F. (2009). "Tea and Tea Products" (p. 305). London: CRS Press Taylor and Francis Group.
- Hourant P (2004). "General properties of the alkaline phosphates: Major food and technical applications." Phosph. Res. Buln. 15: 85-94.
- J Neurochem 105:1067–79.
- James Monroe Ja, Martin J. Loessner and David Allen Golden., (2005), "Modern food microbiology.", シュプリンガー・ジャパン株式会社. p. 210. ISBN 0-387-23180-3.
- Jian-Xia Shen, Mohammad M. Rana, Guo-Feng Liu, Tie-Jun Ling, Margaret Y. Gruber, and Shu Wei, (2017), "Differential Contribution of Jasmine Floral Volatiles to the Aroma of Scented Green Tea," , Journal of Food Quality, Volume 2017, Article ID 5849501.
- Karolina, M., J. Dolatowski and A. Okon (2011). "The effect of water plant extract addition on the oxidative stability of meat products.", Acta Scientiarum Polonorum. Vol. 10 Page: 175-188
- Karori, S. M., Wachira, F. N., Wanyoko, J. K., Ngure, R. M. 2007. Antioxidant capacity of different types of tea products. African Journal of Biotechnology, vol. 6, no. 19, p. 2287-2296. <https://doi.org/10.5897/AJB2007.000-2358>
- Khan, S.H., (2014), "The use of green tea (*Camellia sinensis*) as a phytogenic substance in poultry diets", Onderstepoort Journal of Veterinary Research 81(1), Art. 706, 8 pa ges. <http://dx.doi.org/10.4102/ojvr.v81i2.706>.
- Lampila LE and Godber JP (2002). "Food Phosphates. In A. L. Branen, P. M. Davidson, S. Salminen and J. H. Thorngate III (Eds.), Food Additives" - 2nd edition (Chapter 25). Marcel Dekker, Inc., New York.
- M. Chen, Y. Zhu and B. Liu et al., (2017), "Changes in the volatiles, chemical components, and antioxidant activities of Chinese jasmine tea during the scenting processes.", International Journal of Food Properties, vol. 20, no. 3, pp. 681–693.
- Manteuffel-Gross, R. and W. Ternes. (2009), "Effects of marination on the aroma of pan-fried wild boar meat – Part 1: Red wine Marinade", Fleischwirtschaft International, 24:55-59.
- Marsh, B. B. (1977), "The basis of quality in muscle foods: The basis of tenderness in muscle foods." Journal of Food Sci. 42:295-297.
- McCusker RR, Goldberger BA and Cone EJ. (2015). "Caffeine content of specialty coffees.", Journal Anal Toxicology 27:520–2.

Meichun Chen, Yujing Zhu, Bo Liu, Zheng Chen, Jiangmin Zheng, Mindan Guan, Huai Shi, Yanna Wang & Wenwen Yang (2017) "Changes in the volatiles, chemical components, and antioxidant activities of Chinese jasmine tea during the scenting processes" International Journal of Food Properties, ISSN: 1094-2912

Mendel Friedman, Soo-Yeun Kim, Sin-Jung Lee, Gyeong-Phil Han, Jae-Sook Han, Kap-Rang Lee, And Nobuyuke Kozukue (2005) "Distribution of Catechins, Theaflavins, Caffeine, and Theobromine in 77 Teas Consumed in the United States." C550 Journal Of Food Science—Vol. 70, Nr. 9, 2005

N. Maneenin, K. Pilasombut, J. Bundit, and J. Sethakul (2010), "Effect of Green Tea (*Camellia Sinensis*) Extract on Lipid Oxidation and Meat Quality in Raw Ground Pork during Refrigerated Storage", Division of Animal Production Technology and Fishers, Faculty of Agricultural Technology, King Mongkut's Institute of Technology Ladkrabang, Thailand, 2010 Taiwan ROC, The 14th AAAP Animal Science Congress, Proceedings Volume 3: Full Papers.

P. Winterhalter and R. Rouseff, (2001), "Carotenoid-derived aroma compounds: an introduction," in Carotenoid-Derived Aroma Compounds, P. Winterhalter and R. Rousef, Eds., ACS Symposium Series, pp. 1–19, American Chemical Society, Washington, DC, USA,

Paju, N. 2013. Uji Efektivitas Salep Ekstrak Daun Binahong (*Anredera cordifolia* (Ten.) Steenis) pada Kelinci (*Oryctolagus cuniculus*) yang Terinfeksi Bakteri *Staphylococcus aureus*. Jurnal Ilmiah Farmasi UNSRAT. Vol.2.(1):53.

Pathania, A., McKee, S.R., Bilgili, S.F. and Singh, M., (2010), "Antimicrobial activity of commercial marinades against multiple strains of *Salmonella* spp.", International Journal. Food Microbiol. 139 (3), 214e217.

Pattie Patrice Hay, (1952), "Effects Of A Meat Tenderizer On Lbss Tender Cuts Of Beef Cooked By Four I.TETHODS", A Thesis Submitted In Partial Fulfillment Of The Requirements For The Degree Master Of ScienceDepartment Of Foods And Nutrition Kansas State College of Agriculture And Applied Science

Pearson, A. M., Dutson, T.R. and Bailey, A. J. (1987), "Collagen in sausage casing." Advances in meat research: Collagen as Food. Vol 4, Page 118 , AVI, New York.

Powell, Kipton J.; Brown, Paul L.; Byrne, Robert H.; Gajda, Tamás; Hefter, Glenn; Sjöberg, Staffan; Wanner, Hans (2005). "Chemical speciation of environmentally significant heavy metals with inorganic ligands. Part 1: The Hg^{2+} , Cl^- , OH^- , CO_2-3 , SO_2-4 , and PO_3-4 aqueous systems". Pure Appl. Chem. 77 (4): 739–800.

PubChem, U.S. National Library of Medicine, National Centre for Biotechnology Medicine.

R. H. F. Manske. (1965), "The Alkaloids. Chemistry and Physiology.", Volume VIII. – New York: Academic Press, p. 673.

Radha Krishnan, K., Babuskin, S., Azhagu Saravana Babu, P., Sasikala, M., Sabina, K., Archana, G., Sivarajan, M. and Sukumar M., (2014), "Antimicrobial and antioxidant effects of spice extracts on the shelf life extension of raw chicken meat.", International Journal Food Microbiol. 171, 32e40.

Ranken MD (2000). "Handbook of meat product technology". Blackwell Science Ltd., Oxford.

Robert Alan Lewis. (1998), "Lewis' dictionary of toxicology.", MLA. . Boca Raton, Fla. : Lewis Publishers, CRC Press, p. 51 ISBN 1-56670-223-2.

Sabah, J.R., Juneja, V.K., and Fung, D.Y.C. (2004), "Effect of spices and organic acids on the growth of Clostridium perfringens during cooling of cooked ground beef.", Journal of Food Protection, 67(9), 1840–1847.

Simpson, J. (ed.) (2017), Oxford English Dictionary (3rd ed.), Oxford: Oxford University Press.

Smith, D.P. and Acton, J.C., (2010), "Marination, cooking, and curing of poultry products", In: Owens, C.M., Alvarado, C.Z., Sams, A.R. (Eds.), Poultry Meat Processing. Taylor and Francis Group. CRC Press, Boca Raton, pp. 311e336.

Soeparno, (2002), "Dasar-Dasar Linguistik Umum.", Yogyakarta: Tiara Wancana Yogyka.

T. Wu, (2013), "Traditional jasmine green tea scenting process", <http://www.taotealeaf.com/blog/traditional-jasmine-green-tea-scenting-process>.

Tang, S. Z., J. P. Kerry, D. Sheehan, D. J. Buckley and P. A. Morrissey. (2001a) "Antioxidant activity of added tea catechins on lipid oxidation of raw minced red meat, poultry and fish muscle." Int. J. Food Sci. Technol. 36: 685-92.

Tang, S. Z., J. P. Kerry, D. Sheehan, D. J. Buckley and P. A. Morrissey. (2001b.) "Antioxidative effect of added tea catechins on susceptibility of cooked red meat, poultry and fish patties to lipid oxidation." Food Res. Int., 34: 651-657.

Tang, S.Z.; S.Y. Ou; X.S. Huang; W. Li; J. P. Kerry and D.J. Buckley (2006). "Effects of added tea catechins on colour stability and lipid oxidation in minced beef patties held under aerobic and modified atmospheric packaging conditions." J. Food Eng. 77 (2): 248- 253.

Tang, Y. (2000), "Aroma Absorbing and Keeping Mechanism of Tea.", Journal of Tea 2000, 26, 132–135.

The BC Cook Articulation Committee, (2015), “Meat Cutting and Processing for Food Service”, BCCAMPUS VICTORIA, B.C., Creative Commons Attribution 4.0 International License, Ebook ISBN: 978-1-989623-09-1 Print ISBN: 978-1-989623-08-4.

Valeria Velasco and Pamela Williams, (2011), “Improving Meat Quality Through Natural Antioxidants”, Article in Chilean journal of agricultural research 71(2)313-322.

Venkata Sai Prakash Chaturvedula and Indra Prakash, (2011), “The aroma, taste, color and bioactive constituents of tea.”, Journal of Medicinal Plants Research Vol. 5(11), pp. 2110-2124, 4. 4 June, 2011.

Von R.H.F Mankse, (1965), “Bd. VII: The Indole Alkaloids.”, Academic Press Inc., New York-London.

Y. Ito, A. Sugimoto, T. Kakuda, and K. Kubota, (2002), “Identification of potent odorants in Chinese jasmine green tea scented with flowers of Jasminum sambac.”, Journal of Agricultural and Food Chemistry, vol. 50, no. 17, pp. 4878–4884.

Yusop, S.M., O'Sullivan, M.G., Kerry, J.F. and Kerry J.P., (2009), “Sensory evaluation of Indian-style marinated chicken”, by Malaysian and European naïve assessors. Journal Sensory Studies. 24 (2), 269e289

Yusop, S.M., O'Sullivan, M.G., Kerry, J.F. and Kerry, J.P., (2010), “Effect of marinating time and low pH on marinade performance and sensory acceptability of poultry meat.”, Meat Science. 85 (4), 657e663.

APPENDIX

Appendix 1

Summarize