DAFTAR PUSTAKA

Ahmed SM, Hall AJ, Robinson AE, Verhoef L, Premkumar P, Parashar UD, Koopmans M, Lopman BA, 2014. Global prevalence of norovirus in cases of gastroenteritis: a systematic review and meta-analysis. *Lancet Infect Dis*, 14, pp. 725–730.

Ana EF, Wahyuni RM, Yamani LN, Dinana Z, Oktafiani D, Megasari NLA, Lusida MI, Juniastuti, Soetjipto, 2019. Identification of rotavirus infection during diarrhoea outbreaks among children under five years of age in Lampung, Indonesia. *Paedatria Croat*, 63, pp.100-4.

Arness MK, Feighner BH, Canham ML, Taylor DN, Monroe SS, Cieslak TJ, Hoedebecke EL, Polyak CS, Cuthie JC, Fankhauser RL, Humphrey CD, Barker TL, Jenkins CD, Skillman DR, 2000. Norwalk like viral gastroenteritis outbreak in U.S. Army trainees. *Emerg Infect Dis*, 6, pp.204–207.

Ayukekbong JA, Andersson ME, Vansarla G, Tah F, Nkuo-Akenji T, Lindh M, Bergström T, 2014. Monitoring of seasonality of norovirus and other enteric viruses in Cameroon by real-time PCR: An exploratory study. *Epidemiol Infect*, 142, pp. 1393–402.

Balitbang Kementerian Kesehatan Republik Indonesia, 2013. *Riset Kesehatan Dasar; RISKESDAS 2013*. Jakarta : Balitbang Kementerian Kesehatan RI.

Barclay L, Park GW, Vega E, Hall A, Parashar U, Vinjé J, Lopman B, 2014. Infection control for norovirus. *Clin Microbiol* Infect, 20, pp. 731-740.

Bok K, Green KY, 2016. Norovirus gastroenteritis in immunocompromised patients. *N Engl J Med*, 368(10), p. 971. doi:10.1056/NEJMc1301022.

Brown JR, 2017. *Next generation sequencing to understand norovirus in immunocompromised children*. Thesis. London : University College London.

Camilleri M, Murray JA, 2015. Diarrhea and constipation. In: Kasper DL, Fauci AS, Hauser SL, Longo DL, Jameson JL, Loscalzo J. *Harrison's principles of internal medicine*. 19th edition. New York: Mc-Graw Hill Education, pp. 265-266.

Carmona-Vicente N, Fernández-Jiménez M, Ribes JM, Téllez-Castillo CJ, Khodayar-Pardo P, Rodríguez-Diaz J, Buesa J, 2015. Norovirus infections and seroprevalence of genotype GII.4-specific antibodies in a Spanish population. *J Med Virol*, 87(4), pp. 675-682.

Centers for Disease Control and Prevention (CDC), 2002. Outbreak of acute gastroenteritis associated with Norwalk-like viruses among British military personnel—Afghanistan, May 2002. *MMWR Morb Mortal Wkly Rep*, 51, pp. 477–479.

Chan MCW, Ho WS, Sung JJY, 2011. In Vitro Whole-Virus Binding of a Norovirus Genogroup II Genotype 4 Strain to Cells of the Lamina Propria and Brunner's Glands in the Human Duodenum. *J Virol*, 85(16), pp. 8427-8430.

Chenar SS, Deng Z, 2017. Environmental indicators for human norovirus outbreaks. *International Journal of Environmental Health Research*, 27(1), pp. 40–51.

de Graaf M, van Beek J, Koopmans MP, 2016. Human norovirus transmission and evolution in a changing world. *Nat Rev Microbiol*, 14, pp. 421–433.

Dey SK, Phathammavong O, Okitsu S, Mizuguchi M, Ohta Y, Ushijima H, 2010. Seasonal pattern and genotype distribution of norovirus infection in japan. *Pediatr Infect Dis J*, 29, pp. e32–4.

Farthing M, Salam MA, Lindberg G, Dite P, Khalif I, Salazar-Lindo E, Ramakrishna BS, Goh KL, Thomson A, Khan AG, Krabshuid J, LeMair A, 2013. Acute diarrhea in adults and children: A global perspective. World Gastroenterology Organisation Global Guidelines. *J Clin Gastroenterol*, 47(1), pp. 12-20.

Franck KT, Fonager J, Ersbøll AK, Böttiger B, 2014. Norovirus Epidemiology in Community and Health Care Settings and Association with Patient Age, Denmark. *Emerg Infect Dis*, 20(7), pp. 1123–1131.

Frange P, Touzot F, Debré M, Héritier S, Leruez-Ville M, Cros G, Rouzioux C, Blanche S, Fischer A, Avettand-Fenoël V, 2012. Prevalence and clinical impact of norovirus fecal shedding in children with inherited immune deficiencies. *J Infect Dis*, 206, pp. 1269–1274.

GBD Diarrhoeal Diseases Collaborators, 2017. Estimates of global, regional, and national morbidity, mortality, and aetiologies of diarrhoeal disease: a systematic analysis for the Global Burden of Disease Study 2015. *Lancet Infect Dis*, 17, pp. 909-948.

GBD 2015 Mortality and Causes of Death Collaborators, 2016. Global, regional, and national life expectancy, all-cause and cause-specific mortality for 249 causes of death, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. *Lancet*, 388, pp. 1459–1544.

Glass RI, Parashar UD, Estes MK, 2009. Norovirus Gastroenteritis. *N Engl J Med*, 361, pp. 1776–1785.

Green KY, 2013. Caliciviridae: the noroviruses. In : Knipe DM, Howley PM, Cohen JI, Griffin DE, Lamb RA, Martin MA, Racaniello VR, Roizman B (ed), Fields virology, 6th ed, vol 1. Lippincott Williams & Wilkins, Philadelphia, PA, pp. 582–608.

Green KY, 2014. Norovirus infection in immunocompromised hosts. *Clin Microbiol Infect*, 20(8), pp. 717-723.

Hakim MS, Nirwati H, Aman AT, Soenarto Y, Pan Q, 2018. Significance of continuous rotavirus and norovirus surveillance in Indonesia. *World Journal of Pediatrics*, 14, pp. 4-12.

Huynen P, Mauroy A, Martin C, Savadogo LG, Boreux R, Thiry E, Melin P, De Mol P, 2013. Molecular epidemiology of norovirus infections in symptomatic and asymptomatic children from Bobo Dioulasso, Burkina Faso. *J Clin Virol*, 58, pp. 515–521. http://dx.doi.org/10.1016/ j.jcv.2013.08.013.

Jones MK, Karst SM, 2013. Noroviruses. In *Foodborne Infections and Intoxications* (4th edn), Morris JG Jr, Potter ME (eds). Academic Press: London, pp. 261–278.

Karst SM, Zhu S, Goodfellow IG, 2015. The molecular pathology of noroviruses. *J Pathol*, 235, pp. 206-216.

Karsten C, Baumgarte S, Friedrich AW, von Eiff C, Becker K, Wosniok W, Ammon A, Bockemühl J, Karch H, Huppertz HI, 2009. Incidence and risk factors for community-acquired acute gastroenteritis in north-west Germany in 2004. *Eur J Clin Microbiol Infect Dis*, 28(8), pp. 935-943.

Kementerian Kesehatan Republik Indonesia, 2011. Situasi diare di Indonesia. *Buletin Jendela Data dan Informasi Kesehatan*. Volume 2, Triwulan 2. Jakarta : Pusat Data dan Informasi Kementerian Kesehatan RI.

Kementerian Kesehatan Republik Indonesia, 2017. Data dan informasi profil Kesehatan Indonesia 2016. Jakarta : Pusat Data dan Informasi Kementerian Kesehatan RI.

Kim YJ, Park KH, Park DA, Park J, Bang BW, Lee SS, Lee EJ, Lee HJ, Hong SK, Kim YR, 2019. Guideline for the Antibiotic Use in Acute Gastroenteritis. *Infect Chemother*, 51(2), pp. 217-243.

Kirby AE, Streby A, Moe CL, 2016. Vomiting as a symptom and transmission risk in norovirus illness: evidence from human challenge studies. *PLoS One*, 11, e143759.

Kojima S, Kageyama T, Fukushi S, Hoshino FB, Shinohara M, Uchida K, Natori K, Takeda N, Katayama K, 2002. Genogroup-specific PCR primers for detection of Norwalk-like viruses. *J. Virol. Methods*, 100, pp. 107–114.

Koo HL, Neill FH, Estes MK, Munoz FM, Cameron A, DuPont HL, Atmar RL, 2013. Noroviruses: The most common pediatric viral enteric pathogen at a large university hospital after introduction of rotavirus vaccination. *J Pediatric Infect Dis Soc*, 2, pp. 57–60.

Kotloff KL, Blackwelder WC, Nasrin D, Nataro JP, Farag TH, Van Eijk A, Adegbola RA, Alonso PL, Breiman RF, Faruque AS, Saha D, Sow SO, Sur D, Zaidi AK, Biswas K, Panchalingam S, Clemens JD, Cohen D, Glass RI, Mintz ED, Sommerfelt H, Levine MM, 2012. The Global Enteric Multicenter Study (GEMS) of diarrheal disease in infants and young children in developing countries: epidemiologic and clinical methods of the case/control study. *Clin Infect Dis*, 55, p. S232.

Kroneman A, Vega E, Vennema H, Vinje J, White PA, Hansman G, Green K, Martella V, Katayama K, Koopmans M, 2013. Proposal for a unified norovirus nomenclature and genotyping. *Arch Virol*, 158, pp. 2059-2068. http://dx.doi.org/10.1007/s00705-013-1708-5.

Lee BE, Pang XL, 2013. New strains of norovirus and the mystery of viral gastroenteritis epidemics. *CMAJ*, 185, pp. 1381-1382.

Lindsay L, Wolter J, Coster ID, Damme PV, Verstraeten T, 2015. A decade of norovirus disease risk among older adults in upper-middle and high income countries: a systematic review. *BMC Infectious Disease*, 425.

Liu X, Liu P, Wang J, Moe C, Hu S, Cheng L, Gu W, Wang X, 2015. Seroepidemiology of Norovirus GII.3 and GII.4 Infections in Children with Diarrhea in Xi'an, China. *Foodborne Pathog Dis*, 200(6), pp. 500-505.

Lopman BA, Steele D, Kirkwood CD, Parashar UD, 2016. The Vast and Varied Global Burden of Norovirus: Prospects for Prevention and Control. *PLoS Med*, 13(4), p. e1001999.

Mans J, Murray TY, Nadan S, Netshikweta R, Page NA, Taylor MB, 2016. Norovirus diversity in children with gastroenteritis in South Africa from 2009 to 2013: GII.4 variants and recombinant strains predominate. *Epidemiol Infect*, 144, pp. 907–16.

Marques Mendanha de Oliveira D, Souza M, Souza Fiaccadori F, Cesar Pereira Santos H, das Dores de Paula Cardoso D, 2014. Monitoring of calicivirus among day-care children: evidence of asymptomatic viral excretion and first report of GI.7 norovirus and GI.3 sapovirus in Brazil. *J Med Virol*, 86, pp. 1569–1575. http://dx.doi.org/10.1002/jmv.23791.

McAuliffe GN, Anderson TP, Stevens M, Adams J, Coleman R, Mahagamasekera P, Young S, Henderson T, Hofmann M, Jennings LC, Murdoch DR, 2013. Systematic application of multiplex PCR enhances the detection of bacteria, parasites, and viruses in stool samples. *J Infect*, 67, pp. 122-129.

Melhem NM, Zaraket H, Kreidieh K, Ali Z, Hammadi M, Ghanem S, Hajar F, Haidar A, Inati A, Rajab M, Fakhouri H, Ghanem B, Baasiri G, Dbaibo G, 2016. Clinical and epidemiological characteristics of norovirus gastroenteritis among hospitalized children in Lebanon. *World Journal of Gastroenterology*, 22(48), pp. 10557-10565.

Menon VK, George S, Aladin F, Nawaz S, Sarkar R, Lopman B, Gray JJ, Gomara MI, Kang G, 2013. Comparison of age-stratified seroprevalence of antibodies against norovirus GII in India and the United Kingdom. *PLoS One*, 8(2), p. e56239.

Menteri Kesehatan Republik Indonesia, 2017. Peraturan Menteri Kesehatan Republik Indonesia Nomor 12 Tahun 2017 tentang Penyelenggaraan Imunisasi. Available from: http://hukor.kemkes.go.id/uploads/produk_hukum/PMK_No._12_ttg_Penyelenggaraan_Imunisasi_.pdf.

Mesquita JR, Costantini VP, Cannon JL, Lin SC, Nascimento MS, Vinje J, 2013. Presence of antibodies against genogroup VI norovirus in humans. *Virol J*, 10, p. 176. http://dx.doi.org/10.1186/1743-422X-10-176.

Nirwati H, Wibawa T, Aman AT, Wahab A, Soenarto Y, 2016. Detection of group A rotavirus strains circulating among children with acute diarrhea in Indonesia. *Springerplus*, 5, p. 97.

Nirwati H, Donato CM, Mawarti Y, Mulyani NS, Ikram A, Aman AT, Peppelenbosch MP, Soenarto Y, Pan Q, Hakim MS, 2019. Norovirus and rotavirus infections in children less than five years of age hospitalized with acute gastroenteritis in Indonesia. *Archives of Virology*, 164, pp. 1515–1525.

Nordgren J, Nitiema LW, Ouermi D, Simpore J, Svensson L, 2013. Host Genetic Factors Affect Susceptibility to Norovirus Infections in Burkina Faso. *PLos One*, 8(7), e69557.

Patel MM, Widdowson MA, Glass RI, Akazawa K, Vinjé J, Parashar UD, 2008. Systematic literature review of role of noroviruses in sporadic gastroenteritis. *Emerg Infect Dis*, 14, pp. 1224-1231.

Patel MM, Hall AJ, Vinjé J, Parashar UD, 2009. Noroviruses: a comprehensive review. *J Clin Virol*, 44, pp. 1-8.

Payne DC, Vinje J, Szilagyi PG, Edwards KM, 2013. Norovirus and Medically Attended Gastroenteritis in U.S. Children. *N Engl J Med*, 368, pp. 1121-1130.

Phillips G, Tam CC, Conti S, Rodrigues LC, Brown D, Iturriza-Gomara M, Gray J, Lopman B, 2010. Community incidence of norovirus-associated infectious intestinal disease in England: improved estimates using viral load for norovirus diagnosis. *Am J Epidemiol*, 171(9), pp. 1014-1022.

Pires SM, Fischer-Walker CL, Lanata CF, Devleesschauwer B, Hall AJ, Kirk MD, Duarte ASR, Black RE, Angulo FJ, 2015. Aetiology-Specific Estimates of the Global and Regional Incidence and Mortality of Diarrhoeal Diseases Commonly Transmitted through Food. *PLos One*, 10(12), p. e0142927.

Qi R, Huang Y, Liu J, Sun Y, Sun X, Han H, Qin X, Zhao M, Wang L, Li W, Li J, Chen C, Yu X, 2018. Global Prevalence of Asymptomatic Norovirus Infection: A Meta-analysis. *EClinicalMedicine*, 2–3, pp. 50–58.

Riddle MS, DuPont HL, Connor BA, 2016. ACG Guideline: diagnosis, treatment, and prevention of acute diarrheal infections in adults. *Am J Gastroenterol*, 111, pp. 602-622.

Riera-Montes M, O'Ryan M, Verstraeten T, 2018. Norovirus and Rotavirus Disease Severity in Children: Systematic Review and Meta-analysis. *Pediatr Infect Dis J*, 37(6), pp. 501-505.

Robilotti E, Deresinski S, Pinsky BA, 2015. Norovirus. *Clin Microbiol Rev*, 28, pp. 134 –164. doi:10.1128/CMR.00075-14.

Saito M, Goel-Apaza S, Espetia S, Velasquez D, Cabrera L, Loli S, Crabtree JE, Black RE, Kosek M, Checkley W, Zimic M, Bern C, Cama V, Gilman RH, 2014. Multiple norovirus infections in a birth cohort in a Peruvian Periurban community. *Clin Infect Dis*, 58(4), pp. 483-491.

Schorn R, Höhne M, Meerbach A, Bossart W, Wüthrich RP, Schreier E, Müller NJ, Fehr T, 2010. Chronic norovirus infection after kidney transplantation: molecular evidence for immune-driven viral evolution. *Clin Infect* Dis, 51, p. 307–314.

Shioda K, Kambhampati A, Hall AJ, Lopman BA, 2015. Global Age Distribution of Pediatric Norovirus Cases. *Vaccine*, 33(33), pp. 4065-4068.

Soenarto Y, Aman AT, Bakri A, Waluya H, Firmansyah A, Kadim M, Martiza I, Prasetyo D, Mulyani NS, Widowati T, Soetjiningsih Karyana IP, Sukardi W, Bresee J, Widdowson MA, 2009. Burden of severe rotavirus diarrhea in indonesia. *J Infect Dis*, 200(Suppl 1), pp. S188–S194

Son H, Jeong HS, Cho M, Lee J, Lee H, Yoon K, Jeong AY, Jung S, Kim K, Cheon DS, 2013. Seroepidemiology of predominant norovirus strains circulating in Korea by using recombinant virus-like particle antigens. *Foodborne Pathog Dis*, 10(5), pp. 461-466.

Subekti D, Lesmana M, Tjaniadi P, Safari N, Frazier E, Simanjuntak C, Komalarini S, Taslim J, Campbell JR and Oyofo BA, 2002. Incidence of Norwalk-like viruses, rotavirus and adenovirus infection in patients with acute gastroenteritis in Jakarta, Indonesia. *FEMS Immunol Med Microbiol* 33, pp. 27–33.

Tan M, Jiang X, 2011. Norovirus-host interaction: multi-selections by human histo-blood group antigens. *Trends Microbiol*, 19, pp. 382–388.

Thorne LG, Goodfellow IG, 2014. Norovirus gene expression and replication. *J Gen Virol*, 95, pp. 278 –291. http://dx.doi.org/10.1099/vir.0.059634-0.

Troeger H, Loddenkemper C, Schneider T, Schreier E, Epple HJ, Zeitz M, Fromm M, Schulzke JD, 2009. Structural and functional changes of the duodenum in human norovirus infection. *Gut*, 58, pp. 1070–1077.

Tseng CY, Chen CH, Su SC, Wu FT, Chen CC, Hsieh GY, Hung CH, Fung CP, 2011. Characteristics of norovirus gastroenteritis outbreaks in a psychiatric centre. *Epidemiol Infect*, 139, pp. 275–285. http://dx.doi.org/10.1017/S0950268810000634.

Utsumi T, Lusida MI, Dinana Z, Wahyuni RM, Yamani LN, Juniastuti, Soetjipto, Matsui C, Deng L, Abe T, Doan YH, Fujii Y, Kimura H, Katayama K, Shoji I, 2017. Occurrence of norovirus infection in an aymptomatic population in Indonesia. *Infect Genet Evol*, 55, pp. 1-7. http://dx.doi.org/10.1016/j.meegid.2017.08.020.

Vinjé J, 2015. Advances in laboratory methods for detection and typing of norovirus. *J Clin Microbiol*, 53, pp. 373–381.

Walker CLF, Sack D, Black RE, 2010. Etiology of diarrhea in older children, adolescents and adults: a systematic review. *PLoS Negl Trop Dis*, 4(8), p. e768.

World Health Organization (WHO), 2005. The Treatment of Diarrhoea : A manual for physicians and other senior health workers, 4th rev. World Health Organization (WHO), Geneva. Available from: https://apps.who.int/iris/handle/10665/43209.

World Health Organization (WHO), 2006. Pocket book of hospital care for children: guidelines for the management of common illnesses with limited resources. World Health Organization (WHO), Geneva. Available from:

https://www.who.int/maternal_child_adolescent/documents/9241546700/en/.

Xue C, Pan L, Zhu W, Wang Y, Fu H, Cui C, Lu L, Qiao S, Xu B, 2018. Molecular epidemiology of genogroup II norovirus infections in acute gastroenteritis patients during 2014-2016 in Pudong New Area, Shanghai, China. *Gut Pathog*, 10, pp. 1–11.

Zhang P, Chen L, Fu Y, Ji L, Wu X, Xu D, Han J, 2016. Clinical and molecular analyses of norovirus-associated sporadic acute gastroenteritis: the emergence of GII.17 over GII.4, Huzhou, China, 2015. *BMC Infectious Diseases*, 16, p. 717.