



Journal of Physical Education and Sport

ISSN: online ISSN: 2247 - 806X, p-ISSN: 2247 - 8051, ISSN - L = 2247 - 8051
JOURNAL OF PHYSICAL EDUCATION AND SPORT is a peer-reviewed scientific journal.
The journal provides open access to its content with Frequency of 6 issues per year

Main Menu

- HOME
- MISSION AND SCOPE
- ABSTRACTING & INDEXING
- EDITORIAL BOARD
- INSTRUCTIONS FOR AUTHORS
- ARCHIVE
- SUBSCRIPTIONS FOR REVIEWERS
- SUBMIT ARTICLE

Next issue

Manuscripts under evaluation

Search



Journal of Physical Education and Sport

Q3 Physical Therapy, Sports Therapy and Rehabilitation best quartile

SJR 2018

VOL 19 Supplement Issue 3, May, 2019 Journal of Physical Education and Sport (JPES)



ISSN:

online ISSN: 2247 - 806X, p-ISSN: 2247 - 8051, ISSN - L = 2247 - 8051

The Journal of Physical Education and Sport (JPES) is a new series of the previous journal, Citius Altius Fortius - Journal of Physical Education and Sport (p-ISSN: 1582-8131, e-ISSN: 2066-2483). The Journal of Physical Education and Sport is now a registered trademark (all rights reserved). JPES is a peer-reviewed scientific journal that provides open access to its content and publishes 4 issues per year. All published articles are accessible in PDF format free of charge.

ETHICS OF PUBLICATION: The JPES policy regarding suspected scientific misconduct, which includes plagiarism, fabricated data, and falsification, is based on the "Committee on Publication Ethics (COPE)". Our Journal (JPES) is equipped with licensed software to verify the originality of all submitted articles, and we uphold the principles of originality and ethics of scientific research. The main version of the journal is available online.

VOL 19 Supplement Issue 3, May, 2019

Art # 111 pp. 781 – 786
Assessing the impact of a physical education project based on games approach on the actual motor competence of primary school children
FRANCESCO SGRO1, ANTONELLA QUINTO2, FABIANA PLATANIA3, MARIO LIPOMA4 1,2,3,4Faculty of Human and Society Sciences, University of Enna "Kore" ITALY
Published online: May 31, 2019
(Accepted for publication March 15, 2019)
DOI: 10.7752/jpes.2019.s3111

Art # 112 pp. 787 – 794
Effects of strength training with and without blood flow

Visitors

	31,198
	11,683
	10,387
	7,745
	6,399
	5,418
	4,445
	4,445
	4,012
	3,994
	3,639
	3,430
	2,928
	2,762
	2,339
	2,074
	2,072
	2,042
	1,983
	1,713
	1,660
	1,553
	1,498
	1,319
	1,270
	1,054
	953
	908
	826
	826
	811
	751
	735
	573
	536
	527
	501
	483
	461
	452
	447
	443
	443
	410
	403
	396
	393

Next issue

[Manuscripts under evaluation](#)

Search

Search...



refine your research
SCOPUS™

SJR SCImago
Journal & Country
Rank



EDITORIAL BOARD

JOURNAL OF PHYSICAL EDUCATION AND SPORT

Is a peer-reviewed scientific journal. The journal provides open access to its content with Frequency - 6 issue(s) per year. **starting with 2020**

Issue 1 - January,

issue 2 - March,

Issue 3 - May,

Issue 4 - June,

Issue 5 - September,

**Issue 6 - December and
possible supplements, if necessary**

Online ISSN 2247 - 806X

EDITOR IN CHIEF - Professor Marian Crețu, PhD

EDITORIAL STAFF and ASSOCIATE EDITORS

EXECUTIVE EDITOR - Professor Ion Mihăilă, PhD

Head of Coordinating Advisory Editors

Associate Professor Del P. WONG, Dr. Philos., Technological and Higher Education Institute of Hong Kong, Hong Kong, China

Coordinating Advisory Editors

Professor Mihailescu Liliana, PhD – University of Pitești, Romania

Associated Professor, Livre Docente - Cassiano Merussi Neiva, PhD, University Estadual Paulista, Bauru, São Paulo, Brasil

Associated Professor Bernard Massiera, PhD - Université Sophia Antipolis, Nice, France

Editing and Proofreading

Full Professor P. E. Pedagogy Dr. N. K. Rathee, Director, Education Graduate Programs at the Delaware State University, USA

-

International Advisory Board of Reviewers

Professor Vladimir Zatsiorsky, PhD - Pennsylvania State University, Biomechanics Lab, United States of America

Professor Renato Manno PhD - Esperto in Teoria e Metodologia dell'Allenamento Facoltà di Scienze Motorie, L'Aquila, Italy e Direttore del Dipartimento di Scienza dello Sport, Istituto di Medicina e Scienza dello sport del Coni

Professor Robert Donatelli, Ph.D, PT, OCS, National Director of Sport Rehabilitation for Physiotherapy. Associates in Suwanee, GA, University Rocky Mountain, United States of America

Professor Giuseppe Banfi, PhD - University of Milan, Italy, Clinical Biochemistry, School of Medicine, Director of Research Projects, Scientific Institute Galeazzi, Milan

Professor Pedro Pérez Soriano Dr.- Universidad de Valencia, Spain, Facultad de Ciencias de la Actividad Física y el Deporte

Professor Kotzamanidis Christos Ph.D - Department of Physical Education and Sport Science Aristotle University Thessaloniki Greece, Referey in international journal, JSS, BJSM, JSMS, MPC

Professor Jošt Bojan, PhD - Science of Sport, Dean Faculty of Sport, University of Ljubljana, Slovenia

Professor Weimo Zhu, Ph.D. - Department of Kinesiology & Community Health University of Illinois at Urbana-Champaign, United States of America

Professor. Dr. H. Van Coppenolle - Faculty of Physical Education and Physiotherapy, Catholic University, Leuven, Belgium, Professor. Ass. Mag. Dr.

Professor Mário A. Cardoso Marques, PhD, Sports Science Department, University of Beira Interior, Covilhã, Portugal, Researcher Lab Director

Associated Professor, Livre Docente - Cassiano Merussi Neiva, PhD, University Estadual Paulista, Faculty of Science - Laboratory of Metabolism and Exercise Physiology (MEFE) - Bauru, São Paulo, Brasil

Professor Steven Morrison, College of Humanities and Social Science The University of Edinburgh, UNITED KINGDOM

Professor Ricardo J. Fernandes, PhD, Centre of Research, Education, Innovation and Intervention in Sport, Faculty of Sport, University of Porto, Portugal

Professor Daniel Merinho, PhD , - University of Beira Interior, Department of Sport Science, Portugal

Assistant Professor P. E. Pedagogy Dr. N. K. Rathee, Delaware State University, USA

Assistant Professor Rolf Kretschmann, PhD, University of Stuttgart, Department of Sport and Exercise Science, Germany

Researcher Filipe Manuel Clemente, Faculty of Sport Science and Physical Education, University of Coimbra Portugal

Associate Professor and Program Leader Del P. WONG, Faculty of Management and Hospitality, Technological and Higher Education Institute of Hong Kong, China

Professor Vitaly A. Kashuba, PhD – National University of Physical Education and Sport, Kyev, Ukraine

Full Professor of Methods and Didactics of Sport Activities, Mario Lipoma University of Enna “Kore”, Italy

Assistant Professor Nadia Carlomagno, PhD, University "Suor Orsola Benincasa" of Naples, Italy

Full Professor Pier Giuseppe Rossi, Department of Education, Cultural heritage and Turism. University of Macerata, Italy

Professor Gregory C. Bogdanis, PhD, Department of Physical Education and Sports Science, University of Athens, Greece.

Lecturer Nikolaidis Pantelis T., Hellenic Army Academy, Department, of Physical and Cultural Education, Thermopylon 7, Nikaia 184 50, Athens, Greece

Antonio Jesús Sánchez Oliver, ID: 28780305Z - Special correspondent editor, Seville University. SPAIN

-

National Advisory Board of Reviewers

Professor Stăncioiu Aurelia Felicia, PhD - Academy of Economic Studies Bucharest, Romania

Professor Niculescu Ionela, PhD– University of Pitești, Romania

Professor Damian Mirela, PhD - Ovidius University of Constanta, Faculty of Physical Education and Sport, Romania

Professor Grigore Vasilica, PhD - National University of Physical Education and Sport Bucharest, Romania

Researcher Alina Isabela Gherghisan, PhD - National Institute for Sport Research, Bucharest, Romania

Senior Lecturer Savoiu Gheorghe PhD, University of Pitesti, Romania

Assistants' Executive Editor

Associate professor Rosu Daniel, PhD;

Associate professor Fleancu Leonard, PhD;

Lecturer PhD Mihai Ilie;

Editorial Office:

tel / fax

+40 248 218 276

0040 248 218 276

EDITOR contact: email: contact@efsupit.ro

PUBLISHER - EUP - Fianu Sorin, PhD

Visitors

	31,198
	11,683
	10,387
	7,745
	6,399
	5,418
	4,445
	4,445
	4,012
	3,994
	3,639
	3,430
	2,928
	2,762
	2,339
	2,074
	2,072

Next issue

[Manuscripts under evaluation](#)

Search

Search...



refine your research
SCOPUS™

SJR SCImago
Journal & Country
Rank



VOL 19 Supplement Issue 3, May, 2019

Journal of Physical Education and Sport (JPES)



ISSN:

online ISSN: 2247 - 806X, p-ISSN: 2247 - 8051, ISSN - L = 2247 - 8051

The Journal of Physical Education and Sport (JPES) is a new series of the previous journal, Citius Altius Fortius - Journal of Physical Education and Sport (p-ISSN: 1582-8131, e-ISSN: 2066-2483). The Journal of Physical Education and Sport is now a registered trademark (all rights reserved).

JPES is a peer-reviewed scientific journal that provides open access to its content and publishes 4 issues per year. All published articles are accessible in PDF format free of charge.

ETHICS OF PUBLICATION: The JPES policy regarding suspected scientific misconduct, which includes plagiarism, fabricated data, and falsification, is based on the "Committee on Publication Ethics (COPE)". Our Journal (JPES) is equipped with licensed software to verify the originality of all submitted articles, and we uphold the principles of originality and ethics of scientific research. The main version of the journal is available online.

VOL 19 Supplement Issue 3, May, 2019

Art # 111 pp. 781 – 786

[Assessing the impact of a physical education project based on games approach on the actual motor competence of primary school children](#)

FRANCESCO SGRO¹, ANTONELLA QUINTO², FABIANA PLATANIA³, MARIO LIPOMA⁴ 1,2,3,4Faculty of Human and Society Sciences, University of Enna "Kore" ITALY

Published online: May 31, 2019

(Accepted for publication March 15, 2019)

DOI:10.7752/jpes.2019.s3111

Art # 112 pp. 787 – 794

[Effects of strength training with and without blood flow restriction on quality of life in the elderly](#)

MÁRCIO FLÁVIO RUARO¹, JEFERSON OLIVEIRA SANTANA², NATALIA GUSMÃO³, ELIAS DE FRANÇA⁴, BRUNO NASCIMENTO CARVALHO⁵, KLEBER BORGES FARINAZO⁶, SABRINA LENCINA BONORINO⁷ VANESSA CORRALO⁸, CLODOALDO ANTONIO DE SÁ⁹, ÉRICO CHAGAS CAPERUTO¹⁰ 1,2,3,4,5,10Human Movement Lab, São Judas Tadeu University – USJT, São Paulo-SP, BRAZIL; 1,2,6,Physical Education, Federal Institute of Paraná – IFPR, Palmas-PR, BRAZIL; 7,8,9Health Science Postgraduate Program, Unochapecó University, Chapecó-SC, BRAZIL.

Published online: May 31, 2019

(Accepted for publication March 15, 2019)

DOI:10.7752/jpes.2019.s3112

Art # 113 pp. 795 – 801

[Improvement in soccer learning and methodology for young athletes](#)

MONTESANO PIETRO¹, MAZZEO FILOMENA² 1Department of Motor Sciences and Wellness, University of Naples "Parthenope" ITALY 2Department of Science and Technology, University of Naples "Parthenope" ITALY

Published online: May 31, 2019

(Accepted for publication March 15, 2019)

DOI:10.7752/jpes.2019.s3113

Art # 114 pp. 802 – 807

[Both upper and lower extremity-only video game-based exercises \(exergaming\) affect blood glucose serum](#)

levels and heart rates but not oxygen saturation in teenagers

TRISNA RAHAYU¹, DWI APRILAWATI², JAMALUDDIN MAHMUD³, BAMBANG PURWANTO⁴, LILIK HERAWATI^{4*}
¹Medical Education Program, Faculty of Medicine, Universitas Airlangga, INDONESIA ²Department of Public Health, Faculty of Medicine, Universitas Airlangga, INDONESIA ³Faculty of Mechanical Engineering, Universiti Teknologi Mara, MALAYSIA ⁴Department of Physiology, Faculty of Medicine, Universitas Airlangga; Sport Clinic, Faculty of Medicine, Universitas Airlangga-Dr Soetomo Hospital, INDONESIA

Published online: May 31, 2019

(Accepted for publication March 18, 2019)

DOI:10.7752/jpes.2019.s3114

Art # 115 pp. 808 – 812

Analysis of psychological state of qualified female handball players depending on the phase of the ovarian-menstrual cycle

GENNADII LISENCHUK¹, VALERIA TYSHCHENKO², GENNADII ZHIGADLO³, IGOR DYADECHKO⁴, LIA GALCHENKO⁵, PAVLO PYPTIUK⁶, OLENA BESSARABOVA⁷, CHUIIEVA INNA⁸ ^{1,3} Department of Theory and Methodology of Physical Culture, Mykolaiv V. Sukhomlynskyi National University, Mykolaiv, UKRAINE ^{2,6} Department of Theory and Methods of Physical Training and Sports, Zaporizhzhia National University, UKRAINE ^{4,5} Department of Physical Culture and Sport, Zaporizhzhia National University, Zaporizhzhia, UKRAINE ⁷ Department of Physical Rehabilitation, Zaporizhzhia National University, Zaporizhzhia, UKRAINE ⁸ Department of Tourism

Published online: May 31, 2019

(Accepted for publication March 18, 2019)

DOI:10.7752/jpes.2019.s3115

Art # 116 pp. 813 – 818

Locomotor activities of professional futsal players during competitions

GENNADII IEDYNAK¹, LESIA GALAMANDJUK², VICTOR KORYAHIN³, OKSANA BLAVT⁴, VALERII MAZUR⁵, VOLODYMYR MYSIV⁶, MYKOLA PROZAR⁷, MICHAJLO GUSKA⁸, YULIYA NOSKO⁹, GRYGORII KUBAY¹⁰, TATYANA GURTOVA¹¹ ^{1,2,5,6,7,8} Department of Theory, Methodology of Preschool and Elementary School Education Kamianets-Podilskyi National Ivan Ohienko University, Kamianets-Podilskyi, UKRAINE ^{3,4,11} Department of Physical Education, Lviv Polytechnic National University, UKRAINE ⁹ Department of Physical Education, T.H. Shevchenko National University «Chernihiv Colehium», UKRAINE ¹⁰ Department of Physical Education, National University of Water and Environmental Engineering, Rivne, UKRAINE

Published online: May 31, 2019

(Accepted for publication March 21, 2019)

DOI:10.7752/jpes.2019.s3116

Art # 117 pp. 819 – 822

The condition of foot in students with functional disorders of posture under different types of physical load

SVITLANA NAKONECHNA¹, OLEG BASKEVYCH², SERG POPEL³, BOGDAN LISOVSKII⁴ ^{1,2} Department of Physical Rehabilitation, Vasyl Stefanyk Precarpathian National University, UKRAINE ³ Department of Theory and Method of Physical Culture and Sports, Vasyl Stefanyk Precarpathian National University, UKRAINE ⁴ Department of theory and method of physical culture and sport, Vasyl Stefanyk Precarpathian National University, UKRAINE

Published online: May 31, 2019

(Accepted for publication March 21, 2019)

DOI:10.7752/jpes.2019.s3117

Art # 118 pp. 823 – 828

[**Do traditional and cluster-set resistance training systems alter the pleasure and effort perception in trained men?**](#)

GUSTAVO CÉSAR VASCONCELOS¹, BRUNA DANIELLA DE VASCONCELOS COSTA², IGOR RODRIGUES DAMORIM³, TONY MEIRELES SANTOS⁴, EDILSON SERPELONI CYRINO⁵, DALTON DE LIMA-JUNIOR⁶ AND LEONARDO SOUSA FORTES⁷ 1,2,3,4,,6Department of Physical Education, Federal University of Pernambuco, BRAZIL 5Department of Physical Education, State University of Londrina, BRAZIL 7Department of Physical Education, Federal University of Paraíba, BRAZIL

Published online:May 31, 2019

(Accepted for publication March 25, 2019)

DOI:10.7752/jpes.2019.s3118

Art # 119 pp. 829 – 832

[**Energy and macronutrient intake of advanced polish sport climbers**](#)

SAS-NOWOSIELSKI KRZYSZTOF¹, WYCISLIK JUDYTA² 1Academy of Physical Education in Katowice, POLAND 2 BLO climbing gym, Katowice, POLAND

Published online:May 31, 2019

(Accepted for publication March 25, 2019)

DOI:10.7752/jpes.2019.s3119

Art # 120 pp. 833 – 840

[**Effect of Exergames on Physical Function, Cognitive Capacity, Depressive State and Fall-Risk in Mexican Older Adults: A pilot study**](#)

LUIS M. GÓMEZ-MIRANDA¹, NOÉ SANTIAGO-LÓPEZ², YAMILETH CHACÓN-ARAYA³, JOSÉ MONCADA-JIMÉNEZ⁴, AND MELINNA ORTIZ-ORTIZ⁵ 1,2,5,Sports Faculty, Autonomous University of Baja California, Tijuana, MÉXICO 3,4,School of Physical Education and Sports, University of Costa Rica, COSTA RICA

Published online:May 31, 2019

(Accepted for publication March 25, 2019)

DOI:10.7752/jpes.2019.s3120

Art # 121 pp. 841 – 846

[**Potential of motion analysis technologies in the quantitative study of karate technique: an experimental approach for the jump of Unsu Kata.**](#)

COPPOLA S1., MONTEMARANO L2., ALBANO D3., VASTOLA R4. 1,2,3,4,Department of Human Sciences, Philosophy & Education, University of Salerno, IT ALY

Published online:May 31, 2019

(Accepted for publication March 28, 2019)

DOI:10.7752/jpes.2019.s3121

Art # 122 pp. 847 – 853

[Research on the correlation between psychological content parameters of social expectations and the indexes of study progress of future physical education teachers](#)

IGOR POPOVYCH¹, OLENA BLYNOVA² 1,2Department General and Social Psychology, Kherson State University, UKRAINE

Published online: May 31, 2019

(Accepted for publication March 28, 2019)

DOI: 10.7752/jpes.2019.s3122 Ar # 123 pp. 854 – 858

[Correlation analysis of indicators of general and special physical preparedness and psycho-physiological indicators of 10-year-old football players](#)

SERHII LEBEDIEV¹, BORIS BEZYASICHNY² ANDRII PERTSUKHOV³, VICTORIA KHUDIAKOVA⁴, VICTOR SHALENKO⁵, SVYATOSLAV KOVAL⁶, ANATOLIY ABDULA⁷, TETIANA SYDOROVA⁸. 1,2,3,5,6,7The Department of football and hockey of the Kharkiv State Academy of Physical Culture, UKRAINE 4The Department of weightlifting and boxing of Kharkiv State Academy of Physical Culture, UKRAINE 8The Department of winter sports, cycling and tourism of Kharkiv State Academy of Physical Culture, UKRAINE

Published online: May 31, 2019

(Accepted for publication March 28, 2019)

DOI: 10.7752/jpes.2019.s3123

Art # 124 pp. 859 – 866

[Relatedness affects eye blink rate and movement form learning](#)

SUZETE CHIVIAKOWSKY¹, NATÁLIA HARTE², FABRICIO DEL VECCHIO³, REZA ABDOLLAHIPOUR⁴ 1,2,3,Federal University of Pelotas, BRAZIL 4Palacky University of Olomouc, CZECH REPUBLIC

Published online: May 31, 2019

(Accepted for publication March 30, 2019)

DOI: 10.7752/jpes.2019.s3124

Art # 125 pp. 867 – 875

[Physical fitness and parent-reported health status and leisure time activity of Polish boys and girls with abdominal and peripheral obesity](#)

Helena Popławska¹, Agnieszka Dmitruk², Wojciech Hołub³ 1,2 Department of Physical Education and Sport in Biała Podlaska, Józef Piłsudski University of Physical Education in Warsaw, Poland 3, Department of Health and Tourism in Biała Podlaska, Józef Piłsudski University of Physical Education in Warsaw, Poland

Published online: May 31, 2019

(Accepted for publication March 30, 2019)

DOI: 10.7752/jpes.2019.s3125

Art # 126 pp. 876 – 882

[Proposal of a non-invasive pelvic immobilization model: study in rats](#)

EDER JOÃO DE ARRUDA¹, CARLOS ALBERTO DA SILVA², RAFAELA FERREIRA³, NIVALDO ANTONIO PARIZOTTO⁴, MARCO AURÉLIO SERAFIM BONVINO⁵. 1PhD Student in Physiotherapy – UFSCar (Federal University of São Carlos), BRASIL 2Professor of the Post-graduation Program in Physiotherapy – UNIMEP (Methodist University of Piracicaba) 3Master degree in Physiotherapy – Unimep (Methodist University of Piracicaba), BRASIL 4Professor of the Post-graduation Program in Physiotherapy – UFSCar (Federal University of São Carlos) 5PhD

Student in Human Movement Sciences – UNIMEP (Methodist University of Piracicaba), BRASIL

Published online: May 31, 2019

(Accepted for publication April 05, 2019)

DOI:10.7752/jpes.2019.s3126

Art # 127 pp. 883 – 889

[Influence of students' cognitive processes on physical education teachers' thought process](#)

PAULO PEREIRA¹, FÁTIMA BENTO², FERNANDO SANTOS¹ ¹ School of Higher Education – Polytechnic of Porto, inED Centre for Research and Innovation in Education ² School of Higher Education, Communication and Sport – Polytechnic of Guarda, PORTUGAL

Published online: May 31, 2019

(Accepted for publication April 05, 2019)

DOI:10.7752/jpes.2019.s3127

Art # 128 pp. 890 – 896

[Effects of a physical activity program on depressive symptoms and functional capacity of institutionalized Mexican older adults](#)

MELINNA ORTIZ-ORTIZ¹, LUIS M. GÓMEZ-MIRANDA¹, YAMILETH CHACÓN-ARAYA², JOSÉ MONCADA-JIMÉNEZ² ¹Faculty of Sports, Autonomous University of Baja California, Tijuana, MÉXICO ²Human Movement Sciences Research Center (CIMOBU), University of Costa Rica, COSTA RICA

Published online: May 31, 2019

(Accepted for publication April 05, 2019)

DOI:10.7752/jpes.2019.s3128

Art # 129 pp. 897 – 902

[Effect of an intensive physical conditioning program on body composition and isometric strength in children with Down syndrome](#)

MELINNA ORTIZ-ORTIZ¹, KARLA I. TERRAZAS-ORDORICA², LUIS E. CANO-RODRÍGUEZ³, LUIS M. GÓMEZ-MIRANDA⁴, ANTONIETA OZOLS-ROSALES⁵, JOSÉ MONCADA-JIMÉNEZ⁶ ^{1,2,3,4}Faculty of Sports, Autonomous University of Baja California, MEXICO ⁵School of Human Movement Sciences and Quality of Life, National University, COSTA RICA ⁶Human Movement Sciences Research Center, University of Costa Rica, COSTA RICA

Published online: May 31, 2019

(Accepted for publication April 05, 2019)

DOI:10.7752/jpes.2019.s3129

Art # 130 pp. 903 – 911

[Improving the protective technique of 13-14-year-old basketball players using rubber bands and unstable platforms](#)

MIROŚLAWA CIEŚLICKA¹, IRINA SOBKO², LARISA ULAEVA³, ALEXANDER ISHENKO⁴, TATYANA SHEPELENKO⁵, GANNA TAMOZHANSKA⁶, NATALIYA BUGAYETS⁷ ¹Nicolaus Copernicus University, Toruń, POLAND ^{2,4,7}H.S. Skovoroda Kharkiv National Pedagogical University, UKRAINE ^{3,3}National university of pharmacy, UKRAINE ⁵Ukrainian State University of Railway Transport, UKRAINE

Published online: May 31, 2019

(Accepted for publication April 08, 2019)

DOI:10.7752/jpes.2019.s3130

Art # 131 pp. 912 – 916

[Comparative evaluation of muscular activation and scapular kinematics in a chest press lever machine and a barbell bench press](#)

EDUARDO BORGES¹; HELENA DALLA²; LUCIANA MASTANDREA³; SANDRA NUNES⁴; JOSÉ SANTAREM⁵
2,3,4,5 Instituto Bidelta - São Paulo, BRAZIL 1 College of physical education YMCA of Sorocaba - São Paulo,
BRAZIL

Published online: May 31, 2019

(Accepted for publication April 08, 2019)

DOI:10.7752/jpes.2019.s3131

Art # 132 pp. 917 – 924

[Influence of modern fitness technologies on the state of health and development of motor abilities of 17-19-year-old female students](#)

OLEKSANDR MOZOLEV¹, IHOR BLOSHCHYNSKYI², OLEKSANDR ALIEKSIEIEV³, LIUDMYLA ROMANYSHYNA⁴,
LARYSA ZDANEVYCH⁵, IRYNA MELNYCHUK⁶, KOSTIANTYN PRONTENKO⁷, VASYL PRONTENKO⁸ 1

Department of theory and methodology of physical culture and valeology of Khmelnytskyi Humanitarian-Pedagogical
Academy, UKRAINE. 2 National Academy of the State Border Guard Service of Ukraine named after Bohdan

Khmelnytskyi, UKRAINE. 3 Department of sports and sport games of Kamianets-Podilskyi National Ivan Ohienko

University, UKRAINE. 4 Khmelnytskyi Humanitarian-Pedagogical Academy, UKRAINE. 5 Khmelnytskyi Humanitarian-
Pedagogical Academy, UKRAINE. 6 Horbachevsky Ternopil State Medical University, Ternopil, UKRAINE.

7Department of Physical Education, Special Physical Training and Sport, S. P. Koroliiv Zhytomyr Military Institute,

Zhytomyr, UKRAINE. 8Department of Physical Education, Special Physical Training and Sport, S. P. Koroliiv Zhytomyr
Military Institute, Zhytomyr, UKRAINE.

Published online: May 31, 2019

(Accepted for publication April 08, 2019)

DOI:10.7752/jpes.2019.s3132

Art # 133 pp. 925 – 930

[Relationship between the level of social psychological factors and sport performance among basketball players](#)

SOFYAN ALLEIMON An Assistant Professor, Aqaba University of Technology, Amman- JORDAN

Published online: May 31, 2019

(Accepted for publication April 12, 2019)

DOI:10.7752/jpes.2019.s3133

Art # 134 pp. 931 – 935

[Effects of association of physical education and multidisciplinary intervention program on cardiovascular risk factors in obese elderly women](#)

João Marcelo de Queiroz Miranda¹, Roberta Luksevicius Rica², Alexandre Lopes Evangelista³, Caue V. La Scala
Teixeira⁴, Andrey Jorge Serra⁵, Gisela Arsa⁶, Angelica Castilho Alonso⁷, Welmo Alcantara barbosa⁸, Lucas Sfair

BARreto9, Alana Sena Souza10, Adriano Fortes Maia11, Danilo Sales Bocalini12 1,3,7, Department of Physical Education. Universidade Nove de Julho, São Paulo, SP, BRAZIL 2 Department of Physical Education. Universidade Estacio de Sá, Vitoria, ES, BRAZIL 3,4 Group of studies on obesity of Universidade Federal de São Paulo, Santos, SP, BRAZIL. 4 Department of Physical Education. Praia Grande College, Praia Grande, SP, BRAZIL. 5 Department of Medicine - Cardiology division. Federal University of São Paulo. São Paulo, SP, BRAZIL. 6 Department of Physical Education. Universidade Federal de Mato Grosso, Mato Grosso, BRAZIL. 7,8,9,10,11,12 Experimental Physiology and Biochemistry Laboratory, Physical Education and Sport Center, Universidade Federal do Espírito Santo, Vitoria, ES, BRAZIL.

Published online: May 31, 2019

(Accepted for publication April 12, 2019)

DOI:10.7752/jpes.2019.s3134

Art # 135 pp. 936 – 944

[Effective school leadership according to the perceptions of principals and physical education teachers](#)

DELIGIANNIDOU TZENI1, ATHANAILIDIS IOANNIS2 LAIOS ATHANASIOS3 STAFYLA AMALIA4 1,2,3,4, University of Thrace, Department of Physical Education and Sports Science, Komotini, TEI of Central Macedonia, Logistics Department, GREECE

Published online: May 31, 2019

(Accepted for publication April 14, 2019)

DOI:10.7752/jpes.2019.s3135

Art # 136 pp. 945 – 951

[The influence of physical fitness on the symptoms of Burnout](#)

MAYRA GRAVA DE MORAES1, SANDRA LEAL CALAIS1, CARLOS EDUARDO LOPES VERARDI1. 1Sao Paulo State University (UNESP), Bauru, BRAZIL

Published online: May 31, 2019

(Accepted for publication April 14, 2019)

DOI:10.7752/jpes.2019.s3136

Art # 137 pp. 952 – 956

[Influence of attentional instructions on football juggling performance in children](#)

ANNA BODASIŃSKA1, JANUSZ ZIELIŃSKI2, HUBERT MAKARUK3 1,2 Department of Team Sports, The Josef Pilsudski University of Physical Education in Warsaw, Faculty of Physical Education and Sport in Biała Podlaska, POLAND 3 Department of Athletics and Swimming, The Josef Pilsudski University of Physical Education in Warsaw, Faculty of Physical Education and Sport in Biała Podlaska, POLAND

Published online: May 31, 2019

(Accepted for publication April 18, 2019)

DOI:10.7752/jpes.2019.s3137

Art # 138 pp. 957 – 961

[Physical activity and sedentary time during physical education lessons between different physical activity groups of a sample of Finnish 11-year-old students](#)

SALIN, K1., HUHTINIEMI, M2., WATT, A3., HAKONEN, H4., MONONEN, K5., JAAKKOLA, T6. 1,2,,6, FACULTY OF

SPORT & HEALTH SCIENCES, UNIVERSITY OF JYVÄSKYLÄ, JYVÄSKYLÄ, FINLAND; 3COLLEGE OF ARTS & EDUCATION, VICTORIA UNIVERSITY, MELBOURNE, AUSTRALIA 4LIKES RESEARCH CENTRE FOR PHYSICAL ACTIVITY AND HEALTH, JYVÄSKYLÄ, FINLAND 5 RESEARCH INSTITUTE FOR OLYMPIC SPORTS, JYVÄSKYLÄ, FINLAND

Published online:May 31, 2019

(Accepted for publication April 18, 2019)

DOI:10.7752/jpes.2019.s3138

Art # 139 pp. 962 – 970

[The effectiveness of a tactical games approach in the teaching of invasion games](#)

ÉLVIO RÚBIO GOUVEIA^{1,2,3}; BRUNA RAQUEL GOUVEIA^{2,3,4,5}; ADILSON MARQUES⁶; MATTHIAS KLIEGEL^{3,7}; ANA JOSÉ RODRIGUES¹; JOÃO PRUDENTE^{1,8}; HELDER LOPES^{1,8}; ANDREAS IHLE^{3,7} 1 Department of Physical Education and Sport, University of Madeira, Funchal, PORTUGAL 2 ITI/LARSyS, Interactive Technologies Institute, Funchal, PORTUGAL 3 Center for the Interdisciplinary Study of Gerontology and Vulnerability, University of Geneva, Geneva, SWITZERLAND 4 Saint Joseph of Cluny Higher School of Nursing, Funchal, PORTUGAL 5 Health Administration Institute, IP-RAM, Secretary of Health of the Autonomous Region of Madeira, Funchal, PORTUGAL 6 Interdisciplinary Centre for the Study of Human Performance, Faculty of Human Kinetics, Technical University of Lisbon, Lisbon, PORTUGAL 7 Department of Psychology, University of Geneva, Geneva, SWITZERLAND 8 CIDESD, Research Center in Sports Sciences, Health Sciences and Human Development

Published online:May 31, 2019

(Accepted for publication April 18, 2019)

DOI:10.7752/jpes.2019.s3139

Art # 140 pp. 971 – 979

[Implementation of the inclusive learning model in the process of physical education of the students with physical disabilities.](#)

MIKHAIL KUDRYAVTSEV^{1,3,4,5}, VLADIMIR LYAKH⁶, SERGII IERMAKOV⁷, ALEKSANDER OSIPOV^{1,2,5}, YURI ALEXANDROV¹, LIDIA KONOSHENKO¹, OLGA STAROVA¹, ANNA MALAKHOVA¹, TATYANA ZHAVNER¹, ANNA VAPAEVA¹ 1Siberian Federal University, RUSSIA 2 Professor V. F. Voino-Yasenetsky Krasnoyarsk State Medical University, RUSSIA 3Reshetnev Siberian State University of Science and Technology, RUSSIA 4 Krasnoyarsk State Pedagogical University named after V.P. Astafyev, RUSSIA 5 Siberian Law Institute of the Ministry of Internal Affairs of the Russian Federation, RUSSIA 6 Krakow University of Physical Education, POLAND 7 Gdansk University of Physical Education and Sports, POLAND

Published online:May 31, 2019

(Accepted for publication April 22, 2019)

DOI:10.7752/jpes.2019.s3140

Art # 141 pp. 980 – 986

[The strength of schema depends on the amount of variation during variable practice](#)

ISABELLE M. M. HALLACK¹, LUCAS S. FIGUEIREDO², AURO B. FREIRE³, AND RODOLFO N. BENDA⁴ 1,2,3,4 Department of Physical Education, School of Physical Education, Physiotherapy and Occupational Therapy, Universidade Federal de Minas Gerais, BRAZIL

Published online:May 31, 2019

(Accepted for publication April 22, 2019)

DOI:10.7752/jpes.2019.s3141

Art # 142 pp. 987 – 991

[Reliability and validity of the basic motor ability test in preschool children.](#)

CARLOS AYAN¹, SILVIA VARELA², MIGUEL A. SANCHEZ-LASTRA³ AND ÓSCAR MARTINEZ DE QUEL⁴

^{1,2,3}Department of Special Didactics, Faculty of Education and Sport Sciences, University of Vigo, SPAIN ⁴Faculty of Education, Complutense University of Madrid, SPAIN

Published online: May 31, 2019

(Accepted for publication April 22, 2019)

DOI:10.7752/jpes.2019.s3142

Art # 143 pp. 992 – 1002

[Integral development of jumping and of shot accuracy of young basketball players 12-13 years](#)

MIROŚŁAWA CIEŚLICKA¹, ZHANNETA KOZINA², RADOSŁAW MUSZKIETA³, VITALII KOROBENIK⁴, DANIL

SAFRONOV⁵, NATALIYA BUGAYETS⁶, TATIANA SHEPELENKO⁷, ANDRII TANKO⁸ ^{1,3}Nicolaus Copernicus University, Toruń, POLAND ²Department of Olympic and professional sport and sport games, H.S. Skovoroda Kharkiv National Pedagogical University, UKRAINE ⁴Department of Cyclic Sports, H.S. Skovoroda Kharkiv National Pedagogical University, UKRAINE ⁵Department of Surgical Diseases and Topographic Anatomy of Kharkov National University, UKRAINE ⁶Department of Choreography, H.S. Skovoroda Kharkiv National Pedagogical University, UKRAINE ⁷Department of Physical Culture, Ukrainian State University of Railway Transport, UKRAINE ⁸Department of Administrative Law and Process, Kharkiv National University of Internal Affairs, UKRAINE

Published online: May 31, 2019

(Accepted for publication April 26, 2019)

DOI:10.7752/jpes.2019.s3143

Art # 144 pp. 1003 – 1007

withdrawn

Art # 145 pp. 1008 – 1013

[Preventing Injuries Among Water Polo Players: A quantitative Survey](#)

GUILLERMO DE CASTRO MAQUEDA¹, JOSE VICENTE GUTIERREZ MANZANEDO² ^{1,2}Department of teaching physical education. University of Cadiz, SPAIN

Published online: May 31, 2019

(Accepted for publication April 28, 2019)

DOI:10.7752/jpes.2019.s3145

Art # 146 pp. 1014 – 1021

[Characteristics of adventure parks with a focus on human resources and visitor profiles](#)

Eszter Boda¹ - Éva Bácsné Bába² – Anetta Müller³ ¹Institute of Sport science, Eszterházy Károly University, Hungary ^{2,3}Department of Sport Economics and Management, University of Debrecen, Hungary

Published online: May 31, 2019

(Accepted for publication April 28, 2019)

DOI:10.7752/jpes.2019.s3146

Art # 147 pp. 1022 – 1029

[Assessment of emotional state and mental activity of 15-16 year-old boys and girls who had a low level of physical activity](#)

OLENA ANDRIEIEVA¹, VITALII KASHUBA², ION CARP³, TARAS BLYSTIV⁴, MARIIA PALCHUK⁵, NATALIIA KOVALOVA⁶, INNA KHRYPKO⁷ 1,2,4,5,6,7, National University of Physical Education and Sport of Ukraine, Kyiv, UKRAINE 3 State University of Physical Education and Sport, Chisinau, REPUBLIC OF MOLDOVA

Published online: May 31, 2019

(Accepted for publication April 29, 2019)

DOI:10.7752/jpes.2019.s3147

Art # 148 pp. 1030 – 1034

[Using the methods of mathematical statistics in sports and educational research of masters in physical education and sport](#)

BYSHEVETS NATALIIA¹, DENYSOVA LOLITA², SHYNKARUK OKSANA³, SERHIYENKO KOSTYANTYN⁴, USYCHENKO VITALY⁵, STEPANENKO OLHA⁶, IRYNA SYVASH⁷ 1 Innovation and Information Technologies in Physical Culture and Sports Department, National University of Ukraine of Physical Education and Sport, Kyiv, UKRAINE 2 Innovation and Information Technologies in Physical Culture and Sports Department, National University of Ukraine of Physical Education and Sport, Kyiv, UKRAINE 3 Innovation and Information Technologies in Physical Culture and Sports Department, National University of Ukraine of Physical Education and Sport, Kyiv, UKRAINE 4 Innovation and Information Technologies in Physical Culture and Sports Department, National University of Ukraine of Physical Education and Sport, Kyiv, UKRAINE 5 Innovation and Information Technologies in Physical Culture and Sports Department, National University of Ukraine of Physical Education and Sport, Kyiv, UKRAINE 6 Innovation and Information Technologies in Physical Culture and Sports Department, National University of Ukraine of Physical Education and Sport, Kyiv, UKRAINE 7 History and Theory of Olympic Sports Department, National University of Ukraine of Physical Education and Sport, Kyiv, UKRAINE

Published online: May 31, 2019

(Accepted for publication April 29, 2019)

DOI:10.7752/jpes.2019.s3148

Art # 149 pp. 1035 – 1040

[Adaptation to endurance load in youths](#)

GEORGIY KOROBAYNIKOV¹, IVAN GLAZYRIN², VLADIMIR POTOP³, VOLODYMYR ARCHIPENKO⁴, VALENTINA GLAZYRINA⁵, OLEKSANDR DUDNYK⁶, LESIA KOROBAYNIKOVA⁷, NATALIIA DAKAL⁸ 1,7 National University of Physical Education and Sport, Kiev, UKRAINE 2,4, Cherkasy Institute of Fire Safety named after Chornobyl Heroes, Cherkasy, UKRAINE 3 Ecological University of Bucharest, ROMANIA 5 Bohdan Khmelnytsky National University, Cherkasy, UKRAINE 6 Bila Tserkva National Agrarian University, Bila Tserkva, UKRAINE 8 National Technical University of Ukraine «Igor Sikorsky Kyiv Polytechnic Institute», Kiev, UKRAINE

Published online: May 31, 2019

(Accepted for publication April 30, 2019)

DOI:10.7752/jpes.2019.s3149

Art # 150 pp. 1041 – 1047

Both upper and lower extremity-only video game-based exercises (exergaming) affect blood glucose serum levels and heart rates but not oxygen saturation in teenagers

TRISNA RAHAYU¹, DWI APRILAWATI², JAMALUDDIN MAHMUD³, BAMBANG PURWANTO⁴, LILIK HERAWATI^{4*}

¹Medical Education Program, Faculty of Medicine, Universitas Airlangga, INDONESIA

²Department of Public Health, Faculty of Medicine, Universitas Airlangga, INDONESIA

³Faculty of Mechanical Engineering, Universiti Teknologi Mara, MALAYSIA

⁴Department of Physiology, Faculty of Medicine, Universitas Airlangga; Sport Clinic, Faculty of Medicine, Universitas Airlangga-Dr Soetomo Hospital, INDONESIA

Published online: May 31, 2019

(Accepted for publication March 18, 2019)

DOI:10.7752/jpes.2019.s3114

Abstract:

A decrease in the frequency of physical activities is apparent in children and adolescents. This is partly due to their fondness for playing games on gadgets. If the decline in physical activity continues, it is feared that it may indirectly increase the prevalence of metabolic diseases, such as obesity, heart disease, and diabetes mellitus. One of the newest innovations to make exercise easier is video game-based exercises (exergaming). Via exergaming, exercises can be done while sitting down (only the upper extremities are moving) or by standing up in a person's own comfortable space. Therefore, this study aimed to determine the effect of performing exergaming via only the upper and lower extremities on blood glucose (BG), heart rate (HR), and oxygen saturation levels. The participants (\pm 20 year old) were college students, including 24 boys who were divided into three groups, a control group, an upper extremities exergaming (upperEx) group, and a lower extremities exergaming (lowerEx) group. The participants performed mild to moderate intensity exergaming for approximately 30 min. The variables studied included the BG level, HR, and the percentage of oxygen saturation (SpO₂). The serial time for collecting data included fasting, 30 min (30'), 60' (after exercise), 90', and 120' after drinking a sweet solution. The results showed that there was a significant difference between the control and treatment groups regarding the 60' BG level and the 60', 90', and 120' of HR with a slower increase in the upperEx. Nonetheless, percentage of SpO₂ did not differ among the groups. Therefore, we suggest that exercises of the upper and lower extremities have benefits for the health of teenagers. However, we assume that upper extremity-only exergaming is less harmful for a person who has metabolic disease.

Key Words: exergaming, glucose, heart rate, oxygen saturation, teenager

Introduction

Currently, physical activities done by children and adolescents are decreasing. In the adolescent period, physical activities decline around 7% per year, resulting in the global physical activity change among adolescence of around 60–70% (Dumith, Gigante, Domingues, & Kohl-III, 2011). This condition is related to the increase of secondary activities such as playing games on the gadget or the non-supporting environment and condition. The declining physical activities give rise to several health issues as they may directly increase the prevalence of metabolic diseases such as obesity, heart disease, and diabetes mellitus. Based on a report by the World Obesity Federation (2018), the obesity prevalence of kids was around 13–15 years between 2001 and 2013. It has become one of the rising factors in the risk of metabolic diseases.

Diabetes mellitus is a medical condition caused by excessive blood glucose in the body. This is due to the inability of blood glucose to enter the cell as an energy source. Diabetes mellitus can be divided into two types. Type 1 diabetes is the inability of the body to produce adequate insulin, because the immune system destroys pancreatic beta cells called autoimmune. Meanwhile, type 2 diabetes is a condition where the body is unable to produce or use insulin properly or where insulin resistance occurs (American Diabetes Association, 2018).

Nowadays, diabetes mellitus has received more attention because of its drastically increasing prevalence. In 2013, there were 382 million people with diabetes mellitus, and 90% of the cases were type 2 diabetes. This is equal to 8.3% of the world's adult population. Also, in 2012 and 2013, diabetes mellitus killed 1.5 to 5.1 million people per year, which made diabetes mellitus the 8th cause of death in the world (Tao, Shi, &

Zhao, 2015). Hyperglycemia for a long period, such that of diabetes, can cause deadly diseases. One of the diabetic preventions is doing physical activities (Routen, 2010; Yuliya & Sergey, 2018).

Many innovations make aerobic exercises more enjoyable; one of the examples is video-game-based exercises (exergaming). Exergaming is a “game” using console, which provides videos facilitating physical exercises. In this study, exergaming refers to the use of games which provide videos (using XBOX or Nintendo Wii). Using exergaming, exercises can done while sitting down (only upper extremities are moving) or by standing up. Exercises can be done in a comfortable room. However, the different effects of focusing only on upper and lower extremities on health parameters have not been clearly identified. The objective of this study is to determine the effect of upper and lower extremities exergaming on blood glucose (BG) level, heart rate (HR), and the percentage of oxygen saturation (SpO₂) as key parameters of health.

Material & methods

This study has been approved by the Medical Research Ethics Committee of Faculty of Medicine, Universitas Airlangga, Surabaya, East Java, Indonesia.

Participants

This study involved twenty four healthy participants (\pm 20 y.o, college students) who were divided randomly into 3 groups: control group, upper only extremities exergaming (upperEx) group, and lower only extremities exergaming (lowerEx) group.

Procedure and Instruments

All of the participants were instructed to fast for 8 hours. The fasting blood glucose (BG), heart rate (HR), and percentage of oxygen saturation (SpO₂) were measured. Then, sweet drink was given to all participants. After 30 minutes (30'), the 30' of BG, HR, and SpO₂ were obtained. After that, participants in the control group were instructed to stay (not doing physical activities), while participants in the upperEx and lowerEx groups did exergaming for about 30 minutes. Those in the UpperEx group exercised with their upper extremities dominantly and those in the lowerEx group exercised with their lower extremities dominantly.

After exergaming, some variables were measured immediately after exergaming (60, 90, and 120 minutes after having the sweet drink.

Blood glucose was measured using an Accucheck Performa glucometer. Heart rate and SpO₂ were determined using OxyOne Finger Pulse Oximeter.

Statistical analysis

Normality test was performed to determine the distribution of the data. Anova test was used when it was normally distributed. If the result of Anova test was significantly different, it would be followed by post-hoc test. Kruskal-wallis test was used if the distribution of the data was not normal. If the result of Kruskal wallis was significantly different, it would be tested by mann-whitney. Pearson or Spearman test was used to evaluate the correlation of the variables. The data were displayed in graphical figures and tables indicating the mean \pm standart of deviation.

This study has been approved by the Medical Research Ethics Committee of Faculty of Medicine, Universitas Airlangga, Surabaya, East Java, Indonesia.

Results

Prior to initiating the treatment, anthropometric variables, blood glucose levels, heart rates, and oxygen saturation conditions were measured (table 1.) to find out if the participants were homogeneous.

Table 1. Characteristic of the participants and the baseline data (before treatment)

Group	Age (y.o)	BMI (kg/m ²)	BG_f (mg/dL)	HR_f (bpm)	SpO ₂ _f (%)
control (n=8)	20.6 \pm 0.52	24.6 \pm 3.15	92.8 \pm 9.68	78.3 \pm 9.18	98.0 \pm 2.45
upperEx (n=8)	20.6 \pm 0.74	24.6 \pm 2.93	92.9 \pm 8.84	83.5 \pm 13.08	98.4 \pm 0.52
lowerEx (n=8)	20.8 \pm 0.46	23.4 \pm 2.47	91.5 \pm 8.62	90.0 \pm 6.80	98.3 \pm 0.71

data = mean \pm SD ; f= fasting condition

no sig. diff. among groups (p \geq 0.05)

Table 2. Blood glucose (mg/dL) in each group

Group	BG 30'	BG 60'	BG 90'	BG 120'
control (n=8)	131.9 \pm 15.49	111.3 \pm 12.83 ^a	87.0 \pm 8.55	90.4 \pm 7.35
upperEx (n=8)	120.6 \pm 10.00	90.0 \pm 12.13 ^b	89.8 \pm 4.17	86.5 \pm 7.11
lowerEx (n=8)	122.9 \pm 13.25	92.9 \pm 9.73 ^b	94.0 \pm 8.04	89.8 \pm 10.42

data = mean \pm SD

diff.superscript showed sig.diff between groups (p<0.05)




Fig. 1. A: Blood glucose (mg/dL) pattern in the timeline, *sig.diff among groups ($p=0.003$); B: Blood glucose difference (mg/dL), *sig.diff with control groups ($p<0.05$).

Table 3. Heart rate (bpm) in each group

Group	HR 30'	HR 60'	HR 90'	HR 120'
control (n=8)	76.3±11.31	75.4±11.40 ^a	79.5±11.30 ^a	76.0±14.22 ^a
upperEx (n=8)	84.3±10.33	112.1±13.56 ^b	89.0±12.14 ^{a,b}	86.3±15.99 ^{a,b}
lowerEx (n=8)	87.9±8.54	132.0±9.43 ^c	94.5±9.67 ^b	94.0±6.44 ^b

data = mean±SD

diff.superscript showed sig.diff between groups ($p<0.05$)




Fig. 2. A: Heart rate (bpm) pattern in the timeline, *sig.diff among groups ($p<0.05$) ; B: Heart rate difference (bpm), *sig.diff with control groups ($p<0.05$), ~ sig.diff with upperEx group ($p<0.05$).

Table 4. The percentage of saturated pressure of oxygen (%)

Group	SpO ₂ F	SpO ₂ 30	SpO ₂ 60	SpO ₂ 90	SpO ₂ 120
control (n=8)	98.0±2.45	98.9±0.64	98.8±1.03	98.5±0.54	98.3±0.46
upperEx (n=8)	98.4±0.52	98.0±1.77	97.9±1.00	98.5±0.76	98.3±0.46
lowerEx (n=8)	98.3±0.71	98.8±0.89	98.1±0.35	98.3±0.46	98.4±0.52

data = mean±SD

no sig.diff among groups (p≥0.05)

Table 5. The significant correlation (Spearman's Rho) between blood glucose and heart rate or percentage of oxygen saturation in each group

control	upperEx			lowerEx		
		coeff.	Sig.		coeff.	Sig.
no sig. correlation	BG_120' & HR_60'	0,857	0,007	BG_60' & HR_60'	0,715	0,046
	BG_120' & SpO ₂ _120'	-0,756	0,030	BG_90' & HR_60'	0,904	0,002
				BG_90' & SpO ₂ _120'	-0,732	0,039

Dicussion

Upper and Lower Only Extremities Exergaming on Serial Blood Glucose Levels

The 60' BG or the glucose level measured immediately after exergaming was significantly lower in the treatment groups. There was also a greater difference in the mean decrease compared to control. The decrease in blood glucose levels in upperEx and lowerEx groups could be caused by an increase usage of blood glucose in skeletal muscles when physical exercise took place. As explained by Richter et al. (1985) and Colberg et al. (2013), based on the type, intensity, and duration, exercise has been found to significantly reduce blood glucose levels. In addition, a greater decrease in blood glucose level in the upperEx and lowerEx groups was also influenced by several other factors, such as the increases of capillary blood flow, causing the distribution of insulin and glucose in muscle cells to occur faster. In addition to, insulin also affects the redistribution of GLUT-4 (glucose transporters-4) from the inner cell to the cell surface so that the facilitated diffusion of glucose into the cell can be done (Herawati, Irwadi, Sari, & Harjanto, 2015).

After 60 minutes, blood glucose levels in the control group decreased drastically which was predicted to contribute to hypoglycemia compared to the treatment groups. This is because after four to eight hours, the circulation of nutrients from exogenous will return to the phase before eating. This was followed by an increase in food circulation endogenously, where 90% of glucose production derived from glycogenolysis and gluconeogenesis in the liver (Paffenbarger et al., 1976). On the other hand, an increase in blood glucose levels due to glycolysis and gluconeogenesis in the liver will increase insulin secretion to maintain a balance of blood glucose levels after physical exercise (Wulandari, 2013).

A slower decrease in glucose levels after 60 to 120 minutes in the treatment groups might happen to healthy individuals. This result is in accordance with a study conducted by Swanwick and Matthews (2018), where there was a temporary increase in blood sugar levels in swimmers which caused an increase in catecholamines and other independent hormones.

Exercising upper only and lower only through exergaming resulted in a similar pattern of serial blood glucose. However, the decrease in the lower only exergaming group was more significant than that in the upper only exergaming group. It might be the effect of the lower exergaming type which requires more energy, such as weight-bearing exercise like running compared to non-weight bearing exercise like swimming (University of Colorado Hospital, 2004; Harvard Health Publishing, 2004).

The Effect of Upper and Lower Only Extremities Exergaming on Heart Rate

Previous studies have suggested that exergaming is equivalent to mild-moderate intensity of physical activity (Kraft, 2011; Ruivo, 2014). Also, it has been known that exercise will stimulate symphatetic nerves and the result is increased heart rate (HR) (Hall & Guyton, 2016). In this study, the HR of lower only extremities is similar to that of a prior study conducted by Kraft, (2011). The HR of individuals doing upper only extremities exergaming is similar to that doing mild exercise (Foss & Keteyian, 1998). The HR of individuals doing upper only extremities exergaming showed a slower increase compared to those doing the lower only extremities exergaming, but it was not significantly different. Thus, upper only extremities exergaming seems to give more benefit to a person who has metabolic diseases such as heart disease.

The recovery of HR between 60 and 90 minutes after exergaming showed insignificant difference between upper and lower groups. The lower exergaming presented a faster decrease of HR. Yet, after 90 and 120 minutes of exergaming, the control and treatment groups had the same pattern.

Heart rate and oxygen saturation had a significant correlation. This result is in line with research conducted by Lain (2013). The increase in heart rate was relatively not extreme. Therefore, blood glucose levels were still within the normal range. Several articles reveal that physical activities or exercises with submaximal intensity will lead to an increase in blood glucose levels and a decrease after ~30 minutes (Adams, 2013;

Goodwin, 2010). It is because in high intensity exercise, adrenalin will be secreted higher to stimulate hepatic glycogenolysis or gluconeogenesis in order to maintain blood glucose levels for important organs especially the brain (Goodwin, 2010).

The Effect of Upper and Lower Only Extremities Exergaming on Oxygen Saturation

Oxygen saturation was found to be insignificantly different among groups. This finding is different from the result of a previous study on patients with severe COPD (chronic obstructive pulmonary disease) (Wardini et al., 2013). The different result could be because the participants in this study were normal teenagers and the method of exercise was different. The exercise in this study was dancing and the intensity was mild to moderate.

According to a research by Lain and Granger (2013), an increased heart rate of more than 180 bpm could lead to oxygen desaturation. The reason lies in the heart rate which increases after exergaming, not exceeding 180 bpm. Thus, there was no oxygen desaturation.

Based on the correlation test, there was a significant negative correlation between blood glucose and oxygen saturation. This aligns with research conducted by Acar et al. (2014) and Wei et al. (2016). This indicates that when there was a decline in oxygen saturation (e.g. during high-intensity physical exercise or hypoxic state), the blood glucose level increases. However, the level of those variables was still within the normal range. Thus, exergaming is relatively safe to do.

Conclusions

The upper and lower only exergaming have an effect on serial blood glucose levels and heart rates. However, they do not affect the oxygen saturation in teenagers. Thus, they may prevent metabolic diseases since teenager phase. We also assume that the upper exergaming is less harmful for a person who has metabolic diseases. Further research could examine this aspect.

Conflicts of interest

The authors declare no conflicts of interest in relation to the research reported in the article.

References:

- Acar, N., Ozcelik, H., Cevik, A. alper, Ozakin, E., Yorulmaz, G., Kebapci, N., Bilgin, M. (2014). Low perfusion index affects the difference in glucose level between capillary and venous blood. *Therapeutics and Clinical Risk Management*, 10, 985–991.
- Adams, O. P. (2013). The Impact of Brief High-Intensity Exercise on Blood Glucose Levels. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 6, 6–113.
- American Diabetes Association. (2018). Standards of Medical Care in Diabetes-2018. *The Journal of Clinical and Applied Research and Education*, 41(1).
- Anschutz Medical Campus University of Colorado Hospital. (2004). Estimating energy expenditure. Retrieved from http://www.ucdenver.edu/academics/colleges/medicine/sportsmed/cusm_patient_resources/Documents/Estimating_Energy_Expenditure.pdf
- Colberg, S. R., Hernandez, M. J., & Shahzad, F. (2013). Blood glucose responses to type, intensity, duration, and timing of exercise. *Diabetes Care*, 36(10), 2013.
- Dumith, S. C., Gigante, D. P., Domingues, M. R., & Kohl-III, H. W. (2011). Physical activity change during adolescence: a systematic review and a pooled analysis. *International Journal of Epidemiology*, 40, 685–698.
- Foss, M., & Keteyian, S. (1998). *Fox's Physiological Basis for Exercise and Spor* (6th ed.). New York: McGraw Hill.
- Goodwin, M. L. (2010). Blood glucose regulation during prolonged, submaximal, continuous exercise: A guide for clinicians. *Journal of Diabetes Science and Technology*, 4(3), 694–705.
- Hall, J. E., & Guyton, A. C. (2016). *Guyton and Hall Textbook of Medical Physiology. Journal of Chemical Information and Modeling* (13th ed., Vol. 53). Philadelphia: Elsevier.
- Harvard Health Publishing. (2004). Calories burned in 30 minutes for people of three different weights. <https://doi.org/10.1111/peps.12050>
- Herawati, L., Irwadi, I., Sari, G. M., & Harjanto. (2015). Peningkatan Protein Pengangkut Gula (Glut4) Dengan Diet Tinggi Karbohidrat dan Latihan Fisik Teratur. In *Proceeding "Kongres nasional IAIFI XVI, Simposium, Seminar Nasional, dan Workshop XXIV"*: *Interaksi Holistik antara Organisme dan Lingkungan untuk Kualitas Hidup yang Lebih Baik: Ketahanan pangan, Kesehatan, dan Prestasi Olahraga* (pp. 796–806). ISBN 9786027338401. Padang.
- Kraft, J. A., Russell, W. D., Bowman, T. A., Selsor-iii, C. W., & Foster, G. D. (2011). Heart Rate and Perceived Exertion During Self-Selected Intensities for Exergaming Compared To Traditional Exercise in College-Age Participants. *Journal of Strength and Conditioning Research*, 25(6), 1736–1742.

- Lain, D., & Granger, W. (2013). Oxygen Saturation and Heart rate during Exercise. In *Annual Meeting of Society for Technology in Anesthesia* (pp. 36–37).
- Paffenbarger, R. S. J., Kampert, J. B., Lee, I. M., Hyde, R. T., Leung, R. W., Wing, A. L., & Hsieh, C. C. (1976). Fasting Hypoglycemia in Adults. *The New England Journal of Medicine*, 294(14), 766–772.
- Richter, E. A., Ploug, T., & Galbo, H. (1985). After Exercise Increased Muscle Glucose Uptake No Need for Insulin During Exercise. *Diabetes*, 34, 1041–1048.
- Routen, A. C. (2010). The Role of Physical Activity in the Primary Prevention of Type 2 Diabetes via The Amelioration of Insulin Resistance. *Journal of Physical Education and Sport*, 28(3), 3–10.
- Ruivo, J. A. (2014). Exergames and Cardiac Rehabilitation. *Journal of Cardiopulmonary Rehabilitation and Prevention*, 34(1), 2–20.
- Swanwick, E., & Matthews, M. (2018). The Effects of Pre-Exercise Blood Glucose on Responses to Short Duration High Intensity Exercise. *International Journal of Sports and Exercise Medicine*, 4(1), 1–7.
- Tao, Z., Shi, A., & Zhao, J. (2015). Epidemiological Perspectives of Diabetes. *Cell Biochemistry and Biophysics*, 73(1), 181–185.
- Wardini, R., Dajczman, E., Yang, N., Baltzan, M., Préfontaine, D., Stathatos, M., Wolkove, N. (2013). Using a Virtual Game System To Innovate Pulmonary Rehabilitation: Safety, Adherence And Enjoyment In Severe Chronic Obstructive Pulmonary Disease. *Canadian Respiratory Journal*, 20(5), 357–361.
- Wei, T.T., Tsai, H.Y., Yang, C.C., Hasiao, W.T., & Huang, K.C. (2016). Noninvasive glucose evaluation by human skin oxygen saturation level. In *International Instrumentation and Measurement technology*. <https://doi.org/10.1109/I2MTC.2016.7520571>
- World Obesity Federation. (2018). Changes in % Overweight in Children (between 2001 & 2013/4). Retrieved December 16, 2018, from <https://www.worldobesitydata.org/presentation-graphics/resources/charts/83/>
- Wulandari, K. (2013). *Efek Latihan dengan Ergocycle terhadap Kadar Glukosa Darah Pada Penderita Diabetes Melitus Tipe 2 Anggota Klub Persadia Rumah Sakit Umum Daerah (RSUD) Yogyakarta*. Thesis. Program Studi Ilmu Keolahragaan. Universitas Negeri Yogyakarta.
- Yuliya, K., & Sergey, K. (2018). Physical Exercise Application for The Correction of Carbohydrate Metabolism in Diabetes Mellitus. *Journal of Physical Education and Sport*, 18(2), 641–647.