DAFTAR PUSTAKA

Adams, B. J. (2009). *Forensic Anthropology*. Infobase Publishing.

Asghar, A., Dixit, A., & Rani, M. (2016). Morphometric study of nasal bone and piriform aperture in human dry skull of Indian origin. *Journal of Clinical and Diagnostic Research: JCDR*, *10*(1), AC05.

Badan Pusat Statistik. (2015). Suhu Minimum, Rata-rata, dan Maksimum di Stasiun Pengamatan BMKG 2000-2010. https://www.bps.go.id/statictable/2014/04/28/1347/suhu-minimum-rata-rata-dan-maksimum-di-stasiun-pengamatan-bmkg-oc-2000-2010.html. Diakses pada 12 Juli 2019 pukul 20.00 WIB.

Badan Pusat Statistik Kabupaten Tulungagung. (2013). Kabupaten Tulungagung dalam Angka. Tulungagung: Badan Pusat Statistik.

Bappeda Provinsi Jawa Timur. (2013). Kabupaten Gresik. https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&cad=rja&uact=8&ved=2ahUKEwjS1YbolIfnAhXUcn0KHSyHDzkQFjAAegQIAhAB&url=http%3A%2F%2Fbappeda.jatimprov.go.id%2Fbappeda%2Fwp-content%2Fuploads%2Fpotensi-kab-kota-2013%2Fkab-gresik-2013.pdf&usg=AOvVaw1OJwZ_MJmjBSWo0Y43zEAh. Diakses pada 14 Januari 2020 pukul 12.21 WIB.

Bappeda Provinsi Jatim Kabupaten Jombang. (2013). http://bappeda.jatimprov.go.id/bappeda/wp-content/uploads/potensi-kab-kota-2013/kab-jombang-2013.pdf. Diakses pada 15 Januari 2020 pukul 20.40 WIB.

Bappeda Provinsi Jatim Kabupaten Mojokerto. (2013). http://bappeda.jatimprov.go.id/bappeda/wp-content/uploads/potensi-kab-kota-2013/kab-mojokerto-2013.pdf. Diakses pada 15 Januari 2020 pukul 10.06 WIB.

Bappeda Provinsi Jawa Timur Kabupaten Nganjuk. (2013). http://bappeda.jatimprov.go.id/bappeda/wp-content/uploads/potensi-kab-kota-2013/kab-nganjuk-2013.pdf. Diakses pada 15 Januari 2020 pukul 16.45 WIB.

Bass, W. M. (1971). *Human Osteology: A Laboratory and Field Manual of the Human Skeleton*. Missouri Archaeological Society.

Beals, K. L. (1972). Head form and climatic stress. *American Journal of Physical Anthropology*, *37*(1), 85-92.

Beals, K. L., Smith, C. L., Dodd, S. M., Angel, J. L., Armstrong, E., Blumenberg, B., & Menk, R. (1984). Brain size, cranial morphology, climate, and time machines. *Current Anthropology*, *25*(3), 301-330.

Berg, G. E. (2013). Determining the sex of unknown human skeletal remains. *Forensic Anthropology: An Introduction*, 139.

Bernal, V., Perez, S. I., & Gonzalez, P. N. (2006). Variation and causal factors of craniofacial robusticity in Patagonian hunter-gatherers from the late Holocene. *American Journal of Human Biology: The Official Journal of the Human Biology Association*, *18*(6), 748-765.

Blackburn, T. M., Gaston, K. J., & Loder, N. (1999). Geographic gradients in body size: a clarification of Bergmann's rule. *Diversity and distributions*, *5*(4), 165-174.

Buikstra, J. E. (1994). Standards for Data Collection from Human Skeletal Remains. *Arkansas Archaeological Survey Research Series*, *44*.

Chiang Mai. (n.d.). Weather in Chiang Mai. http://www.chiangmai.bangkok.com/info/weather.htm. Diakses pada tanggal 29 Mei 2019 pukul 10.15 WIB.

Chiang Mai Province Official Site. (n.d.). Information. http://www.chiangmai.go.th/english/index.php/welcome/information. Diakses pada tanggal 1 September 2019 pukul 15.40 WIB.

Climate-Data (n.d.). Climate Chiang Mai. https://en.climate-data.org/asia/thailand/chiang-mai-province/chiang-mai-1779/. Diakses pada tanggal 29 Mei 2019 pukul 10.20 WIB.

Country Geography Data. (n.d.). Portland State University. https://www.pdx.edu/econ/country-geography-data. Diakses pada tanggal 31 Mei 2019 pukul 12.10 WIB.

Davies, A. (1932). A re-survey of the morphology of the nose in relation to climate. *The Journal of the Royal Anthropological Institute of Great Britain and Ireland*, *62*, 337-359.

DeCarlo, D., Metaxas, D., & Stone, M. (1998). An anthropometric face model using variational techniques. In *SIGGRAPH*, 98, pp. 67-74.

Dinas Lingkungan Hidup. (n.d.). Renstra Badan Lingkungan Hidup Kabupaten Lamongan Tahun 2010-2015. https://lamongankab.go.id/blh/wp-content/uploads/sites/50/2016/04/RENSTRA-BLH-2010-2015.pdf. Diakses pada 12 Januari 2020 pukul 07.15 WIB.

Ditjen Cipta Karya Kementrian Pekerjaan Umum. (n.d.). Profil Kabupaten Madiun. http://sippa.ciptakarya.pu.go.id/sippa_online/ws_file/dokumen/rpi2jm/DOCRPIJM_95a9362ee7_BAB%20VIBAB%206%20PROFIL%20KABUPATEN%20MADIUN.pdf. Diakses pada 11 Januari 2020 pukul 9.32 WIB.

Ditjen Cipta Karya Kementrian Pekerjaan Umum. (n.d.). Profil Kabupaten Probolinggo. https://sippa.ciptakarya.pu.go.id/sippa_online/ws_file/dokumen/rpi2jm/DOCRPIJMcdc1a8b878_BAB%20IVBAB%204%20PROFIL%20KABUPATEN%20PROBOLINGGO.pdf. Diakses pada 13 Januari 2020 pukul 8.44 WIB.

Ditjen Cipta Karya Kementrian Pekerjaan Umum. (n.d.). Profil Kabupaten Sidoarjo. http://ciptakarya.pu.go.id/profil/profil/barat/jatim/sidoarjo.pdf. Diakses pada 13 Januari 2020 pukul 9.32 WIB.

do Nascimento, J. J. C., de Oliveira Ribeiro, E. C., da Silva Neto, E. J., de Araújo Neto, S. A., de Almeida, M. M., & Holanda, C. C. N. L. F. (2016). cranial measurement indices in the State of Paraiba, Northeast of Brazil. *Int J Anat Res*, 4(3), 2637-42.

Foster, F., & Collard, M. (2013). A reassessment of Bergmann's rule in modern humans. *PloS one*, *8*(8), e72269.

Franklin, D., Freedman, L., Milne, N., & Oxnard, C. E. (2006). A geometric morphometric study of sexual dimorphism in the crania of indigenous southern Africans. *South African journal of science*, *102*(5-6), 229-238.

Glinka, J., Artaria, M. D., & Koesbardiati, T. (2008). Metode Pengukuran Manusia. *Surabaya: AUP*.

Golalipour, M. J., Haidari, K., Jahanshahi, M., & Farahani, R. M. (2003). The shapes of head and face in normal male newborns in South-East of Caspian sea (Iran-Gorgan). *J Anat Soc India*, *52*(1), 28-31.

Gonzalez, P. N., Bernal, V., & Perez, S. I. (2009). Geometric Morphometric Approach to Sex Estimation of Human Pelvis. *Forensic Science International*, *189*(1-3), 68-74.

Green, H., & Curnoe, D. (2009). Sexual dimorphism in Southeast Asian crania: a geometric morphometric approach. *HOMO-Journal of Comparative Human Biology*, *60*(6), 517-534.

Han, S. H., Hwang, Y. I., Lee, K. H., Koh, K. S., Choi, B. Y., Lee, K. S., & Kim, D. W. (1995). Craniometric study in modern Korean adults. *Korean Journal of Physical Anthropology*, 8(2), 205-213.

Henneberg, M., & Steyn, M. (1993). Trends in Cranial Capacity and Cranial Index in Subsaharan Africa During the Holocene. American Journal of Human Biology, 5, 473-479.

Hwang, T. S., Song, J., Yoon, H., Cho, B. P., & Kang, H. S. (2005). Morphometry of the nasal bones and piriform apertures in Koreans. *Annals of Anatomy-Anatomischer Anzeiger*, *187*(4), 411-414.

Java Indonesia. (2011). Climate, Weather, and Temperature of Java Indonesia. http://www.javaindonesia.org/general/climate-weather-temperature-java-indonesia/. Diakses pada tanggal 28 Mei 2019 pukul 13.43 WIB.

Keen, J. A. (1950). A study of the differences between male and female skulls. *American Journal of Physical Anthropology*, *8*(1), 65-80.

King, C. A. (1997). *Osteometric Assessment of 20th Century Skeletons from Thailand and Hong Kong*. Universal-Publishers.

Koh, K. S., Han, S. H., Song, W. C., Sohn, H. J., Paik, D. J., Kim, H. J., & Choi, B. Y. (2001). Secular changes of cephalic index in Korean adults. *Korean Journal of Physical Anthropology*, *14*(3), 177-185.

Kranioti, E. F., García-Donas, J. G., Can, I. O., & Ekizoglu, O. (2018). Ancestry Estimation of Three Mediterranean Populations Based on Cranial Metrics. *Forensic science international*, *286*, 265-e1.

Kumaran, S., & Shrikanthan, G. (2019). A study on cephalic indices among students from Tamilnadu of India. *International Journal of Scientific Research, 8*(6).

Lopez-Capp, T. T., Rynn, C., Wilkinson, C. M., Saavedra de Paiva, L. A., Michel-Crosato, E., & Biazevic, M. G. H. (2018). Craniometric variation among Brazilian and Scottish populations: a physical anthropology approach. Brazilian Journal of Oral Sciences, 17.

Lubis, F. (2017). *Perbedaan Rerata Indeks Cephalic Dan Indeks Frontoparietal Antara Suku Bali Dan Suku Batak Di Kecamatan Tanjung Senang Bandar Lampung* (Skripsi). Lampung: Tidak dipublikasikan.

Mahakkanukrauh, P., Sinthubua, A., Prasitwattanaseree, S., Ruengdit, S., Singsuwan, P., Praneatpolgrang, S., & Duangto, P. (2015). Craniometric study for sex determination in a Thai population. *Anatomy & Cell Biology*, 48(4), 275-283.

Meiri, S., & Dayan, T. (2003). On the validity of Bergmann's rule. *Journal of Biogeography*, *30*(3), 331-351.

Mollov, N. (2012). Intra-and inter-examiner reliability and inter-method comparison in physical anthropometry and photogrammetry. *Master's Theses (2009),* 138.

Newman, M. T. (1953). The application of ecological rules to the racial anthropology of the aboriginal New World. *American Anthropologist*, *55*(3), 311-327.

Noback, M. L., Harvati, K., & Spoor, F. (2011). Climate-related variation of the human nasal cavity. *American journal of physical anthropology*, 145(4), 599-614.

Orish, C. N. (2018). Cephalic index in sexual dimorphism and racial diversity: a mini review. *MOJ Anat Physiol*, *5*(1), 21-23.

Padala, S. R., & Khan, N. (2017). Assessment of craniometric indices of adult human skulls of South Indian origin. *Assessment*, *3*(12).

Pemerintah Kota Surabaya. (2017). https://surabaya.go.id/uploads/attachments/2017/12/40252/bab_1_geografis_data_statistik_2016.pdf. Diakses pada 15 Januari 2020 pukul 19.00 WIB.

Pickering, R. B., & Bachman, D. (2009). *The Use of Forensic Anthropology*. CRC Press.

Portal Pemerintah Kota Yogyakarta. (n.d.). Kondisi Geografis Kota Yogyakarta. https://www.jogjakota.go.id/pages/geografis. Diakses pada 12 Januari pukul 23.33 WIB.

Prado, F. B., Caldas, R. A., Rossi, A. C., Freire, A. R., Groppo, F. C., & Caria, P. H. F. (2011). Piriform aperture morphometry and nasal bones morphology in Brazilian population by postero-anterior Caldwell radiographys. *Int. J. Morphol*, *29*(2), 393-8.

Relethford, J. H. (1994). Craniometric variation among modern human populations. *American Journal of Physical Anthropology*, *95*(1), 53-62.

Relethford, J. H. (2004). Boas and beyond: migration and craniometric variation. *American Journal of Human Biology*, *16*(4), 379-386.

Roseman, C. C. (2004). Detecting interregionally diversifying natural selection on modern human cranial form by using matched molecular and morphometric data. *Proceedings of the National Academy of Sciences*, *101*(35), 12824-12829.

Ross, A. H., Ubelaker, D. H., & Guillen, S. (2008). Craniometric patterning within ancient Peru. *Latin American Antiquity*, *19*(2), 158-166.

Samal, A., Subramani, V., & Marx, D. (2007). Analysis of sexual dimorphism in human face. *Journal of Visual Communication and Image Representation*, *18*(6), 453-463.

Sardi, M. L. (2018). Craniofacial morphology and adaptation. *The International Encyclopedia of Biological Anthropology*, 1-2.

Schoenwolf, G. C., Bleyl, S. B., Brauer, P. R., & Francis-West, P. H. (2014). *Larsen's Human Embryology*. Elsevier Health Sciences.

Sistem Informasi Pemerintah Kabupaten Mojokerto. (2017). http://mojokertokota.go.id/home/kondisi_geografis. Diakses pada 15 Januari 2020 pukul 10.08 WIB.

Sperber, G. H., Sperber, G. H., Guttmann, G. D., Sperber, S. M., & Gutterman, G. D. (2001). *Craniofacial Development and Growth*. PMPH-USA.

Steyn, M., & İşcan, M. Y. (1998). Sexual dimorphism in the crania and mandibles of South African whites. *Forensic science international, 98*(1-2), 9-16.

Techataweewan, N., Dudzik, B., Kitkhuandee, A., Duangthongphon, P., & Tayles, N. (2018). Gender and Population Variation in Craniometry and Freehand Pass Ventriculostomy. *World neurosurgery, 117*, e194-e203.

Thailand Meteorological Department. (2015). *The Climate of Thailand*. Meteorological Department.

Thilander, B. (1995). Basic mechanisms in craniofacial growth. *Acta Odontologica Scandinavica*, *53*(3), 144-151.

Ursi, W. J., Trotman, C. A., McNamara Jr, J. A., & Behrents, R. G. (1993). Sexual dimorphism in normal craniofacial growth. *The Angle Orthodontist*, *63*(1), 47-56.

Uytterschaut, H. T. (1986). Sexual dimorphism in human skulls. A comparison of sexual dimorphism in different populations. *Human Evolution*, 1(3), 243-250.

Wade, N. (2015). *A Troublesome Inheritance: Genes, Race and Human History*. Penguin.

Walrath, D. E., Turner, P., & Bruzek, J. (2004). Reliability test of the visual assessment of cranial traits for sex determination. *American Journal of Physical Anthropology: The Official Publication of the American Association of Physical Anthropologists*, *125*(2), 132-137.

Whitten, A. J., Whitten, T., Soeriaatmadja, R. S., Soeriaatmadja, R. E., & Afiff, S. A. (1996). *Ecology of Java & Bali* (Vol. 2). Oxford University Press.

Williams, B. A., & Rogers, T. L. (2006). Evaluating the accuracy and precision of cranial morphological traits for sex determination. *Journal of forensic sciences*, 51(4), 729-735.

Wolpoff, M. H. (1968). Climatic influence on the skeletal nasal aperture. *American Journal of Physical Anthropology*, *29*(3), 405-423.

Woo, E. J., Jung, H., & Tansatit, T. (2018). Cranial index in a modern people of Thai ancestry. *Anatomy & cell biology*, *51*(1), 25-30.

Worldwide Elevation Map Finder. (n.d.). http://elevation.maplogs.com/poi/. Diakses pada tanggal 29 Mei 2019 pukul 11.16 WIB.