

DAFTAR PUSTAKA

- Abbas AK, 2015. Innate Immunity. In: Abbas AK, Lichtman AH & Pillai S, Eds. Cellular and Molecular Immunology, Eight Edition. California: Elevier Saunders 4: 51-86.
- Angus DC, Linde-Zwirble WT, Lidicker J, Clermont G, Garcillo J, Pinsky MR, 2001. Epidemiology of severe sepsis in the United States: analysis of incidence, outcome, and associated costs of care. Critical Care Medicine 29:1303–1310.
- Angus DC and Van der Poll T, 2013. Severe Sepsis and Septic Shock. The New England Journal of Medicine 369:840-851.
- Bates DW, Sands K, Miller E, 1997. Predicting Bacteriemia Patients with Sepsis Syndrome. Academic Medical Center Consortium Sepsis Project Working Group. Journal of Infectious Disease 176 (6) : 1538-1551
- Bekeris LG, Tworek JA, Walsh MK, Valenstein PN, 2005. Trends in Blood Culture Contamination : A College of American Pathologist Q-Tracks Study of 356 Institutions. Archives of Pathology and Laboratory Medicine 129: 1222–1225
- Bloos F and Reinhart K, 2014. Rapid Diagnosis of Sepsis. Virulence 5(1): 219-225
- Bommhardt U, Chang KC, Swanson PE, Wagner TH, Tinsley KW, Karl IE, Hotchkiss RS, 2004. Akt decreases lymphocyte apoptosis and improves survival in sepsis. Journal of Immunology 172: 7583-7591
- Bone RC, Sibbald WJ, Sprung CL, 1992. The ACCP-SCCM Consensus Conference on sepsis and organ failure. Chest. 101: 1481-1483
- Boomer JS, Kathleen T, Chang KC, 2011. Immunosuppression in Patients Who Die of Sepsis and Multiple Organ Failure. The *Journal of the American Medical Association* 306 (23): 2594-2605
- Bouadma L, Luyt C-E, Tubach F, Cracco C, Alvarez A, Schwebel C, Schortgen F, Lasocki S, Veber B, Dehoux M, Bernard M, Pasquet B, Régnier B, Brun-Buisson C, Chastre J, Wolff M, 2010. Use of procalcitonin to reduce patients' exposure to antibiotics in intensive care units (PRORATA trial): a multicentre randomised controlled trial. Lancet 375: 463–474.
- Bramantono, Hadi U, Widodo ADW, Suharto, Wasito EB, 2012. Pola Kuman dan Panduan Terapi Empiris Sepsis di Bangsal Penyakit Dalam RSUD Dr.

Soetomo Surabaya. Proceeding Simposium Tropik Infeksi dan HIV-AIDS Surabaya V dan ERID V Surabaya, 21-22 April 2012, p 21-25

- Bucova M, Zahorec R, Buc M, 2006. Immunomodulatory effect of recombinant human procalcitonin on mitogenic activity of lymphocytes. *Central European Journal of Immunology* 31: 87–93
- Camacho CH and Losa J, 2014. Biomarkers for Sepsis. *Biomed Research International* :1-6
- Carrol ED, Thompson APJ, Hart CA, 2002. Procalcitonin as a marker of sepsis. *International Journal of Antimicrobial Agents* 20 : 1-9
- Castle SC, 2000. Clinical relevance of age-related immune dysfunction. *Clinical Infectious Disease*. 31(2):578-585.
- Chaudhury A, Sachin Sumant GL, Jayaprada R, Kalawat U, Ramana BV, 2013. Procalcitonin in sepsis and bacterial infections. *Journal of Clinical Scientific Research* 2 : 216-24.
- Chen CM, Cheng KC, Chan KS, Yu WL, 2014. Age May Not Influence the Outcome of Patients with Severe Sepsis in Intensive Care Units. *International Journal of Gerontology* 8 : 22- 26.
- Chong D & Sriskandan S, 2011. Pro-Inflammatory Mechanisms in Sepsis. In: Herwald H, Egesten A, Eds. *Sepsis - Pro-Inflammatory and Anti-Inflammatory Responses*. Basel: Karger. 17: 86-107.
- Cilloniz C, Domínguez C, Ielpo A, Ferrer M, Gabarrus A, Battaglini D, Bermejo-Martin J, Meli A, Garcia-Vidal C. 2019. Risk and Prognostic Factors in Very Old Patients with Sepsis Secondary to Community-Acquired Pneumonia. *J. Clin. Med.* 8,961.
- Cohen J, 2002. The immunopathogenesis of sepsis. *Nature*. 420:885-891.
- Dahlan MS, 2009. Penelitian Diagnostik : Dasar-dasar Teoritis dan Aplikasi dengan Program SPSS dan Stata. Jakarta : Salemba medika, 19-38
- Dellinger RP, Levy MM, Rhodes A, Annane D, Gerlach H, Opal SM, Sevransky JE, Sprung CL, Douglas IS, Jaeschke R, Osborn TM, Nunnally ME, Townsend SR, Reinhart K, Kleinpell RM, Angus DC, Deuschman CS, Machado FR, Rubenfeld GD, Webb SA, Beale RJ, 2013. Surviving Sepsis Campaign: International Guidelines for Management of Severe Sepsis and Septic Shock. *Critical Care Medicine* 41(2):580-637

- De Gaudio AR, Rinaldi S, Chelazzi C, Borracci T. Pathophysiology of sepsis in the elderly: clinical impact and therapeutic considerations. *Curr Drug Targets* 2009; 10: 60-70
- De Jager CPC, Van Wijk PT, Mathoera RB, de Jongh-Leuvenink J, Van der Poll T, Wever PC, 2010. Lymphocytopenia and neutrophil- lymphocyte count ratio predict bacteremia better than conventional infection markers in an emergency care unit. *Critical Care* 14:R192
- Derouet M, Thomas L, Cross A, Moots RJ, Edwards SW, 2004. Granulocyte Macrophage Colony-stimulating Factor Signaling and Proteasome Inhibition Delay Neutrophil Apoptosis by Increasing the Stability of Mcl-1. *The Journal of Biological Chemistry* 279 (26) : 26915-26921
- Dilon A, 2015. Procalcitonin Testing for Diagnosing and Monitoring Sepsis (ADVIA Centaur BRAHMS PCT assay, BRAHMS PCT Sensitive Kryptor assay, Elecsys BRAHMS PCT assay, LIAISON BRAHMS PCT assay and VIDAS BRAHMS PCT assay). Diagnostics guidance National Institute for Health and Care Excellence, viewed 7 Desember 2017, <http://www.nice.org.uk/guidance/dg18>
- Fauci AS, Lane HC, 2010. Human Immunodeficiency Virus Disease: AIDS and Related Disorders. In : Kasper DL and Fauci AS, Eds. *Harrison's Infectious Disease*. New York : McGraw-Hill, 792
- Franceschi CM, Bonafe S, Valensin, 2000. Inflamm-aging: an evolutionary perspective on immunosenescence. *Annals of the New York Academy of Sciences* 908: 244–254.
- Fujishima S, 2016. Organ dysfunction as a new standard for defining sepsis. *Inflammation and Regeneration*. 36(24):1-6
- Gurol G, Hakki I, Terzi HA, Atasoy AR, Ozbek A, Koroglu M, 2014. Are there standardized cutoff value for neutrophil-lymphocyte ratios in bacteriemia or sepsis?. *Journal of Microbiology and Biotechnology* : 1-8
- Gotts JE & Matthay MA, 2016. Sepsis: pathophysiology and clinical management. *The British Medical Journal*. 353: 1-20.
- Hahn BH, 2010. Systemic Lupus Erythematosus. In : Kasper DL and Fauci AS, Eds. *Harrison's Rheumatology*. New York : McGraw-Hill, 68
- Hamm CW, Heeschen C, Falk E, Fox KA, 2008. Acute Coronary Syndromes: Pathophysiology, Diagnosis and Risk Stratification. *The ESC Textbook of Cardiovascular Medicine*. Blackwell Publishing, 333- 360

- Haynes L, Eaton SM, Swain SL. 2002. Effect of age on naive CD4 responses: impact on effector generation and memory development. *Springer Semin Immunopathol* 2002; 24: 53-60
- Hermawan AG, 2014. Sepsis. In: Setiati S, Alwi I, Sudoyo AW, Simadibrata M, Setiyahadi B, Syam AF, Eds. Buku Ajar Ilmu Penyakit Dalam, Edisi VI. Jakarta: Interna Publishing. 92:692-699.
- Henriquez-Camacho C & Losa J, 2014. Biomarkers for sepsis. BioMed Research International. 1-6.
- Holland SM and Gallin JI, 2010. Disorders of Granulocytes and Monocytes. In : Longo DL, Ed. Harrison's Hematology and Oncology. New York : McGraw-Hill, 42-56
- Holub M, Beran O, Kasprikova N, Chalupa P, 2011. Neutrophil to Lymphocyte Count Ratio as a Biomarker of Bacterial Infections. Central European Journal of Medicine : 1-4
- Hotchkiss RS and Karl IR, 2003. The pathophysiology and treatment of sepsis. The New England Journal of Medicine 348 (2) : 138–150
- Hotchkiss RS, Osmon SB, Chang KC, Wagner TH, Coopersmith CM, Karl IE, 2005. Accelerated Lymphocyte Death in Sepsis Occurs by both the Death Receptor and Mitochondrial Pathways. The Journal of Immunology 174: 5110–5118
- Hotchkiss RS, Monneret G and Payen D, 2013. Sepsis-induced immunosuppression: from cellular dysfunctions to immunotherapy. Nature reviews Immunology 13: 862-874
- Hotchkiss RS, Tinsley KW, Swanson PE, 2001. Sepsis-induced apoptosis causes progressive profound depletion of B and CD4+ T lymphocytes in humans. Journal of Immunology 166: 6952-6963
- Hui-Lin L, Giuhua L, Zhaoxing T, 2014. Changes in blood lymphocytes in sepsis patients. Chinese Critical Care Medicine 26 (3) : 148-152
- Jafari NJ, Firouzabadi MS, Izadi M, Firouzabadi MSS, Saburi A, 2014. Can Procalcitonin be an Accurate Diagnostic Marker for The Classification of Diabetic Foot Ulcer? International Journal of Endocrinology and Metabolism 12(1) : e13376
- Jawad I, Luksik I, Rafnsson SB, 2012. Assessing available information on the burden of sepsis: global estimates of incidence, prevalence and mortality. Journal of Global Health 2(1): 1-9

- Jilma B, Blann A, Pernerstorfer T, Stohlawetz P, 1999. Regulation of adhesion molecules during human endotoxaemia. American Journal of Respiratory and Critical Care Medicine 159: 857-863
- Kibe S, Adams K, Barlow G, 2011. Diagnostic and prognostic biomarkers of sepsis in critical care. Journal of Antimicrobial Chemotherapy 66(2) : ii33–ii40
- Koh GCKW, Peacock SJ, Van Der Poll T, Wiersinga WJ, 2012. The impact of diabetes on the pathogenesis of sepsis. *Eur J Clin Microbiol Infect Dis* 31: 379-388
- Kumar A, Thota V, Dee L, Olson J, Uretz E, Parrillo JE, 1996. Tumor necrosis factor alpha and interleukin 1beta are responsible for in vitro myocardial cell depression induced by human septic shock serum. *J Exp Med* 1996; 183: 949-958
- Kumar A, 2014. An Alternate Pathophysiologic Paradigm of Sepsis and Septic Shock: Implications for Optimizing Antimicrobial Therapy. *Virulence* 5 : 80-97
- Lee H, 2013. Procalcitonin as a biomarker of infectious diseases. *Korean Journal of Internal Medicine* 28:285-291
- Lee E, Lindo T, Jackson N, Lee MC, Reynolds P, Hill A, Haswell M, Jackson S, Kilfeather S, 1999. Reversal of human neutrophil survival by leukotriene B4 receptor blockade and 5-lipoxygenase and 5-lipoxygenase activating protein inhibitors. American Journal of Respiratory and Critical Care Medicine 160:2079–2085
- Lagu T, Rothberg MB, Shieh MS, Pekow PS, Steingrub JS, Lindenauer PK, 2012. What is the best method for estimating the burden of severe sepsis in the United States? *Journal of Critical Care*. 27(414): e1-e9
- Lipsky BA, Berendt AR, Cornia PB, Pile JC, Peters EJG, Armstrong DG, Deery HG, Embil JM, Warren SJ, Karchmer AW, Pinzur MS, Senneville W, 2012. Infectious Disease Society of America Clinical Practice Guideline for the Diagnosis and Treatment of Diabetic Foot Infections. *Clinical Infectious Diseases* 54 (12) : 132-173
- Liu D, Ahmet A, Ward L, Krishnamoorthy P, Mandelcorn EP, Leigh R , Brown JP, Cohen A, Kim H, 2013. A practical guide to the monitoring and management of the complications of systemic corticosteroid therapy. *Allergy, Asthma & Clinical Immunology* 9(30) : 1-25
- Liu SF, Malik AB, 2006. NFkB activation as a pathological mechanism of septic shock and inflammation. American Journal of Physiology Lung Cellular and Molecular Physiology 290: L622–L645

- Luzzani A, Polati E, Dorizzi R, Rungatscher A, Pavan R, Merlini A, 2003. Comparison of Procalcitonin and C-reactive Protein as Markers of Sepsis. Critical Care Medicine 31(6): 1737-1741
- Magrini L, Gagliano G, Travaglino F, Vetrone F, Marino R, Cardeli P, Salerno G, Di Somma S, 2014. Comparison between White Blood Cell Count, Procalcitonin and C Reactive Protein as Diagnostic and Prognostic Biomarkers of Infection or Sepsis in Patients Presenting to Emergency Department. Clinical Chemistry and Laboratory Medicine 52(10) : 1465-1472
- Meisner M, Tschaikowsky K, Schnabel S, Schmidt J, Katalinic A, and Schattier J, 1997. Procalcitonin — Influence of Temperature, Storage, Anticoagulation and Arterial or Venous Asservation of Blood Samples on Procalcitonin Concentrations. European Journal of Clinical Chemistry and Clinical Biochemistry 35 (8) : 597-601
- Meisner M, 2014. Update on Procalcitonin Measurements. Annals of Laboratory Medicine 34: 263-273
- Mayr FB, Yende S, Angus DC, 2014. Epidemiology of Severe Sepsis. Virulence 5(1): 4-11
- Martin GS, Mannino DM, Moss M. 2006. The effect of age on the development and outcome of adult sepsis. *Crit Care Med.* 34(1):15-21
- Martin GS, Brunkhorst FM, Janes JM, Reinhart K, Sundin DP, Garnett K, Beale R, 2009. The international PROGRESS registry of patients with severe sepsis: drotrecogin alfa (activated) use and patient outcomes. Critical Care. 13(3):1-14.
- Meisner M, 2014. Update on Procalcitonin Measurements. Annals of Laboratory Medicine 34: 263-273
- Muller B, White JC, Nylen E, Snider R, Becker K, Hebner JF, 2001. Ubiquitous expression of the calcitonin1 gene in multiple tissues in response to sepsis. Journal of Clinical Endocrinology and Metabolism 86:396-404
- Muller LMAJ, Gorter KJ, Hak E, Goudzwaard WL, Schellevis FG, Hoepelman AIM, Rutten GEHM, 2015. Increased risk of common infections in patients with type 1 and type 2 diabetes mellitus. Clin Infect Dis 41:281–288
- Marik PE, 2011. Surviving sepsis: going beyond the guidelines. Annals of Intensive Care. 1(17):1-6.

- Martin GS, Mannino DM, Eaton S and Moss M, 2003. The epidemiology of sepsis in the United States from 1979 through 2000. *New England Journal of Medicine* 348: 1546-1554
- Malam Z and Marshall JC, 2007. The Neutrophil in the Pathogenesis of Multiple Organ Dysfunction Syndrome. In : Abraham E and Singer M, Eds. *Mechanisms of Sepsis-Induced Organ Dysfunction and Recovery*. Berlin Heidelberg : Springer-Verlag, 183- 197
- Mica L, Harter L, Trentz O, Keel M, 2004. Endotoxin reduces CD95-induced neutrophil apoptosis by cIAP-2- mediated caspase-3 degradation. *Journal of the American College of Surgeons* 199:595–602
- Munker R, 2007. Lymphocytosis, Lymphocytopenia, Lymphadenopathy, and Splenomegaly. In : Munker R, Hiller E, Glass J, Paquette R, Eds. *Modern Hematology : Biology and Clinical Management*, Second Edition. New Jersey : Humana Press 217-224
- Muszynski JA dan Hall MW, 2011. Sepsis-Induced Innate and Adaptive Immune Suppression. *The Open Inflammation Journal* 4:67-73
- Nasa P, Juneja D, Singh O. 2012. Severe sepsis and septic shock in elderly. *World J Crit Care Med*; 1(1): 23-30
- Okashah AS, El-Sawy MM, Beshay BN, Abd El-Raouf A, 2014. Ratio of Neutrophil to Lymphocyte Counts as a Simple Marker for Sepsis and Severe Sepsis in Intensive Care Unit. *Research and Opinion in Anesthesia & Intensive Care* 2 : 39-45
- Opal SM, Girard TD, Ely EW. 2005. The immunopathogenesis of sepsis in elderly patients. *Clin Infect Dis*; 41 Suppl 7: S504-S512
- Phua J, Koh Y, Bin Du, Tang YQ, Divatia JV, Tan CC, Gomersall CD, Farug MO, Shrestha BR, Gia Binh N, Arabi YM, Salahudin N, Wahyuprajitno B, Tu ML, Wahab AY, Hameed AA, Nishimura M, Procyshyn M, Chan YH, 2011. Management of severe sepsis in patients admitted to Asian intensive care units: prospective cohort study. *British Medical Journal* 342 : d3245
- Pierrakos C and Vincent JL, 2010. Sepsis biomarker : a review. *Critical Care* 14:R15
- Pizza V, Agresta A, D'Acunto CW, Festa M, Capasso A, 2011. Neuroinflammation and ageing: current theories and an overview of the data. *Reviews on Recent Clinical Trials*, 6(3):189-203

- Pillay J, Kamp VM, Hoffen EV, et al., 2012. A subset of neutrophils in human systemic inflammation inhibits T cell responses through Mac-1. *Journal of Clinical Investigation* 122: 327–336
- Pablo R, Monserrat J, Prieto A, Alvarez-Mon M, 2014. Role of Circulating Lymphocytes in Patients with Sepsis. *BioMed Research International* : 1-11
- Parrino J, Hotchkiss RS, Bray M, 2007. Prevention of immune cell apoptosis as potential therapeutic strategy for severe infections. *Emerging Infectious Diseases Journal* 13: 191-8
- Reber AJ, Chirkova T, Kim JH, Cao W, Biber R, Shay DK, Sambhara S, 2012. Immunosenescence and challenges of vaccination against influenza in the aging population. *Aging and Disease.* 3(1): 68-90.
- Renshaw M, Rockwell J, Engleman C, Gewirtz A, Katz J, Sambhara S. Cutting edge: impaired Toll-like receptor expression and function in aging. *J Immunol* 2002; 169: 4697-4701
- Rozenberg S, Besse S, Brisson H, Jozefowicz E, Kandoussi A, Mebazaa A, Riou B, Vallet B, Tavernier B. Endotoxin-induced myocardial dysfunction in senescent rats. *Crit Care* 2006; 10: R124
- Russel JA, Boyd J, Nakada T, Thair S, Walley KR, 2011. Molecular Mechanisms of Sepsis. In : Herwald H, Egesten A, eds. *Sepsis – Pro-inflammatory and Antiinflammatory Responses*. Basel : Karger, 48-85
- Russel JA, 2012. Shock Syndromes Related to Sepsis. In : Goldman L, Schafer AI, Eds. *Goldman's Cecil Medicine* 24th Ed. Philadelphia : Elsevier Saunders, 654-666
- Saito H, Papaconstantinou J. Age-associated differences in cardiovascular inflammatory gene induction during endotoxic stress. *J Biol Chem* 2001; 276: 29307-29312
- Sakamoto E, Hato F, Kato T, Sakamoto C, Akahori M, Hino M, Kitagawa S, 2005. Type I and type II interferons delay human neutrophil apoptosis via activation of STAT3 and up-regulation of cellular inhibitor of apoptosis. *Journal of Leukocyte Biology* 78 : 301–309
- Sandmand M, Bruunsgaard H, Kemp K, Andersen-Ranberg K, Pedersen AN, Skinhøj P, Pedersen BK., 2002. Is ageing associated with a shift in the balance between Type 1 and Type 2 cytokines in humans? *Clin Exp Immunol*; 127: 107-114
- Schwulst SJ, Grayson MH, DiPasco PJ, Davis CG, Brahmbhatt TS, Ferguson TA, Hotchkiss RS, 2006. Agonistic monoclonal antibody against CD40

receptor decreases lymphocyte apoptosis and improves survival in sepsis.
Journal of Immunology 177: 557-65

Seymour CW, Liu VX, Iwashyna TJ, Brunkhorst FM, Rea TD, Scherag A, Rubenfield G, Kahn JM, Hari MS, Singer M, Deutschman CS, Escobar GJ, Angus DC, 2016. Assessment of Clinical Criteria for Sepsis for the Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3). The Journal of the American Medical Association. 315(8): 762-774.

Shah BR, Hux JE, 2013. Quantifying the risk of infectious diseases for people with diabetes. Diabetes Care 26:510–513

Shaw AC, Joshi S, Greenwood H, Panda A, Lord JM, 2010. Aging of the innate immune system. *Current Opinion in Immunology*, 22(4):507-513.

Shimaoka M and Park EJ, 2008. Advances in understanding sepsis. European Journal of Anaesthesiology 25 (42): 146–153

Singer M, Deutschman CS, Seymour CS, Hari MS, Annane D, Bauer M, Bellomo R, Bernard GR, Chiche JD, Coopersmith CM, Hotchkiss RS, Levy MM, Marshall JC, Martin GS, Opal SM, Rubenfield GD, Poll T, Vincent JL, Angus DC, 2016. The Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3). The Journal of the American Medical Association. 315(8): 801-810.

Soylemez MA, Sayar C, Turkover B, Toksoy G, Yardimci T, 2006. A Novel Mechanism between Diabetes Mellitus Complications and Procalcitonin Gene Expression. Molecular Therapy 13 : s86

Stegenga ME, Van Der Crabben SN, Blumer RM, Levi M, Meijers JC, Serlie MJ, 2008. Hyperglycemia enhances coagulation and reduces neutrophil degranulation, whereas hyperinsulinemia inhibits fibrinolysis during human endotoxemia. Blood Jul 1;112(1):82- 9

Terradas R, Grau S, Blanch J, Riu M, Saballs P, Castells X, Horcajada JP, Knobel H, 2012. Eosinophil Count and Neutrophil-Lymphocyte Count Ratio as Prognostic Markers in Patients with Bacteremia: a Retrospective Cohort Study. Plos One 7(8): e42860

Uzun G, Solmazgul E, Curuksulu H, Turhan V, Ardic N, Top C, Yildiz S, Cimsit M, 2007. Procalcitonin as a Diagnostic Aid in Diabetic Foot Infections. Tohoku Journal of Experimental Medicine 213: 205-312

Van der Poll T, van Zoelen M, Wiersinga WJ, 2011. Regulation of Pro- and Anti-Inflammatory Host Responses. In : Herwald H, Egesten A, eds. Sepsis -

- Proinflammatory and Anti- inflammatory Responses. Basel : Karger, 126-133
- Van Raam BJ, Drewniak A, Groenewold V, Van den Berg TK, Kuijpers TW, 2008. Granulocyte Colony-stimulating Factor Delays Neutrophil Apoptosis by Inhibition of Calpains upstream of Caspase-3. *Blood* 112 : 2046-2054
- Vincent JL, Moreno R, Takala J, Willatts S, De Mendon A, Bruining H, Reinhart CK, Suter PM, Thijs LG, 1996. Working Group on Sepsis-Related Problems of the European Society of Intensive Care Medicine. The SOFA (Sepsis-related Organ Failure Assessment) score to describe organ dysfunction/failure. *Intensive Care Medicine*. 22(7): 707-710.
- Wasito EB, 2014. Isolat Darah dan Antibiogramnya di Instalasi Mikrobiologi Klinik RSUD Dr Soetomo Periode Januari-Juni 2014. Dalam : Buku Workshop SITOKINES VII & ERID VII 22 November 2014, 35-39
- Wei JX, Verity A, Garle M, Mahajan R, Wilson V, 2008. Examination of the effect of procalcitonin on human leukocytes and the porcine isolated coronary artery. *British Journal of Anaesthesia* 100: 612–621
- Weksler ME. Changes in the B-cell repertoire with age. 2000. *Vaccine* 2000; 18: 1624-1628
- Wiersinga WJ, Leopold SJ, Cranendonk DR, van der Poll T, 2014. Host innate immune responses to sepsis. *Virulence*. 5(1):36-44.
- Wu D and Meydani SN, 2008. Age-associated changes in immune and inflammatory responses: impact of vitamin E intervention. *Journal of Leukocyte Biology*. 84(4): 900–914.
- Wyllie DH, Bowler ICJW, Peto TEA, 2004. Relation between lymphopenia and bacteraemia in UK adults with medical emergencies. *Journal of Clinical Pathology* 57 : 950–955
- Zahorec R, 2001. Ratio of neutrophil to lymphocyte counts— rapid and simple parameter of systemic inflammation and stress in critically ill. *Bratislava Medical Journal* 102 (1): 5-14

Case Processing Summary

	Valid		Cases		Total	
	N	Percent	N	Percent	N	Percent
Rasio_Neu_Limf	32	100.0%	0	0.0%	32	100.0%
Procalcitonin	32	100.0%	0	0.0%	32	100.0%

Descriptives

		Statistic	Std. Error
Rasio_Neu_Limf	Mean	16.9253	1.32246
	95% Confidence Interval for Mean	Lower Bound	14.2281
		Upper Bound	19.6225
	5% Trimmed Mean	16.6085	
	Median	14.7950	
	Variance	55.964	
	Std. Deviation	7.48094	
	Minimum	6.40	
	Maximum	35.56	
	Range	29.16	
	Interquartile Range	12.72	
	Skewness	.593	.414
	Kurtosis	-.399	.809
	Mean	7.8025	.94467
Procalcitonin	95% Confidence Interval for Mean	Lower Bound	5.8758
		Upper Bound	9.7292
	5% Trimmed Mean	7.3913	
	Median	7.4100	
	Variance	28.557	
	Std. Deviation	5.34386	
	Minimum	.51	
	Maximum	22.80	
	Range	22.29	
	Interquartile Range	6.49	
	Skewness	1.199	.414
	Kurtosis	1.688	.809