

DAFTAR PUSTAKA

- Alkareem MF. 2014. Single Interupted Extramucosal Suturing of the Bowel is Safe Surgical Technique. Dept of Surgery. College of Medicine, Diyala university. Iraq. Diyala Journal of Medicine. Vol 6
- Aslan, A., Temiz, M., Hakverdi, S., Polat, G., Tumer, C., Temiz, A., & Canbolant, E. (2008). *Effect of mesalamine on healing in experimental colon anastomosis: A randomised experimental study*. *International Journal of Surgery*, 6(1), 40–44.
- Bosmans, JWAM, 2017, ‘Colorectal anastomotic leakage: a call for a different approach’, Tesis doktor, Universiteit Maastricht, diakses 4 Juli 2018
- Braskén, P., Renvall, S. and Sandberg, M. (1991) ‘Fibronectin and collagen gene expression in healing experimental colonic anastomoses’, *British Journal of Surgery*, 78(9), pp. 1048–1052.
- Buras, JA, Holzmann, B & Sitkovsky, M, 2005, ‘Animal models of sepsis: setting the stage’, *Nature Reviews Drug Discovery*, vol. 4, no. 10, hal. 854–865, DOI: 10.1038/nrd1854.
- Buyne, O. R. et al. (2006) ‘A peritonitis model with low mortality and persisting intra- abdominal abscesses’, *International Journal of Experimental Pathology*, 87(5), pp. 361–368. doi: 10.1111/j.1365-2613.2006.00488.x.
- Calvi, E. N. de C. et al. (2012) ‘An experimental model for the study of collagen fibers in skeletal muscle’, *Acta Cirurgica Brasileira*, 27(10), pp. 681–686. doi: 10.1590/s0102-86502012001000003.
- Carlos HM, Santos KG, Cassino PC. 2017. Differences between polydioxanone and polyglactin in intestinal anastomosis, a comparative study of intestinal anastomoses. *Journal of coloproctology*. Brazil.
- Chen, L, Xu, K, Gui, Q, Chen, Y, Chen, D & Yang, Y, 2016, ‘Probiotic pre-administration reduces mortality in a mouse model of cecal ligation and puncture-induced sepsis’, *Experimental and Therapeutic Medicine*, vol. 12, no. 3, hal. 1836–1842, DOI: 10.3892/etm.2016.3534, diakses 12 Desember 2018
[<https://www.spandidos-publications.com/etm/12/3/1836/download>](https://www.spandidos-publications.com/etm/12/3/1836/download).
- Daniele M, Bajpai S, Chaturvedi P. 2012. Hypoxia inducible factor 1 (HIF 1) promotes extracellular matrix remodeling under hypoxic condition by inducing P4HA1, P4HA2, and PLOD2 expression in fibroblast. Department of Chemical and Biomolecular Engineering, The Johns Hopkins University, Baltimore, Maryland. *The Journal of Biological Chemistry*. Vol. 288, No. 15, pp. 10819 – 10829

- Deitch, EA, 2005, 'Rodent models of intra-abdominal infection', *Shock*, vol. 24, sup. 1, hal. 19–23, DOI: 10.1097/01.shk.0000191386.18818.0a, diakses 12 Desember 2018
<https://pdfs.journals.lww.com/shockjournal/2005/12001/RODENT_MO_DELS_OF_INTRA_ABDOMINAL_INFECTIION.4.pdf>.
- Diodato, MD, Knöferl, MW, Schwacha, MG, Bland, KI & Chaudry, IH, 2001, 'Gender differences in the inflammatory response and survival following haemorrhage and subsequent sepsis', *Cytokine*, vol. 14, no. 3, hal. 162–169, DOI: 10.1006/cyto.2001.0861.
- Duh EJ, Yu X, Xu Z. 2006. Vascular Endothelial Growth Factor upregulates expression of ADAMTS1 in endothelial cells through protein kinase C signaling. Dept of Surgery. John Hopkins University School of Medicine. Maryland
- Eckmann C & Bassetti, M, 2014, 'Prognostic factors for mortality in (fecal) peritonitis: back to the roots!', *Intensive Care Medicine*, vol. 40, no. 2, hal. 269–271, DOI: 10.1007/s00134-013-3155-x, diakses 12 Desember 2018
<<https://link.springer.com/content/pdf/10.1007%2Fs00134-013-3155-x.pdf>>.
- Falanga, Vincent. (2005) 'Wound healing and its impairment in the diabetic foot', *Lancet*, 366(9498), pp. 1736–1743. doi: 10.1016/S0140-6736(05)67700-8.
- Falanga, V. et al. (1995) 'Experimental approaches to chronic wounds', *Wound Repair and Regeneration*, 3(2), pp. 132–140.
- Forsythe JA, Jiang BH, Koos RD. 1996. Activation of Vascular Endothelial Growth Factor Gene Transcription by Hypoxia Inducible Factor-1. Dept of Physiology, Univ of Maryland School of Medicine. American Society of Microbiology, Molecular and cellular biology p. 4604-4613
- Freudenberg A. Bacterial endotoxins" biological properties and mechanisms of action. Max-Planck-Institut and of. 1993;2:11–6.
- Godshall, CJ, Scott, MJ, Peyton, JC, Gardner, SA & Cheadle, WG, 2002, 'Genetic background determines susceptibility during murine septic peritonitis', *Journal of Surgical Research*, vol. 102, no. 1, hal. 45–49, DOI: 10.1006/jssr.2001.6319.
- Gordillo, G. M. and Sen, C. K. (2003) 'Revisiting the essential role of oxygen in wound healing', *American Journal of Surgery*, 186(3), pp. 259–263.
- Greenhalgh, D. G. (1998) 'The role of apoptosis in wound healing', *International Journal of Biochemistry and Cell Biology*, 30(9), pp. 1019–1030.

Grytsenko Y, Bedeniuk A, Grytsenko S, Horman M, Boiko H. The Evaluation Of Risk Factors of Anastomotic Leakage In Patients With Colorectal Cancer Complicated by Ileus. 2017;3:205–10.

Harper D, Young A, McNaught CE. The physiology of wound healing. *Surgery*. 2016;32(9):445-50.

Hendriks, T., Mastboom, W. J. B., and de Boer, H. H. M. (1989) ‘Collagen changes around intestinal anastomoses in germ- free rats’, *British Journal of Surgery*, 76(8), pp. 797–801.

Hoeben A, Landuyt B, Highley MS. 2004. Vascular Endothelial Growth Factor and angiogenesis. *The American Society for Pharmacology and Experimental Therapeutics. Pharmacol Rev* 56:549–580, 2004

Holmer, C; Praechter, C.; Mecklenburg, L.; Heimesaat, M.; Rieger, H; and Pohlen, U. Anastomotic stability and wound healing of colorectal anastomoses sealed and sutured with a collagen fleece in a rat peritonitis model, *Asian Journal of Surgery* (2014). Vol. 37 URL https://www.scipedia.com/public/Holmer_et_al_2013a

Hyman N, Thomas L. 2007. Anastomotic leaks after intestinal anastomosis, It's Later than you think. Dept of Surgery University of Vermont Burlington. *Annals of surgery* vol 245, number 2, Februari 2007.

Ignat'eva NY, Danilov NA, Averkiev SV, Obrezkova MV, Lunin VV, Sobol EN. (2007) Determination of hydroxyproline in tissues and the evaluation of the collagen content of the tissues. *Journal of Analytical Chemistry*. 62: 51-7.

Jones, M. K. et al. (1999) ‘Inhibition of angiogenesis by nonsteroidal anti-inflammatory drugs: Insight into mechanisms and implications for cancer growth and ulcer healing’, *Nature Medicine*, 5(12), pp. 1418–1423.

Kay, E, Gomez-Garcia, L, Woodfin, A, Scotland, RS & Whiteford, JR, 2015, ‘Sexual dimorphisms in leukocyte trafficking in a mouse peritonitis model’, *Journal of Leukocyte Biology*, vol. 98, no. 5, hal. 805–817, DOI: 10.1189/jlb.3A1214- 601RR.

Leong M and Phillips LG. Wound Healing. *Surgical Basic Principles*. 2016;7(1):151- 77.

Leslie A, Steele JC. 2002. The Interupted serosubmucosal anastomosis-still the gold standard. Dept of surgery and molecular oncology. Dundee, UK

Liakakos, T. et al. (2001) ‘Peritoneal adhesions: Etiology, pathophysiology, and clinical significance - Recent advances in prevention and management’, *Digestive Surgery*, 18(4), pp. 260–273.

- Lightner AL, Pemberton JH. The Role of Temporary Fecal Diversion. 2017;178–83. Lorenz HP, Longaker MT. Wounds: Biology, Pathology, and Management. 2003. Stanford University Medical Center.
- Louise E, Karina I, Scully M. 2011. IFN- γ attenuates hypoxia Inducible factor (HIF) activity in intestinal epithelial cells through transcriptional repression of HIF-1 β . The Journal of Immunology. 186 (3) 1790-1798
- Khan, PS, Dar, LA & Hayat, H, 2013, ‘Predictors of mortality and morbidity in peritonitis in a developing country’, *Ulusal Cerrahi Dergisi*, vol. 29, no. 3, hal. 124–130, DOI: 10.5152/UCD.2013.1955, diakses 12 Desember 2018 <<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4379808/pdf/ucd-29-3-124.pdf>>.
- Khoorjestan, SM, Rouhi, G & Toolabi, K, 2016, ‘Experimental investigations on intestinal anastomosis: a comparison between automatic and hand suturing techniques’, *Journal of Mechanics in Medicine and Biology*, vol. 16, no. 4, hal. 1650056, DOI: 10.1142/S0219519416500561.
- Kirchhoff, P, Clavien, P-A & Hahnloser, D, 2010, ‘Complications in colorectal surgery: risk factors and preventive strategies’, *Patient Safety in Surgery*, vol. 4, no. 1, hal. 5–17, DOI: 10.1186/1754-9493-4-5, diakses 29 November 2017, <<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2852382/pdf/1754-9493-4-5.pdf>>.
- Laudanski, K, Lapko, N, Zawadka, M, Zhou, BX, Danet-Desnoyers, G & Worthen, GS, 2017, ‘The clinical and immunological performance of 28 days survival model of cecal ligation and puncture in humanized mice’, *PLoS One*, vol. 12, no. 7, hal. e0180377, DOI: 10.1371/journal.pone.0180377, diakses 12 Desember 2018 <<https://journals.plos.org/plosone/article/file?id=10.1371/journal.pone.0180377&type=printable>>.
- Martens MF, Hendriks TH. 1991. Postoperative changes in collagen synthesis in intestinal anastomoses of the rat : differences between small and large bowel. Dept of general surgery, Univ hospital Nijmegen. Netherland. Gut, 1991, 32, 1482-1487
- Martin P. Wound healing, aiming for perfect skin regeneration. Science 1997; 276:75- 81.
- Martin, R., Sc, B. and Ph, D. (2001) ‘Special Topic The Use of Fibrin Glue in Skin Grafts and Tissue-Engineered Skin Replacements : A Review’, Plastic and Reconstructive Surgery, 108, No.6, pp. 1713–1726.

- McDermott, FD, Heeney, A, Kelly, ME, Steele, RJ, Carlson GL & Winter, DC, 2015, 'Systematic review of preoperative, intraoperative and postoperative risk factors for colorectal anastomotic leaks', *British Journal of Surgery*, vol. 102, no. 5, hal. 462–479, DOI: 10.1002/bjs.9697.
- McDonald CC, Baird LL. 1985. Vicryl intestinal anastomosis. Analysis of 327 cases. *Dis Colon Rectum*. 1985 Nov;28(11):775-6
- Midwood KS, Williams LV, Schwarzbauer JE. Tissue repair and the dynamics of the extracellular matrix. *The International Journal of Biochemistry & Cell Biology* 2004; 36:1031-1037.
- Munireddy S., Sandra L. Kavalukas, Barbul A; 2010. Intra-abdominal Healing: Gastrointestinal Tract and Adhesions. *Surgical Clinics of North America*
- Murrell ZA, Stamos MJ. Reoperation for Anastomotic Failure. 2006;1(212):213–6.
- Nordentoft, T. et al. (2015) 'Fibrin glue does not improve healing of gastrointestinal anastomoses: A systematic review', *European Surgical Research*, 54(1–2), pp. 1–13.
- Nordentoft, T. (2015) 'Sealing of gastrointestinal anastomoses with fibrin glue coated collagen patch', *Danish Medical Journal*, 62(5), pp. 1–13.
- Ordoñez, CA & Puyana, JC, 2006, 'Management of peritonitis in the critically ill patient', *Surgical Clinics of North America*, vol. 86, no. 6, hal. 1323–1349, DOI: 10.1016/j.suc.2006.09.006, diakses 13 Desember 2018 <<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3413265/pdf/nihms210302.pdf>>.
- Paxton, S., Knibbs, A. and Peckham, M. (2019). *The Leeds Histology Guide*. [online] Histology.leeds.ac.uk. Available at: https://www.histology.leeds.ac.uk/tissue_types/connective/connective_tissue_fi_bros.php [Accessed 9 Nov. 2019].
- Perdanakusuma D.S. (2007). Anatomi Fisiologi Kulit Dan Penyembuhan Luka. Surabaya: Airlangga University School Of Medicine – Dr. Soetomo General Hospital: 1-8.
- Pieracci, FM & Barie, PS, 2007, 'Management of severe sepsis of abdominal origin', *Scandinavian Journal of Surgery*, vol. 96, no. 3, hal. 184–196, DOI: 10.1177/145749690709600302, diakses 4 April 2017 <<http://journals.sagepub.com/doi/pdf/10.1177/145749690709600302>>.
- Pierce GF, Mustoe TA, Altrock BW. 1991. Role of Platelet Derived Growth Factor in Wound Healing. Dept of Experimental Pathology, Biology and Biochemistry and Dept of Surgery Washington Univ Medical Center.

Missouri. Journal of Cellular Biochemistry 45:319-326 (1991)

Podolsky, D. K., Kanai, M., Rosenberg, I. and (1997) 'Cytokine regulation of fibroblast growth factor receptor 3 IIIb in intestinal epithelial cells', American Journal of Physiology-Gastrointestinal and Liver Physiology, 272(4), pp. G885– G893.

Pommergaard, H-C, 2014, 'Experimental evaluation of clinical colon anastomotic leakage', *Danish Medical Journal*, vol. 61, no. 3, hal. B4821, diakses 1 Desember 2017 <http://ugeskriftet.dk/files/scientific_article_files/2018-11/b4821.pdf>.

Portes, K. P. et al. (2012) 'Influence of selant fibrin on the wound healing of the pigs vocal folds', Brazilian Journal of Otorhinolaryngology. Associação Brasileira de Otorrinolaringologia e Cirurgia Cervico-Facial, 78(1), pp. 51– 56.

Rabau M, Hirshberg A, Hiss Y, Dayan D. Intestinal anastomosis healing in rats: Collagen concentration and histochemical characterization by picrosirius red staining and polarizing microscopy. *Exp Mol Pathol*, 1995, 62:160-165.

Robinson A, Keely S, Karhausen J. 2008. Mucosal Protection by Hypoxia Inducible Factor (HIF) prolyl hydroxylase inhibition. National Institute of Health, Gastroenterology. 134(1): 145–155.

Ruiz, S, Vardon-Bounes, F, Merlet-Dupuy, V, Conil, J-M, Buléon, M, Fourcade, O, Tack, I & Minville, V, 2016, 'Sepsis modeling in mice: ligation length is a major severity factor in cecal ligation and puncture', *Intensive Care Medicine Experimental*, vol. 4, no. 1, hal. 22, DOI: 10.1186/s40635-016-0096-z, diakses 12 Desember 2018 <<https://icm-experimental.springeropen.com/track/pdf/10.1186/s40635-016-0096-z>>.

Sarin S. Lightwood RG. Continuous Single Layer Gastrointestinal Anastomosis: a prospective audit. Br.J. Surg. 1988. 493-395

Senol, M. et al. (2013) 'The Effect of Fibrin Glue on the Intensity of Colonic Anastomosis in the Presence and Absence of Peritonitis: An Experimental Randomized Controlled Trial on Rats', ISRN Surgery, 2013, pp. 1–..

Shi J, Wu Z, Li Z, Ji J. Review Article Roles of Macrophage Subtypes in Bowel Anastomotic Healing and Anastomotic Leakage. 2018;2018.

Shima T, Shan Y, Krilleke D. 2005. VEGF function in Vascular Pathogenesis.

Elsevier. Experimental cell research 312 (2006) 527-537

- Shrum, B. et al. (2014) ‘A robust scoring system to evaluate sepsis severity in an animal model’, *BMC Research Notes*, 7(1), pp. 1–11. doi: 10.1186/1756-0500-7-233.
- Sieda, B., Abdelhady, W. and Baghdadi, M. (2019) ‘Independent perioperative predictive risk factors for the anastomotic leak after emergency bowel resection anastomosis’, *International Surgery Journal*, 6(7), p. 2258.
- Sleker, JC, Daams, F, Mulder, IM, Jeekel, J & Lange, JF, 2013. ‘Systematic review of the technique of colorectal anastomosis’, *JAMA Surgery*, vol. 148, no. 2, hal. 190–201, DOI: 10.1001/2013.jamasurg.33, diakses 1 Desember 2017
<<https://jamanetwork.com/journals/jamasurgery/fullarticle/1654856>>.
- Stadelmann, W. K., Digenis, A. G. and Tobin, G. R. (1998) ‘Physiology and healing dynamics of chronic cutaneous wounds’, *American Journal of Surgery*, 176(2 A), pp. 26S-38S.
- Suding, P. N. et al. (2007) ‘Definitive risk factors for anastomotic leak in open elective colon resection’, *Journal of the American College of Surgeons*, 205(3), p. S20.
- Swayne, S. L., Brisson, B., Weese, J. S., & Sears, W. (2012). Evaluating the effect of intraoperative peritoneal lavage on bacterial culture in dogs with suspected septic peritonitis. *The Canadian veterinary journal = La revue veterinaire canadienne*, 53(9), 971–977.
- Thomas, MS & Margolin, DA, 2016, ‘Management of colorectal anastomotic leak’, *Clinics in Colon and Rectal Surgery*, vol. 29, no. 2, hal. 138–144, DOI: 10.1055/s-0036-1580630, diakses 6 Agustus 2018
<<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4882170/pdf/10-1055-s-0036-1580630.pdf>>.
- Thornton FJ, Barbul A (1997) Healing in the gastrointestinal tract. *Surg Clin North Am* 77:549–573
- Torres, MB & de Maio, A, 2005, ‘An exaggerated inflammatory response after CLP correlates with a negative outcome’, *Journal of Surgical Research*, vol. 125, no. 1, hal. 88–93, DOI: 10.1016/j.jss.2004.11.025.
- William 2014. Fibrin sealant patches : powerful and easy-to-use hemostats. Press D
- Yoshida D, Kim K, Noha M. 2006. Hypoxia Inducible Factor-1 regulates of platelet derived growth factor-B in human glioblastoma cells. *Journal of Neuro-oncology* (2006) 76: 13–21

- Uludag, M. et al. (2009) 'Effects of amniotic membrane on the healing of normal and high-risk colonic anastomoses in rats', *International Journal of Colorectal Disease*, 24(7), pp. 809–817.
- Van der Ham, A. C. et al. (1993) 'Effect of fibrin sealant on the integrity of colonic anastomoses in rats with faecal peritonitis', *The European journal of surgery = Acta chirurgica*, 159(8), p. 425—432. Available at: <http://europepmc.org/abstract/MED/8218553>.
- Van Ruler, O & Boermeester, MA, 2017. 'Surgical treatment of secondary peritonitis: a continuing problem', *Der Chirurg*, vol. 88, sup. 1, hal. S1–S6, DOI: 10.1007/s00104-015-0121-x, diakses5 Agustus 2018
[<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5233781/pdf/104_2015_Article_121.pdf>](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5233781/pdf/104_2015_Article_121.pdf).
- Velnar T, Bailey T, S. V (2009) 'The Wound Healing Process: An Overview of the Cellular and Molecular Mechanisms. J Int Med Res 37 (5):1528–1542.', 37(5), pp. 1528–1542.
- Verhofstad MJ, Lange WL, van der Laak JM, Verhofstad AJ, Hendriks T. Microscopic analysis of anastomotic healing in the intestine of normal and diabetic rats. *Dis Colon Rectum*, 2001, 44:423-431.
- Werner S and Grose R. Regulation of Wound Healing by Growth Factors and Cytokines. *Physiol Rev* 2003; 83:835-870.