

DAFTAR PUSTAKA

- Akbarian, A., Michiels, J., Degroote, J., Majdeddin, M., Golian, A. and De Smet, S. 2016. Association between *heat stress* and oxidative stress in poultry; mitochondrial dysfunction and dietary interventions with phytochemicals. *J. Anim. Sci. Biotechnol.* 7, 37.
- Anggrahini, S.. 2007. Pengaruh lama pengecambahan terhadap kandungan α -tokoferol dan senyawa proksimat kecambah kacang hijau (*Phaseolus radiatus* L.). *Agritech* 2007;27(4):152-7.
- Astawan, M. dan Mita, W. 2003. *Teknologi Pengolahan Pangan Nabati Tepat Guna*. Akademika Presindo. Jakarta.
- Avanzo, J. L., de Mendonça Jr, C. X., Pugine, S. M. P., and de Cerqueira Cesar, M. 2001. Effect of vitamin E and selenium on resistance to oxidative stress in chicken superficial pectoralis muscle. *Comparative Biochemistry and Physiology Part C: Toxicology & Pharmacology*, 129(2), 163-173.
- Aydemir, T., Ozturk, R., Bozkaya, L.A. and Tarhan, L., 2000. Effects of antioxidant vitamins A, C, E and trace elements Cu, Se on CuZn SOD, GSH-Px, CAT and LPO levels in chicken erythrocytes. *Cell Biochem Funct.* 18, 109-115.
- Ciftci, M., Ertas, O. N., and Guler, T. 2005. Effects of vitamin E and vitamin C dietary supplementation on egg production and egg quality of laying hens exposed to a chronic *heat stress*. *Revue Med Vet*, 156(2), 107-111.
- Del Vesco, A.P., Gasparino, E., Zancanela, V., Grieser, D.O., Stanquevis, C.E., Pozza, P.C. and Oliveira Neto, A.R. 2017. Effects of selenium supplementation on the oxidative state of acute *heat stress*-exposed quails. *J. Anim. Physiol. Anim. Nutr.* 101, 170–179.
- Dell R.B., Holleran S, and Ramakrishan R. Sample size determination. 2008. *ILAR Journal* 2002;43(4):207-13.
- Deng, W., Dong, X. F., Tong, J. M., and Zhang, Q. 2012. The probiotic *Bacillus licheniformis* ameliorates *heat stress*-induced impairment of egg production, gut morphology, and intestinal mucosal immunity in laying hens. *Poultry science*, 91(3), 575-582.
- Ezzat, W., Shoeib, M. S., Mousa, S. M. M., Bealish, A. M. A., and Ibrahiem, Z. A. 2011. Impact of betaine, vitamin C and folic acid supplementations to the diet on productive and reproductive performance of Matrouh poultry strain under Egyptian summer condition. *Egyptian Journal of Poultry Science*, 3, 521-537.

- Farag, M.R. and Alagawany, M. 2018. Physiological alterations of poultry to the high environmental temperature. *J. Biol.* 76, 101–106.
- Finkel, T. and Holbrook N.J. 2000. Oxidants, oxidative stress and the biology of ageing. *Nature* 408:239–247
- Grashorn, M.A. 2007. Functionality of poultry meat. *J Appl Poult Res* 16:99–106
- Grau A, Codony R, Grimpa S, Baucells MD, and Guardiola F. 2001. Cholesterol oxidation in frozen dark chicken meat: influence of dietary fat source and α -tocopherol and ascorbic acid supplementation. *Meat Sci* 57:197–208
- Harsini, S. G., Habibiyan, M., Moeini, M. M., and Abdolmohammadi, A. R. 2012. Effects of dietary selenium, vitamin E, and their combination on growth, serum metabolites, and antioxidant defense system in skeletal muscle of broilers under *heat stress*. *Biological trace element research*, 148(3), 322-330.
- He, S.J., Zhao, S.J., Dai, S.F., Liu, D.Y. and Bokhari, S.G. 2015. Effects of dietary betaine on growth performance, fat deposition and serum lipids in broilers subjected to chronic *heat stress*. *Anim. Sci. J.* 86, 897–903.
- Hu, R., He, Y., Arowolo, M. A., Wu, S., and He, J. 2019. Polyphenols as Potential Attenuators of *Heat stress* in Poultry Production. *Antioxidants*, 8(3), 67.
- Hubert, J., Berger, M., Nepveu, F., Paul, F. and Daydé, J. 2008. Effects of Fermentation on the Phytochemical Composition and Antioxidant Properties of Soy Germ. *Food Chemistry*, 109 (4): 709–721.
- Karami, M., Torki, M and Mohammadi, H. 2018. Effects of dietary supplemental chromium methionine, zinc oxide, and ascorbic acid on performance, egg quality traits, and blood parameters of laying hens subjected to *heat stress*. *J. Appl. Anim. Res.* 46, 1174–1184.
- Kilic, I. and Simsek, E. 2013. The Effects of *Heat stress* on Egg Production and Quality of Laying Hens. *J. Anim. Vet. Adv.* 12, 42–47.
- Kusnadi, Engkus. 2008. "Pengaruh temperatur kandang terhadap konsumsi ransum dan komponen darah ayam broiler." *J. Pengembangan Peternakan Tropis* 33.3. 197-202.
- Kusriningrum. Perancangan Percobaan. Airlangga University Press. Surabaya. 53-92.
- Lammers, P.J., Kerr, B. J., Honeyman, M.S., Stalder, K., Dozier III, W. A., Weber, M. T. E., Kidd, K. and Bregendahl, K. 2008. Nitrogen-corrected apparent metabolizable energi value of crude glycerol for laying hens. *Poultry Science*, 87(1), 104-107

- Latipudin, D., dan Mushawwir, A. 2011. Regulasi panas tubuh ayam ras petelur fase grower dan layer. *Jurnal Sain Peternakan Indonesia*, 6(2), 77-82.
- Lara, L.J. and Rostagno, M.R., 2013. Impact of *Heat stress* on Poultry Production. *Animals* 3, 356–369.
- Lin H., Decuypere E, and Buyse J. 2006. Acute *heat stress* induces oxidative stress in broiler chickens. *Comp Biochem Physiol Part A* 144:11–17
- Lin, H., De Vos, D., Decuypere, E., and Buyse, J. 2008. Dynamic changes in parameters of redox balance after mild *heat stress* in aged laying hens (*Gallus gallus domesticus*). *Comparative Biochemistry and Physiology Part C: Toxicology & Pharmacology*, 147(1), 30-35.
- Linnaeus, C. 1758. *Systema Naturae Per Regna Tria Naturæ, Secundum Classes, Ordines, Genera, Species, Cum Characteribus, Differentiis, Synonymis, Locis, Tomus I. Editio Decima, Reformata*. Holmiæ: Impensis Direct. Laurentii Salvii. I–II, 1–824 Pp
- Lu, Z., He, X.F., Ma, B.B., Zhang, L., Li, J.L., Jiang, Y., Zhou, G.H. and Gao, F. 2017. Chronic *Heat stress* Impairs the Quality of Breast-Muscle Meat in Broilers by Affecting *Redox* Status and Energi-Substance Metabolism. *J. Agric. Food Chem.* 65, 11251–11258.
- Nanari M.C., Hewavitharana AK, Beca C, and de Jong S. 2004. Effect of dietary tocopherols and tocotrienols on the antioxidant status and lipid stability of chicken. *Meat Sci* 68:155–162
- Noviadi, R., dan Zairiful, Z. 2019. Produktivitas Ayam Buras Bibit yang di Supplementasi Kecambah Kacang Hijau. In *Prosiding Seminar Nasional Teknologi Pertanian Vol. 2018*.
- Ophir, E. Y. Arieli, J Mrder, and M. Horowitz. 2002. Coetaneous blood flow in pigeon *Columba livia*:its possible relevance to coetaneous water evaporation. *J Exp Biol* 205:2627-2636.
- Orozco R.F., Frias J, Zielinski H, Piskula MK, Kozłowska H, and Valverde CV. 2008. Kinetic study of the antioxidant compounds and antioxidant capacity during germination of *Vigna cv. emerald*, *Glycine max cv.jutro* and *Glycine max cv.merit*. *Food Chemistry*;111:622-30.
- Pamok, S., Aengwanich, W., and Komutrin, T. 2009. Adaptation to oxidative stress and impact of chronic oxidative stress on immunity in heat-stressed broilers. *J. Therm. Biol.* 34, 353–357.
- Puthongsiriporn, U., Scheideler, S.E., Sell, J.L. and Beck, M.M., 2001. Effects of vitamin E and C supplementation on performance, in vitro lymphocyte proliferation, and antioxidant status of laying hens during *heat stress*. *Poult. Sci.* 80, 1190-1200.

- Renaudeau, D., Collin, A., Yahav, S., de Basilio, V., Gourdine, J.L., and Collier, R.J. 2012. Adaptation to hot climate and strategies to alleviate *heat stress* in livestock production. *Animal* 6, 707–728.
- Rozenboim, I., Tako, E., Gal-Garber, O., Proudman, J. A., and Uni, Z. 2007. The effect of *heat stress* on ovarian function of laying hens. *Poultry Science*, 86(8), 1760-1765.
- Ruffer, C. dan Kulling, S.E. 2006. Antioxidant Activity of Isoflavones and Their Major Metabolites using Different in Vitro Assays. *J. of Agricultural and Food Chemistry*, 54 (8): 2926–2931.
- Ruiz, J.A., Guerrero, L., Arnau, J., Guardia, M.D. & Esteve-Garcia, E., 2001. Descriptive sensory analysis of meat from broilers fed diets containing vitamin E or beta-carotene as antioxidants and different supplemental fats. *Poult. Sci.* 80, 976-82.
- Ryu Y.C., Rhee MS, Lee MH, Lee SK, and Kim BC. 2006. Effects of packaging methods on the meat quality of α -tocopherol supplemented broiler chicks during refrigerated storage. *Food Sci Biotechnol* 15:248–253
- Sahin, K., Kucuk, O., Sahin, N. and Sari, M. 2002. Effects of vitamin C and vitamin E on lipid peroxidation status, some serum hormone, metabolite, and mineral concentrations of Japanese quails reared under *heat stress* (34°C). *Int. J. Vitam. Nutr. Res.* 72: 91–100.
- Sahin, K., Onderci, M., Sahin, N., Gursu, M. F., and Kucuk, O. 2003. Dietary vitamin C and folic acid supplementation ameliorates the detrimental effects of *heat stress* in Japanese quail. *The Journal of nutrition*, 133(6), 1882-1886.
- Sahin, K., Sahin, N., and Yaralioglu, S. 2002. Effects of vitamin C and vitamin E on lipid peroxidation, blood serum metabolites, and mineral concentrations of laying hens reared at high ambient temperature. *Biological trace element research*, 85(1), 35-45.
- Sahin K., Sahin N., Onderci M., Yaralioglu S., and Kucuk O. 2001a. Protective role of supplemental vitamin E on lipid peroxidation, vitamins E, A and some mineral concentrations of broilers reared under *heat stress*. *Vet. Med. Czech*, 46, 140–144.
- Sahin, N., Sahin, K., and Kucuk, O. 2001b. Effects of vitamin E and vitamin A supplementation on performance, thyroid status, and serum concentrations of some metabolites and minerals in broilers reared under *heat stress* (32°C). *VETERINARNI MEDICINA-PRAHA*-, 46(11/12), 286-292.
- Seven, P.T., Seven, I., Yilmaz, M., and Simsek, U.G. 2008. The effects of Turkish propolis on growth and carcass characteristics in broilers under *heat stress*. *Anim. Feed Sci. Technol.* 146, 137–148.

- Shimizu H, Tsubola T, Kanki K. 2018. All-trans retinoic acid ameliorates hepatic stellate cell activation via suppression of thioredoxin interacting protein expression. *J Cell Physiol* 233 : 607-616.
- Stadtman, E.R. and Levine, R.L. 2003. Free radical-mediated oxidation of free amino acids and amino acid residues in proteins. *Amino Acids* 25, 207–218.
- Sumiyati dan Ismoyo, F. 1988. Pengaruh proses perkecambahan kacang hijau dan kedelai terhadap perubahan kandungan vitamin E. PAU Pangan dan Gizi UGM. Yogyakarta.
- Surai, P. F. (2016). Antioxidant systems in poultry biology: superoxide dismutase. *Journal of Animal Research and Nutrition*, 1(1), 8.
- Tapiero, H., Tew, K. D., Gate, L. and Machover, D.. 2001. Prevention of pathologies associated with oxidative stress and dietary intake deficiencies: folate deficiency and requirements. *Biomed. Pharmacother.* 55: 381–390.
- Torki, M., Zangeneh, S., and Habibian, M. 2014. Performance, egg quality traits, and serum metabolite concentrations of laying hens affected by dietary supplemental chromium picolinate and vitamin C under a heat-stress condition. *Biol. Trace Elem. Res.*157, 120–129.
- UU No. 18 Tahun 2009 BAB II Tentang Kesejahteraan Hewan dan Kesehatan Masyarakat Veteriner
- Winarsi, H., Purwanto, A., dan Dwiyantri, H. 2019. Kandungan protein dan isoflavon pada kedelai dan kecambah kedelai. *Biota: Jurnal Ilmiah Ilmu-Ilmu Hayati*, 15(2), 181-187.
- Xie, J., Tang, L., Lu, L., Zhang, L., Xi, L., Liu, H. C., J. Odle, and Luo, X. 2014. Differential expression of heat shock transcription factors and heat shock proteins after acute and chronic *heat stress* in laying chickens (*Gallus gallus*). *PloS one*, 9(7), e102204.
- Yahav, S. 2000. Domestic fowl-Strategies to confront environmental conditions. *Poult. Avian Bio. Rev.* 11:81-95
- Yang, L., Tan, G.Y., Fu, Y.Q., Feng, J.H., and Zhang, M.H. 2010. Effects of acute *heat stress* and subsequent stress removal on function of hepatic mitochondrial respiration, ROS production and lipid peroxidation in broiler chickens. *Comp. Biochem. Physiol. Toxicol. Pharmacol.* 151, 204–208.
- Yoon I, Werner T.M., and Butler J.M. 2007. Effect of source and concentration of selenium on growth performance and selenium retention in broiler chickens. *Poult Sci* 86:727–730
- Young J.F., Stagsted J, Jensen SK, Karlsson AH, and Henckel P. 2003. Ascorbic acid, α -tocopherol, and oregano supplements reduce stress-induced deterioration of chicken meat quality. *Poult Sci* 82:1343–1351

- Yulianti, A. B., Sumarsono, S. H., Ridwan, A., dan Yusuf, A. T. 2015. Hubungan Reactive Oxygen Species (ROS), Superoxide Dismutase (SOD) dengan Protein α -Sinuklein-Larut Air pada Batang Otak Tikus yang Diinduksi Rotenon. *Global Medical & Health Communication*, 3(2), 83-92.
- Zhang Z.W, Wang Q.H., Zhang J.L., Li S., Wang X.L. 2012. Effects of oxidative stress on immunosuppression induced by selenium deficiency in chickens. *Biol Trace Elem Res* 49:352-361
- Zhu, Y.W., Xie, J.J., Li, W.X., Lu, L., Zhang, L.Y., Ji, C., Lin, X., Liu, H.C., Odle, J., and Luo, X.G. 2015. Effects of environmental temperature and dietary manganese on egg production performance, egg quality, and some plasma biochemical traits of broiler breeders. *J. Anim. Sci.* 93, 3431–3440.