

DAFTAR PUSTAKA

- Anggraeni, L., & Bratadiredja, M. A. (2018). Review Artikel: Tanaman Obat yang Memiliki Aktivitas Terhadap Luka Bakar. *Farmaka*, 16(2), 51-59.
- Amini-Nik, S., Cambridge, E., Yu, W., Guo, A., Whetstone, H., Nadesan, P., ... & Alman, B. A. (2014). β -Catenin-regulated myeloid cell adhesion and migration determine wound healing. *The Journal of clinical investigation*, 124(6), 2599-2610.
- Amith, S.R., P. Jayanth, T. Finlay, S. Franchuk, A. Gilmour, S. Abdulkhalek, and M.R. Szewczuk. 2010. Detection of Neu1 sialidase activity in regulating Toll like receptor activation. *J. Vis. Exp.* 43:2142.
- Berti, F. C. B., Pereira, A. P. L., Cebinelli, G. C. M., Trugilo, K. P., & de Oliveira, K. B. (2017). The role of interleukin 10 in human papilloma virus infection and progression to cervical carcinoma. *Cytokine & growth factor reviews*, 34, 1-13.
- Calum, H., Høiby, N., & Moser, C. (2014). Burn mouse models. *Methods in Molecular Biology*, 114, 793–802. doi: 10.1007/978-1-4939-0473-0_60.
- Dai, T., Huang, Y. Y., K Sharma, S., T Hashmi, J., B Kurup, D., & R Hamblin, M. (2010). Topical antimicrobials for burn wound infections. *Recent patents on anti-infective drug discovery*, 5(2), 124-151.
- Dhingra, S., Sharma, A. K., Arora, R. C., Slezak, J., & Singal, P. K. (2009). IL-10 attenuates TNF- α -induced NF κ B pathway activation and cardiomyocyte apoptosis. *Cardiovascular research*, 82(1), 59-66.
- Dardenne, A. D., Wulff, B. C., & Wilgus, T. A. (2013). The alarmin HMGB-1 influences healing outcomes in fetal skin wounds. *Wound Repair and Regeneration*, 21(2), 282-291.
- Delavary, B. M., van der Veer, W. M., van Egmond, M., Niessen, F. B., & Beelen, R.H. (2011). Macrophages in skin injury and repair. *Immunobiology*, 216(7), 753-762.
- Dwita, L. P., Yati, K., & Gantini, S. N. (2019). The Anti-Inflammatory Activity of Nigella sativa Balm Sticks. *Scientia Pharmaceutica*, 87(1), 3.
- Eming, S. A., Koch, M., Krieger, A., Brachvogel, B., Kreft, S., Bruckner-Tuderman, L. & Fox, J. W. (2010). Differential proteomic analysis distinguishes tissue repair biomarker signatures in wound exudates obtained from normal healing and chronic wounds. *Journal of proteome research*, 9(9), 4758-4766.

- Ermumcu, M. Ş. K., & Şanlıer, N. (2017). black cumin (*Nigella sativa*) and its active component of thymoquinone: effects on health. *FOOD and HEALTH*, 3(4), 170-183.
- Faten Khorshid, S. S. (2010). *Plectranthus tenuiflorus* (Shara) Promotes Wound Healing: In vitro and in vivo Studies. *Int. J. of Botany*, 69-80
- Finlay, T. M., Abdulkhalek, S., Gilmour, A., Guzzo, C., Jayanth, P., Amith, S. R., ... & Szewczuk, M. R. (2010). Thymoquinone-induced Neu4 sialidase activates NFκB in macrophage cells and pro-inflammatory cytokines in vivo. *Glycoconjugate journal*, 27(6), 583-600.
- Fioranelli, M., & Rocchia, M. G. (2014). Twenty-five years of studies and trials for the therapeutic application of IL-10 immunomodulating properties. From high doses administration to low dose medicine new paradigm. *J Integr Cardiol*, 1(1), 2-6.
- Fitri Handayani, Reksi Sundu, & Henriko Nober Karapa (2016). Uji Aktivitas Ekstrak Etanol Biji Pinang (*Areca Catechu L.*) Terhadap Penyembuhan Luka Bakar Pada Kulit Punggung Mencit Putih Jantan (*Mus Musculus*). *Jurnal Ilmiah Manuntung*, 2(2), 154-160
- Frisca, Sardjono, C.T., dan Sandra F. (2009). Angiogenesis: Patofisiologi dan Aplikasi Klinis, *JKM*, Vol 8 (2): 174-87.
- Geovany, Pamungkas, & Inayah (2016). Profil Pasien Luka Bakar Berat Yang Meninggal Di Rsud Arifin Achmad Provinsi Riau Periode Januari 2011 Desember 2013. *JOM FK Volume 2*.
- Hadi, V., Kheirouri, S., Alizadeh, M., Khabbazi, A., & Hosseini, H. (2016). Effects of *Nigella sativa* oil extract on inflammatory cytokine response and oxidative stress status in patients with rheumatoid arthritis: a randomized, double-blind, placebo-controlled clinical trial. *Avicenna journal of phytomedicine*, 6(1), 34.
- Hani Yousef, Mandy Alhadj, Sandeep Sharma (2019). Anatomy, Skin (Integument), Epidermis. Stat Pearls Martina NR, Wardhana A. 2013. Burn: mortality analysis of adult burn patients. *Jurnal Plastik Rekonstruksi ; 2013(2):96-100*.
- Havran, W. L., & Jameson, J. M. (2010). Epidermal T cells and wound healing. *The Journal of Immunology*, 184(10), 5423-5428.
- Hesketh, M., Sahin, K. B., West, Z. E., & Murray, R. Z. (2017). Macrophage phenotypes regulate scar formation and chronic wound healing. *International journal of molecular sciences*, 18(7), 1545.

- Hibono, M. M. (2017). Pemberian Minyak Jintan Hitam (*Nigella sativa*) Topikal Meningkatkan Regenerasi Jaringan Luka Tikus Diabetes Melitus. *IJAAM (Indonesian Journal of Anti-Aging Medicine)*, 1(1), 25-31.
- Haq, FF. (2016). Pengaruh Luka Insisi Terhadap Perbandingan Kadar Tnf α Pada Tikus Putih (*Rattus Norvegicus*) Galur Wistar, Semarang: Fakultas Kedokteran Universitas Sultan Agung Semarang.
- Hariani, L. (2017). *Pola Proses Penyembuhan Luka sekitar melalui analisis ekspresi EGF, VEGF, TGF-beta, kolagen, MMP-1 dan pembuluh kapiler yang diinduksi adiposed derived mesenchymal stem cells pada primer*. Surabaya: Ilmu Kedokteran Jenjang Doktor Universitas Airlangga.
- Hendrik, H. 2009. Habbatus Sauda'. Thibbun Nabawiy untuk Mencegah & Mengobati Berbagai Macam Penyakit. Pustaka Iltizam, Solo.
- Hossen, M. J., Yang, W. S., Kim, D., Aravinthan, A., Kim, J. H., & Cho, J. Y. (2017). Thymoquinone: an IRAK1 inhibitor with in vivo and in vitro anti-inflammatory activities. *Scientific reports*, 7, 42995.
- Hur, J., Yang, H. T., Chun, W., Kim, J. H., Shin, S. H., Kang, H. J., & Kim, H. S. (2015). Inflammatory cytokines and their prognostic ability in cases of major burn injury. *Annals of laboratory medicine*, 35(1), 105-110.
- Jetten, N., Verbruggen, S., Gijbels, M. J., Post, M. J., De Winther, M. P., & Donners, M. M. (2014). Anti inflammatory M2, but not pro-inflammatory M1 macrophages promote angiogenesis in vivo. *Angiogenesis*, 17(1), 109-118.
- Kalangi, S. J. R. (2011). Peran integrin pada angiogenesis penyembuhan luka. *CDK*, 38(3), 177-181.
- Khan, M. A., Tania, M., Fu, S., & Fu, J. (2017). Thymoquinone, as an anticancer molecule: from basic research to clinical investigation. *Oncotarget*, 8(31), 51907.
- Kraft, R., Herndon, D. N., Finnerty, C. C., Cox, R. A., Song, J., & Jeschke, M. G. (2015). Predictive value of IL-8 for sepsis and severe infections after burn injury-A clinical study. *Shock (Augusta, Ga.)*, 43(3), 222.
- Khanna, S., Biswas, S., Shang, Y., Collard, E., Azad, A., Kauh, C & Roy, S. (2010). Macrophage dysfunction impairs resolution of inflammation in the wounds of diabetic mice. *PloS one*, 5(3), e9539.
- Koh, T. J., & DiPietro, L. A. (2011). Inflammation and wound healing: the role of the macrophage. *Expert reviews in molecular medicine*, 13.
- Kumar, V., Abbas, A. K., Fausto, N., & Aster, J. C. (2014). *Robbins and Cotran pathologic basis of disease, professional edition e-book*. Elsevier health sciences.

- Kusumawardhani, A. D., Kalsum, U., & Rini, I. S. (2016). Pengaruh sediaan salep ekstrak daun sirih (*Piper betle* Linn.) terhadap jumlah fibroblas luka bakar derajat IIA pada tikus putih (*Rattus norvegicus*) galur wistar. *Majalah Kesehatan FKUB*, 2(1), 16-28.
- Landén, N. X., Li, D., & Ståhle, M. (2016). Transition from inflammation to proliferation: a critical step during wound healing. *Cellular and Molecular Life Sci.*, 73(20), p.3861–3885. <https://doi.org/10.1007/s00018-016-2268-0>
- Larouche, J., Sheoran, S., Maruyama, K., & Martino, M. M. (2018). Immune regulation of skin wound healing: mechanisms and novel therapeutic targets. *Advances in wound care*, 7(7), 209-231.
- Lei, H., Schmidt-Bleek, K., Dienelt, A., Reinke, P., & Volk, H. D. (2015). Regulatory T cell-mediated anti-inflammatory effects promote successful tissue repair in both indirect and direct manners. *Frontiers in pharmacology*, 6, 184.
- Li, Y. L., Zhao, H., & Ren, X. B. (2016). Relationship of VEGF/VEGFR with immune and cancer cells: staggering or forward?. *Cancer biology & medicine*, 13(2), 206.
- Liu, G., Ma, H., Qiu, L., Li, L., Cao, Y., Ma, J., & Zhao, Y. (2011). Phenotypic and functional switch of macrophages induced by regulatory CD4+ CD25+ T cells in mice. *Immunology and cell biology*, 89(1), 130-142.
- Lucas, T., Waisman, A., Ranjan, R., Roes, J., Krieg, T., Müller, W., ... & Eming, S. A. (2010). Differential roles of macrophages in diverse phases of skin repair. *The Journal of Immunology*, 184(7), 3964-3977.
- Marco, N.D., Kaufman, J., & Rodda, C. P. (2019). Shedding light on vitamin d status and its complexities during pregnancy, infancy and childhood: An australian perspective. *International journal of environmental research and public health*, 16(4), 538
- Marzoeki, D. 2006. Overview luka bakar. In Noer, M.S. (eds) Penanganan luka bakar. Airlangga University Press. Surabaya. p:1-2.
- Mitoma, H., Horiuchi, T., Tsukamoto, H., & Ueda, N. (2018). Molecular mechanisms of action of anti-TNF- α agents—Comparison among therapeutic TNF- α antagonists. *Cytokine*, 101, 56-63.
- Moreli, J. B., Corrêa-Silva, S., Damasceno, D. C., Sinzato, Y. K., Lorenzon-Ojea, A. R., Borbely, A. U., ... & Calderon, I. M. (2015). Changes in the TNF-alpha/IL-10 ratio in hyperglycemia-associated pregnancies. *Diabetes research and clinical practice*, 107(3), 362-369. Moreli, J. B., Corrêa-Silva, S., Damasceno, D. C., Sinzato, Y. K., Lorenzon-Ojea, A. R., Borbely, A. U., ... & Calderon, I. M. (2015). Changes in the TNF-alpha/IL-10 ratio in

- hyperglycemia-associated pregnancies. *Diabetes research and clinical practice*, 107(3), 362-369.
- Majdalawieh, A. F., & Fayyad, M. W. (2015). Immunomodulatory and anti-inflammatory action of *Nigella sativa* and thymoquinone: A comprehensive review. *International immunopharmacology*, 28(1), 295-304
- M.H. Mannino, Z. Zhu, H. Xiao, Q. Bai, M.R. Wakefield, Y. Fang, The paradoxical role of IL-10 in immunity and cancer, *Cancer Lett.* 367 (2015) 103–107, doi: <http://dx.doi.org/10.1016/j.canlet.2015.07.009>.
- Mufarikoh, Z., & Ary, A. (2017). Pengaruh Pemberian Topikal Ekstrak Kolagen Kulit Lele Sangkuriang (*Clarias Gariepinus* Var) terhadap TNF- α dan Jumlah Fibroblas pada Luka Bakar Derajat Dua Tikus Wistar. *Medical and Health Science Journal*, 1(1), 9-13.
- Murray, P. J., Allen, J. E., Biswas, S. K., Fisher, E. A., Gilroy, D. W., Goerdt, S., ... & Locati, M. (2014). Macrophage activation and polarization: nomenclature and experimental guidelines. *Immunity*, 41(1), 14-20.
- Murray, P. R., Rosenthal, K. S., & Pfaller, M. A. (2015). *Medical microbiology*. Elsevier Health Sciences.
- Mostofa, A. G. M., Hossain, M. K., Basak, D., Sayeed, B., & Shahdaat, M. (2017). Thymoquinone as a potential adjuvant therapy for cancer treatment: Evidence from preclinical studies. *Frontiers in pharmacology*, 8, 295.
- Nosbaum, A., Prevel, N., Truong, H. A., Mehta, P., Ettinger, M., Scharschmidt, T. C. & Rosenblum, M. D. (2016). Cutting edge: regulatory T cells facilitate cutaneous wound healing. *The Journal of Immunology*, 196(5), 2010-2014.
- Nugroho, S. W., Fauziyah, K. R., Sajuthi, D., & Darusman, H. S. (2018). Profil Tekanan Darah Normal Tikus Putih (*Rattus norvegicus*) Galur Wistar dan Sprague-Dawley. *Acta VETERINARIA Indonesiana*, 6(2), 32-37.
- Okizaki, S. I., Ito, Y., Hosono, K., Oba, K., Ohkubo, H., Amano, H. & Majima, M. (2015). Suppressed recruitment of alternatively activated macrophages reduces TGF- β 1 and impairs wound healing in streptozotocin-induced diabetic mice. *Biomedicine & Pharmacotherapy*, 70, 317-325.
- Persada AN, Windarti I, Fiana DN. The Second Degree Burns Healing Rate Comparison Between Topical Mashed Binahong (*Anredera cordifolia* (Ten.) Steenis) and Hydrogel On White Rats (*Rattus norvegicus*) Sprague Dawley Strain. *Jurnal Kedokteran Unila*, Vol.2 No.2,2014 :1–10.
- Pileri, D., Palombo, A. A., D'Amelio, L., D'Arpa, N., Amato, G., Masellis, A., ... & Conte, C. (2008). Concentrations of cytokines IL-6 and IL-10 in plasma of burn patients: their relationship to sepsis and outcome. *Annals of burns and fire disasters*, 21(4), 182.

- Primadina, N., Basori, A., & Perdanakusuma, D. S. (2019). Proses Penyembuhan Luka Ditinjau dari Aspek Mekanisme Seluler dan Molekuler. *Qanun Medika-Medical Journal Faculty of Medicine Muhammadiyah Surabaya*, 3(1), 31-43.
- Rose, L. F., & Chan, R. K. (2016). The burn wound microenvironment. *Advances in wound care*, 5(3), 106-118.
- Shuid, A. N., Yusof, A. A., & Anwar, M. S. (2005). The effects of Carica papaya Linn. latex on the healing of burn wounds in rats. *Jurnal Sains Kesihatan Malaysia (Malaysian Journal of Health Sciences)*, 3(2).
- Sindrilaru, A., Peters, T., Wieschalka, S., Baican, C., Baican, A., Peter, H. & Weiss, J. M. (2011). An unrestrained proinflammatory M1 macrophage population induced by iron impairs wound healing in humans and mice. *The Journal of clinical investigation*, 121(3), 985-997.
- Stojadinovic, O., Yin, N., Lehmann, J., Pastar, I., Kirsner, R. S., & Tomic-Canic, M. (2013). Increased number of Langerhans cells in the epidermis of diabetic foot ulcers correlates with healing outcome. *Immunologic research*, 57(1-3), 222-228.
- Strudwick, X. L., & Cowin, A. J. (2017). The Role of the Inflammatory Response in Burn Injury. In *Hot Topics in Burn Injuries*. IntechOpen.
- Torres-Poveda, K., Bahena-Román, M., Madrid-González, C., Burguete-García, A. I., Bermúdez-Morales, V. H., Peralta-Zaragoza, O., & Madrid-Marina, V. (2014). Role of IL-10 and TGF- β 1 in local immunosuppression in HPV-associated cervical neoplasia. *World journal of clinical oncology*, 5(4), 753.
- Tsurumi, A., Que, Y. A., Ryan, C. M., Tompkins, R. G., & Rahme, L. G. (2016). TNF- α /IL-10 ratio correlates with burn severity and may serve as a risk predictor of increased susceptibility to infections. *Frontiers in public health*, 4, 216.
- Van den Broek, L. J., van der Veer, W. M., de Jong, E. H., Gibbs, S., & Niessen, F. B. (2015). Suppressed inflammatory gene expression during human hypertrophic scar compared to normotrophic scar formation. *Experimental dermatology*, 24(8), 623-629.
- Velnar, T Bailey, V Smrkoj, (2009), The Wound Healing Process : an Overview of Cellular and Molecular Mechanism, The J of International Medical Research, p.1528-42.
- Verma, R., Balakrishnan, L., Sharma, K., Khan, A. A., Advani, J., Gowda, H., ... & Prasad, T. K. (2016). A network map of Interleukin-10 signaling pathway. *Journal of cell communication and signaling*, 10(1), 61-67.
- Winarto, W., Budiono, U., & Harahap, M. S. (2010). Perbandingan Sekresi IL-10 di Jaringan Sekitar Luka Insisi Dengan dan Tanpa Infiltrasi Levobupivakain:

- Studi Imunohistokimia pada Tikus Wistar. *JAI (Jurnal Anestesiologi Indonesia)*, 1(1).
- WHO.2014. Burns: Violence and injury prevention. Available from http://www.who.int/violence_injury_prevention/other_injury/burns/en/.
- Xu, P., Fu, X., Xiao, N., Guo, Y., Pei, Q., Peng, Y., ... & Yao, M. (2017). Involvements of $\gamma\delta$ T lymphocytes in acute and chronic skin wound repair. *Inflammation*, 40(4), 1416-1427.
- Yaqoob, U., Cao, S., Shergill, U., Jagavelu, K., Geng, Z., Yin, M., ... & Schwartz, M. (2012). Neuropilin-1 stimulates tumor growth by increasing fibronectin fibril assembly in the tumor microenvironment. *Cancer research*, 72(16), 4047-4059.
- Yepta .2005. Petunjuk Praktis Penatalaksanaan Luka Bakar. *Komite Medik Asosiasi Luka Bakar Indonesia*.
- Yousef, Mandy Alhadj, Sandeep Sharma (2019). Anatomy, Skin (Integument), Epidermis. Stat Pearels Martina NR, Wardhana A.2013. Burn: mortality analysis of adult burn patients. *Jurnal Plastik Rekonstruksi* ; 2013(2):96-100.
- Zeng, J., Lin, X., Fan, H., & Li, C. (2013). Hydrogen sulfide attenuates the inflammatory response in a mouse burn injury model. *Molecular medicine reports*, 8(4), 1204-1208.
- Zhang, L., Bai, Y., and Yang, Y. (2016). Thymoquinone chemosensitizes colon cancer cells through inhibition of NF-kappaB. *Oncol. Lett.* 12, 2840–2845. doi: 10.3892/ol.2016.4971
- Zhiwen Hai, Yimeng Ren, Jiawen Hu, Huan Wang, Qi Qin, and Tingtao Chen (2019). Evaluation of the Treatment Effect of Aloe vera Fermentation in Burn Injury Healing Using a Rat Mode. *Mediators of Inflammation*. Article ID 2020858
- Zhu, Z., Ding, J., Ma, Z., Iwashina, T., & Tredget, E. E. (2016). Systemic depletion of macrophages in the subacute phase of wound healing reduces hypertrophic scar formation. *Wound Repair and Regeneration*, 24(4), 644-656.