

DAFTAR PUSTAKA

- Airaksinen, O., Brox, J. I., Cedraschi, C., Hildebrandt, J., Klaber-Moffett, J., Kovacs, F., *et al.* (2006). Chapter 4 European guidelines for the management of chronic nonspecific low back pain. *European Spine Journal*, 15(S2), pp 192–300.
- Al-Qudah, M. A., & Al-Dwairi, A. (2016). Mechanisms and regulation of neurotrophin synthesis and secretion. *Neurosciences (Riyadh, Saudi Arabia)*, 21(4), pp 306–313.
- Allegri, M., Montella, S., Salici, F., Valente, A., Marchesini, M., Compagnone, C., *et al.* (2016). Mechanisms of low back pain: a guide for diagnosis and therapy. *F1000Research*, 5, p 1530.
- Almeida, D. C., & Kraychete, D. C. (2017). Low back pain - a diagnostic approach. *Revista Dor*, 18, pp 173–177.
- Altman, R. D., Zinsenheimer, J. R., Temple, A. R., & Schweinle, J. E. (2007). Three-month efficacy and safety of acetaminophen extended-release for osteoarthritis pain of the hip or knee: a randomized, double-blind, placebo-controlled study. *Osteoarthritis and Cartilage*, 15(4), pp 454–461.
- Anderson, B. J. (2008). Paracetamol (Acetaminophen): Mechanisms of action. *Paediatric Anaesthesia*, 18(10), pp 915–921.
- Bailey, A. (2009). Risk factors for low back pain in women: still more questions to be answered. *Menopause*, 16(1).
- Bannwarth, B., & Pehourcq, F. (2003). Pharmacological Rationale for the Clinical Use of Paracetamol: Pharmacokinetic and Pharmacodynamics Issues. *Drugs*, 63(2), pp 1–9.
- Baron, R., Binder, A., Attal, N., Casale, R., Dickenson, A. H., & Treede, R. D. (2016). Neuropathic low back pain in clinical practice. *European Journal of Pain (United Kingdom)*, 20(6), pp 861–873.
- Bathina, S., & Das, U. N. (2015). Brain-derived neurotrophic factor and its clinical Implications. *Archives of Medical Science*, 11(6), pp 1164–1178.
- Bernstein, I. A., Malik, Q., Carville, S., & Ward, S. (2017). Low back pain and sciatica: Summary of NICE guidance. *BMJ (Online)*, 356, p 6748.
- Bimariotedjo. (2009). Low Back Pain. *Pain Clinical Updates*, 13(6), pp 1–6.
- Boyuk, B., Degirmencioglu, S., Atalay, H., Guzel, S., Acar, A., Celebi, A., *et al.* (2014). Relationship between Levels of Brain-Derived Neurotrophic Factor and Metabolic Parameters in Patients with Type 2 Diabetes Mellitus. *Journal of Diabetes Research*, 2014, p 978143.
- Braun, A., Lommatsch, M., Mannsfeldt, A., Neuhaus-Steinmetz, U., Fischer, A.,

- Schnoy, N., *et al.* (2013). Cellular Sources of Enhanced Brain-Derived Neurotrophic Factor Production in a Mouse Model of Allergic Inflammation Notice to Professional Recruitment and Announcement Advertisers. *American Journal of Respiratory Cell and Molecular Biology*, 21(4), pp 537–546.
- Burckhardt, C. S., & Jones, K. D. (2004). Adult measures of pain: The McGill Pain Questionnaire (MPQ), Rheumatoid Arthritis Pain Scale (RAPS), Short-Form McGill Pain Questionnaire (SF-MPQ), Verbal Descriptive Scale (VDS), Visual Analog Scale (VAS), and West Haven-Yale Multidisciplinary Pain Inven. *Arthritis & Rheumatism*, 49(S5), pp 96–104.
- Bus, B. A. A., Molendijk, M. L., Penninx, B. J. W. H., Buitelaar, J. K., Kenis, G., Prickaerts, J., *et al.* (2011). Determinants of serum brain-derived neurotrophic factor. *Psychoneuroendocrinology*, 36(2), pp 228–239.
- Caumo, W., Deitos, A., Carvalho, S., Leite, J., Carvalho, F., Dussán-Sarria, J. A., *et al.* (2016). Motor Cortex Excitability and BDNF Levels in Chronic Musculoskeletal Pain According to Structural Pathology. *Frontiers in Human Neuroscience*, Vol. 10, p. 357.
- Chou, R. (2009). Musculoskeletal disorders Low back pain (chronic). *American Family Physician*, 2010(April 2009), pp 1–41.
- Cole, L. J., Farrell, M. J., Gibson, S. J., & Egan, G. F. (2010). Age-related differences in pain sensitivity and regional brain activity evoked by noxious pressure. *Neurobiology of Aging*, 31(3), pp 494–503.
- Cooper, G. (2015). Non-operative treatment of the lumbar spine. In *Non-Operative Treatment of the Lumbar Spine*, pp. 1–163.
- Cruz Duarte, P., St-Jacques, B., & Ma, W. (2012). Prostaglandin E2 contributes to the synthesis of brain-derived neurotrophic factor in primary sensory neuron in ganglion explant cultures and in a neuropathic pain model. *Experimental Neurology*, 234(2), pp 466–481.
- da Cruz Fernandes, I. M., Pinto, R. Z., Ferreira, P., & Lira, F. S. (2018). Low back pain, obesity, and inflammatory markers: exercise as potential treatment. *Journal of Exercise Rehabilitation*, 14(2), pp 168–174.
- Dell, R. B., Holleran, S., & Ramakrishnan, R. (2002). Sample size determination. *ILAR Journal*, 43(4), pp 207–213.
- Diz, J. B. M., de Souza Moreira, B., Felício, D. C., Teixeira, L. F., de Jesus-Moraleida, F. R., de Queiroz, B. Z., *et al.* (2017). Brain-derived neurotrophic factor plasma levels are increased in older women after an acute episode of low back pain. *Archives of Gerontology and Geriatrics*, 71, pp 75–82.
- Dosch, M., Gerber, J., Jebbawi, F., & Beldi, G. (2018). Mechanisms of ATP Release by Inflammatory Cells. *International Journal of Molecular Sciences*, 19(4), p 1222.

- Dworkin, R. H., Turk, D. C., Trudeau, J. J., Benson, C., Biondi, D. M., Katz, N. P., & Kim, M. (2015). Validation of the Short-Form McGill Pain Questionnaire-2 (SF-MPQ-2) in Acute Low Back Pain. *The Journal of Pain*, 16(4), pp 357–366.
- El Tumi, H., Johnson, M. I., Dantas, P. B. F., Maynard, M. J., & Tashani, O. A. (2017). Age-related changes in pain sensitivity in healthy humans: A systematic review with meta-analysis. *European Journal of Pain (United Kingdom)*, 21(6), pp 955–964.
- Ellis, A., & Bennett, D. L. H. (2013). Neuroinflammation and the generation of neuropathic pain. *British Journal of Anaesthesia*, 111(1), pp 26–37.
- Ennis, Z. N., Dideriksen, D., Vægter, H. B., Handberg, G., & Pottegård, A. (2016). Acetaminophen for Chronic Pain: A Systematic Review on Efficacy. *Basic and Clinical Pharmacology and Toxicology*, 118(3), pp 184–189.
- Ferrara, P., Giuseppe, R., Vicente, C. I., Schiavone, A., Bisaccia, M., Colleluori, G., et al. (2016). The Anatomy and Classification of Back Pain : General simple concept for the General medical Doctor. *Canadian Open Orthopaedics and Traumatology Journal*, 3(4), pp 15–18.
- Fornasari, D. (2017). Pharmacotherapy for Neuropathic Pain: A Review. *Pain and Therapy*, 6(Suppl 1), pp 25–33.
- Forsgren, S., Grimsholm, O., Dalén, T., & Rantapää-Dahlqvist, S. (2011). Measurements in the Blood of BDNF for RA Patients and in Response to Anti-TNF Treatment Help Us to Clarify the Magnitude of Centrally Related Pain and to Explain the Relief of This Pain upon Treatment. *International Journal of Inflammation*, 2011, pp 1–7.
- Frisén, J., Verge, V. M., Cullheim, S., Persson, H., Fried, K., Middlemas, D. S., et al. (1992). Increased levels of trkB mRNA and trkB protein-like immunoreactivity in the injured rat and cat spinal cord. *Proceedings of the National Academy of Sciences*, 89(23), pp 11282–11286.
- Generaal, E., Milaneschi, Y., Jansen, R., Elzinga, B. M., Dekker, J., & Penninx, B. W. J. H. (2016). The brain-derived neurotrophic factor pathway, life stress, and chronic multi-site musculoskeletal pain. *Molecular Pain*, 12, pp 1–9.
- Haas, L., Portela, L. V. C., Böhmer, A. E., Osés, J. P., & Lara, D. R. (2010). Increased Plasma Levels of Brain Derived Neurotrophic Factor (BDNF) in Patients with Fibromyalgia. *Neurochemical Research*, 35(5), pp 830–834.
- Haldeman, S. D., Kirkaldy-Willis, W. H., & Bernard, Jr, T. N. (2002). *An Atlas of Low Back Pain* (1st ed.).
- Hayashi, Y. (2004). Classification, Diagnosis, and Treatment of Low Back Pain. *Journal of the Japan Medical Association*, 128(12), pp 227–233.
- Hüllermann, P., Keller, T., Kabelitz, M., Gierthmühlen, J., Freyngagen, R., Tölle,

- T., *et al.* (2018). Clinical Manifestation of Acute, Subacute, and Chronic Low Back Pain in Different Age Groups: Low Back Pain in 35,446 Patients. *Pain Practice*, 18(8), pp 1011–1023.
- In, S., Sharma, C. V., & Mehta, V. (2019). Paracetamol : mechanisms and updates Key points Prostaglandin inhibition. *British Journal of Anaesthesia*, 14(4), pp 153–159.
- Inanc Tekin, M., Sekeroglu, M. A., Demirtas, C., Tekin, K., Doguizi, S., Bayraktar, S., & Yilmazbas, P. (2018). Brain-Derived Neurotrophic Factor in Patients With Age-Related Macular Degeneration and Its Correlation With Retinal Layer ThicknessesBDNF in Age-Related Macular Degeneration. *Investigative Ophthalmology & Visual Science*, 59(7), pp 2833–2840.
- Jiang, D. G., Jin, S. L., Li, G. Y., Li, Q. Q., Li, Z. R., Ma, H. X., *et al.* (2016). Serotonin regulates brain-derived neurotrophic factor expression in select brain regions during acute psychological stress. *Neural Regeneration Research*, 11(9), pp 1471–1479.
- Jozwiak-Bebenista, M., & Nowak, J. Z. (2014). Paracetamol: Mechanism of action, applications and safety concern. *Acta Poloniae Pharmaceutica - Drug Research*, 71(1), pp 11–23.
- Jusino, E., Chang Chien, G. C., & Minzter, B. H. (2017). Mechanisms of chronic pain. *Treatment of Chronic Pain Conditions: A Comprehensive Handbook*, 10(Suppl 1), pp 5–6.
- Kalita, J., Kohat, A. K., Misra, U. K., & Bhoi, S. K. (2014). An open labeled randomized controlled trial of pregabalin versus amitriptyline in chronic low backache. *Journal of the Neurological Sciences*, 342(1–2), pp 127–132.
- Katz, J., & Melzack, R. (2011). The McGill Pain Questionnaire: Development, psychometric, properties, and usefulness of the long-form, short-form and short-form-2. In D. C. Turk & R. Melzack (Eds.), *Handbook of Pain Assessment* (Third, p. 45). 7
- Khan, A. N., Jacobsen, H. E., Khan, J., Filippi, C. G., Levine, M., Lehman, R. A., *et al.* (2017). Inflammatory biomarkers of low back pain and disc degeneration: a review. *Annals of the New York Academy of Sciences*, 1410(1), pp 68–84.
- Klein, A. B., Williamson, R., Santini, M. A., Clemmensen, C., Ettrup, A., Rios, M., *et al.* (2011). Blood BDNF concentrations reflect brain-tissue BDNF levels across species. *International Journal of Neuropsychopharmacology*, 14(3), pp 347–353.
- Koes, B. W., Backes, D., & Bindels, P. J. E. (2018). Pharmacotherapy for chronic non-specific low back pain: current and future options. *Expert Opinion on Pharmacotherapy*, 19(6), pp 537–545.
- Kowiański, P., Lietzau, G., Czuba, E., Waśkow, M., Steliga, A., & Moryś, J. (2018).

- BDNF: A Key Factor with Multipotent Impact on Brain Signaling and Synaptic Plasticity. *Cellular and Molecular Neurobiology*, 38(3), pp 579–593.
- Lawson, K. (2017). A Brief Review of the Pharmacology of Amitriptyline and Clinical Outcomes in Treating Fibromyalgia. *Biomedicines*, 5(4), p 24.
- Leal, G., Bramham, C. R., & Duarte, C. B. (2017). Chapter Eight - BDNF and Hippocampal Synaptic Plasticity. In G. B. T.-V. and H. Litwack (Ed.), *Neurotrophins*, 104, pp. 153–195.
- Lee, B.-H., & Kim, Y.-K. (2010). The roles of BDNF in the pathophysiology of major depression and in antidepressant treatment. *Psychiatry Investigation*, 7(4), pp 231–235.
- Loppini, M., Longo, U. G., Denaro, V., Denaro, L., & Maffulli, N. (2010). Rating scales for low back pain. *British Medical Bulletin*, 94(1), pp 81–144.
- Lu, B., Nagappan, G., & Lu, Y. (2014). *BDNF and Synaptic Plasticity, Cognitive Function, and Dysfunction BT - Neurotrophic Factors* (G. R. Lewin & B. D. Carter, Eds.).
- Maher, C., Underwood, M., & Buchbinder, R. (2017). Non-specific low back pain. *The Lancet*, 389(10070), pp 736–747.
- McCrae, J. C., Morrison, E. E., MacIntyre, I. M., Dear, J. W., & Webb, D. J. (2018). Long-term adverse effects of paracetamol – a review. *British Journal of Clinical Pharmacology*, 84(10), pp 2218–2230.
- McEvoy, G. K. (2017). AHFS Drug Information. In *Oncology Issues* (1st ed., Vol. 9).
- Mibu, A., Nishigami, T., Tanaka, K., Manfuku, M., & Yono, S. (2019). Difference in the impact of central sensitization on pain-related symptoms between patients with chronic low back pain and knee osteoarthritis. *Journal of Pain Research*, 12, pp 1757–1765.
- Nijs, J., Meeus, M., Versijpt, J., Moens, M., Bos, I., Knaepen, K., & Meeusen, R. (2015). Brain-derived neurotrophic factor as a driving force behind neuroplasticity in neuropathic and central sensitization pain: A new therapeutic target? *Expert Opinion on Therapeutic Targets*, 19(4), pp 565–576.
- Numakawa, T., Odaka, H., & Adachi, N. (2017). Actions of Brain-Derived Neurotrophic Factor and Glucocorticoid Stress in Neurogenesis. *International Journal of Molecular Sciences*, 18(11), p 2312.
- Numakawa, T., Suzuki, S., Kumamaru, E., Adachi, N., Richards, M., & Kunugi, H. (2010). BDNF function and intracellular signaling in neurons. *Histology and Histopathology*, 25(2), pp 237–258.
- Ogon, M., Krismer, M., Söllner, W., Kantner-Rumplmair, W., & Lampe, A. (1996). Chronic low back pain measurement with visual analogue scales in different

- settings. *PAIN*, 64(3).
- Oliveira, C. B., Maher, C. G., Pinto, R. Z., Traeger, A. C., Lin, C. W. C., Chenot, J. F., et al. (2018). Clinical practice guidelines for the management of non-specific low back pain in primary care: an updated overview. *European Spine Journal*, 27(11), pp 2791–2803.
- Pan, W., Banks, W. A., Fasold, M. B., Bluth, J., & Kastin, A. J. (1998). Transport of brain-derived neurotrophic factor across the blood-brain barrier. *Neuropharmacology*, 37(12), pp 1553–1561.
- Park, S. J., Yoon, D. M., Yoon, K. B., Moon, J. A., & Kim, S. H. (2016). Factors Associated with Higher Reported Pain Levels in Patients with Chronic Musculoskeletal Pain: A Cross-Sectional, Correlational Analysis. *PloS One*, 11(9), p 132.
- Picelli, A., Buzzi, M. G., Cisari, C., Gandolfi, M., Porru, D., Bonadiman, S., et al. (2016). Headache, low back pain, other nociceptive and mixed pain conditions in neurorehabilitation. Evidence and recommendations from the Italian Consensus Conference on Pain in Neurorehabilitation. *European Journal of Physical and Rehabilitation Medicine*, 52(6), pp 867–880.
- Pinho-Ribeiro, F. A., Verri, W. A., & Chiu, I. M. (2017). Nociceptor Sensory Neuron-Immune Interactions in Pain and Inflammation. *Trends in Immunology*, 38(1), pp 5–19.
- Polacchini, A., Metelli, G., Francavilla, R., Baj, G., Florean, M., Mascaretti, L. G., & Tongiorgi, E. (2015). A method for reproducible measurements of serum BDNF: comparison of the performance of six commercial assays. *Scientific Reports*, 5, p 17989.
- Qaseem, A., Wilt, T. J., McLean, R. M., Forciea, M. A. (2017). Noninvasive Treatments for Acute, Subacute, and Chronic Low Back Pain: A Clinical Practice Guideline From the American College of PhysiciansNoninvasive Treatments for Acute, Subacute, and Chronic Low Back Pain. *Annals of Internal Medicine*, 166(7), pp 514–530.
- Salzberg, L. (2012). The Physiology of Low Back Pain. *Primary Care - Clinics in Office Practice*, 39(3), pp 487–498.
- Sanzarello, I., Merlini, L., Rosa, M. A., Perrone, M., Fruguele, J., Borghi, R., & Faldini, C. (2016). Central sensitization in chronic low back pain: A narrative review. *Journal of Back and Musculoskeletal Rehabilitation*, 29(4), pp 625–633.
- Saragiotto, B. T., Machado, G. C., Ferreira, M. L., Pinheiro, M. B., Abdel Shaheed, C., & Maher, C. G. (2016). Paracetamol for low back pain. *The Cochrane Database of Systematic Reviews*, (6), p 12230.
- Sheng, J., Liu, S., Wang, Y., Cui, R., & Zhang, X. (2017). The Link between Depression and Chronic Pain: Neural Mechanisms in the Brain. *Neural*

Plasticity, 2017.

- Sikandar, S., Minett, M. S., Millet, Q., Santana-Varela, S., Lau, J., Wood, J. N., & Zhao, J. (2018). Brain-derived neurotrophic factor derived from sensory neurons plays a critical role in chronic pain. *Brain, 141*(4), pp 1028–1039.
- Simão, A. P., Mendonça, V. A., De Oliveira Almeida, T. M., Santos, S. A., Gomes, W. F., Coimbra, C. C., & Lacerda, A. C. R. (2014). Involvement of BDNF in knee osteoarthritis: The relationship with inflammation and clinical parameters. *Rheumatology International, 34*(8), pp 1153–1157.
- Siniscalco, D., Giordano, C., Rossi, F., Maione, S., & de Novellis, V. (2011). Role of Neurotrophins in Neuropathic Pain. *Current Neuropharmacology, 9*(4), p 523–529.
- Sribastav, S. Sen, Long, J., He, P., He, W., Ye, F., Li, Z., et al. (2018). Risk Factors Associated with Pain Severity in Patients with Non-specific Low Back Pain in Southern China. *Asian Spine Journal, 12*(3), pp 533–543.
- St. John Smith, E. (2018). Advances in understanding nociception and neuropathic pain. *Journal of Neurology, 265*(2), pp 231–238.
- Steeds, C. E. (2016). The anatomy and physiology of pain. *Surgery (United Kingdom), 34*(2), pp 55–59.
- T.E., P., H.A., S., Yudiyanta, Y., A., D., A., C., A., et al. (2015). Characteristics of neuropathic pain in indonesia: A hospital based national clinical survey. *Neurology Asia, 20*(4), pp 389–394.
- Trang, T., Beggs, S., & Salter, M. W. (2011). Brain-derived neurotrophic factor from microglia: a molecular substrate for neuropathic pain. *Neuron Glia Biology, 7*(1), pp 99–108.
- Urquhart, D. M., Wluka, A. E., Van Tulder, M., Heritier, S., Forbes, A., Fong, C., et al. (2018). Efficacy of Low-Dose Amitriptyline for Chronic Low Back Pain: A Randomized Clinical Trial. *JAMA Internal Medicine, 178*(11), pp 1474–1481.
- Vardeh, D., Mannion, R. J., & Woolf, C. J. (2016). Toward a mechanism-based approach to pain diagnosis. *The Journal of Pain, 17*(9), pp 50–69.
- Wang, Y. X. J. (2016). Menopause as a potential cause for higher prevalence of low back pain in women than in age-matched men. *Journal of Orthopaedic Translation, 8*, pp 1–4.
- Wáng, Y. X. J., Wáng, J.-Q., & Káplár, Z. (2016). Increased low back pain prevalence in females than in males after menopause age: evidences based on synthetic literature review. *Quantitative Imaging in Medicine and Surgery, 6*(2), pp 199–206.
- Woller, S. A., Eddinger, K. A., Corr, M., & Yaksh, T. L. (2017). An overview of pathways encoding nociception. *Clinical and Experimental Rheumatology, 35*(Suppl 106), pp 1–10.

- 35(5), pp 40–46.
- Yam, M. F., Loh, Y. C., Tan, C. S., Adam, S. K., Manan, N. A., & Basir, R. (2018). General pathways of pain sensation and the major neurotransmitters involved in pain regulation. *International Journal of Molecular Sciences*, 19(8), p 2164.
- Yiengprugsawan, V., Hoy, D., Buchbinder, R., Bain, C., Seubsman, S. A., & Sleigh, A. C. (2017). Low back pain and limitations of daily living in Asia: Longitudinal findings in the Thai cohort study. *BMC Musculoskeletal Disorders*, 18(1), p 19.
- Zhou, C., Zhong, J., Zou, B., Fang, L., Chen, J., Deng, X., et al. (2017). Meta-analyses of comparative efficacy of antidepressant medications on peripheral BDNF concentration in patients with depression. *PloS One*, 12(2), pp 1-18.