

## DAFTAR PUSTAKA

- Akin, O., Erkaya, S., Clinic, M. O., & Education, N. (2003). Evaluation of bone turnover in postmenopausal patients with type 2 diabetes mellitus using biochemical markers and bone mineral density, (17), 19–29.
- Badarudeen, 2015, osteoporosis, available from: [http://www.slideshare.net/AseemBadarudeen/osteoporosis-ppt-49486060\\_diunduh](http://www.slideshare.net/AseemBadarudeen/osteoporosis-ppt-49486060_diunduh) tanggal 28 April 2019
- Baziad, A. (2013). Menopause and hormone replacement therapy. *Medical Journal of Indonesia*. <https://doi.org/10.13181/mji.v10i4.42>
- Bjelland, E. K., Hofvind, S., Byberg, L., & Eskild, A. (2018). The relation of age at menarche with age at natural menopause : a population study of 336 788 women in Norway, *33*(6), 1149–1157. <https://doi.org/10.1093/humrep/dey078>
- Blake, G. M., & Fogelman, I. (2010). An Update on Dual-Energy X-Ray Absorptiometry. *Seminars in Nuclear Medicine*. <https://doi.org/10.1053/j.semnuclmed.2009.08.001>
- Boyce, B. F., & Xing, L. (2008). Functions of RANKL/RANK/OPG in bone modeling and remodeling. *Archives of Biochemistry and Biophysics*. <https://doi.org/10.1016/j.abb.2008.03.018>
- Dieny, F. F., & Fitranti, D. Y. (2017). Faktor risiko osteoporosis pada wanita usia 40-80 tahun : status menopause dan obesitas, *14*(2), 45–55.
- Garnero, P., Sornay-Rendu, E., Claustrat, B., & Delmas, P. D. (2000). Biochemical markers of bone turnover, endogenous hormones and the risk of fractures in postmenopausal women: the OFELY study. *Journal of Bone and Mineral Research : The Official Journal of the American Society for Bone and Mineral Research*, *15*(8), 1526–1536. <https://doi.org/10.1359/jbmr.2000.15.8.1526>
- Gaspard, U. (2009). Maturitas Hyperinsulinaemia , a key factor of the metabolic syndrome in postmenopausal women, *62*, 362–365. <https://doi.org/10.1016/j.maturitas.2008.11.026>
- Hachul, H., Dn, P., Kt, N., Zm, S., Mco, P., Ml, A., ... Tufik, S. (2016). The Age of Menopause and their Associated Factors : A Cross-Sectional Journal of Women ' s Health Care, *5*(5). <https://doi.org/10.4172/2167-0420.1000335>
- Hauschka, P.V., J. B. Lian, D. E. Cole, and C. M. Gundberg, “Osteocalcin and matrix Gla protein: vitamin K-dependent proteins in bone,” *Physiological Reviews*, vol. 69, no. 3, pp. 990–1047, 1989.

- Hendrijantini, N., Alie, R., Setiawati, R., Astuti, E. R., & Wardhana, M. P. (2016). The Correlation of Bone Mineral Density ( BMD ), Body Mass Index ( BMI ) and Osteocalcin in Postmenopausal Women, 8(6), 6–10. <https://doi.org/10.4172/0974-8369.1000319>
- Holt, Richard I G; Hanley, N. A. (2012). *Calcium and Metabolic Bone Disorders. Essential Endocrinology and Diabetes Sixth Edition.*
- Hu, W.-W., Zhang, Z., He, J.-W., Fu, W.-Z., Wang, C., Zhang, H., ... Zhang, Z.-L. (2013). Establishing Reference Intervals for Bone Turnover Markers in the Healthy Shanghai Population and the Relationship with Bone Mineral Density in Postmenopausal Women. *International Journal of Endocrinology*. <https://doi.org/10.1155/2013/513925>
- Jabbar, S., Drury, J., Fordham, J. N., Datta, H. K., Francis, R. M., & Tuck, S. P. (2011). Osteoprotegerin, RANKL and bone turnover in postmenopausal osteoporosis. *Journal of Clinical Pathology*, 64(4), 354–357. <https://doi.org/10.1136/jcp.2010.086595>
- Jagtap, V. R., Ganu, J. V, & Nagane, N. S. (2011). BMD and Serum Intact Osteocalcin in Postmenopausal Osteoporosis Women, 26(1), 70–73. <https://doi.org/10.1007/s12291-010-0074-2>
- Jankowski L. (2006). Abstracts Central DXA Poster Number 158 Central DXA Poster Number 161 Poster Number 159 Central DXA, 9, 2006.
- Joseph F, Chan BY, Corlett P, Durham BH, Ahmad AM, White HD, et al. (2005). The circadian rhythm of osteoprotegerin and its association with parathyroid hormonesecretion. <http://www.endocrine-abstracts.org/ea/0009> page 66.
- Kalaiselvi, V. S., Prabhu, K., Ramesh, M., & Venkatesan, V. (2013). The association of serum osteocalcin with the bone mineral density in post menopausal women. *Journal of Clinical and Diagnostic Research*, 7(5), 814–816. <https://doi.org/10.7860/JCDR/2013/5370.2946>
- Kanis, J. A., Cooper, C., Rizzoli, R., & Reginster, J. Y. (2019). Executive summary of the European guidance for the diagnosis and management of osteoporosis in postmenopausal women. *Calcified Tissue International*, 104(3), 235–238. <https://doi.org/10.1007/s00223-018-00512-x>
- Kawiyana, KS, Surya, GP, Bakta, M, Roeshadi, D. 2012. *High Serum Concentration of Interleukin-6 and RANK-Ligand as Risk Factors for Osteoporosis in Estrogen Deficiency Post-menopausal Women*. Indonesian Journal of Biomedics Sciences, [S.I.], Nov. 2012. ISSN 2302-2906.

- Kementerian Kesehatan Republik Indonesia. 2015. *Data & Kondisi Penyakit Osteoporosis di Indonesia*, halaman 2 – 6. Pusat Data dan Informasi Kementerian Kesehatan Republik Indonesia: ISSN 2442 – 7659.
- Kim, H., & Yang, S. (2014). Quality Control of DXA System and Precision Test of, 2–7.
- Kuo, T. R., & Chen, C. H. (2017). Bone biomarker for the clinical assessment of osteoporosis: Recent developments and future perspectives. *Biomarker Research*, 5(1), 5–13. <https://doi.org/10.1186/S40364-017-0097-4>
- Lane, N. E. (2006). Epidemiology, etiology, and diagnosis of osteoporosis. *American Journal of Obstetrics and Gynecology*. <https://doi.org/10.1016/j.ajog.2005.08.047>
- Lerner, U. H. (2006). Bone remodeling in post-menopausal osteoporosis. *Journal of Dental Research*, 85(7), 584–595. <https://doi.org/10.1177/154405910608500703>
- Little, N., Rogers, B., & Flannery, M. (2011). Bone formation, remodelling and healing. *Surgery*. <https://doi.org/10.1016/j.mpsur.2011.01.002>
- Magaro, M., Altomonte, L., Mirone, L., Zoli, A., & Tricerri, A. (1989). Serum osteocalcin as an index of bone turnover in active rheumatoid arthritis and in active psoriatic arthritis. *Clinical Rheumatology*. <https://doi.org/10.1007/BF02032102>
- Patti, A., Gennari, L., Merlotti, D., Dotta, F., & Nuti, R. (2013). Endocrine Actions of Osteocalcin. *International Journal of Endocrinology* Volume 2013, Article ID 846480, pages 1-10
- Price, P. A. (1980). New Biochemical Marker for Bone Metabolism MEASUREMENT BY RADIOIMMUNOASSAY OF SUBJECTS AND PATIENTS WITH BONE DISEASE, 66(November), 878–883.
- Raisz LG, R. G. (2003). Pathogenesis Osteoporosis. *Endocrinol Metab Clin North Am*, 32(1), 15–24.
- Riggs B. L. (2000). The mechanisms of estrogen regulation of bone resorption. *The Journal of clinical investigation*, 106(10), 1203–1204. doi:10.1172/JCI11468
- Santoro, N., Epperson, C. N., & Mathews, S. B. (2015). Menopausal Symptoms and Their Management. *Endocrinology and Metabolism Clinics of North America*. <https://doi.org/10.1016/j.ecl.2015.05.001>
- Sennels, H. P., Jacobsen, S., Jensen, T., Hansen, M. S., Østergaard, M., Nielsen, H.

- J., & Sørensen, S. (2007). Biological variation and reference intervals for circulating osteopontin, osteoprotegerin, total soluble receptor activator of nuclear factor kappa B ligand and high-sensitivity C-reactive protein. *Scandinavian Journal of Clinical and Laboratory Investigation*. <https://doi.org/10.1080/00365510701432509>
- Shinkov, A. D., Borissova, A. M. I., Kovatcheva, R. D., Atanassova, I. B., Vlahov, J. D., & Dakovska, L. N. (2014). Age and menopausal status affect osteoprotegerin and osteocalcin levels in women differently, irrespective of thyroid function. *Clinical Medicine Insights: Endocrinology and Diabetes*. <https://doi.org/10.4137/CMED.S15466>
- Singh, S., Kumar, D., & Lal, A. K. (2015). Serum osteocalcin as a diagnostic biomarker for primary osteoporosis in women. *Journal of Clinical and Diagnostic Research*, 9(8), RC04–RC07. <https://doi.org/10.7860/JCDR/2015/14857.6318>
- Soules, M. R., Sherman, S., Parrott, E., Rebar, R., Santoro, N., Utian, W., & Woods, N. (2001). Executive summary: Stages of Reproductive Aging Workshop (STRAW). *Climacteric*. <https://doi.org/10.1080/cmt.4.4.267.272>
- Speroff, L., & Fritz, M. (2005). *Menopause and the Perimenopausal Transition*. In *Clinical gynecologic endocrinology and infertility*, 8th ed., pp. 673–748.
- Stokes, A. (2019). HHS Public Access, 25(3), 307–313. <https://doi.org/10.1097/GME>.
- Tao, B., Liu, J. M., Li, X. Y., Wang, J. G., Wang, W. Q., & Ning, G. (2008). An assessment of the use of quantitative ultrasound and the Osteoporosis Self-Assessment Tool for Asians in determining the risk of nonvertebral fracture in postmenopausal Chinese women. *Journal of Bone and Mineral Metabolism*, 26:60–65. <https://doi.org/10.1007/s00774-007-0798-0>
- Tenta, R., Panagiotakos, D. B., Fragopoulou, E., Nomikos, T., Pitsavos, C., Chrysohoou, C., ... Stefanadis, C. (2010). *Osteoprotegerin and nuclear factor-kappaB ligand are associated with leptin and adiponectin levels, in apparently healthy women*. *Journal of Musculoskeletal Neuronal Interactions* ; 10(2):174-179
- WHO. (1996). Research on the menopause in the 1990: report of WHO scientific group. Geneva: WHO Technical Series 866;page 12-19
- Yano K, Tsuda E, Washida N, Kobayashi F, Goto M, Harada A. Immunological characterization of circulating osteoprotegerin/osteoclastogenesis inhibitory factor: increased serum concentrations in postmenopausal women with osteoporosis. *J Bone Miner Res*. 1999;14(4):518–27.