

DAFTAR PUSTAKA

- Abdillah S, Tambunan RM, Farida Y, Sandhiutami NMD, Dewi RM. Phytochemical screening and antimalarial activity of some plants traditionally used in Indonesia. *Asian Pac J Trop Dis* 2015; 5(6): 454-457.
- Abdillah S, Tambunan RM, Sinaga YM, Farida Y. Ethnobotanical survey of plants used in the traditional treatment of malaria in Sei Kepayang, Asahan of North Sumatera. *Asian Pac J Trop Med* 2014 (Supplement); 7S1: 104-107.
- Abel C, Busia K. An exploratory ethnobotanical study of the practice of herbal medicine by the Akan peoples of Ghana. *Altern Med Rev* 2005; 10(2): 112-122.
- Abera B. Medicinal plants used in traditional medicine by Oromo people, Ghimbi District, Southwest Ethiopia. *J Ethnobiol Ethnomed* 2014; 8(10): 40.
- Abera B. Medicinal plants used in traditional medicine by Oromo people, Ghimbi District, Southwest Ethiopia. *Journal of Ethnobiology and Ethnomedicine*. 2014; 10: 40.
- Abhijit D, Jitendra ND. Traditional use of plants against snakebite in Indian subcontinent: A review of the recent literature. *Afr J Tradit Complement Altern Med* 2012; 9(1): 153–174.
- Abhijit D. *Alstonia scholaris* R.Br. (Apocynaceae): Phytochemistry and pharmacology: A concise review. *J Appl Pharm Sci* 2011; 01(06): 51-57.
- Abiodun O, Gbotosho G, Ajaiyeoba E, Happi T, Falade M, Wittlin S, Sowunmi A, Brun R, Oduola A. In vitro antiplasmodial activity and toxicity assessment of some plants from Nigerian ethnomedicine. *Pharm Biol* 2011; 49(1): 9-14.
- Abolaji AO, MU Eteng, PE Ebong, EA Brisibe, A Dhar, N Kabir, NI Choudhary. A Safety Assessment of the Antimalarial Herb *Artemisia annua* During Pregnancy in Wistar Rats. *Phytotherapy Research* 2013; 27:647–654.
- Adebayo JO and AU Krettli. Potential antimalarials from Nigerian plants: A review. *Journal of Ethnopharmacology* 2011; 133: 289–302.
- Adia MM, Anywar G, Byamukama R, Kamatenesi-Mugisha M, Sekagya Y, Kakudidi EK, Kiremire BT. Medicinal plants used in malaria treatment by Prometra herbalists in Uganda. *J Ethnopharmacol* 2012; 155(1): 580-588.
- Agra MF, de Freitas PF, Barbosa-Filho JM. Synopsis of the plants known as medicinal and poisonous in Northeast of Brazil. *Revista Brasileira de Farmacognosia/ Brazilian J Pharmacog* 2007; 17(1): 114-140.

- Agrawal M, Tulika T. Therapeutic efficacy of *Centella asiatica* (L.) and *Momordica charantia*: As traditional medicinal plant. *J Plant Sci* 2015; 3(1-1): 1-9.
- Ahmed F, Das PK, Islam MA, Sadhu SK, Masud MM. Anti-inflammatory and antinociceptive activities of *Cordyline terminalis*. *Dhaka Univ J Phar Sci* 2004; 3(1&2): 61-63.
- Akah PA, Nwambie AI. Nigerian plants with anti-convulsant property. *Fitoterapia* 1993; 64: 42-44.
- Akhila S, Vijayalakshmi NG. Phytochemical studies on *Carica papaya* leaf juice. *IJPSR* 2015; 6(2): 880-883.
- Alagesaboopathi C. Ethnomedicinal plants and their utilization by villagers in Kumaragiri Hills of Salem District of Tamilnadu, India. *Afr J Tradit Complement Altern Med* 2009; 6(3): 222–227.
- Alfrida NK, Aminah NS, Tanjung M, Kurniadi B. Buku ajar fitokimia. Surabaya: Airlangga University Press, 2008.
- Ali Esmail Al-Snafi. Nutritional value and pharmacological importance of citrus species grown in Iraq. *IOSR J Pharm* 2016; 6(8): 76-108.
- Ali K, Maedeh M, Mahmoud RK. Herbal versus synthetic drugs; beliefs and facts. *J Nephroarmacol* 2015; 4(1): 27–30.
- Ali M, Chaudhary N. *Ficus hispida* Linn.: A review of its pharmacognostic and ethnomedicinal properties. *Pharmacog Rev* 2011; 5(9): 96–102.
- Ali M, Kenganora M, Manjula SN. Health benefits of *Morinda citrifolia* (Noni): A review. *Pharmacog J* 2016; 8(4): 321-334.
- Ali MA. *Cassia fistula* Linn: A review of phytochemical and pharmacological studies. *Int J Pharm Sci Res* 2014; 5(6): 2125-2130.
- Alonso-Castro AJ, Juárez-Vázquez MC, Campos-Xolalpa N. Medicinal plants from Mexico, Central America, and the Caribbean used as immunostimulants. *Evidence-Based Compl Altern Med* 2016; 15.
- AlSaid M, Mothana R, Raish M, Al-Sohaibani M, Al-Yahya M, Ahmad A, Al-Dosari M, Rafatullah S. Evaluation of the Effectiveness of *Piper cubeba* extract in the amelioration of CCl₄-induced liver injuries and oxidative damage in the rodent model. *Biomed Res Int* 2015; 35(9): 35-38.
- Anuja GI, Latha PG, Suja S, Sukumaran S, Shine VJ, Sini S, Pradeep S, Periya S, Rajasekharan S. Anti-inflammatory and analgesic properties of *Drynaria quercifolia* (L.) J. Smith. *J Ethnopharmacol* 2010; 132(2): 456-460.

- Apu AS, Bhuyan SH, Shamina SP, Md. Abdul M. Anti-inflammatory activity of medicinal plants native to Bangladesh: A review. *J Appl Pharm Sci* 2012; 02(02): 07-10.
- Apu AS, Hossain F, Rizwan F, Bhuyan SH, Matin M, Jamaluddin A. Study of pharmacological activities of methanol extract of *Jatropha gossypifolia* fruits. *J Basic Clin Pharma* 2013; 4: 20-24.
- Arman. Studi etnografi tentang diare anak balita pada etnik Bugis di Manuba Kabupaten Barru Provinsi Sulawesi Selatan. Disertasi. Surabaya: Universitas Airlangga, 2011.
- Asai F, Iinuma M, Tanaka T, Matsuura S. Studies on the component of the folk medicine, kaju ular, in Timor island. *Yakugaku Zasshi* 1982; 102(7): 690-694.
- Asgarpanah J, Khoshkam R. Phytochemistry and pharmacological properties of *Ruta graveolens* L. *J Med Plants Res* 2012; 6(23): 3942-3949.
- Asylum A. Yang terlupakan dari program pemberantasan malaria. <http://kendaripos.co.id/2015/09/yang-terlupakan-dari-program-pemberantasan-malaria>. 3 September 2015.
- Atakpama W, Batawila K, Gnamkoulamba A, Akpagana K. Quantitative approach of *Sterculia setigera* Delile (Malvaceae) ethnobotanical uses among rural communities in Togo (West Africa). *Ethnobot Res & Appl* 2015; 14: 063-080.
- Atakpama W, Batawila K, Wala K, Douma M, Péréki H, Dimobe K, Akpagana K, Gbeassor M. Ethnobotanical knowledge of *Sterculia setigera* Del. in the Sudanian Zone of Togo (West Africa). *ISRN Botany* 2012; 7: 231-257.
- Atato A, Wala K, Batawila K, Woegan A, Y Akpagana A. Diversité des fruitiers ligneux spontanés du Togo. *Fruit, Vegetable and Cereal Sci & Biotech* 2010; 4(S11): 1-9.
- Avocevou-Ayisso C, Avohou TH, Oumorou M, Sinsin B. Ethnobotany of *Pentadesma butyracea* in Benin: A quantitative approach. *Ethnobot Res & Appl* 2012; 10: 151-166.
- Awang DVC. Tyler's herbs of choice, the therapeutic use of phytomedicinals 3rd ed. New York: CRC Press, 2009.
- Ayantunde AA, Briejer M, Hiernaux P, Udo HMJ, Tabo R. Botanical knowledge and its differentiation by age, gender and ethnicity in Southwestern Niger. *Human Ecol* 2008; 36(6): 881-889.
- Azam MM, Mamun-Or-Rashid ANM, Towfique NM, Sen MK, Nasrin S. Pharmacological potentials of *Melia azedarach* L. - A review. *Am J BioSci* 2013; 1(2): 44-49.

- Aziz Y. Etnofarmasi Suku Tengger Kecamatan Sukapura Kabupaten Probolinggo. Skripsi. Jember: Fakultas Farmasi Universitas Jember, 2010.
- Badan Pusat Statistik (BPS) Kabupaten Belu. Belu Dalam Angka 2014.
- Badrul AM, Fahima A, Nahida P, Rashna SP, Akter S, Chowdhury J. Antioxidant, analgesic and anti-inflammatory activities of the methanolic extract of *Piper betle* leaves. *Avicenna J Phytomed* 2012; 1-14.
- Balick MJ, Cox PA. Plant, People and Culture – The Science of Ethnobotany. New York: Scientific American Library. In: Heinrich, M and P. Bremner, 2006. Ethnobotany and Ethnopharmacy – Their Role for Anticancer Drug Development. *Current Drug Targets* 1996; 7: 239-245.
- Balick MJ. Ethnomedicine: ancient wisdom and modern science. *Explore* 2006; 2(3): 239-247.
- Bandarayanake WM. Quality control, screening, toxicity, and regulation of herbal drugs. In: Ahmad I, Aqil F, Owais M (eds.) *Modern phytomedicine: Turning medicinal plants into drugs*. Weinheim: Wiley-VCH, 2006.
- Bangalore NP, Franetich JF, Gay F, Lorthiois A, Venkatasubramanian P, Mazier D. Antiplasmodial activity of traditional polyherbal remedy from Odisha, India: Their potential for prophylactic use. *Asian Pac J Trop Biomed* 2015; 5(12): 982–986.
- Banilodu L. Implikasi etnobotani kuantitatif dalam kaitannya dengan konservasi Gunung Mutis, Timor. Disertasi Program Pascasarjana. Bogor: Institut Pertanian Bogor, 1998.
- Bapela MJ, Meyer JJ, Kaiser M. In vitro antiplasmodial screening of ethnopharmacologically selected South African plant species used for the treatment of malaria. *J Ethnopharmacol* 2014; 156: 370-373.
- Beloin N, Gbeassor M, Akpagana K, Hudson J, De Souss, K, Koumaglo K, Arnason JT, 2005. Ethnomedicinal uses of *Momordica charantia* (Cucurbitaceae) in Togo and relation to its phytochemistry and biological activity. *Journal of Ethnopharmacology* 96 (1–2): 49–55.
- Bernays EA, Chapman RF. Plant secondary compounds and grasshoppers: Beyond plant defences. *J Chem Ecol* 2000; 26: 1774-1794.
- Bhaskara MV, SJ Pramoda, MU Jeevikaa, PK Chandana, G Shetteppa, 2010. Letters: MR Imaging Findings of Neem Oil Poisoning. *American Journal of Neuroradiology (American Society of Neuroradiology)* 31 (7): E60–E61.
- Biagini GA, O’Neill, Nzila PM, Ward SA. Antimalarial chemotherapy: young guns or back to the future. *Trends in Parasitol.* 2003; 19(11): 479-487.

- Bibeau G, Corin E, Buganza MH, Mandel M, Mahoya M, Mukana MK, Makengo NM. How the traditional healer works. Report of the healers. Zaire: Medical Centre, Institute of Science Research, 1980.
- Billington CK, Penn RB. Signaling and regulation of G protein-coupled receptors in airway smooth muscle. *Respir Res* 2003; 4.
- Birkett MA, A Hassanali, S Hoglund, J Pettersson, JA Pickett. 2011. Repellent activity of catmint, *Nepeta cataria*, and iridoid nepetalactone isomers against Afro-tropical mosquitoes, ixodid ticks and red poultry mites. *Phytochemistry* 72 (2011) 109–114.
- Bivins R. Alternative medicine? A history. Oxford: Oxford University Press, 2009.
- Bloland PB. Resistance in malaria. Switzerland: WHO, 2001.
- Bogdan R, Taylor SJ. Introduction to qualitative research methods: A phenomenological approach to the social sciences. New York: John Willey & Sons, 1975.
- Bose A, Mondal S, Gupta JK, Ghosh T, Dash GK, Si S. Analgesic, anti-inflammatory and antipyretic activities of the ethanolic extract and its fractions of *Cleome rutidosperma*. *Fitoterapia* 2007; 78(7-8): 515-520.
- Bose A, Smith PJ, Lategan CA, Gupta JK, Si S. Studies on in vitro antiplasmodial activity of *Cleome rutidosperma*. *Acta Pol Pharm* 2010; 67(3): 315-318.
- Bradaes G. Ethnobotanical survey and biological screening of medicinal plants from Vanuatu. Dissertation. Universitat Regensburg, 2008.
- Bunyong R, Wanna C, Tullayakorn P, Na-Bangchang K. Antimalarial activity and toxicity of *Garcinia mangostana* Linn. *Asian Pac J Trop Med* 2014; 693-698.
- Burkhill HM. The useful plants of west tropical Africa, vol. 1, families A-D. Kew, UK: Royal Botanic Gardens, 1985.
- Calixto JB. Efficacy, safety, quality control, marketing and regulatory guidelines for herbal medicines (phytotherapeutic agents). *Brazilian Journal of Medical and Biological Research* 2000; 33:179-189.
- Camejo-Rodrigues J, Asencao L, Bonet MA, Valles J. An ethnobotanical study of medicinal and aromatic plants in the Natural Park of Serra de Sao Mamede (Portugal). *J Ethnopharmacol* 2003; (89): 199-209.
- Centers for Disease Control and Prevention (CDC). Anopheles mosquitoes. <https://www.cdc.gov/malaria/about/biology/mosquitoes/index.html>.

- Chan EW, Wong SK, Chan HT. Apocynaceae species with antiproliferative and/or antiplasmodial properties: a review of ten genera. *J Integr Med* 2016; 14(4): 269-284.
- Chandra R, Mahato M, Mandal SC, Kumar K, Kumar J. Ethnomedicinal formulation used by traditional herbal practitioners of Ranchi, Jharkhand. *Indian J Trad Knowl* 2003; 6(4):599-601.
- Charturvedi P, Raseroka BH, Ntshebe O. Evaluation of antimalarial activity of *Melia azedarach*. *J Appl Zool Res* 2006; 17(1): 109-113.
- Chavan MJ, Kolhe DR, Wakte PS, Shinde DB. Analgesic and anti-inflammatory activities of the sesquiterpene fraction from *Annona reticulata* L. bark. *Nat Prod Res* 2012; 26: 1515–1518.
- Chavan MJ, Kolhe DR, Wakte PS, Shinde DB. Analgesic and antiinflammatory activity of Kaur-16-en-19-oic acid from *Annona reticulata* L. bark. *Phytother Res* 2012; 26: 273–276.
- Chen J, Wang X, Qu YG, Chen ZP, Cai H, Liu X, Xu F, Lu TL, Cai BC. Analgesic and anti-inflammatory activity and pharmacokinetics of alkaloids from seeds of *Strychnos nux-vomica* after transdermal administration: effect of changes in alkaloid composition. *J Ethnopharmacol* 2012; 139(1): 181-188.
- Chinsebu KC. Plants as antimalarial agents in Sub-Saharan Africa. *Acta Tropica* 2015; 152: 32–48.
- Chiou WF, Lin JJ, Chen CF. Andrographolide suppresses the expression of inducible nitric oxide synthase in macrophage and restores the vasoconstriction in rat aorta treated with lipopolysaccharide. *Br J Pharmacol* 1998; 125: 327-334.
- Choi SH. WHO Traditional medicine strategy and activities “standardization with evidence-based approaches”. *J Acupunc Merid Stu* 2008; 1(2): 153-154.
- Chun-Ching, Ming-Jen C. A novel dimeric coumarin analog and antimycobacterial constituents from *Fatoua pilosa*. *Chem & Biodiv* 2010; 7(7): 1728–1736.
- Corrigan BM, BE Van Wyk, CJ Geldenhuys, JM Jardine. Ethnobotanical plant uses in the KwaNibela Peninsula, St Lucia, South Africa. *South African Journal of Botany* 2011; 77:346–359.
- Creswell JW. Research design pendekatan kualitatif, kuantitatif dan mixed. Edisi ketiga. Yogyakarta: Pustaka Pelajar, 2010.
- Cunningham AB. Management of medicinal plant resources. Proceedings of the 13th Plenary Meeting of AETFAT, Malawi, 1991.

- Cuzzolin L and G Benoni. Safety Issues of Phytomedicines in Pregnancy and Paediatrics. In: K.G. Ramawat (ed.), *Herbal Drugs: Ethnomedicine to Modern Medicine*, Springer-Verlag Berlin Heidelberg, 2009.
- Dalal S, Zhukovsky DS. Pathophysiology and management of fever. *Supportive Oncology* 2006; 4(1).
- Darmono, 2007. Kajian etnobotani tumbuhan Jalukap (*Centella asiatica* L.) di Suku Dayak Bukit Desa Haratai 1 Loksado. *Bioscientiae*. 4 (2): 71-78.
- Darnaedi SY. Sentuhan etnosains dalam etnobotani: Kebijakan masyarakat lokal dalam mengelola dan memanfaatkan keanekaragaman hayati Indonesia. Prosiding Seminar dan Lokakarya Nasional Etnobotani III. Bogor, 1998.
- Das A, Das GRK, Friedman J, Madan MP, Charu CM, Sandhibigraha D. Community perceptions on malaria and care-seeking practices in endemic Indian settings: Policy implications for the malaria control programme. *Malar J* 2013; 12: 39.
- Das PR, Islam MT, Mostafa MN, Rahmatullah M. Ethnomedicinal plants of the Bauri tribal community of Moulvibazar District, Bangladesh. *Anc Sci Life* 2013; 32(3): 144–149.
- Davis TM, Karunajeewa HA, Ilett KF. Artemisinin-based combination therapies for uncomplicated malaria. *Med J Aust* 2005; 182(4): 181-185.
- Depkes RI. Pemanfaatan tanaman obat. Jakarta: Dirjen POM, 1989.
- Depkes RI. Vademekum bahan obat alami. Jakarta: Dirjen POM, 1989.
- Depkes RI. Pedoman penatalaksanaan kasus malaria di Indonesia. Jakarta, 2006.
- Depkes RI. Pedoman penatalaksanaan kasus malaria di Indonesia. Jakarta, 2008.
- Deri A. Hutan Mutis-Timau terancam punah. <http://anselboto.blogspot.com/2009/09/hutan-mutis-timau-terancam-punah.html>. September 2009.
- Dey A. *Alstonia scholaris* R.Br. (Apocynaceae): Phytochemistry and pharmacology: A concise review. *J Appl Pharm Sci*.2011; 1(6):51-57.
- Dey PM, Harborne JB. *Methods in plant biochemistry: Plant phenolics* vol. 1. New York: Academic Press, 1989.
- Dhimmar N, Patel NM, Gajera V, Lambole V. Pharmacological activities of *Moringa oleifera*: An overview. *Research J Pharm and Tech* 2015; 8(4): 476-480.
- Dias SRK, Alencar MIR, Pessoa SMA, Alves RD, Rocha BL, Almeida SMM. Ethnopharmacology of medicinal plants of Carrasco, northeastern Brazil. *J Ethnopharmacol* 2014; 157: 99-104.

- Dinda B, Das N, Dinda S, Dinda M, SilSarma I. The genus *Sida* L. - A traditional medicine: Its ethnopharmacological, phytochemical and pharmacological data for commercial exploitation in herbal drugs industry. *J Ethnopharmacol* 2015; 176: 135-176.
- Ding HY, Wu PS, Wu MJ. *Cleome rutidosperma* and *Euphorbia thymifolia* suppress inflammatory response via upregulation of phase II enzymes and modulation of NF- κ B and JNK activation in LPS-stimulated BV2 microglia. *Int J Mol Sci* 2016; 17(9).
- Dixon RA, Paiva NL. Stress-induced phenylpropanoid metabolism *The Plant Cell* 1995; 7: 1085-1097.
- Dondorp AM, Nosten F, Yi P, Das D, Phyto AP, Tarning J. Artemisinin resistance in *Plasmodium falciparum* malaria. *New Engl J Med* 2009; 361(5): 455-467.
- Dy Phon P. Plants utilised in Cambodia. Phnom Penh: Imprimerie Olympic, 2000.
- Dyson L. Metode etnografi. *Jurnal Masyarakat, Kebudayaan dan Politik* 2003; Tahun XVI, No. 1: 29-38.
- Efferth T. Artemisinin: A versatile weapon from Traditional Chinese Medicine. In: Ramawat KG (ed.) *Herbal drugs: Ethnomedicine to modern medicine*. Berlin Heidelberg: Springer-Verlag, 2009.
- Elfahmi, HJ Woerdenbag, O Kayser. Jamu; Indonesian traditional herbal medicine towards rational phytopharmacological use. *J Herb Med* 2014; 4: 51–73.
- Elsa Rengifo-Salgado, Gabriel Vargas-Arana. *Physalis angulata* L. (Bolsa Mullaca): A review of its traditional uses, chemistry and pharmacology. *Boletín Latinoamericano y del Caribe de Plantas Medicinales y Aromáticas* 2013; 12(5): 431–445.
- Elumalai A., Nikhitha M, Adarsh D, Raju K, Yetcharla V. A review on *Ceiba pentandra* and its medicinal features. *Asian J Pharm Tech* 2012; 2(3): 83-86.
- Embuiru H. Sejarah Gereja Katolik di Timor jilid 2. Ende: Penerbit Nusa Indah, 1998.
- Endaswara S. Metodologi Penelitian Kebudayaan. Yogyakarta: UGM Press, 2006.
- Endharti TA, Adisti W, Anik L, Eviana N, Sofy P. *Dendrophthoe pentandra* (L.) Miq extract effectively inhibits inflammation, proliferation and induces p53 expression on colitis-associated colon cancer. *BMC Complement Altern Med* 2016; 16: 374.

- Etkin NL, Ticktin T. Ethnopharmacology vol. I. Integrating Ethnographic and Ecological Perspectives for Ethnopharmacology Field Research. Encyclopedia of Life Support Systems (EOLSS)-Unesco, 2004.
- Etkin NL. Anthropological methods in ethnopharmacology. *J Ethnopharmacol* 1993; 38: 93-104.
- Fakoorziba MR, MD Moemenbellah-Fard, KAzizi, F Mokhtari. Mosquitocidal efficacy of medicinal plant, *Nerium oleander* (Apocynaceae), leaf and flower extracts against malaria vector, *Anopheles stephensi* Liston (Diptera: Culicidae) larvae. *Asian Pac J Trop Dis* 2015; 5(1): 33-37.
- Falade MO, Akinboye DO, Gbotosho GO, Ajaiyeoba EO, Happi TC, Abiodun OO, Oduola AM. In vitro and in vivo antimalarial activity of *Ficus thonningii* Blume (Moraceae) and *Lophira alata* Banks (Ochnaceae), identified from the ethnomedicine of the Nigerian Middle Belt. *J Parasitol Res* 2014; 9(7): 28-53.
- Farzana MUZN, AlTharique I, Arshiya S. A review of ethnomedicine, phytochemical and pharmacological activities of *Acacia nilotica* (Linn) Willd. *J Pharmacog Phytochem* 2014; 3(1): 84-90.
- Félix-Silva J, Giordani RB, Silva-Jr AA, Zucolotto SM, Fernandes-Pedrosa MF. *Jatropha gossypifolia* L. (Euphorbiaceae): A review of traditional uses, phytochemistry, pharmacology, and toxicology of this medicinal plant. *Evid Based Complement Alternat Med* 2014; 3(6):92-104.
- Foster GM, Anderson BG. Antropologi Kesehatan. Jakarta: UI Press, 1986.
- Fritz JS. Analytical solid-phase extraction. New York: Wiley-VCH, 1999.
- Gana, Singgih, Haryanto. Prospek tumbuhan Indonesia dalam kesehatan, dan permasalahannya. <http://www.isfinational.or.id>. November 2009.
- Gandahusada S, dkk. Parasitologi Kedokteran. Jakarta: Fakultas Kedokteran Universitas Indonesia, 1990.
- Ganiswarna dkk. Farmakologi dan Terapi edisi keempat. Jakarta: Fakultas Kedokteran Universitas Indonesia, 2003.
- Gao CY, Ma T, Luo J, Kong LY. Three new cytotoxic withanolides from the Chinese folk medicine *Physalis angulata*. *Nat Prod Commun* 2015; 10(12): 2059-2062.
- Gardjito M, Swasti YR. Fisiologi Pascapanen Buah dan Sayur. Yogyakarta: Penerbit UGM Press, 2018.
- Gibbons S, Gray AI. Isolation by Planar Chromatography. In: Cannell RJP (ed.): *Natural products isolation*. Totowa NJ: Humana Press Inc., 1998.

- Glinka J. Pengaruh faktor sosial budaya terhadap keadaan biologis populasi manusia. Dalam: Artaria MD (ed.) Manusia makhluk sosial biologis. Surabaya: Airlangga University Press, 2008.
- Gouwakinnou GN, Lykke AM, Assogbadjo AE, Sinsin B. Local knowledge, pattern and diversity of use of *Sclerocarya birrea*. *J Ethnobiol Ethnomed* 2011; 7(8).
- Govindarajan M, R Sivakumar, 2011. Mosquito adulticidal and repellent activities of botanical extracts against malarial vector, *Anopheles stephensi* Liston (Diptera: Culicidae). *Asian Pacific Journal of Tropical Medicine: 941-947*.
- Gritter RJ. Pengantar Kromatografi edisi ketiga. (Diterjemahkan oleh Padmawinata K.). Bandung: Penerbit ITB, 1991.
- Grover JK, Yadav SP, 2004. Pharmacological actions and potential uses of *Momordica charantia*: A review. *Journal of Ethnopharmacology* 93 (1): 123–132.
- Habtom GK. Perceptions and attitudes of modern and traditional medical practitioners about traditional medical practice in Eritrea. *African Int J Complement Alt Med* 2018; 11(1): 340.
- Hakim Md. Kamruzzaman and Md. Obydul Hoq. A review on ethnomedicinal, phytochemical and pharmacological properties of *Phyllanthus niruri*. *J Med Plants Stu* 2016; 4(6): 173-180
- Harborne JB. Metode Fitokimia. (Diterjemahkan oleh Padmawinata K. dan Soediro I.). Bandung: Penerbit ITB, 1987.
- Harijanto P. Eliminasi malaria pada era desentralisasi. *Buletin Jendela Data dan Informasi Kesehatan* 2011; 1(1): 23-28.
- He ZD, Ma CY, Zhang HJ, Tan GT, Tamez P, Sydara K, Bouamanivong S, Southavong B, Soejarto DD, Pezzuto JM, Fong HH. Antimalarial constituents from *Nauclea orientalis* (L.) L. *Chem Biodivers* 2005; 2(10): 1378-1386.
- Hefman E. Chromatography 3rd ed. New York: Van Norstan Rein Comp.,1975.
- Heinrich M, Bremner P, Ethnobotany and ethnopharmacy – their role for anticancer drug development. *Current Drug Targets* 2006; 7: 239-245.
- Heinrich M. Ethnobotany and natural product: the search for new molecules, new treatment of old diseases or a better understanding of indigenous cultures? *Current Topics in Med Chem* 2003; 3: 29-42.
- Hesse O. The bark of *Alstonia spectabilis*. *Am J Pharm* 1881; 53.

- Highland HN, Mathew S, Jani DV, George LB. In-vitro evidence of effective anti-*Plasmodium* activity by *Plumeria rubra* (L.) extracts. *Int J Pharmacog Phytochem Res* 2016; 8(8): 1377-1384.
- Hiradeve SM, Rangari VD. A review on pharmacology and toxicology of *Elephantopus scaber* Linn. *Nat Prod Res* 2014; 28(11): 819-830.
- Hiswani. Gambaran penyakit dan vektor malaria di Indonesia. Medan: Fakultas Kesehatan Masyarakat Universitas Sumatera Utara, 2004.
- Hoff W. Traditional healers and community health. *World Health Forum* 1992; 13(2-3): 182-187.
- Hoffmann D. Medical herbalism, the science and practice of herbal medicine. Rochester, Vermont: Healing Arts Press, 2003.
- Holopainen JK, Gershenzon J. Multiple stress factors and the emission of plant VOCs. *Trends in Plant Sci* 2010; 15: 176-184.
- Hossain MS, Urbi Z, Sule A, Rahman KMH. *Andrographis paniculata* (Burm. f.) Wall. ex Nees: A Review of ethnobotany, phytochemistry, and pharmacology. *Scientific World Journal* 2014; 2(7): 490-495.
- Hukkeri VI, Nagathan CV, Karadi RV, Patil SV. Antipyretic and wound healing activities of *Moringa oleifera* Lam. in rats. *Indian J Pharm Sci* 2006; 68(1): 124-126.
- Hyun Park, Myung So Kim, Byung Hun Jeon, Tae Yung Kim, Joohong Ahnn, 2003. Antimalarial activity of herbal extracts used in traditional medicine in Korea. *Biol. Pharm. Bull.* 26 (11) 1623-1624.
- Idowu OA, CF Mafiana, Dapo Sotiloye. Traditional birth home attendance and its implications for malaria control during pregnancy in Nigeria. *Trans Royal Soc Trop Med Hyg* 2008; 102(7): 679-684.
- Idrus M. Metode Penelitian Ilmu Sosial, Pendekatan Kualitatif dan Kuantitatif, edisi kedua. Jakarta: Penerbit Erlangga, 2009.
- Imran I, Liaqat H, Zia-Ul-Haq M, Khalid HJ, Anwar HG, Vincenzo DF. Gastrointestinal and respiratory activities of *Acacia leucophloea*. *J Ethnopharmacol* 2011; 138(3): 676-682.
- International Centre for Ethnomedicine and Drug Development (InterCEDD). Report of the International Conference on Traditional Medicine in HIV/AIDS and Malaria. Nigeria, 2000.
- Iskandar S, Fachruddin T. Ekstraksi, isolasi dan identifikasi. Kursus singkat teknik ekstraksi, isolasi dan identifikasi komponen kimia tumbuhan yang berkhasiat obat. Makassar: FMIPA Unhas, 2000.

- Islam VS, Moreau A. Traditional healers in preventing HIV/AIDS: Roles and scopes. *MMS Bull* 2009; 113.
- Isselbacher, Braunwald, Wilson, Martin, Fauci, Kasper, Harrison. Prinsip-prinsip Ilmu Penyakit Dalam. Jakarta: Penerbit Penerbit EGC, 2009.
- Jacinto SD, Chun EA, Montuno AS, Shen CC, Espineli DL, Ragasa CY. Cytotoxic cardenolide and sterols from *Calotropis gigantea*. *Nat Prod Commun* 2011; 6(6): 803-806.
- Jain JB, Sheetal CK, Bhattacharya S. Medicinal flora of Madhya Pradesh and Chattisgarh – A review. *Indian J Trad Knowl* 2006; 5(2): 237-242.
- Janaranjani B, Prasanna G, Chitra M. Antiinflammatory and antipyretic activities of *Drynaria quercifolia* rhizome in rats. *Int J Pharm Sci Rev Res* 2014; 29(1): 57-61.
- Johnson NB, Ameyaw EO, Kyei S, Aboagye B, Asare K, Afoakwah R, Boye A, Donfack JH. In vivo antimalarial activity of stem bark extracts of *Plumeria alba* against *Plasmodium berghei* in imprinting control region mice. *Rep Parasitol* 2013; 3: 19–25.
- Jones WP, Kinghorn AD. Extraction of plant secondary metabolites. In: Satyajit DS, Lutfun N (eds.) *Natural product isolation, methods and protocols* 3rd ed. London: Humana Press, 2012.
- Kabir MH, Hasan N, Rahman MM, Rahman MA, Khan JA, Hoque NT, Bhuiyan MRQ, Mou SM, Jahan R, Rahmatullah M. A survey of medicinal plants used by the Deb barma clan of the Tripura tribe of Moulvibazar district, Bangladesh. *J Ethnobiol Ethnomed* 2014; 10: 19.
- Kamagaté M, Koffi C, Kouamé NM, Akoubet A, Yao NAR, Die-Kakou HM. Ethnobotany, phytochemistry, pharmacology and toxicology profiles of *Cassia siamea* Lam. *J Phytopharmacol* 2014; 3(1): 57-76.
- Kameia T, Tsudab T, Kitagawab S, Naitoha K, Nakashimaa K, Ohhashi T. Physical stimuli and emotional stress-induced sweat secretions in the human palm and forehead. *Analytica Chimica Acta* 1998; 365(1–3): 319–326.
- Kandangath RA, Garlapati PK, Nallamuthu I. Nutritional, Pharmacological and medicinal properties of *Momordica charantia*. *Int J Nutr Food Sci* 2015; 4 (1): 75-83.
- Kanjwani DG, Marathe TP, Chiplunkar SV, Sathaye SS. Evaluation of immunomodulatory activity of methanolic extract of *Piper betel*. *Scandinavian J Immunol* 2008; 67: 589-593.

- Karunamoorthi K, Sabesan S, Jegajeevanram K, Vijayalakshmi J. Role of traditional antimalarial plants in the battle against the global malaria burden. *Vector Borne Zoonotic Dis* 2013; 13(8): 521-544.
- Katewa SS. Indigenous people and forests: perspective of an ethnobotanical study from Rajasthan (India). In: Ramawat KG (ed.) *Herbal drugs: Ethnomedicine to modern medicine*. Berlin Heidelberg: Springer-Verlag, 2009.
- Katno, Pramono S. Tingkat manfaat dan keamanan tanaman obat dan obat tradisional. Balai Penelitian Tanaman Obat Tawangmangu, 2007.
- Katrin, Soemardji AA, Soeganda AG, Iwang S, Padmawinata K. Pengaruh berbagai ekstrak daun Benalu Duku (*Dendrophthoe pentandra* (L.) Miq.). *Jurnal Bahan Alam Indonesia* 2005; 4(1): 236-239.
- Katzung B. Farmakologi Dasar dan Klinik edisi VI. Jakarta: Penerbit EGC, 2005.
- Kavitha M, Vadivu R, Radha R. A review on *Sterculia foetida* Linn. *Res J Pharmacog & Phytochem* 2015; 7(4): 239-244.
- Keawpradub N, Kirby GC, Steele JC, Houghton PJ. Antiplasmodial activity of extracts and alkaloids of three *Alstonia* species from Thailand. *Planta Med* 1999; 65(8): 690-694.
- Kemenkes RI. Epidemiologi malaria di Indonesia. *Buletin Jendela Data dan Informasi Kesehatan* 2011; 1(1): 1-16.
- Kemenkes RI. Profil Kesehatan Indonesia tahun 2013. Jakarta, 2014.
- Kemenkes RI. Buku saku penatalaksanaan penyakit malaria. Jakarta, 2017.
- Keys JD. Chinese herbs. Rutland, Vermont & Tokyo, Japan: Charles E. Tuttle Co., 1990.
- Kffuri CW, Lopes MA, Ming LC, Odonne G, Kinupp VF. Antimalarial plants used by indigenous people of the Upper Rio Negro in Amazonas, Brazil. *J Ethnopharmacol* 2016; 178: 188-198.
- Khan MA, Islam MK, Siraj MA, Saha S, Barman AK, Awang K, Rahman MM, Shilpi JA, Jahan R, Islam E, Rahmatullah M. Ethnomedicinal survey of various communities residing in Garo Hills of Durgapur, Bangladesh. *J Ethnobiol Ethnomed* 2015; 11: 44.
- Kharat A, Kuldeep R, Kiran K. Evaluation of anti-inflammatory and analgesic potential of methanolic extract of *Ceiba pentandra*. *Biopharm Journal* 2015; 1(1): 22-26.
- Koentjaraningrat. Ilmu Sosial dalam Pembangunan Kesehatan. Jakarta: Penerbit Gramedia, 1985.

- Koentjaraningrat. Pengantar Antropologi, Pokok-pokok Etnografi. Jakarta: Penerbit Rineka Cipta, 2005.
- Koudouvo K, Karou SD, Ilboudo DP, Kokou K, Essien K, Aklikokou K, de Souza C, Simpore J, Gbéassor M. In vitro antiplasmodial activity of crude extracts from Togolese medicinal plants. *Asian Pac J Trop Med* 2011; 4(2): 129-132.
- Kovendan K, Murugan K, Panneerselvam C, Aarthi N, Mahesh Kumar P, Subramaniam J, Amerasan D, Kalimuthu K, Vincent S. Antimalarial activity of *Carica papaya* (Family: Caricaceae) leaf extract against *Plasmodium falciparum*. *Asian Pac J Trop Dis* 2012; 2(Suppl. 1): S306-S311.
- Kozlowski TT, Kramer PJ, Pallardy SG. The physiological ecology of woody plants. California: Academic Press, 1990.
- Krup V, Prakash LH, Harini A. Pharmacological activities of turmeric (*Curcuma longa* linn): A review. *J Homeop Ayurv Med* 2013; 2: 133.
- Kumar R, Shukla SK, Qidwai A, Pandey A, Dikshit A. Pharmacological studies of *Ocimum basilicum* L. *IAJPS* 2017; 4(10): 3576-3582.
- Kuntorini EM. Botani ekonomi suku Zingiberaceae sebagai obat tradisional oleh masyarakat di Kotamadya Banjarbaru. *Bioscientiae* 2005; 2(1): 25-36.
- Laar AS, Laar AK, Dalinjong PA. Community perception of malaria and its influence on health-seeking behaviour in rural Ghana: a descriptive study. *Malaria World J* 2013; 4(1).
- Leonti M. The future in written: impact of scripts on the cognition, selection, knowledge and transmission of medicinal plant use and its implications for ethnobotany and ethnopharmacology. *J Ethnopharmacol* 2011; 134: 542-555.
- Levand O, Larson H, 2009. Some chemical constituents of *Morinda citrifolia*. *Planta Medica* 36 (06): 186-187.
- Li QY, Liang H, Wang B, Zhao YY. Chemical constituents of *Momordica charantia* L. *Yao Xue Xue Bao* 2009; 44(9): 1014-1018.
- Li TSC. Chinese and related North American herbs; Phytopharmacology and therapeutic values. New York: CRC Press, 2002.
- Li W, Lin Z, Yang C, Wang Y, Qiao Y. Study on the chemical constituents of *Momordica charantia* L. leaves and method for their quantitative determination. *Biomed Res* 2015; 26 (3): 415-419.
- Lin YS, Chiang HC, Kan WS, Hone E, Shih SJ, Won MH. Immunomodulatory activity of various fractions derived from *Physalis angulata* L extract. *Am J Chin Med* 1992; 20(3-4): 233-243.

- Loe YS. Serahkan Mulai dari Lahurus. Kupang: Penerbit Gita Kasih, 2012.
- Long C, S Li, B Long, Y Shi, B Liu, 2009. Medicinal plantas used by the Yi ethnic group: a case study in central Yunnan. *J. Ethnobiol. Ethnomed.* 5:13.
- Loreto F, Schnitzler JP. Abiotic stresses and induced biogenic volatile organic compounds. *Trends in Plant Sci* 2010; 15: 154-166.
- Luiz-Ferreira A, Cola M, Barbastefano V, Farias-Silva E, Calvo TR, De Almeida ABA, Pellizzon CH, Hiruma-Lima CA, Vilegas W, Souza-Brito ARM. *Indigofera suffruticosa* Mill as new source of healing agent: Involvement of prostaglandin and mucus and heat shock proteins. *J Ethnopharmacol.* 2011; 137: 192–198.
- Lusakibanza M, Mesia G, Tona G, Karemere S, Lukuka A, Tits M, Angenot L, Frédéric M. In vitro and in vivo antimalarial and cytotoxic activity of five plants used in Congolese traditional medicine. *J Ethnopharmacol* 2010; 129(3): 398-402.
- Macía MJ, García E, Vidaurre PJ. An ethnobotanical survey of medicinal plants commercialized in the markets of La Paz and El Alto, Bolivia. *J Ethnopharmacol* 2005; 97(2): 337-350.
- Mahomoodally MF, Muthoorah LD. An ethnopharmacological survey of natural remedies used by the Chinese community in Mauritius. *Asian Pac J Trop Biomed* 2014; Suppl. 1: S387-399.
- Mali PY, Panchal SS. *Euphorbia nerifolia* L.; Review on botany, ethnomedicinal uses, phytochemistry and biological activities. *Asian Pac J Trop Med* 2017; 10(5):430-438.
- Mali S. Inventarisasi jenis-jenis tumbuhan hutan yang digunakan sebagai obat tradisional di Kecamatan Tasifeto Barat Kabupaten Dati II Belu. Skripsi. Kupang: Universitas Katolik Widya Mandira, 1992.
- Malik S, Moraes DFC, Amaral FMM, Ribeiro MNS. *Ruta graveolens*: Phytochemistry, pharmacology, and biotechnology. In: Jha S. (ed.) *Transgenesis and secondary metabolism*. Cham: Springer, 2016.
- Mambu L, Grellier P. Antimalarial compounds from traditionally used medicinal plants. In: Colegate SM, Molyneux RJ (eds.) *Bioactive natural products: Detection, isolation and structural determination* 2nd ed. New York: CRC Press, 2007.
- Mangwala KP, Lusakibanza M, Mesia K, Tona L, Tits M, Angenot L, Frédéric M, Van Meervelt L. Isolation, pharmacological activity and structure determination of physalin B and 5 β ,6 β -epoxyphysalin B isolated from Congolese *Physalis angulata* L. *Acta Crystallogr C* 2013; 69(12): 1557-1562.

- Maria J. Hubungan antara sistem perawatan kesehatan dengan sistem teori penyakit dan peranan penyimbang Nuwou. Disertasi. Surabaya: Universitas Airlangga, 1990.
- Markham KR. Cara Mengidentifikasi Flavonoid (Diterjemahkan oleh Padmawinata K.) Bandung: Penerbit ITB, 1988.
- Martin GJ. Ethnobotany, A People and Plants Conservation Manual. World Wide Fund for Nature: Chapman & Hall, 1995.
- Mavundza EJ, R. Maharaj, JC Chukwujekwu, JF Finnie, J Van Staden. 2013. Larvicidal activity against *Anopheles arabiensis* of 10 South African plants that are traditionally used as mosquito repellents. *South African Journal of Botany* 88:86–89.
- Mavundza EJ, R. Maharaja, J.F. Finnie, G. Kaberac, J. Van Staden, 2011. An ethnobotanical survey of mosquito repellent plants in uMkhanyakude district, KwaZulu-Natal province, South Africa. *Journal of Ethnopharmacology* 137:1516–1520.
- Mead M. Cultural Patterns and Technical Change 2nd ed. New York: The New American Library Literature Inc., 1956.
- Meena AK, Niranjana US, Rao MM, Padhi MM, Babu R. A review of the important chemical constituents and medicinal uses of *Vitex* genus. *Asian J Trad Med* 2011; 6 (2): 54-60.
- Meira CS, Guimarães ET, Dos Santos JA, Moreira DR, Nogueira RC, Tomassini TC, Ribeiro IM, de Souza CV, Ribeiro DSR, Soares MB. In vitro and in vivo antiparasitic activity of *Physalis angulata* L. concentrated ethanolic extract against *Trypanosoma cruzi*. *Phytomed* 2015; 22(11): 969-974.
- Mekonnen LB, 2015. In vivo antimalarial activity of the crude root and fruit extracts of *Croton macrostachyus* (Euphorbiaceae) against *Plasmodium berghei* in mice. *Journal of Traditional and Complementary Medicine* 5:168-173.
- Men RZ, Li N, Ding WJ, Hu ZJ, Ma ZJ, Cheng L. Unprecedented aminophysalin from *Physalis angulata*. *Steroids* 2014; 88: 60-65.
- Miles MB, Huberman AM. Qualitative Data Analysis 2nd ed. Newbury Park, CA: Sage, 1994.
- Moghadamtousi SZ, Fadaeinasab M, Nikzad S, Mohan G, Ali HM, Kadir HA. *Annona muricata* (Annonaceae): A review of its traditional uses, isolated acetogenins and biological activities. *Int J Mol Sci* 2015; 16(7): 15625–15658.

- Moghadamtousi SZ, Goh BH, Chan CK, Shabab T, Kadir HA. Biological activities and phytochemicals of *Swietenia macrophylla* King; Review. *Molecules* 2013; 18(9): 10465-10483.
- Moleong LJ. Metodologi Penelitian Kualitatif. Bandung: Penerbit PT. Remaja Rosdakarya, 1998.
- Moreira DL, SS Teixeira, MHD Monteiro, ACAX De-Oliveira, FJR Paumgartten. Traditional use and safety of herbal medicines. *Rev Bras Farmacogn* 2014; 24: 248-257.
- Mujtaba SG, Abbasi AM, Khan N, Guo X, Ajab Khan M, Hussain M, Bibi S, Nazir A, Tahir AA. Traditional uses of medicinal plants against malarial disease by the tribal communities of Lesser Himalayas-Pakistan. *J Ethnopharmacol* 2014; 155(1): 450-462.
- Mujumdar AM, Naik DG, Waghole RJ, Kulkarni DK, Kumbhojkar MS. Pharmacological studies on *Sterculia foetida* leaves. *Pharmac Biol* 2000; 38(1): 13-17.
- Mukherjee PK, Neelesh KN, Santanu B, Mukherjee D, Fernão CB, Motlalepula G M. Immunomodulatory leads from medicinal plants. *Indian J Trad Knowl* 2014; 13(2): 235-256.
- Muktiningsih SR, Syahrul M, Harsana IW, Budhi M, Panjaitan P. Review tanaman obat yang digunakan oleh pengobat tradisional di Sumatra Utara, Sumatra Selatan, Bali dan Sulawesi Selatan. *Media Litbang Kesehatan* 2001; 11(4): 25.
- Mulyana D. Metodologi Penelitian Kualitatif. Bandung: PT. Remaja Rosdakarya, 2004.
- Munoz V, Sauvain M, Bourdy G. A search for natural bioactive compounds in Bolivia through a multidisciplinary approach. Part I. Evaluation of the antimalarial activity of plants used by the Chacobo Indians. *J Ethnopharmacol*. 2000; 69:127-137.
- Murningsih T, Subeki, Matsuura H, Takahashi K, Yamasaki M, Yamato O. Evaluation of the inhibitory activities of the extracts of Indonesian traditional medicinal plants against *Plasmodium falciparum* and *Babesia gibsoni*. *J Vet Med Sci* 2005; 67: 829–831.
- Murray RL, Graner DK, Mayes PA, Rodwell VW. Harper's Biochemistry 25th ed. McGraw-Hill Education, 2015.
- Murugan K, G Benelli, C Panneerselvam, J Subramaniam, T Jeyalalitha, D Dinesh, M Nicoletti, H Jiang-Shiou, U Suresh, P Madhiyazhagan. *Cymbopogon citratus*-synthesized gold nanoparticles boost the predation efficiency of copepod *Mesocyclops aspericornis* against malaria and dengue mosquitoes. *Experimental Parasitology* 2015; 153: 129–138.

- Muthaura CN, JM.Keriko, C Mutai, A Yenesew, JW Gathirwa, BN Irungu, R Nyangacha, GM Mungai, S Derese. Antiplasmodial potential of traditional antimalarial phytotherapy remedies used by the Kwale community of the Kenyan Coast. *J Ethnopharmacol.* 2015; 170: 148–157.
- Na-Bangchang K, Muhamad P, Ruaengweerayut R, Chaijaroenkul W, Karbwang J. Identification of resistance of *Plasmodium falciparum* to artesunate-mefloquine combination in an area along the Thai-Myanmar border: integration of clinico-parasitological response, systemic drug exposure, and in vitro parasite sensitivity. *Malaria J* 2013; 12: 263.
- Na-Bangchang K, Ruengweerayut R, Mahamad P, Ruengweerayut K, Chaijaroenkul W. Declining in efficacy of a three-day combination regimen of mefloquine-artesunate in a multi-drug resistance area along the Thai-Myanmar border. *Malaria J* 2010; 9: 273.
- Narendra K, Swathi J, Sowjanya KM, Satya AK. *Phyllanthus niruri*: A review on its ethnobotanical, phytochemical and pharmacological profile. *J Pharm Res* 2012; 5(9): 4681-4691.
- Nasution S. Metode Research. Jakarta: PT. Bumi Aksara, 2000.
- Ncube B, Finnie JF, Van Staden J. Quality from the field: The impact of environmental factors as quality determinants in medicinal plants. *South Afr J Bot* 2012; 82: 11-20.
- Ngarivhume T, van't Klooster CI, de Jong JT, Van der Westhuizen JH. Medicinal plants used by traditional healers for the treatment of malaria in the Chipinge district in Zimbabwe. *J. Ethnopharmacol.* , 2015; 159 (1), 224–237.
- Ngueyem TA., Brusotti G, Caccialanza G, Finzi PV. The genus *Bridelia*: A phytochemical and ethnopharmacological review. *J Ethnopharmacol* 2009; 124: 339–349.
- Nguyen KDH, Dang PH, Nguyen HX, Nguyen MTT, Awale S, Nguyen NT. Phytochemical and cytotoxic studies on the leaves of *Calotropis gigantea*. *Bioorg Med Chem Lett* 2017; 27(13): 2902-2906.
- Nobel Foundation. The Nobel Prize in physiology or medicine 2015.
- Nurmaini. Mengidentifikasi vektor dan pengendalian nyamuk *Anopheles aconitus* secara sederhana. Medan: Fakultas Kesehatan Masyarakat Universitas Sumatera Utara, 2003.
- Nyamongo IK. Lay people's responses to illness: an ethnographic study of anti-malaria behavior among the Abagusii of Southwestern Kenya. Dissertation. Florida: University of Florida, 1998.
- Nyi Saptarini, Dita D. The Antipyretic Activity of Leaves Extract of *Ceiba pentandra* Better than *Gossypium arboreum*. *J Appl Pharm Sci* 2015; 5(7): 118-121.

- Ojewole JA. Antiinflammatory and analgesic effects of *Psidium guajava* Linn. (Myrtaceae) leaf aqueous extract in rats and mice. *Methods Find Exp Clin Pharmacol* 2006; 28(7): 441-446.
- Ojiako OA, Igwe CU. Nutritional and anti-nutritional compositions of *Cleome rutidosperma*, *Lagenaria siceraria*, and *Cucurbita maxima* seeds from Nigeria. *J Med Food* 2007; 10(4): 735-738.
- Okello-Ogojo F. Knowledge, attitudes, and practices related to malaria and insecticide treated nets in Uganda. Baseline Survey, 2000.
- Oliveira DR, AU. Krettli, Anna Caroline C. Aguiar, Gilda G. Leitão, Mariana N. Vieira, Karine S. Martins, Suzana G. Leitão. Ethnopharmacological evaluation of medicinal plants used against malaria by quilombola communities from Oriximiná, Brazil. *Journal of Ethnopharmacology* 2015; 173: 424-434.
- Ouattara Y, Sanon S, TraorÃ Y, Mahiou V, Azas N, Sawadogo L. Antimalarial activity of *Swartzia madagascariensis* Desv. (Leguminosae), *Combretum glutinosum* Guill. & Perr. (Combretaceae) and *Tinospora bakis* Miers. (Menispermaceae), Burkina Faso medicinal plants. *Afr. Trad. CAM*. 2006; 3(1): 75-81.
- Pahlow M. Healing plants. New York: Barron's Educational Series Inc., 1993.
- Palatnick W, Meatherall R, Sitar D, Tenenbein M. Toxicokinetics of Acute Strychnine Poisoning. *Journal of Toxicology: Clinical Toxicology* 2008; 35(6): 617-620.
- Pandey AK, Singh P, Tripathi NN. Chemistry and bioactivities of essential oils of some *Ocimum* species: An overview. *Asian Pac J Trop Biomed* 2014; 4(9): 682-694.
- Pang Y, Wang D, Fan Z, Chen X, Yu F, Hu X, Wang K, Yuan L. *Blumea balsamifera*-A phytochemical and pharmacological review. *Molecules* 2014; 19(7): 9453-9477.
- Parle M and M Bansal, 2005. Herbal medicines: are they safe? Natural Product Radiance. Feature article.
- Parvez GMM. Current advances in pharmacological activity and toxic effects of various *Capsicum* species. *Int J Pharm Sci Res* 2017; 8(5): 1900-1912.
- Patil SB, Chavan GM, Ghodke DS, Naikwade NS, Magdum CS. Screening of some indigenous plants for their antipyretic activity. *Res J Pharmacol Pharmacodyn* 2009; 1: 143.
- Pavarini DP, Pavarini SP, Niehues M, Lopes NP. Exogenous influences on plant secondary metabolite levels. *Animal Feed Science and Technology* 2012; 176(1-4): 5-16.

- Pekamwar SS, Kalyankar TM, Kokate SS. Pharmacological activities of *Coccinia grandis*: Review. *J Appl Pharm Sci* 2013; 3(05): 114-119.
- Phillipson JD, Wright, CW. Antiprotozoal Agents from Plant Sources. *Planta Med* 1990; 57(1): 53-59.
- Pieroni A, Quave C, Nebel S, Heinrich M. Ethnopharmacy of the ethnic Albanians (Arbereshe) of Northern Basilicata, Italy. *Fitoterapia* 2002; 72: 217-241.
- Pieroni A, Quave C, Nebel S, Heinrich M. Folk pharmaceutical knowledge of the Dolomiti Lucane, Inland Southern Italy. *J Ethnopharmacol* 2004; 95: 373-384.
- Pieroni A. Ethnopharmacy and migration. *International Society for Ethnopharmacology (ISE) Newsletter* 2003; 3(2): 4.
- Pinilla V, Luu B. Isolation and partial characterization of immunostimulating polysaccharides from *Imperata cylindrica*. *Planta Med* 1999; 65(6): 549-552.
- Poderoso RA, Hanazaki N, Dunaiski Jr A. How is local knowledge about plants distributed among residents near a protected area? *Ethnobiology and Conservation* 2012; 1: 8.
- Posner GH, Parker MH, Northrop J, Elias JS, Ploypradith P, Xie S, Shapiro TA. Orally active, hydrolytically stable, semisynthetic, antimalarial trioxanes in the artemisinin family. *J Med Chem* 1999; 42 (2): 300–304.
- Prasanna G, Anuradha R. A comprehensive review on phytopharmacological activities of *Drynaria quercifolia* L. *IJPPR* 2016: 8(8).
- Puri A, Saxena R, Saxena RP, Saxena KC, Srivastava V, Tandon JS. Immunostimulant agents from *Andrographis paniculata*. *J Nat Prod* 1993; 56: 995-999.
- Radji M. Peran bioteknologi dan mikroba endofit dalam pengembangan obat herbal. *Majalah Ilmu Kefarmasian* 2005; 2(3): 113-126.
- Rahmani AH. *Cassia fistula* Linn: Potential candidate in the health management. *Pharmacog Res* 2015; 7(3): 217–224.
- Raja W. *Solanum lycopersicum* Linnaeus: An ethno-pharmacological Review. *Global J. Pharmacol* 2016; 10(1): 06-12.
- Ramanitrahambola D, Ranaivoravo J, Rafatro H, Rasoanaivo P, Ratsimamanga-Urverg S. *Strychnos myrtoides*: A case study of a chemosensitising medicinal plant. In: Willcox M, Bodeker G, Rasoanaivo P (eds.) *Traditional medicinal plants and malaria*. Boca Raton London New York Washington DC: CRC Press, 2004.

- Ramawat KG, Dass S, Mathur M. The chemical diversity of bioactive molecules and therapeutic potential of medicinal plants. In: Ramawat KG (ed.) *Herbal drugs: Ethnomedicine to modern medicine*. Berlin Heidelberg: Springer-Verlag, 2009.
- Ramawat KG, Goyal S. The Indian herbal drugs scenario in global perspectives. In: Ramawat KG, Merillon JM (eds.) *Bioactive molecules and medicinal plants*. Berlin: Springer, 2008.
- Rehman JU, Ali A, Khan IA. Plant based products: Use and development as repellents against mosquitoes: A review. *Fitoterapia* 2014; 95: 65–74.
- Riazur R, Akram M, Akhtar N, Jabeen Q, Saeed T, Shah SMA, Ahmed K, Shaheen G, Asif HM. *Zingiber officinale* Roscoe (pharmacological activity). *J Med Plants Res* 2011; 5(3): 344-348.
- Riswan S, Roemantyo HS. Jamu as traditional medicine in Java, Indonesia. *South Pac Stu* 2002; 23(1): 1-10.
- Rivera-Pastrana DM, Yahia EM, González-Aguilar GA. Phenolic and carotenoid profiles of papaya fruit (*Carica papaya* L.) and their contents under low temperature storage. *J Sci Food Agric* 2010; 90(14): 2358–2365.
- Robinson A, Busula AO, Voets MA, Beshir KB, Caulfield JC, Powers SJ, Verhulst NO, Winkill P, Muwanguzi J, Birkett MA, Smallegange RC, Masiga DK, Mukabana WR, Sauerwein RW, Sutherland CJ, Bousema T, Pickett JA, Takken W, Logan JG, de Boer JG. *Plasmodium*-associated changes in human odor attract mosquitoes. *Proc Natl Acad Sci USA* 2018; 115(18): E4209-E4218.
- Ros B, Le G, McPake B, Fustukian S. The commercialization of traditional medicine in modern Cambodia. *Health Policy and Planning* 2018: 33.
- Rosita SMD, Rostiana O, Pribadi, Hernani. Penggalan IPTEK etnomedisin di Gunung Gede Pangrango. *Buletin Littro* 2007; 18(1): 13-28.
- Rossetto MR, Oliveira do Nascimento JR, Purgatto E, Fabi JP, Lajolo FM, Cordenunsi BR. Benzylglucosinolate, benzylisothiocyanate, and myrosinase activity in papaya fruit during development and ripening. *J Agric Food Chem* 2008; 56 (20): 9592–9599.
- Rubio-Valera M, Jove AM, Hughes CM, Sola MG, Rovira M, Fernandez A. Factors affecting collaboration between general practitioners and community pharmacist: a qualitative study. *BMC Health Service Res* 2012; 12: 188-197.
- Sachdeva K, Singhal M, Srivastava B. A review on chemical and medicobiological applications of *Jatropha curcas*. *Int Res J Pharm* 2011; 2(4): 61-66.
- Sangeeta P. Pharmacological actions and potential uses of *Grewia asiatica*: A review. *Int J Appl Res* 2015; 1(9): 222-228.

- Santhyami dan E. Sulistyawati. Etnobotani tumbuhan obat oleh masyarakat adat Kampung Dukuh, Garut, Jawa Barat. Bandung: Institut Teknologi Bandung, 2013.
- Saratha V, Subramanian SP. Lupeol, a triterpenoid isolated from *Calotropis gigantea* latex ameliorates the primary and secondary complications of FCA induced adjuvant disease in experimental rats. *Inflammopharmacology* 2012; 20(1): 27-37.
- Sari LORK. Pemanfaatan obat tradisional dengan pertimbangan manfaat dan keamanan. *Majalah Ilmu Kefarmasian* 2006; 3(1): 1-7.
- Sarmento NC, Worachartcheewan A, Pingaew R, Prachayasittikul S, Ruchirawat S, Prachayasittikul V. Antimicrobial, antioxidant and anticancer activities of *Strychnos lucida* R.Br. *Afr J Tradit Complement Altern Med* 2015; 12(4): 122-127.
- Saroya AS. Herbalism, phytochemistry and ethnopharmacology. Enfield, New Hampshire: Science Publishers, 2010.
- Sarwono J. Strategi Melakukan Riset Kuantitatif, Kualitatif, Gabungan. Yogyakarta: Penerbit ANDI, 2013.
- Satish PVV, Kumari DS, Sunita K. Antiplasmodial efficacy of *Calotropis gigantea* (L.) against *Plasmodium falciparum* (3D7 strain) and *Plasmodium berghei* (ANKA). *J Vector Borne Dis* 2017; 54(3): 215-225.
- Satyajit DS, Lutfun N. An introduction to natural product isolation. In: Satyajit DS, Lutfun N (eds.) *Natural product isolation, methods and protocols* 3rd ed. London: Humana Press, 2012.
- Saxena S, Pant N, Jain DC, Bhakuni RS. Antimalarial agents from plant sources. *Current Sci* 2003; 85(9): 1314-1326.
- Schippmann U, Leaman DJ, Cunningham AB. Impact of cultivation and gathering of medicinal plants on biodiversity: Global trends and issues. Rome: FAO, 2002.
- Schippmann U, Leaman DJ, Cunningham AB. Plants as source of medicines: New perspectives. In: Bogers RJ, Craker LE, Lange D (eds.) *Medicinal and aromatic plants – Agricultural, commercial, ecological, legal, pharmacological and social aspects*. Dordrecht: Springer, 2006.
- Schunko C, Grasser S, Vogl CR. Intracultural variation of knowledge about wild plant uses in the Biosphere Reserve Grosses Walsertal (Austria). *J Ethnobiol Ethnomed* 2012; 8: 23.
- Schwikkard S, van Heerden F. Antimalarial activity of plant metabolites. *Nat Prod Rep* 2002; 19: 675-692.

- Seigler DS, Pauli GF, Nahrstedt A, Leen R. Cyanogenic allosides and glucosides from *Passiflora edulis* and *Carica papaya*. *Phytochemistry* 2002; 60(8): 873–82.
- Seran HJ. Ema Tetun; kelangsungan dan perubahan dalam kebudayaan dan kehidupan sosial suatu masyarakat tradisional di pedalaman pulau Timor, Indonesia bagian timur. Kupang: Penerbit Gita Kasih, 2007.
- Serengbe GB, Jean-Methode M, Fioboy R, Beyam EN, Kango C, Bangué C, Manirakiza A. Knowledge and perceptions about malaria in communities in four districts of the Central African Republic. *BMC Res Notes* 2015; 8: 162.
- Sethi J, Singh J. Role of medicinal plants as immunostimulants in health and disease. *Ann Med Chem Res* 2015; 1(2): 100-109.
- Shahedur R, Rashida P. Therapeutic potential of *Aegle marmelos* (L.)-An overview. *Asian Pac J Trop Dis* 2014; 4(1): 71–77.
- Shaikh Z, Mujahid M, Bagga P, Khalid M, Noorul H, Nesar A, Saba P et al. Medicinal uses & pharmacological activity of *Tamarindus indica*. *World J Pharm Sci* 2017; 5(2): 121-133.
- Shakir AS, Najma F. Antimicrobial screening of *Albizia lebbek* (L.) Benth. and *Acacia leucophloea* (Roxb.) *Afr J Pharm Pharmacol* 2012; 6(46): 3180-3183.
- Shareef H, Rizwani GH, Zia-Ul-Haq M, Ahmad S, Zahid H. Tocopherol and phytosterol profile of *Sesbania grandiflora* (L) seed oil. *J. Med. Plants Res* 2012; 6(18): 3478–3481.
- Shehab AY. In vitro screening of antiplasmodium activity of *Momordica charantia*. *J Nat Resour & Environ Stu* 2014; 23(10): 29-33,
- Sherman IW. Malaria: Parasite Biology, Pathogenesis, and Protection. Washington DC: McGraw-Hill Book Co., 1998.
- Shetty GR, Shruthi AM. A review on pharmacology of *Acorus calamus* –An endangered medicinal plant. *Int J Pharm Bio Sci* 2015; 6(1): 605 – 621.
- Silva GL, Lee Ik-Soo, Kinghorn AD. Special problems with the extraction of plants. In: Cannell RJP (ed.): *Natural products isolation*. Totowa NJ: Humana Press Inc., 1998.
- Simamora D, Fitri LE. Antimalarial drug resistance: mechanism and the role of drug combination in preventing it. *Jurnal Kedokteran Brawijaya* 2007; XXIII(2): 82-91.

- Singh DR. *Morinda citrifolia* L. (Noni): A review of the scientific validation for its nutritional and therapeutic properties. *J Diabetes Endocrinol* 2012; 3(6): 77-91.
- Solichatun, Endang A, Widya M. Pengaruh ketersediaan air terhadap pertumbuhan dan kandungan bahan aktif saponin tanaman Ginseng Jawa (*Talinum paniculatum* Gaertn.). *Biofarmasi* 2005; 3(2): 47-51.
- Sonia J, Krishnakumar K. A review on phytochemical and pharmacological studies on *Allium cepa*. *Asian J Pharm Anal & Med Chem* 2017; 5(1): 32-36.
- Sorsdahl K, Stein DJ, Grimsrud A, Seedat S, Flisher AJ, Williams DR, Myer L. Traditional healers in the treatment of common mental disorders in South Africa. *J Nerv Ment Dis* 2009; 197(6): 434–441.
- Spradley JP. Participant Observation. Orlando, Florida: Holt, Rinehart and Winston Inc., 1980.
- Sri VRA, Suresh J, Yadav HKS, Singh A. A review on *Curcuma longa*. *Res J Pharm & Tech* 2012; 5(2): 158-165.
- Srivastava R. A review on phytochemical, pharmacological, and pharmacognostical profile of *Wrightia tinctoria*: Adulterant of kurchi. *Pharmacog Rev* 2014; 8(15): 36–44.
- Stepp JR. Advances in ethnobiological field methods. *Field Methods* 2005; 17(3): 211-218.
- Strauss A, Corbin J. Dasar-dasar penelitian kualitatif. Yogyakarta: Penerbit Pustaka Pelajar, 2009.
- Strickland GT. *Malaria*. Hunter's Tropical Medicine, 7th ed. Philadelphia: WB Saunders Co., 1991.
- Subramaniam S, Sivasubramanian A. Tradition to therapeutics: Sacrificial medicinal grasses *Desmostachya bipinnata* and *Imperata cylindrical* of India. *Boletín Latinoamericano y del Caribe de Plantas Medicinales y Aromáticas* 2015; 14(3): 156-170.
- Sugiyono. Memahami Penelitian Kualitatif. Bandung: Penerbit CV. Alfabeta, 2005.
- Sukandar EY. Tren dan paradigma dunia farmasi, industri-klinik-teknologi kesehatan. Orasi Ilmiah Dies Natalis ITB. http://itb.ac.id/focus/focus_file/orasi-ilmiah-dies-45.pdf, 2009.
- Sultana S, Asif HM, Akhtar N, Ahmad K. Medicinal plants with potential antipyretic activity: A review. *Asian Pac J Trop Dis* 2015; 5(Suppl. 1): S202-S208.

- Sumardjo D. Pengantar Kimia, Buku Panduan Kuliah Mahasiswa Kedokteran. Jakarta: Penerbit EGC, 2009.
- Sun CP, Kutateladze AG, Zhao F, Chen LX, Qiu F. A novel withanolide with an unprecedented carbon skeleton from *Physalis angulata*. *Org Biomol Chem* 2017; 15(5): 1110-1114.
- Sun CP, Oppong MB, Zhao F, Chen LX, Qiu F. Unprecedented 22,26-seco physalins from *Physalis angulata* and their anti-inflammatory potential. *Org Biomol Chem* 2017; 15(41): 8700-8704.
- Sura J, Sumeet D, Raghvendra D. Pharmacological, phytochemical, and traditional uses of *Plumeria alba* L. an Indian medicinal plant. *SPER J Anal & Drug Reg* 2016: 14-17.
- Surendra KS, Singh H. A review on pharmacological significance of genus *Jatropha* (Euphorbiaceae). *Chin J Integr Med* 2012; 18(11): 868-880.
- Swerdlow JL. Nature's medicine: Plants that heal. Washington DC: National Geographic, 2003.
- Syabana MA, Edi JPK, Surahadikusuma E. Analisis kandungan diosmin tanaman seledri pada berbagai media tumbuh. *Jur Agroekotek* 2010; 2(1): 15-20.
- Taek MM, Mali S. Plants in *ai tahan*, traditional medicine of the Tetun ethnic community in West Timor Indonesia. Proceeding of the 7th Annual Basic Science International Conference. Malang: Universitas Brawijaya, 2017.
- Takken W, Knol BG. Odor-mediated behavior of Afrotropical malaria mosquitoes. *Annu Rev Entomol* 1999; 44: 131-57.
- Talontsi FM, JC Matasyoh, RM Ngoumfo, R Chepkorir. 2011. Mosquito larvicidal activity of alkaloids from *Zanthoxylum lemairi* against the malaria vector *Anopheles gambiae*. *Pesticide Biochemistry and Physiology* 99: 82–85.
- Tamilselvan N, Thirumalai T, Elumalai EK, Balaji R, David E. Pharmacognosy of *Coccinia grandis*: A review. *Asian Pac J Trop Biomed* 2011; Suppl.: S299-S302.
- Tatfeng YM, Enitan SS. Effect of *Allium cepa* and *Allium sativum* on some immunological cells in rats. *Afr J Tradit Complement Altern Med* 2012; 9(3): 374-379.
- Tilaar M, Wih WL, Setiadi-Ranti A. The green science of jamu; Pendekatan pragmatik untuk kecantikan dan kesehatan. Jakarta: Penerbit Dian Rakyat, 2010.
- Titanji VP, Zofou D, Ngemenya MN. The antimalarial potential of medicinal plants used for the treatment of malaria in Cameroonian folk medicine. *Afr J Tradit Complement Altern Med* 2008; 5 (3): 302–321.

- Tjitra E. Pengobatan Malaria dengan Kombinasi Artemisinin. Proceeding Symposium of Malaria Control in Indonesia. TDC Unair, Surabaya, 2004.
- Trager W, Jensen JB. Human malaria parasites in continuous culture. 1976. *J Parasitol.* 2005; 91(3): 484-486.
- Traoré MS, Baldé MA, Diallo MST, Baldé ES, Diané S, Camara A, Baldé AM. Ethnobotanical survey on medicinal plants used by Guinean traditional healers in the treatment of malaria. *J Ethnopharmacol* 2013; 150(3): 1145–1153.
- Traoré MS, Baldé MA, Diallo MST, Baldé ES, Diané S, Camara A, Baldé AM, 2014. In vitro antiprotozoal and cytotoxic activity of ethnopharmacologically selected Guinean plants. *Planta Medica* 80(15): 1340-1344.
- Tzy-Yen C, Hai-Lun S, Hsien-Tsung Y, Chong-Kuei L, Haw-Wen C, Pei-Yin C, Chien-Chun L, Kai-Li L. Suppressive effects of *Indigofera suffruticosa* Mill extracts on lipopolysaccharide-induced inflammatory responses in murine RAW 264.7 macrophages. *Food Chem Toxicol* 2013; 55: 257–264.
- Ugulu I, Baslar S, Yorek N, Dogan Y. The investigation and quantitative ethnobotanical evaluation of medicinal plants used around Izmir province, Turkey. *J Med Plants Res* 2009; 3(5): 345-367.
- Ukpong IG, Opara KN, Usip LPE, Ekpu FS. Community perceptions about malaria, mosquito and insecticide treated nets in a rural community of the Niger Delta Nigeria: Implications for control. *Res J Parasitol* 2007; 2: 13-22.
- Ulbricht C, Seamon E. Natural standard herbal pharmacotherapy, an evidence-based approach. Mosby-Elsevier, 2010.
- Van Khang P, Zhang ZG, Meng YH, Guo DA, Liu X, Hu LH, Ma L. Cardenolides from the bark of *Calotropis gigantea*. *Nat Prod Res* 2014; 28(15): 1191-1196.
- Van Rooyen D, Pretorius B, Tembani NM, Ham WT. Allopathic and traditional health practitioners' collaboration. *Curationis* 2010; 38(2): 1495-1505.
- Verpoorte R. Medicinal plants: A renewable resource for novel leads and drugs. In: Ramawat KG (ed.) *Herbal drugs: Ethnomedicine to modern medicine*. Berlin Heidelberg: Springer-Verlag, 2009.
- Vieira DR, Amaral FM, Maciel MC, Nascimento FR, Libério SA, Rodrigues VP. Plant species used in dental diseases: Ethnopharmacology aspects and antimicrobial activity evaluation. *J Ethnopharmacol* 2014; 155(3): 1441-1449.
- Waller DP. Methods in ethnopharmacology. *J Ethnopharmacol* 1993; 38: 189-195.

- Wang CM, Yeh KL, Tsai SJ, Jhan YL, Chou CH. Anti-proliferative activity of triterpenoids and sterols isolated from *Alstonia scholaris* against non-small-cell lung carcinoma cells. *Molecules*. 2017; 22 (12).
- Wellem FD. Kamus Sejarah Gereja. Jakarta: Penerbit BPK Gunung Mulia, 2006.
- Weller SC, Romney AK. Systematic Data Collection. Newbury Park, CA: Sage, 1988.
- Widiastuti Y, D Subositi, Haryanti S, Husniyati N, Adi MBS, Rahmawati N, Ardiyanto D, Saryanto. Inventaris tumbuhan obat Indonesia, edisi revisi, jilid 1. Jakarta: Kemenkes RI, 2016.
- Widiastuti Y, Widodo H, Supriyati N, Subositi D, Haryanti S, Adi MBS, Damayanti A, Hidayat T. 100 top tanaman obat Indonesia. Jakarta: Kemenkes RI, 2011.
- Widyawaruyanti A, Devi AP, Fatria N, Tumewu L, Tantular IS, Hafid AF. In vitro antimalarial activity screening of several Indonesian plants using Hrp2 assay. *Int J Pharm & Pharmac Sci* 2014; 6(6): 6–9.
- Willcox M, Bodeker G, Rasoanaivo P. Traditional medicinal plants and malaria. Boca Raton London New York Washington DC: CRC Press, 2004.
- Win MO, Myat MK. Pharmacological activities of *Annona squamosa*: Updated review. *Int J Pharm Chem* 2017; 3(6): 86-93.
- Windardi FI, Rahayu M, Uji T dan Rustiami H,. Pemanfaatan tumbuhan sebagai bahan obat oleh masyarakat lokal Suku Muna di Kecamatan Wakarumba, Kabupaten Muna, Sulawesi Utara. *Biodiversitas* 2006; 7(4): 333-339.
- World Health Organization. Development of national policy on traditional medicine. Manila: WHO, 2000.
- World Health Organization. Draft regional strategy for traditional medicine in the Western Pacific. Brunei Darussalam: WHO, 2001.
- World Health Organization. Guidelines for treatment of malaria 3rd ed. Geneva: WHO Press, 2015.
- World Health Organization. Medicinal plants in Papua New Guinea. WHO Western Pacific Regional Publications, 2009.
- World Health Organization. Traditional medicine strategy 2002-2005. Geneva: WHO, 2002.
- World Health Organization. World malaria report 2012. Geneva: WHO Press, 2012.
- Worley W. Traditional healers and modern medicine in Madagascar. <https://www.aljazeera.com/indepth/features/2016/07/traditional-healers-modern-medicine-madagascar-160713131303732.html>. 1 Aug 2016.

- Wright CW, Phillipson JD. Natural products and the development of selective antiprotozoal drugs. *Phytother Res* 1990; 4(4): 127-139.
- Yamada AN, Grespan R, Yamada ÁT, Silva EL, Silva-Filho SE, Damião MJ, de Oliveira Dalalio MM, Bersani-Amado CA, Cuman RK. Anti-inflammatory activity of *Ocimum americanum* L. essential oil in experimental model of zymosan-induced arthritis. *Am J Chin Med* 2013; 41(4): 913-926.
- Yende S, Harle Uday, Rajgure D, Tuse T, Vyawahare N. Pharmacological profile of *Acorus calamus*: An overview. *Pharmacog Rev - Supplement* 2008; 2(4): 22-26.
- Yogiraj V, Goyal PK, Chauhan CS, Goyal A, Vyas B. *Carica papaya* Linn: An overview. *Int J Herbal Med* 2014; 2 (5): 01-08
- Yokosuka A, Suzuki T, Mimaki Y. New cholestane glycosides from the leaves of *Cordyline terminalis*. *Chem Pharm Bull* 2012; 60(2): 275-279.
- Zein U. Pemanfaatan tumbuhan obat dalam upaya pemeliharaan kesehatan. <http://library.usu.ac.id/download/fk/penydalam-umar7.pdf>. Oktober 2005.
- Zeng X, Fang Z, Wu Y, Zhang H. Chemical constituents of the fruits of *Vitex trifolia* L. *Zhongguo Zhong Yao Za Zhi* 1996; 21(3):167-191.